

Index

- A-Galois coextension, 353
- A-ring, 308
 - unital, 273
- α -condition, 42
 - for corings, 195, 196
 - for weak corings, 364
- α -notation, 324
- adjoint pair of functors, 402
 - for comodules, 111, 231
- algebra, 416
 - almost Noetherian, 92
 - commutative, 416
 - comp, 301
 - strict, unital, 302
 - convolution, 4
 - ψ -twisted, 328
 - dual, 4, 353
 - exterior, of a module, 156
 - Gerstenhaber, 303
 - graded, 418
 - differential, 288
 - relative differential, 290
 - left regular comodule, 320
 - morphism, 416
 - over a ring, 290, 308
 - graded differential, 290
 - symmetric, of a module, 154
 - tensor, of a module, 153
 - total, 308
 - trivial left comodule, 320
- algebra-Galois coextension, 353
- alternative Doi-Koppinen datum, 340
- Amitsur complex, 290
 - of a coring, 288, 290
- anchor, 313
- annihilator, 62
- antipode, 144
 - in a bialgebroid, 310
- associativity of the cotensor product, 103, 224
- augmentation ideal, 354
- augmentation module, ring, 281
- (B, C) -injector, 235
- balanced bilinear forms, 63
- base algebra, 308
- base ring extension of a coring, 171
- basic ring, 125
- bi-ideal, 130
- bialgebra, 129
 - \times_{A^-} , 314
 - entwining, 335
 - morphism, 130
 - semigroup, 152
- bialgebroid, 308
 - Ehresmann-Schauberg, 352
 - left, right, 312
- bicomodule, 36, 101, 181, 223
 - relative injective, 37, 225
 - relative exact sequence, 37
- big cogenerator, 451
- bimodule, 419
 - Frobenius, 422
- bimorphism, 397
- bow-tie diagram, 324
- (C, A) -exact sequence, 187
- (C, D) -exact sequence, 228
- C -Galois extension, 342
- C -morphism, 22
- Cartier cohomology, – complex, 300
- category, 395
 - (A, B) -finite, 433
 - Abelian, 400

- additive, 400
- (co)complete, 400
- dual, 395
- Grothendieck, 400
- of corings, 240
- of descent data, 253
- of Frobenius corings, 273
- of Frobenius extensions, 273
- of representations of a coring in
 - an algebra, 241
- of weak comodules, 361, 365
 - perfect, 430
 - preadditive, 395
 - product, 395
 - semiperfect, 430
 - small, 395
 - strict monoidal, 408
 - tensor, 170
- classification of A -forms, 253
- coaction, 20, 180, 181
 - and *C -modules, 196
 - and tensor products, 24, 183
- counital, 20
- regular, 22, 182
- trivial, 132
- weak, 361
- coalgebra, 2
 - \times_{A^-} , 314
 - basic, 126
 - cocommutative, 7
 - coendomorphism, 118
 - cohereditary, 92
 - coproper, 91
 - coreflexive, 90
 - coseparable, 37
 - (C, R) -semisimple, 37
 - D -coseparable, 106
 - irreducible, 85
 - matrix, 6, 7, 127
 - morphism, 8
 - of a comonad, 405
 - opposite, 7
 - over QF ring, 82
 - projective, 88
 - quasi-co-Frobenius, 91
- quotient, 8
 - right semiperfect, 77, 78, 83
 - semisimple, 50
 - left relative, 37
 - simple, 50
- coalgebra-Galois extension, 342
- cobar complex, resolution, 299
- coboundary operator, 288
- cochain complex, 288
- coequaliser, 399
- coface operator, 307
- cofinite ideals, 59
- cofinite submodules, 59, 220, 225
- cogenerator in $\sigma[M]$, 445
- Cohom functor, 114
- coideal, 9
 - of a coring, 177
 - subalgebra, 343
 - for corings, 227, 244
- cointegral, 257, 301
- coinvariants, 277
 - functor for weak corings, 363
 - of a comodule, 139
 - of a weak comodule, 362
- cokernel, 399
- colimit, 400
- colinear map, 22, 181
- comodule, 20, 22, 180, 181
 - algebra of a bialgebroid, 320
 - (C, A) -injective, 186
 - (C, D) -injective, 106
 - (C, R) -injective, 32
 - (C, \mathcal{D}) -injective, 228
 - (C, D) -projective, 106
 - (C, \mathcal{D}) -projective, 228
 - coflat, 97
 - faithfully coflat, 97, 220
 - finitely presented as a module, 27, 205
 - Galois, 189, 284
 - injective, 34, 187, 208
 - weak, 360
 - map, morphism, 20, 180, 181
 - N -injective, 75
 - projective, 35, 208

- quasi-finite, 114, 233
- relative injective, 32
- relative semisimple, 106
- (semi)simple, 50, 201
- static, 188
- comonad, 405
- comp, 302
- complex, acyclic, 290
- composition of morphisms, 395
- connection, 251
 - flat, 292
- convolution algebra, 4
- coproduct, 1, 170
 - in a category, 399
 - of a \times_A -coalgebra, 314
 - of coalgebras, 12
 - of a comonad, 405
 - of comodules, 24, 182
 - of corings, 178
 - of modules, 418
- coretraction, 397
- coring, 170
 - entwining structure, 325
 - canonical, 251
 - co-Frobenius, 273
 - comatrix, 179
 - coseparable, 256, 301
 - noncounital, 260
 - cosplit, 262, 306
 - \mathcal{D} -coseparable, 261
 - defined by preorders, 171
 - Ehresmann, 350
 - Frobenius, 265
 - Galois, 284, 342
 - gauge, 350
 - Hochschild cohomology, 303, 306
 - left regular module, 319
 - matrix, 172
 - morphism, 177, 240
 - noncounital, 260
 - over QF ring, 208
 - (semi)simple, 201
 - Sweedler, 251
 - trivial, 171
 - left module, 319
 - valued differential forms, 288, 292
 - weak, 358
- cosimplicial object, 307
- cotensor product, 93, 102, 217, 224
 - exactness, 94, 218
- cotranslation map, 354
- cotriple, 405
- counit, 1, 170
 - morphism, 241
 - of a \times_A -coalgebra, 314
 - of a comonad, 405
 - of adjunction, 402
- counital source map, 371
- cup product, 302
- curvature, 292
- D2 quasibasis, 315
- dcc, 431
- degeneracy, 307
- density criterion, 70
- depth-2 extension, 315
- derivation, 288
- descending chain condition, 431
- descent datum, 253
- diagonal (co)action, 132
- diagonal action of a bialgebroid, 311
- difference (co)kernel, 399
- direct limit, 400
 - of corings, 179
- direct sum of coalgebras, 12
- Doi-Koppinen datum, 338
 - alternative, 339, 340
 - over an algebra, 389
- Doi-Koppinen module, 337
 - over an algebra, 389
- dual coring theorem, 174
- Eilenberg-Watts Theorem, 412
- endomorphism ring of C , 184
- endomorphism ring of C , 27
- entwined module, 325
- entwining map, 324
- entwining structure, 324
 - alternative Doi-Koppinen, 339
 - canonical, 346, 353

- Doi-Koppinen, 337, 338
- dual-relative, 337
- equivariant cohomology, 334
- relative, 336
- self-duality, 325
- Yetter-Drinfeld, 339
- epimorphism, 397
- equaliser, 399
 - pure, 420
- equivalence, 402
 - comodule categories, 113, 232
- exact sequence, 400
- exterior product, 156
- F*-algebra, 406
- f*-semiperfect, 431
- factorisation theorem, 10, 178
- filter of finite type, 442
- final object, 398
- finite dual of a bialgebra, 157
- finite dual of an algebra, 58
- Finiteness Theorem, 195
- flat factor rings, 436
- Frobenius system, 266
 - element, 264
 - extension, 46, 264, 423
 - homomorphism, 264
 - index-1 algebra, 380
 - pair, 403
- fully invariant decompositions, 451
- fully invariant submodules, 451
- functor, 396
 - additive, 397
 - adjoint, 402
 - between comodules, 110, 230
 - coinduction, 101, 105, 423
 - comparison, 285
 - for a coring, 286
 - contravariant, 396
 - corestriction, 105, 227
 - cotensor, 94, 218
 - covariant, 396
 - Frobenius, 46, 267, 403
 - between comodules, 112
 - faithful, full, 398
 - fully faithful, 398
 - g*-coinvariants, 276
 - induction, 242, 279, 423
 - preserving a property, 396
 - rational, 66, 212
 - exact, 71, 214
 - reflecting a property, 396
 - representative, 398
 - separable, 398, 401
 - functorial morphism, 397
 - g*-coinvariants, 277
 - Galois isomorphism, 284
 - Galois weak coring structure theorem, 364
 - generator, 147, 149
 - for comodules, 188
 - graded derivation, 288
 - grouplike element, 276
 - groupoid, 311
 - H-separable extension, 315
 - Hom-cotensor relation, 221
 - Hom-tensor relation, 25, 36, 183, 419
 - Hopf algebra, 129, 144
 - co-Frobenius, 163
 - cosemisimple, 164
 - fundamental theorem, 147
 - (*H*, *R*)-cosemisimple, 164
 - Hopf algebroid, 311
 - Hopf-Galois extension, 342, 347
 - Hopf ideal, 145
 - Hopf module, 134
 - morphism, 134
 - relative, 336
 - initial object, 398
 - injective cogenerator for comodules, 76, 209
 - injective in \mathbf{M}^C , 34
 - injective objects, 398
 - injector, 117, 325
 - integral, 133, 141
 - in bialgebra, 141
 - map, normalised, 330
 - normalised, 330

- total, 164
- intersection property, 421
- invariants, 141
- inverse limit, 400
- kernels, 399
 - and cokernels, 23
 - of tensor products of maps, 420
- Koppinen's smash product, 338
- left bialgebroid module, 317
- Leibniz rule, 288
- limit, 400
 - inductive, projective, 400
- Maschke-type theorem for corings, 257
- module, 417
 - (A, B) -semisimple, 434
 - cohereditary, 432
 - crossed, 339
 - finitely presented, 428
 - firm, 259
 - FP-injective, 426
 - graded, 418
 - hereditary, 432
 - linearly compact, 430
 - local, 429
 - locally Artinian, 428
 - locally Noetherian, 428
 - locally of finite length, 428
 - locally projective, 71
 - M -generated, 425
 - M -injective, 426
 - M -projective, 426
 - M -subgenerated, 425
 - Mittag-Leffler, 421
 - quasi-Frobenius, QF, 445
 - s-unital, 436
 - self-cogenerator, 445
 - self-generator, 425
 - self-progenerator, 450
 - semi-Artinian, 428
 - semi-cohereditary, 432
 - semi-hereditary, 432
 - semiperfect, 430
 - semiregular, 431
 - semisimple, 427
 - supplemented, 429
 - weakly M -injective, 426
 - module coring of a bialgebroid, 319
 - monad, 406
 - monoid ring, 58
 - monoidal category, 407
 - monomorphism, 397
 - Morita-Takeuchi Theorem, 113, 121
 - for corings, 238
 - Morita-Takeuchi theory, 110
 - morphism, 395
 - between corings, 240
 - effective descent, 286
 - g -inclusion, 280
 - of weak comodules, 360
 - pure, 94, 419, 420
 - of corings, 243
 - identity, 241, 395
 - inclusion, 254
 - zero, 397
 - natural transformation, 397
 - nondegenerate bilinear forms, 64
 - pre-Lie system, 301
 - preoperad, 302
 - product in a category, 399
 - product of modules, 418
 - progenerator, 427
 - for comodules, 189
 - projective cover in $\sigma[M]$, 429
 - projective in \mathbf{M}^C , 35
 - projective objects, 398
 - pullback, 400
 - pure equaliser, 420
 - pure submodule, 420
 - purity for comodules, 96, 219
 - pushout, 400
 - quantum group, 129
 - quantum groupoid, 311, 312
 - quantum homogeneous space, 343
 - rational element, 66, 212
 - rational pairing, 53

- rational (sub)module, 67, 68, 212
 - of C^{**} , 68
- relative bar resolution, 304
- relative differential forms, 293
- relative injective bicomodule, 37, 225, 300
- relative injective comodule, 32, 186
- relative injective resolution, 300
- relative semisimple, 37, 434
- representative function, 57
- resolution, 291, 299
- retraction, 397
- Σ -notation, 2, 170
- σ -decomposition, 453
- σ -indecomposable, 452
- s-rational, 92
- s-unital ideals, 436
- scalar extension, 4, 417
- section, 397
- semi-grouplike element, 276
- (semi)simple object, 398
- separable A -ring, 258
- separable extension, 256
- shorth exact sequence, 400
- small submodule, 429
- smash product, 143
- source map, 308
- split extension, 260
- stable class, 444
- strict comodule algebra, 321
- strict left comodule, 321
- sub-bialgebra, 130
- subcategory, 396
 - closed, 425
 - full, 396
- subcoalgebra, 8, 11
- subcomodule, 24, 182
- subgenerator, 427
- superfluous submodule, 429
- supplement in M , 429
- T -object, 410
- target map, 308
- tensor product, 416, 421
 - of algebras, 417
 - of coalgebras, 13
 - of comodules of a bialgebra, 132
 - of modules of a bialgebra, 131
- terminal object, 398
- tower of Frobenius corings, 274
- trace ideal, 68
 - and decompositions, 72, 215
 - for corings, 213
 - trace ideal of $\sigma[M]$, 438
- translation map, 345, 346
 - weak, 387
- triple, 406
- two-sided decompositions, 216
- unifying Hopf modules, 337
- unit of adjunction, 402
- universal enveloping algebra, 157
- universal property of $\mathcal{S}(M)$, 155
- universal property of $\Lambda(M)$, 156
- universal property of $T(M)$, 153
- weak bialgebra, 370, 373, 380, 385
- weak coalgebra-Galois extension, 387
- weak cogenerator, 445
- weak comodule algebra, 389, 390
- weak comodules, 359
- weak coring, 357, 358
 - Galois, 363
- weak Doi-Koppinen datum, 389, 390
- weak Doi-Koppinen module, 389, 390
- weak entwined module, 384
- weak entwining structure, 382
 - self-dual, 385, 386
- weak module coalgebra, 389, 390
- weak translation map, 387
- Yetter-Drinfeld modules, 339
- Yoneda Lemma, 397
- zero object, 398