

Object index*

*The ordering follows that of *Astronomy and Astrophysics Abstracts*

- Abell 65 454
- AR And 128, 154
- DX And 128, 158
- FO And 132
- KV And 132
- LL And 132
- OS And (N And 1986) 260
- PX And 218, 225, 232
- RX And 17, 18, 20, 114, 120, 130, 149, 152–5, 158, 160, 161, 164, 165, 167, 249, 424, 473
- Nova Aql 1993 280
- DH Aql 126
- DO Aql (N Aql 1925) 222, 260, 305
- FO Aql 127
- UU Aql 114, 128, 473
- V356 Aql (N Aql 1936) 260
- V368 Aql (N Aql 1936) 260
- V500 Aql (N Aql 1943) 260, 265, 276
- V528 Aql (N Aql 1945) 260, 275
- V603 Aql (N Aql 1918) 17, 85, 216, 222, 238, 239, 254, 259, 260, 284, 298, 372, 473
- V606 Aql (N Aql 1899) 260
- V751 Aql 247
- V794 Aql 114, 219, 225, 235, 243, 245
- V1229 Aql (N Aql 1970) 260
- V1315 Aql 99, 114, 218, 225, 226, 232–4, 246, 247, 383
- V1370 Aql (N Aql 1982) 24, 260, 267, 269, 275, 278, 280, 292
- AE Aqr 7, 15, 28, 114, 118, 169, 417–21, 424, 427, 435, 439, 468, 470
- FF Aqr 454
- FO Aqr 3, 70, 382, 383, 386, 388, 390, 391, 393, 394, 395–8, 402–5
- HL Aqr 218, 227, 230, 231, 424
- HU Aqr 310, 335, 361
- UU Aqr 114, 218, 242, 245, 247
- VY Aqr 132, 193, 194VZ Aqr 126
- AT Ara 126
- FV Ara 188
- TT Ari 85, 114, 115, 163, 218, 221, 230, 235, 236, 243, 254, 372, 424, 430, 439, 469, 473
- XY Ari 370, 394, 398
- WX Ari 218, 235, 236
- AS 338 304, 305FS Aur 135
- KR Aur 218, 221, 225, 230, 231, 235, 243, 424
- QZ Aur (N Aur 1964) 222, 251, 253, 260
- SS Aur 17, 114, 128, 138, 142, 158, 160, 473, 486
- T Aur (N Aur 1891) 13, 222, 239, 253, 259, 260, 266, 278, 285, 473
- V363 Aur 84, 118, 219, 221, 225, 234, 235, 245–7
- AB Boo (N Boo 1877) 250
- CR Boo 490–2, 494–500
- T Boo (N Boo 1860) 250
- TT Boo 132
- UZ Boo 163, 188
- BPM 71214 455
- RR Cae 455
- CAL 83 487, 488
- CAL 87 487, 488
- AF Cam 128
- BY Cam 311, 326, 343, 352, 354, 361, 365
- BZ Cam 91, 218, 221, 225, 230, 231, 284, 457
- Z Cam 4, 6, 17, 20, 64, 91, 93, 118, 130, 136, 153, 155, 157, 159, 160, 164–7, 231, 424, 473
- OY Car 11, 81–4, 86, 91, 108, 111, 14, 127, 129–32, 135, 136, 148–52, 160–2, 184–6, 193, 195, 197–9, 201, 202, 205, 209, 210, 215, 424, 428, 475
- QU Car 219, 221, 231, 247
- RS Car 217
- AM Cas 126
- HT Cas 11, 72, 73, 84, 108, 109, 111–14, 118, 121, 129, 131, 132, 136, 139, 150, 185, 210, 250, 372, 410, 411, 424, 428, 430
- V425 Cas 218, 236, 243
- V592 Cas 217
- V630 Cas 147
- V664 Cas 454, 456, 457
- CBS 31 372
- Cen X-3 415
- BV Cen 126, 128, 135, 146, 147, 160, 248, 252, 409
- MU Cen 128
- V436 Cen 114, 132, 193–6, 199, 202, 215, 424
- V442 Cen 128, 153, 424
- V485 Cen 372
- V803 Cen 490, 491, 493, 494, 496, 497, 499, 500
- V834 Cen 114, 310, 326, 329–31, 334, 335, 337, 340–2, 346, 348, 350, 354–61, 366
- V842 Cen (N Cen 1986) 269, 278, 291
- IV Cep (N Cep 1971) 260, 269, 278, 291, 473

564 Object index

- WW Cet 130, 163
 WX Cet 132, 192–4
 Z Cha 11, 70, 73, 75–84, 86, 95, 97, 101, 108, 109, 111–15,
 120–2, 127, 129–31, 133, 139, 143, 149, 150, 152, 153,
 155, 158, 160–2, 174, 182, 184–6, 192, 193, 195, 197,
 199–203, 205, 209, 210, 214, 215, 424, 428, 473, 475
 HL CMa 130, 153, 154, 161, 163
 WY CMa 219
 BG CMi 370, 377, 382, 383, 390–3, 395, 397, 398, 400,
 403, 405, 411
 SV CMi 126, 130
 AC Cnc 97, 98, 219, 221, 225, 235, 247, 256
 AK Cnc 188
 AR Cnc 128
 AT Cnc 130, 163
 CC Cnc 135
 EU Cnc 313, 486
 S Cnc 3
 SY Cnc 130, 165, 423, 424
 YZ Cnc 91, 99, 114, 121, 127, 133, 136, 154, 160, 192, 193,
 202, 210, 423, 424, 430
 TV Col 85, 254, 367, 368, 370, 382, 383, 388, 395, 397,
 398, 405, 407, 409, 410
 TX Col 370, 386–9, 395, 397–403, 405
 AL Com 135, 188, 372
 GO Com 135, 424
 GP Com 489–91, 493, 495–7, 499, 501
 IN Com 453
 V394 CrA 222, 240, 261, 262, 299, 300
 V693 CrA (N CrA 1981) 17, 19, 260, 275, 278
 T CrB 7, 12, 14, 16, 222, 240–2, 250, 253, 261, 262, 300–2
 TT Crt 128
 AM CVn 85, 489–500
 UX CVn 454
 Cyg X-2 307
 Cyg X-3 420
 CG Cyg 475
 EM Cyg 114, 118, 121, 130, 158, 163–7, 424
 EY Cyg 17, 116, 128
 P Cyg 2
 Q Cyg (N Cyg 1876) 13, 217, 249, 250, 260, 473
 SS Cyg 4, 5, 7, 13–15, 17, 20, 25, 63, 65, 69, 114, 116, 120,
 121, 123, 128, 135, 140–3, 146, 148, 149, 152–2, 182,
 183, 192, 205, 214, 423, 424, 428, 430–3, 435, 437, 473,
 474, 479
 V450 Cyg (N Cyg 1942) 260, 276, 290
 V465 Cyg (N Cyg 1948) 260
 V476 Cyg (N Cyg 1920) 260, 276
 V503 Cyg 85, 135
 V751 Cyg 219, 243, 245
 V795 Cyg 126
 V1016 Cyg 303, 304
 V1251 Cyg 133
 V1329 Cyg 304
 V1500 Cyg (N Cyg 1975) 114, 222, 238, 248, 249, 253,
 259, 260, 265, 267, 270, 275, 277, 280, 282, 284,
 291–3, 311, 354, 361, 364–6, 369, 478
 V1504 Cyg 188
 V1668 Cyg (N Cyg 1978) 222, 253, 259, 260, 267–9, 271,
 278, 291, 292
 V1776 Cyg 218, 225, 234, 243, 247
 V1974 Cyg (N Cyg 1992) 222, 253, 260, 275, 280, 282, 283
 V1819 Cyg (N Cyg 1986) 280
 V2110 Cyg 304
 CM Del 218, 225, 234, 235
 HR Del (N Del 1967) 85, 91, 216, 222, 238, 239, 254, 259,
 260, 269, 278–80, 284, 285
 IO Del 188
 AA Dor 455
 4 Dra 313
 AB Dra 130, 430, 477
 CQ Dra 313, 486
 DM Dra 135
 DV Dra 188
 EP Dra 310, 335, 339
 ES Dra 135
 YY Dra 114, 124, 128, 368, 370, 398
 1E 0035-7230 488
 1E 0830-2238 313
 1E 1339+2837 488
 E 2000+223 284
 EC 04224-2014 219
 EC 05114-7955 218
 EC 05565-5935 218
 EC 11575-1845 455
 EC 13471-1258 455
 EC 15330-1403 490, 491, 496, 500
 EC 19314-5915 225, 486
 EC 23128-310 135
 AH Eri 188, 372
 AQ Eri 132, 193
 CP Eri 372, 490, 497, 500
 EF Eri 310, 326, 334, 335, 337, 341, 343, 345–7, 349, 351,
 352, 354, 356, 359–61, 366
 EXO 0329-2606 311
 FBS 1031+590 313
 FBS 2351+228 300
 Feige 24 454
 Feige 36 455
 UZ For 114, 118, 310, 334, 335, 337, 346, 347, 356–8, 360,
 361, 469
 GD 552 99, 135
 N Gem 1892 250AW Gem 133
 IR Gem 91, 132, 154
 DM Gem (N Gem 1903) 260
 DN Gem (N Gem 1912) 216, 260
 PQ Gem 370, 391, 392, 395, 439
 SY Gem (N Gem 1856) 250
 U Gem 3, 4, 10, 11, 13, 17, 20, 21, 25, 39, 40, 69, 72, 74,
 81–5, 99, 108, 109, 111, 114, 115, 120, 121, 124, 127,
 128–30, 136, 138, 141–3, 149–53, 158–62, 168, 184, 214,
 253, 393, 424, 430, 431, 437, 469, 472–4, 476, 479
 VZ Gem (N Gem 1856) 250
 CE Gru 310, 334, 335
 CF Gru 135
 RZ Gru 219, 227, 229, 230
 1H 0201-029 372
 1H 0551-819 313, 372
 H 0927+501 219
 H 1752+081 218
 H 1933+510 218
 HD 33959C 454
 HD 49798 454

Object index 565

- AH Her 114, 118, 127, 130, 149, 153, 154, 158, 160, 231, 423, 424, 426, 428, 437
- AM Her 114, 118, 307, 311, 326, 327, 334, 335, 339, 340, 343, 344, 346, 347, 350–4, 357–9, 361, 366, 367, 376, 382, 465
- DQ Her (N Her 1934) 7, 9, 12, 13, 15, 16, 23, 87, 97, 102, 109, 111, 216, 222, 238, 253, 259, 260, 266, 269, 274, 276, 278, 279, 284–6, 289, 290, 292, 293, 367, 368, 387, 412–17, 422, 424, 428, 435, 436, 468, 472, 473, 475
- HZ Her (Her X-1) 85, 125, 254, 415, 420
- V446 Her (N Her 1960) 217, 248, 250, 260, 473
- V533 Her (N Her 1963) 222, 238, 248, 260, 420–2, 424, 435
- V544 Her 135
- V592 Her 188
- V795 Her 85, 99, 218, 221, 225, 226, 242, 247, 254, 372
- V825 Her 219
- V827 Her (N Her 1987) 260, 278, 280
- V838 Her (N Her 1991) 222, 248, 260, 269, 275, 283
- WW Hor 310, 334–6, 339, 361
- HS 1804+6753 128
- HtTr 4 454
- EX Hya 17, 20, 368, 370, 377, 388, 390–400, 402, 403, 405, 407, 409–11, 417, 439, 470, 473
- LW Hya 453
- LY Hya 135, 218
- V Hya 452
- BL Hyi 114, 118, 310, 326, 335, 337, 339, 346, 351, 352, 359, 361
- VW Hyi 17–19, 62, 69, 93, 111, 114, 115, 127, 129, 130, 131, 133, 136, 138–40, 143, 148, 149, 153–5, 158–62, 188–99, 202, 203, 214, 215, 423, 424, 427, 430, 432, 433
- WX Hyi 127, 133, 148–50, 158, 160, 193, 194, 202, 215, 424
- HZ 9 454
- TT Ind 126
- TU Ind 126
- CP Lac (N Lac 1936) 217, 260, 269, 278, 291
- DI Lac (N Lac 1936) 14, 216, 222, 260
- DK Lac (N Lac 1950) 217, 259, 260, 278
- Nova Leo 1612 250
- DO Leo 219, 225
- DP Leo 114, 310, 334–6, 339, 356, 360, 361
- RZ Leo 135, 194
- T Leo 4, 17, 114, 132, 160, 372, 410, 411
- U Leo (N Leo 1855) 222, 250
- X Leo 128, 424
- GW Lib 188
- LMC Novae 259, 265, 273, 275
- LMC-RN 222, 240, 261, 262, 299, 300
- LMC X-4 85
- RU LMi 128
- RX LMi 217
- RZ LMi 243
- ST LMi 111, 114, 310, 326, 330, 332, 335, 337–9, 346–9, 352, 356, 357, 359, 361, 366
- SX LMi 218
- LoTr1 453
- LSI +55o 08 226
- BR Lup 133
- BH Lyn 218, 225, 232, 234, 235
- BI Lyn 219
- BK Lyn 218, 255
- AY Lyr 132, 193, 202, 215
- HR Lyr (N Lyr 1919) 260
- LL Lyr 126
- MV Lyr 7, 14, 85, 114, 218, 221, 235, 236, 243, 244, 247, 254, 424, 465, 473
- V344 Lyr 133, 193
- V358 Lyr 188
- V477 Lyr 125, 455
- TU Men 133, 143, 187, 192, 193, 202, 203, 210, 215
- BT Mon (N Mon 1939) 97, 222, 248, 253, 260, 468
- CW Mon 128
- GI Mon 217
- KQ Mon 217, 226, 230
- V651 Mon 454
- GQ Mus (N Mus 1983) 222, 249, 253, 255, 260, 267, 269, 274, 275, 277, 278, 282, 283, 292, 296, 313, 365, 477
- NGC 7662 457
- HP Nor 126
- AO Oct 188
- N Oph 1938 486
- RS Oph 222, 240–2, 250, 253, 262, 300–3, 449
- V380 Oph 218, 225
- V426 Oph 130, 424
- V442 Oph 218, 225, 236
- V840 Oph (N Oph 1917) 260
- V841 Oph (N Oph 1848) 2, 3, 216, 222, 250, 251, 260, 473
- V849 Oph (N Oph 1919) 222, 276
- V2051 Oph 108, 135, 188, 197, 313, 424, 473
- V2214 Oph (N Oph 1988) 222, 238, 260, 275–8, 290, 313, 365
- V2264 Oph (N Oph 1991) 275
- V2301 Oph 310
- CN Ori 127, 128, 141, 149, 155, 163, 203, 424
- CZ Ori 128
- V1159 Ori 132, 142, 199, 424
- V1193 Ori 218
- BD Pav 128, 131
- GS Pav 128
- V345 Pav 219
- AG Peg 304, 305
- EF Peg 133, 193
- HX Peg 128
- IP Peg 81–4, 93, 97, 99, 100, 108, 109, 111, 114, 121, 124, 128, 129, 150, 153–5, 161, 232, 473, 475
- RU Peg 7, 15, 17, 101, 116, 118, 121, 128, 138, 160, 163, 424, 437, 473, 486
- FO Per 126
- FY Per 313
- GK Per (N Per 1901) 23, 126, 128, 146, 147, 216, 222, 238, 248, 249, 251, 259, 260, 276, 280, 284–6, 299, 365, 368, 370, 377, 390, 395, 398, 400, 402, 403, 405, 407, 408, 424, 439, 457, 467, 473, 487
- KT Per 98, 99, 103, 127, 130, 154, 423, 424
- QY Per 188
- TZ Per 114, 126, 167
- UV Per 132
- V Per (N Per 1882) 222, 238, 253, 254, 276, 313, 365

566 Object index

- YZ Per 154
 V336 Per 188
 V400 Per (N Per 1974) 260
 PG 0308+096 455
 PG 0859+415 218, 424
 PG 0900+401 455
 PG 0917+342 85
 PG 1000+667 219
 PG 1026+002 454
 PG 1538+269 454
 PG 1717+413 226
 PG 2133+115 218, 226
 RR Pic (N Pic 1925) 17, 216, 222, 237, 238, 253, 260, 269,
 274, 276, 278, 285, 424, 473
 TW Pic 372, 457
 AO Psc 22, 367, 368, 370, 382, 383, 385, 387, 388, 390,
 391, 393, 395, 398–400, 402, 403, 405–8
 AY Psc 219, 225, 247
 TY Psc 127, 132, 160, 163, 198
 TY PsA 133, 150, 153, 203, 423–5, 427, 429–31
 N Pup 1673 250
 BV Pup 128
 BX Pup 138, 486
 CP Pup (N Pup 1942) 98, 99, 222, 237, 249, 251, 253, 255,
 256, 259, 260, 276–8, 285, 291, 313, 365
 DY Pup (N Pup 1902) 266
 UY Pup 126
 VV Pup 7, 99, 114, 308, 310, 326, 330, 333, 335, 339–42,
 346, 348, 349, 352, 356, 357, 360, 361, 366
 V347 Pup 83, 84, 219, 235, 372
 V348 Pup 313, 365, 372
 V351 Pup (N Pup 1991) 275, 280
 T Pyx 222, 238, 240, 256, 261, 262, 285, 299, 303, 313, 365
 VW Pyx 454
 VZ Pyx 372
- RE 0720-318 454
 RE 2013+400 454
 RE 2107-05 114
 RE/RX 0453-42 310
 RE/RX 0531-462 310
 RE/RX 1844-74 310
 RX 0203+29 311
 RX 1007-20 311
 RX 1313-32 311
 RX 2316-05 311
 RXJ 0132-65 310
 RXJ 0153-59 310
 RXJ 0439-6809 488
 RXJ 0501-03 311
 RXJ 0512-32 313
 RXJ 0513-6915 488
 RXJ 0515+01 313
 RXJ 0525+45 311
 RXJ 0527-6954 488
 RXJ 0600-27 313
 RXJ 0859+05 313
 RXJ 0925-4754 488
 RXJ 0929-2404 311, 335
 RXJ 0953+14
 RXJ 1002-19 310
 RXJ 1015+09 310
 RXJ 1712-2414 370, 391, 392
- RXJ 1802+1804 310
 RXJ 1940-1025 311, 365
 RXJ 1957-57 310
 RXJ 2022-39 313
 RXJ 2353-385 135
- S 193 372
 VY Scl 121, 218, 231, 236, 243, 247
 VZ Scl 84, 97, 218, 225, 234, 235, 246, 247
 N Sco 1437 250
 CL Sco 217
 FQ Sco 126, 188
 T Sco 486
 U Sco 222, 240, 253, 261, 262, 299, 300, 303
 V723 Sco 262, 300
 V745 Sco 240, 262, 300, 301
 V977 Sco (N Sco 1989) 278
 EU Sct (N Sct 1949) 261, 300
 FS Sct (N Sct 1952) 302
 V368 Sct (N Sct 1970) 280
 V373 Sct (N Sct 1975) 261
 V443 Sct (N Sct 1989) 278
 V444 Sct (N Sct 1991) 275, 30
 2CT Ser (N Ser 1948) 222, 372
 FG Ser 304, 305
 FH Ser (N Ser 1970) 17, 23, 25, 217, 261, 266, 267, 269,
 279–81
 LW Ser (N Ser 1978) 259, 261, 269
 LX Ser 84, 218, 225, 234, 243, 245–7, 424
 MR Ser 114, 125, 310, 326, 334, 335, 347, 357–62, 366
 MT Ser 455, 456, 464
 MU Ser (N Ser 1983) 261
 NN Ser 236, 455, 456
 RT Ser 304
 UZ Ser 130, 138, 143, 163
 X Ser 372
 RW Sex 90, 219, 221, 227, 230, 247, 423, 424, 430
 SW Sex 84, 93, 97, 218, 221, 223–5, 227, 232, 234, 246,
 247
 HM Sge 303–5
 RZ Sge 132, 193, 215
 UU Sge 455
 WY Sge (N Sge 1783) 222, 249, 252, 253, 260
 WZ Sge 82, 85, 86, 98, 112, 114, 115, 127, 129–35, 137,
 138, 152, 153, 160, 161, 186, 188, 190, 192–4, 197, 198,
 202–4, 210, 258, 421, 422, 424, 430, 464, 481 3
 AT Sgr (N Sgr 1900) 302
 GR Sgr (N Sgr 1924) 302
 HS Sgr (N Sgr 1900) 302
 V441 Sgr 217
 V551 Sgr 188
 V630 Sgr (N Sgr 1936) 260, 276
 V726 Sgr (N Sgr 1936) 276
 V732 Sgr (N Sgr 1936) 276, 286
 V909 Sgr (N Sgr 1941) 276
 V928 Sgr (N Sgr 1947) 260
 V1017 Sgr (N Sgr 1919) 126, 128, 147, 222, 248, 249, 251,
 252, 258, 409
 V1223 Sgr 370, 382, 386, 390, 395, 398, 399, 401, 403, 405,
 409, 410
 V1830 Sgr 126V3645 Sgr (N Sgr 1970) 260, 300
 V3885 Sgr 91, 219, 221, 227, 229–31, 242, 424, 427
 V3888 Sgr (N Sgr 1974) 302

Object index **567**

- V3890 Sgr 240, 249, 262, 300, 301
 V4074 Sgr 240, 303
 V4077 Sgr (N Sgr 1982) 261, 280
 V4140 Sgr 112, 135, 473
 V4160 Sgr (N Sgr 1991) 275
 SP 1 454
- HW Tau 188
 XX Tau 217
 V421 Tau 188
 V471 Tau 455–7, 470
 V1062 Tau 370
 KK Tel 135
 QS Tel 310
 RR Tel 303, 304
 YY Tel 188
 EK TrA 65, 111, 114, 115, 130, 132, 155, 156, 193, 195, 202
 RW Tri 72, 84, 90, 97, 118, 121, 219, 221, 225, 234, 235, 238, 242, 243, 245–7, 250, 255, 473, 474
- AN UMa 114, 308, 310, 326, 335, 340–2, 346–8, 356, 361, 366
 AR UMa 310
 BC UMa 132
 BE UMa 454
 BZ UMa 135
 CH UMa 124, 128
 CI UMa 135
 CY UMa 132
 DV UMa 135
 DW UMa 114, 121, 218, 221, 223–7, 232, 235–7, 243, 247
 EG UMa 454
 EI UMa 128
 EK UMa 310, 335, 361
- ER UMa 132, 219
 EU UMa 310
 EV UMa 310
 SU UMa 91, 98, 99, 133, 154, 158, 160, 163, 188, 193, 194, 199, 215, 424, 430, 499
 SW UMa 114, 132, 188, 192, 193, 198, 204, 372, 410, 424
 UX UMa 7–11, 14, 72, 80, 84, 90, 91, 97, 121, 219, 221, 225, 229–31, 234, 235, 238, 238, 242, 245–7, 424, 427, 436, 472–5
 RW UMi (N UMi 1956) 222, 261, 365
 SS UMi 132
- V 0252–3037 313
 V 2008–65 310, 361
 CU Vel 133
 KO Vel 372
 KV Vel 455
 IX Vel 91, 92, 121, 219, 221, 227–31, 242, 247, 254, 424, 427, 436
 GK Vir 455, 456
 HS Vir 135
 HV Vir 132, 192, 193, 198, 210
 HW Vir 455, 456, 464
 TW Vir 128, 142, 150, 154, 161
 PU Vel 304, 305
 CK Vul (N Vul 1670) 2, 3, 250, 261
 LU Vul (N Vul 1968) 261
 LV Vul (N Vul 1968) 217, 261, 269, 279
 NQ Vul (N Vul 1976) 261, 268, 269, 280, 282
 PW Vul (N Vul 1984) 222, 261, 269, 274, 278, 280, 282, 291
 QQ Vul 22, 311, 326, 335, 346, 347, 350, 352, 356, 357
 QU Vul (N Vul 1984, No. 2) 24, 261, 267, 269, 275, 278, 280, 282–4, 290
 QV Vul (N Vul 1987) 261, 269, 278
 VW Vul 135, 163

Subject index

- AAVSO 4–6, 126, 141, 157, 164–6, 190, 192
- absolute magnitudes, *see, e.g.*, dwarf novae, absolute magnitudes
- abundances 90, 167, 239, 276, 278–80, 285, 286, 290–4, 298–300, 302, 303, 354, 365, 493, 501
- accretion
 - discless 376–8, 380, 396, 397, 469
 - magnetically-controlled 308, 309, 313, 314–25, 368–81, 391, 395, 396, 399, 400, 402, 409, 412, 415–18, 435, 436, 438
 - two-pole 330, 333–5, 337, 348, 351
- accretion arcs 315, 323–5, 329, 330, 332, 334, 338, 356, 374, 375, 377, 395
- accretion column 317–25, 328, 333, 338, 340, 342, 343, 348, 351
- accretion curtain 383, 395, 396, 398, 402, 403
- accretion discs,
 - absolute magnitudes 63, 64, 138, 139, 144–6, 242, 251
- absorption line spectra 59–62, 102, 103, 131, 153–5, 202, 203, 216, 226–31, 491, 492
- chromosphere 86–90, 96, 154
- corona 50, 54, 55, 86, 140, 161, 162, 182, 239, 435
- emission line profiles 93–9, 232, 401, 402
- emission line spectra 16, 85–102, 154, 202, 216, 224, 225, 238
- estimates of alpha 47–51, 54, 131, 170, 176, 178, 179, 183, 185–187, 212, 499
- flux distribution, observed 18, 62, 63–9, 130, 152, 156, 157, 159, 167, 202, 407; theory 18, 19, 44–6, 59–62, 115, 130, 156, 157, 159, 407
- helium 499, 500
- instability, *see* disc instability model
- IR 23, 44, 66, 67, 86, 150
- irradiation 47, 61, 87, 409, 417, 428
- luminosity 40, 47, 53, 63, 64, 138, 144, 159, 160, 213, 380
- magnetic fields 49–51
- opacity 170–2, 499
- oscillations 53, 438, 491
- precession 58, 59, 84, 85, 205–9, 211, 254, 368, 497, 499
- radii 38–40, 47, 57, 58, 63, 71, 73, 96, 103, 104, 136, 150–2, 160, 176, 183, 184, 206, 207, 210–13, 241–3, 246, 254, 381, 405, 491, 500
- temperature distribution 43–5, 47, 56, 72, 77–80, 131, 152, 170, 174, 176, 184–6, 229, 234, 245, 247, 253, 254, 381, 499
- theory 40–53, 169–87
- thickness 41, 44–7, 53, 57, 98, 119, 152, 175, 197, 201, 202, 208, 209, 247, 286, 416, 477
- tilted 58, 59, 164, 208, 368, 497
- time-dependent 175–84, 381
- transition fronts 154, 173, 175–9, 381
- truncated 131, 160, 182, 234, 239, 254, 369, 375, 380, 381, 400, 402, 406–8, 418
- viscosity 27, 38, 41–3, 46, 48–52, 55, 57, 58, 86, 131, 145, 172–7, 179, 181–6, 210, 212, 254, 255, 373, 374, 381, 435, 464
- Alfvén radius 309, 443, 444
- Alfvén waves 50, 378, 444
- Algol variables 3, 104, 368, 475
- aluminium, interstellar 298
- amateur astronomers 2, 3–6, 126, 164, 242, 248, 250, 326, 474
- AM CVn stars 489–501
 - flux distributions 492–4, 496
 - light curves 489–91, 495–7, 500
 - spectra 489–95
 - X-rays 491, 495, 499
- angular momentum transfer 441–9, 462, 467
- anti-dwarf novae 217
- ASSA 6
- BAA 6, 141
- black holes 41
- bolometric luminosities 17, 23, 40, 83, 160, 211, 213, 239, 291, 304, 486
- boundary layer 40, 43, 53–7, 67, 69, 82, 87, 88, 90, 92, 93, 112, 113, 119, 120, 129, 140, 161, 162, 239, 241, 286, 288, 381, 461, 469, 477
- magnetospheric 374, 375, 378, 418
- radiation from 54, 57, 61, 67–9, 87, 92, 113, 160, 286, 461, 469
- bright spot 7, 10–12, 16, 37–41, 48, 53, 62, 69, 70, 72–78, 80–5, 96, 98, 119, 121, 131, 136, 138, 144, 149–52, 160, 161, 169, 185, 197, 203–5, 208, 209, 221, 236, 242, 246, 368, 382–4, 386, 406, 438
- Chandrasekhar mass 104, 288, 292, 301, 302, 458, 501
- chaos 143, 377
- circumstellar absorption 68, 69
- classifications of CVs 4, 6, 7, 13, 27–30, 126, 127, 140, 141, 187, 216, 217, 237, 308, 368
- clusters, CVs in, *see* membership of clusters
- CNO abundances 167, 239, 270, 271, 278, 286, 288–90, 298, 305, 501

- common envelope 294, 295, 303, 305, 364, 450–2, 456, 457, 464, 467, 469, 476, 484, 485, 489
- convection 35, 48, 49, 170, 172, 179, 288–90, 362, 373, 443–5, 451, 458, 459, 461, 464–6, 475
- coronal siphon 182
- corotation radius 373, 374, 377–80, 391, 408, 420
- cyclical evolution 475–78
- cyclotron harmonics 307, 321–3, 334, 360–2
- cyclotron radiation 307, 317–19, 321–3, 325, 330, 336–9, 342, 343, 346, 357, 360, 391, 392
- diffusion 289, 290, 373, 377
- disc instability model 169–87, 213, 381, 499
- distances to CVs 19, 117, 118, 138, 146, 214, 245, 251, 253, 262, 263, 267, 299, 300, 310, 311, 339, 398, 439, 483
- Doppler tomography 81, 98–100, 121, 232
- DQ Her stars 9, 12, 28, 286, 367, 368, 412–39, 434, 435, 439, 468, 483
- gamma-rays 420
- polarization 414, 419
- radio emission 416, 419, 420
- rotational modulation 412–19
- spectroscopic observations 414, 415
- X-rays 416, 418, 419, 421
- dwarf nova oscillations 12, 93, 147, 182, 422–37, 469
- dwarf novae
 - absolute magnitudes 10, 89, 138, 139, 144–6, 164, 475, 476
 - discovery 3, 4, 6, 482, 483
 - dust 25
 - energetics 143, 144, 160, 214, 215
 - evolution between outbursts 131, 160, 161, 479
 - in quiescence, flux distributions 17, 18, 78, 115
 - IR 25, 67, 121, 127, 136, 137, 148, 150, 159
 - mass transfer rates 66, 89, 140, 149, 159, 160, 163, 164, 169, 184, 186, 482
 - outburst frequency 126, 142, 143, 145, 164, 165, 185–8, 191, 192, 212, 213, 381, 464, 472–4, 478
 - outburst precursor 161, 192
 - outburst range 28, 143, 144
 - outburst rise and decay rates 146, 147, 149, 150, 155, 162, 172–8, 187, 188, 193, 243, 500
 - outburst spectra 13, 14, 17, 86, 90, 91, 93, 149, 152–61, 182
 - outbursts 3, 4, 7, 10–12, 17, 59, 140–67, 426, 486; colour variation 148, 149, 155, 183, 193; flux distributions 19, 20, 62, 78, 93, 149, 155–60, 167, 182; theory 10, 145, 164, 167–87; UV delay 155, 158, 177, 180–2, 381
 - quiescent spectra 14, 15, 17, 86–8, 95–8, 100, 112, 113, 115, 127, 129–31
 - radio observations 25, 163
 - X-rays 20, 21, 67–9, 88, 89, 93, 139, 140, 161–3, 169, 420, 430–3, 435, 482, 483, 489
- eclipse
 - emission lines 85, 90–3, 97, 102, 155, 223, 226, 232, 235, 238, 239, 247, 356
 - mapping 74–80, 99, 150, 152, 200, 201, 209, 234, 242–7, 253
 - profiles and analysis 7, 10, 11, 69–80, 106, 111, 131, 150–2, 166, 199, 229, 243, 246, 253, 255, 474
 - rotational disturbance 16, 97, 232, 235, 247, 405, 414
- simulation 72–4
- Eddington luminosity 267, 289, 291, 292, 294, 300, 301, 318, 345, 346, 451, 456, 457
- ellipsoidal modulation 25, 31, 103, 119, 121, 131, 136, 230, 247, 253, 304, 339
- evolution of CVs 145, 377, 441–501
- fastness parameter 379–81, 390, 391, 400, 402, 407, 408
- Fe X-ray emission 140, 344, 399
- finding charts 126, 257
- flickering 7–11, 39, 76, 80–4, 150, 165, 236, 241, 247, 339, 340, 351, 489, 491
- flux-ratio diagram 66, 67, 150
- French Assoc. Obs. Var. Stars 6
- galactic distribution 21, 257, 258, 300, 480–7, 500
- galactic X-rays 140
- gamma-rays 25, 26, 366, 420
- gravitational radiation 447, 456, 462, 463, 466, 469, 475, 476, 480, 485, 489
- helium-rich systems 30, 464, 489–501
- hibernation 288, 476–478, 483
- hydrodynamic modelling 39, 50, 51, 53, 55–58, 167, 168, 291, 295, 319
- infrared, *see*, e.g., dwarf novae, IR
- intermediate polars 28–30, 203, 204, 234, 248, 254, 367–439, 457, 469, 470, 483, 491
- eclipses 368, 382, 383, 388, 396, 403, 405, 413, 414, 416
- evolution 469–71
- flux distribution 375, 385, 386, 391, 397–9, 406–8
- long term light curves 382
- magnetic field strengths 376–8, 391, 392, 398–400, 402, 408, 411, 419, 422, 439, 440, 471
- mass transfer rates 375, 7, 391, 392, 397–400, 406–9, 418, 421, 422, 469
- outbursts 381, 382, 408–11
- polarization 376, 391, 392
- radio emission 411
- rotational modulation 383–8, 392–7, 399, 402–5, 409, 412–22
- spectroscopic observations 400–11
- spin-up and spin-down 370, 373, 5, 377, 379, 388, 390, 391, 412, 413, 419–22
- X-rays 20, 22, 367, 368, 376, 377, 382–6, 388, 392, 9, 403, 406, 407, 409, 412, 416, 418–20
- interstellar absorption and reddening 17, 19, 20, 68, 69, 139, 148, 253, 258, 260–2, 264, 300, 345, 346, 377, 407, 484
- interstellar gas, contribution from novae 298
- interstellar grains 298
- Kelvin–Helmholtz instability 314, 373
- Kelvin–Helmholtz time scale 458, 459, 463, 465, 466
- Kukarkin–Parenago relation 143–5, 302
- Lagrangian points 32, 34, 100, 121, 131, 168, 204, 233, 313, 315, 356, 357, 449
- late-type stars, activity 88, 121, 125, 235, 339, 443–6, 472, 474

570 Subject index

- magnetic braking 443–8, 453, 456, 457, 459–61, 463–7, 469, 471, 472, 475, 477, 478, 485
 magnetic fields 12, 27, 30, 49, 50, 97, 163, 169, 179, 182, 188, 216, 233, 234, 238, 239, 247, 248, 253–6, 277, 307–439, 443, 444, 453, 461, 468, 489
 magnetic torque 313, 361, 362, 364, 365, 368, 373, 374, 378–81, 443, 471, 472, 474, 475, 478
 magnetosphere 308, 309, 313, 314, 325, 356, 369, 373, 374, 376, 378, 392, 396, 405, 408, 409, 412, 420, 421, 436
 mass ratio 31, 73, 103–9, 209, 210, 254, 255, 442, 458, 459, 462, 464, 467, 488, 498–500
 mass transfer 10, 16, 34–8, 42, 54, 58, 63, 113, 145, 149, 180, 184, 441–3, 446–8, 450, 456–67, 469, 471, 475–477, 487–9, 499
 critical rate 145, 164, 169, 174, 175, 185, 186, 216, 242, 245, 250, 251, 255, 409
 dynamical 450, 457, 458
 instability 168, 169, 170, 178, 183, 213, 381
 low states 112, 125, 235–7, 243–5, 247, 248, 250, 288, 314, 326, 327, 338, 339, 376, 377, 382, 465, 472, 478, 491–3
 maximum entropy method 78, 80, 99, 150, 152
 membership of clusters 138, 313, 486–8
 Mira variables 3, 13, 251, 303, 306
 neutron stars 41, 68, 308, 420
 nova-like variables 6, 7, 15, 28, 30, 114, 157, 175, 216–37, 242–7, 253–6, 296, 307, 308, 383, 423, 424, 435, 478, 480, 482, 483, 494
 absolute magnitudes 245, 288, 476, 483
 flux distributions 80, 157, 159, 225, 226, 231, 236, 254, 406, 407
 IR 66, 67, 247
 mass transfer rates 64, 66, 89, 175, 221, 242, 245, 247, 286
 radio emission 256
 spectroscopy 7, 14, 15, 28, 80, 86, 92, 93, 97, 98, 115, 221, 223–37
 X-rays 67, 68, 88, 89, 430
 nova shells 23, 25, 28, 238, 274, 275, 277, 279–81, 282–6, 295, 299, 302, 303, 457
 novae
 ancient 1, 3, 250, 257, 258
 discovery of 257, 258
 dust in 23, 268–70, 274, 279
 eruption: 3, 17, 257–303; absolute magnitudes 263, 264, 266, 300; colours 261, 263; continuous wind ejection 273, 274, 277, 282, 293, 294, 298, 303; diffuse enhanced spectrum 272, 273, 293; effect on evolution 467, 468, 470, 476, 478, 479, 501; ejected envelope 267–9, 271, 273, 279–82, 287, 288, 302; expansion velocity 260, 261, 268, 271, 273, 274, 277, 279, 283, 284, 291, 294–6, 299–301, 468; flux distributions 17, 24, 266–8, 271; frequency 257, 258, 288, 290, 295, 298, 299, 302, 366, 468, 483, 486; IR 23, 24, 267–9, 272, 275, 276, 284, 287; light curves 258–61, 263, 268, 301; luminosities 266, 267, 270, 291–3, 296, 300, 301, 486; modern spectral classification 277; nebular spectrum 274, 276, 302; Orion spectrum 273–5, 293, 298; principal spectrum 271, 273, 284; quasi-periodic oscillations 298, 299; radio observations 25, 269, 280–3, 301; range 27, 248, 251, 252, 265, 266, 302; rate of decline 27, 251, 258, 260–6, 271, 291–3, 299, 301, 484; spectra 12, 13, 14, 270–7, 299; theory 287–98, 302, 303; X-rays 282, 283, 301
 light echoes 286, 287
 magnetic fields 364–6
 Neon 265, 275–7, 282, 289, 290, 302, 488
 pre-eruption observations 216, 238, 248, 249
 quiescence: 237–42, 248–56; absolute magnitudes 10, 64, 66, 251–3, 288, 476; DN outbursts 248–53, 258; mass transfer rates 64, 89, 238, 239, 250, 251, 472; spectra 14, 15, 17, 19, 86, 87, 97, 216, 221, 237–42; X-rays 23, 68, 88, 89, 238
 nova remnants, *see* novae, quiescence
 nuclear reactions 288–90, 293, 296, 458, 461
 oblique rotator 369, 415, 417, 421, 435
 optically thin discs 47, 59, 66, 86, 90, 96, 129, 131, 136, 137, 150, 172, 241
 orbital brightness modulation 10, 81, 82, 131, 135, 136, 148, 149, 152, 194, 197, 199, 203, 245–7, 253, 326–36, 348, 364, 367, 382, 383, 392, 397, 489
 orbital eccentricity 30, 31, 99, 102, 204, 447, 449
 orbital period gap 30, 107, 146, 187, 240, 347, 362, 457, 464–6, 469, 471, 480, 483, 485, 500
 orbital periods: 7, 9, 28–30, 126–8, 130, 132, 133, 135, 192, 218, 219, 222, 245, 262, 303, 304, 310, 311, 313, 370, 372, 454–6, 469, 477, 490; variations 242, 388, 442, 446, 453, 456, 462, 464, 466, 468, 472–7
 orbital period minimum 30, 210, 457, 461–5, 485, 488
 orbital sidebands 386–8, 397, 403, 405, 497
 orbital velocity, *see* radial velocities, orbital
 particle code modelling 39, 51–3
 P Cygni profiles 17, 85, 90, 91, 93, 167, 202, 225, 230, 238, 270, 271, 273, 352, 409, 494
 photoionization 87, 89, 92, 170, 275, 277, 286
 planetary nebulae 452, 453, 457, 485
 polarization 12, 20, 69, 152, 153, 217, 221, 234, 235, 307, 308, 321–3, 325, 326, 328–30, 332–6, 338–40, 360, 361, 364–8, 375, 376, 391, 392, 400, 414, 419, 435
 polars 28–30, 114, 118, 169, 255, 307–366, 392, 469–71, 480, 481
 absolute magnitudes 310, 311
 eclipsing 334–6, 361, 365
 emission line spectra 338, 352–7, 402
 evolution 469–71
 flux distribution 319, 320, 323, 324, 337–9, 344, 345, 366
 gamma-rays 366
 long term light curves 326, 327, 338, 339
 low states 326, 327, 338, 339, 352, 357–9
 magnetic field strengths 307, 308, 336–8, 358–61, 363, 376, 377, 439, 440, 469, 471
 mass transfer rates 325, 347, 397, 469, 479
 nova eruptions 364–66, 368, 369
 orbital light curves 326, 329–39
 quasi-periodic oscillations 340–3, 351, 352
 radio emission 25, 366
 X-rays 22, 68, 307, 308, 318, 319, 325, 343–52, 365, 384, 392
 population models 484–6
 population types 479–87, 500, 501

Subject index 571

- pre-cataclysmic binaries 125, 362, 449–57, 464, 469, 484, 485
- primary stars
 - accretion onto 15, 106, 112, 129, 160, 161, 169, 178–80, 183, 211, 235, 241, 287, 288, 290, 295, 298, 302–4, 306, 315, 324, 325, 338, 356, 374, 386, 402, 409, 419, 470, 478, 479, 487
 - corona 140
 - flux from 18, 62, 63, 111–13, 119, 236, 127, 129, 138, 139, 144, 160
 - magnetic field: 307, 308, 314, 315, 322, 324, 325, 330, 333–8, 359, 361, 368, 369, 373, 374, 376–8, 391, 392, 398–400, 402, 408, 411, 419, 422, 435, 436, 439, 440; offset dipole 317, 334, 338, 359, 361, 363, 378; quadrupole 334, 363
 - masses 60, 61, 63, 103–9, 112, 113, 136, 210, 214, 230, 287, 290, 292, 293, 301–3, 305, 336, 343, 358, 436, 437, 454–8, 462, 472, 479, 483, 484, 486, 498, 499
 - radii 104, 107, 113, 115, 462
 - rotation of 53, 57, 87, 92, 93, 113, 115, 140, 160, 162, 204, 308, 309, 361–5, 367, 368, 370, 373, 374, 387, 412, 416, 422, 428, 434, 468–71, 491
 - rotational synchronization 361–5, 368, 469, 475
 - spectrum 111–13, 115, 127, 130, 140, 160, 235, 236, 358–60, 469
 - temperatures 111–15, 129, 140, 160, 161, 216, 235, 236, 238, 240, 241, 303, 477–9
 - quasi-periodic oscillations 147, 148, 298, 299, 340–3, 351, 352, 380, 420, 423, 424, 437–9
 - radial velocities
 - orbital 16, 69, 99–102, 103–6, 109, 120, 123, 124, 131, 210, 229, 230, 241, 357, 403, 498, 499
 - phase shift 99, 101, 102, 108, 217, 230, 232, 235, 236
 - systemic 99, 101, 203, 483
 - radio observations, *see, e.g.*, dwarf novae, radio observations
 - RAS New Zealand 6, 126, 141, 189, 192, 242
 - Rayleigh condition 48, 50
 - Rayleigh–Taylor instability 49, 314, 377
 - R CrB stars 217
 - recurrent novae 16, 27, 28, 167, 240–2, 249, 253, 258, 261, 262, 264, 299–303, 480, 484, 501
 - IR 240, 242
 - T CrB class 12, 13, 240, 300–3, 305, 480, 484
 - T Pyx Class 240, 261, 299
 - U Sco class 240, 261, 299, 300, 303, 484
 - reddening, *see* interstellar absorption
 - Reynolds number 39, 48
 - Roche geometry/lobe 15, 23, 25, 30–7, 52, 69–72, 75, 103, 109, 119, 121, 168, 204, 241, 253, 304, 315, 316, 387, 442, 443, 450, 451, 456–8, 464–7, 471, 477, 488, 489
 - Roche lobe overflow, *see* stream and mass transfer
 - Rossby number 444
 - RW Tri stars 29, 217, 223–6, 240, 245
 - secondary stars
 - absolute magnitudes 116–18, 127, 139
 - absorption spectrum 12, 15, 99, 101, 102, 105, 109, 115, 121, 127, 155, 229, 235, 240, 241, 251, 299, 339, 357, 419
 - colours 117–19
 - convection 35, 119, 125, 168, 362, 443–5, 451, 458, 459, 461, 464–6, 475
 - degenerate 104, 462, 463, 465, 488, 489, 491, 498, 499
 - emission spectra 105, 120, 121, 154, 161, 221, 229, 235, 236, 357, 358
 - evolution 109, 299, 442, 457–67, 471, 472
 - IR 23, 105, 115, 117–19, 121
 - irradiation 30, 102, 105, 106, 109, 116, 119–25, 154, 197, 205, 211, 230, 236, 242, 250, 253, 298, 382, 386, 388, 461, 477, 478, 496, 500
 - magnetism 25, 49, 58, 163, 313, 363, 365, 366, 373, 449, 472–5
 - masses 105, 106, 109–11, 136, 230, 451, 454, 455, 457, 459, 466, 467, 471, 482, 488
 - mass–period relationship 111, 446
 - mass–radius relationship 109–11, 119, 168, 446, 458, 463
 - radii 109–11, 118, 443, 459–61, 463–7
 - radius of gyration 442, 445, 471
 - rotation 30, 31, 105, 169, 203, 204, 242, 444, 445, 447–9, 453, 459
 - response to mass loss 168, 169, 457–67
 - scale height 35, 477
 - spectral types 109, 115, 116, 121, 128, 130, 132, 133, 154, 218, 219, 222, 240, 249, 251, 253, 262, 300, 303, 310, 311, 357, 358, 454, 455, 459, 467
 - surface brightness 117, 118
 - X-rays 125
 - shear broadening 97
 - shock front 38, 39, 54, 81, 106, 291, 301, 317–21, 323, 325, 344, 348, 350, 356, 374, 375, 377, 395, 399, 412
 - ‘soft X-ray puzzle’ 346, 347, 398
 - space density 30, 479–86, 489, 500, 501
 - speckle interferometry 284
 - spectroscopy, early studies 12–16
 - spiral shock waves 50
 - Stark broadening 96
 - stellar winds 241, 253, 273, 293, 294, 301, 303, 304, 306, 443–5, 457, 467–9
 - stream 10, 11, 15, 34–41, 49, 51, 58, 73, 81, 83, 149, 160, 205, 208, 235, 309, 313–15, 323, 356, 357, 366, 369, 377, 396
 - field threading region 313–17, 324, 325, 334, 338, 351, 356, 357, 369, 376
 - stream-disc
 - interaction 39, 40, 47, 48, 51, 53, 208, 234, 392
 - overflow 39, 40, 53, 73, 81, 99, 154, 209, 234, 378, 409
 - superhump light source 195, 199–201, 204, 207, 208
 - superhumps 194–201, 254, 255, 497
 - late 194, 199, 208, 255
 - supernovae 1, 298, 501
 - superoutbursts, *see* SU UMa stars
 - SU UMa stars 4, 28, 29, 30, 114, 126, 127, 141, 144, 145, 187–15, 254–6, 411, 480, 483, 497, 499, 500
 - superoutbursts: 28, 126, 141, 144, 149, 150, 153, 187–215; eccentric disc 205–11, 254, 255, 497;
 - energetics 214, 215; frequencies 188, 191–3, 212, 213; mass transfer rate 150, 197, 199, 202, 204, 205, 211–13, 215; radial velocities 202–5, 208; spectroscopy 199, 202, 203 theories 203–13
 - S-wave 16, 82, 85, 99, 100, 221, 402, 403, 405, 409, 410, 495
 - SW Sex stars 217, 232–5

572 *Subject index*

- symbiotic novae 240, 303–6
symbiotic stars 216, 303, 304
- T CrB stars, *see* recurrent novae
thermal limit cycle, *see* disc instability model
thermonuclear runaway 167, 287, 288, 290, 291, 295, 301, 303, 305
tidal interaction 30, 32, 41, 43, 47, 51, 52, 57, 58, 152, 167, 202, 204–9, 211, 381, 445, 447–9, 459, 474
turbulence 39, 41, 48, 49–51, 53, 84, 86, 97
- U Gem stars 28–30, 114, 126, 140, 141, 145, 163, 164, 187, 188, 192, 480
ultrasoft X-ray sources 283, 296, 487, 488
UX UMa stars 28, 29, 59, 217, 226–31, 245
- viscosity, *see* accretion discs, viscosity
VY Scl stars 28–30, 217, 235–7, 242–5, 247, 469, 472, 478, 496, 500
- winds from discs 17, 49, 57, 69, 90–3, 97, 98, 152, 154, 155, 163, 167, 226, 231, 233–5, 238, 239, 247, 405, 442, 494
- Wolf-Rayet stars 13, 298, 489
WZ Sge stars 141, 192, 480
- X-ray emission, *see e.g.*, dwarf novae, X-Rays
- Z Cam stars 4, 6, 28–30, 59, 62, 114, 126, 140, 141, 145, 163–7, 174, 217, 237, 243, 480
standstills 164–7, 175, 217, 243, 245
Zeeman effect 93, 337, 338, 354, 358–61, 392