

## Subject index

- acid sponges 324  
afforestation 244, 526–8, 537–8, 561  
African plantation surface 8–13  
  soils 16–17  
Afroalpine Region 46, 218  
Afromontane Region 44, 45–6, 48  
  forests 278, 280–1, 283–8, 290–1, 293,  
    379, 497  
  grassland 217, 218  
  species endemism 49, 50, 51, 53, 58  
  vegetation history 72, 75  
agar 363–4  
agriculture 159–60  
  history and spread of 477, 499, 508,  
    513–14, 517–28  
Aguilhas Marine Province 350–9, 361–2  
Aguilhas Plain 53, 54  
Albany Centre 51, 52, 53, 55, 282  
alginate 363, 364  
alien plant invasions 535–70  
  consequences of 556–7  
  control of 557–61  
  extent of 549–54  
  and fire 439, 554–6  
  history of 536–9  
  patterns and processes of 554–6  
  role of disturbance 555–6, 561  
  species involved 539–49  
    listed 564–6  
alkaloids 413  
America: equivalent biome types 93  
annuals 111, 140, 142, 143, 181, 204,  
  263  
anthocyanins 269  
anti-herbivore defences 412–13, 414  
Asbesberge 11  
Australia: kwongan shrublands 112, 114  
average growth cycle model 180
- Bankenveld 225  
bark characteristics, and fire 428  
Benguela Marine Province 349–50,  
  351–3, 356, 357–9, 361  
biennials 181  
biological control of weeds 558–60, 561  
biological invasions *see* alien plant  
  invasions
- biomes  
  categorization of 91–8  
  determinants 95–7  
  floristic relationships 97  
  nomenclature 92–3  
  transitions 94  
  typification limits 94  
bogs 324  
Breen *et al.* model 340  
browsing 405–8, 412  
bush encroachment 522, 535  
Bushmanland 11, 13, 68, 171–2, 176,  
  217  
bushveld 258  
Bushveld Basin 5, 17  
Byram's fire intensity measure 426, 428
- Cainozoic 8, 11  
  vegetation history 62, 78, 79  
calcrete 9, 17  
Cape Fold Mountains 6, 16, 46, 64, 306  
Cape Peninsula 357, 360, 361  
Cape Province xxx, xxxiii  
Cape Region 43, 44, 46, 47–8  
  floristic region 101–2, 104, 305  
  forest 282, 289, 290, 291  
  grassland 227  
  species endemism 49, 50, 51, 52,  
    53–5, 57–8  
  typification limits 94  
  vegetation history 64, 65, 68, 72, 78  
carrageenan 363, 364  
Cederberg 70, 73, 74, 424, 426  
Central Lower Karoo 172–4, 176–9, 180  
Central Namib Centre 195  
chamaephytes 91–2, 94, 97, 131, 139,  
  140, 179  
climate 18, 21–42, 66  
  analysis techniques 22  
  and fire 423, 424  
  moisture availability to plants 37–9  
  potential evaporation 35–7  
  precipitation 28, 30–4  
  solar radiation 22–5  
  temperature 25–8  
  and vegetation history 78–9  
cluster roots 388, 390
- coastal lakes 325  
coastal vegetation 300–21  
  communities 303–13  
    structure and dynamics 315–16  
    succession 315, 317  
  conservation and management  
    318–19  
  ecosystem function 316–18  
  plant form and function 313–15  
  regions 300–3  
  competition theory 118–19  
  conservation 571–90  
    assessing requirements 576, 578–80  
    designing reserve network 580–6  
    estate 573–6  
    priorities 585–6  
    research needs 586  
  Cretaceous period  
    evolution of flora 12  
    landscape evolution in 5, 9, 10, 11, 12  
  vegetation history 62–3, 64, 65, 66  
    pollen and spores 67–8  
  crop cultivation 523, 525, 526  
cryptophytes 91–2  
  *see also* geophytes
- deforestation 528  
desert biome 34, 45, 189–214  
  alien plant invasions 542–3, 548–9,  
    550, 553–4  
biome-scale boundaries 194–5  
carbon dioxide fixation 206  
categorization of 92, 93  
community structure and dynamics  
  206–9  
community-scale boundaries 195–204  
conservation status 573, 574  
dunes 202–3  
ecosystem function 209  
environmental gradients 189–4  
inselbergs 200–1  
landscape-scale boundaries 195  
major vegetation zones 196  
management and human use 210  
mountains 200  
Nama-karoo phytogeographical area  
  197, 200

- phenology 206  
 plains 195–200  
 plant types 204–6  
 plants as food 479  
 population dynamics 207  
 rivers 203  
 sclerophyll 378  
 seed biology and germination 206–8  
 soils and geomorphology 192, 194  
 species endemism 202  
 species interactions 209  
 succulent karoo phytogeographical area 196, 199–200  
 vegetation history 70  
 water uptake 206  
*see also* Namib Desert  
 desertification 210, 515–19  
 Devonian period 62  
 vegetation history 62–3, 64  
 disequilibrium 271  
 domestic livestock 397, 399–401  
 grass consumption levels 400, 402  
 impact of 522–3  
 stocking levels 404  
 Drakensberg 46, 75, 77, 94, 216–17, 227, 430  
 forests 281, 289  
 high-altitude slopes 226–7  
 Drakensberg Formation 7  
 dune  
 scrub communities 308, 317  
 slack communities 308–9, 317  
 thicket 317  
 Dune Pioneer Zone 308  
 East-Gariep Centre 195  
 Eastern Cape xxx, xxxiii, 47, 216, 281, 282, 289, 294  
 fossil record 66, 75  
 herbivory 402, 405  
 marine vegetation 351, 355, 359  
 Eastern Cape Midlands 174–6, 179  
 Eastern Mountain Centre 51, 52, 53, 54  
 Eastern Overlap Marine Province 349, 354  
 eastern Transvaal 14, 16  
*see also* Mpumalanga  
 ecosystem processes 119–21  
 ecotourism 160  
 endemism *see* species endemism  
 endorheic pans 325  
 Eocene 9  
 ephemerals 111, 140, 143–4, 204  
 epizoochory 149  
 Equus Cave 71, 76  
 ericoids 101–3, 108, 112, 216, 385  
 germination 114  
 mycorrhizas 389  
 photosynthesis 116  
 seed dispersal 113  
 water use 115  
 erosion 7–12, 17  
 cycles 12–15, 16, 18  
 estuarine communities 303, 309, 310, 311, 314, 318  
 evaporation 35–7  
 facultative perennials 204  
 fairy rings 203  
 False Succulent Karoo 133, 135, 136, 137  
 fat content 423, 424  
 fencing, plants for 482  
 ferricrete 16  
 fire 421–46  
 and biome distribution 436–7  
 and climate 423, 424  
 and conservation 440–1  
 distribution and abundance of 421–3  
 and evolution of flora 437–8  
 and flowering 111, 429–30  
 frequency 424–6, 427  
 fuel characteristics 423–4  
 ignition 424  
 intensity 426, 428  
 life histories 431, 432  
 in management 431, 438–41  
 and persistence 428–9  
 and seed germination 430–1  
 and seed release 430  
 and species diversity 118  
 and spread of alien plant species 439, 554  
 and succession 116–17, 436  
 types 426  
 and vegetation dynamics 431–5  
 fire ephemerals 103, 111, 112, 118  
 floodplains 324, 325  
 flora 47–8  
 affinities 49–50  
 composition 49  
 evolution of 12, 13  
 form and function 376–96  
*see also* phytogeography; species endemism; uses of plants; vegetation history  
 flower consumption (grazing) 412  
 flowering plants, spread of 66–8  
 fog 33–4  
 food, plants as 476, 477–82  
 forest biome 46, 278–99  
 alien plant invasions 541, 548, 549, 550, 552–3, 555–6  
 boundaries  
 and climate 285  
 and fire 105, 285–6  
 invasion of other biomes 286–7  
 categorization of 92, 93  
 characterization 278–85  
 floristics and phytochorology 278–85  
 structure 285  
 climate 284, 285  
 communities 281–2  
 conservation and management 293–5  
 conservation status 573, 574  
 deforestation 528  
 dynamics  
 populations 290–1  
 succession 291–3  
 fire in 426  
 plant responses to 428  
 forest distribution 278, 279, 280  
 growth forms 288  
 herbivory 287, 288, 409, 410–11  
 reproductive ecology 287–8  
 sclerophyll 288, 378, 379  
 species diversity/richness 288–90, 455, 458  
 species endemism 278–9, 288  
 species-area relationships 290  
 vegetation history 77–8  
 fossil record *see* vegetation history  
 fragmentation 121, 293  
 Frankenveld 235, 236  
 Free State xxx, xxxiii, 75, 225, 281, 426  
 freshwater lakes 325  
 freshwater wetlands 322–47  
 alien plant invasions 543, 545, 548  
 autecology 327–30  
 classification and distribution 323–7, 329, 330  
 community structure and dynamics 330–7  
 ecosystem functioning 341–3  
 decomposition 342  
 nutrient cycling/primary production 341–2  
 future research and management 343–4  
 grazing 342–3  
 limnological regions 323, 326  
 vegetation processes 337–41  
 frost 28, 29  
 frugivory 411–12  
 fuel, plants for 482  
 fynbos biome 46, 99–130  
 alien plant invasions 117, 121–2, 512, 514, 540, 548  
*Acacia* invasions 554–5  
 control of 558, 560  
 extent of 549–52  
 impacts of 557  
 patterns of 554–5  
 pine invasions 555–6  
 biome-scale determinants 104  
 categorization of 92, 93  
 climate 99–101, 104, 105, 108, 111  
 commercial use of plants 490–1  
 communities 101, 102  
 determinants 107–10  
 structure and dynamics 116–19

## 598 / Subject index

- fynbos biome (*cont.*)  
competition and coexistence 118–19  
conservation and management 121–3  
conservation status 573, 574  
ecosystem processes 119–21  
biomass 119  
hydrology 120, 122  
nutrient cycling 120–1  
and fire 104, 105, 111, 112, 421, 423  
bark characteristics 428  
frequency 424, 426  
in management 439  
post-fire succession 113, 116–17  
seed germination 114, 430  
seedling establishment 114–15  
serotiny 430  
vegetation dynamics 433–4  
forest boundary 105  
fragmentation 121  
graminoid–woody plant interactions 385–6  
grassland boundary 107, 108  
growth forms 101, 105  
herbivory 401, 408–9, 414  
granivory 410  
human impact on vegetation 512–14  
karroid/renosterveld boundaries 106–7  
landscape and soils 15, 99, 100, 108  
landscape-scale determinants 105–7  
mycorrhizal relationships 389–90  
physiological traits 115–16  
plant harvesting 122–3  
plant types 110–11  
reproductive ecology 111–15  
sclerophyll 378, 379  
species diversity 116, 117–19, 453–5, 458–9, 461–2, 464  
vegetation history 72–3
- Gariep Centre 53, 54, 55, 195, 575  
Gauteng xxx, xxxii, 244, 511  
geophytes 91–2  
in desert 204  
in fynbos 101, 103, 111, 114  
in Nama-karoo 181  
and succession 116  
in succulent karoo 131, 139, 140, 143  
geoxylic suffrutices 263  
glossopterid forests 65  
Gondwanaland 5–6, 63, 65, 352  
Gordonia 13  
graminoid–woody plant interactions 385–8  
granivory 410–11  
grass pans 325  
grassland 15  
grassland, arid 171–2  
grassland biome 45, 215–57  
absence of woody component 217–18  
agricultural history 517–28
- alien plant invasions 244, 540–1, 548, 549, 550, 554, 555–6  
extent of 552  
boundary dynamics 215–17  
categorization of 92, 93  
climate 215–17, 222, 225–6, 236–8  
community dynamics 234–8  
and fire 238  
and grazing 236, 238  
patch effects 238  
and rainfall 236–8  
succession 234–6  
community types 218–27  
floristic regions 223  
conservation 244, 573, 574  
drought 229, 232, 234  
ecosystem functioning 238–44  
and fire 216–18, 229, 232, 234, 238, 423, 430  
in management 439  
vegetation dynamics 434–5  
forest interface 216–17  
graminoid–woody plant interactions 387–8  
herbivory 400, 401, 402  
human population 511  
moisture gradient 229  
organisms 227–32  
biome patterns 227–9  
within-community patterns 229–32  
population dynamics 232–4  
grazing and 234  
reproductive biology 229, 231  
satellite grasslands 217  
species diversity 453, 454, 455, 458  
species endemism 226–7, 244  
vegetation history 73, 75  
water-use efficiency 229, 230  
grazing 402–5  
see also domestic livestock; overgrazing  
Great Escarpment 5–6, 8, 51, 167  
erosion in Cretaceous 7–8  
grassland 216, 218  
Great Karoo 45, 135, 172–4, 176–9, 181, 183  
Griqualand West 171–2, 176  
harvesting, impacts of 494–9  
hemi-parasites 140  
hemicyclopediae 91–2, 94, 97, 179  
herbivory 397–420  
anti-herbivore defences 412–13, 414  
granivory/frugivory 410–12  
herbivore abundance and distribution 397–401  
impact of 521–3  
of leaf/structural tissue 401–10  
heuweltjies 139, 149, 156, 406  
holo-parasites 140
- Holocene 70, 72, 73, 75, 76–9  
housing, plants for 482–4  
humans  
chronology in southern Africa 507–11  
and fires 424  
impact on vegetation 507–34  
population growth 511–12  
use of plants *see* uses of plants  
hyrax midden pollen data 70, 72, 73, 74, 76
- Indian Ocean forest type 280, 282, 284–5, 288–92, 379  
Indo-West Pacific Marine Province 350–1, 352, 354  
industrialization 528  
industry *see* uses of plants  
inflorescence consumption 412  
insects  
and biological control of weeds 558–61  
as herbivores 401, 409–10, 411, 412–13  
inselbergs 200–1  
integrated control of weeds 560–1  
intertidal communities 353–4  
invasive alien plants *see* alien plant invasions  
invertebrate herbivores 401, 409–10, 411, 412–13
- Jonkershoek 34, 105, 120, 279, 426, 438, 469
- Jurassic period 5, 63
- Kalahari Basin  
freshwater wetlands 322, 326  
landscape evolution 5, 12, 14, 15, 16, 17
- Kalahari desert 45, 71, 76, 79  
Kalahari Thornveld 225  
Kalahari-Highveld Region 44, 45, 48  
Kakoveld Centre 51, 52, 55, 575–6  
karoo salt flats 324  
Karoo-Namib Region 44, 45, 46, 48, 167  
species endemism 49, 51, 53, 57, 58  
Karroid Broken Veld 133, 135–7, 154–5, 183  
karroid shrubland 101, 102, 106–7, 117
- Koa River 13  
Kruger National Park 332–3, 399, 400, 402, 404, 405, 408, 424, 425, 426, 428, 436, 463, 469, 538, 573
- Kuiseb River 70
- KwaZulu-Natal xxx, xxxii  
building style 482  
Coast 300–4, 307–9, 311, 313–14, 318  
Drakensberg 46, 51, 53–5  
forests 280–4, 286, 289, 290, 292–4  
freshwater wetlands 322, 343  
grasslands 217, 227, 236, 402, 439

- landscape 14, 15, 17  
 marine vegetation 350–1, 352, 354, 356, 360, 361, 362  
 savanna 404  
 vegetation history 65, 75
- lakes 325  
 land degradation  
     and agriculture 517–28  
     and human population 511–12  
 landscape evolution 5–20  
 Langeberge 11  
 Last Glacial Maximum 70, 72, 75, 76, 77–8  
 latex 413  
 Lesotho 93, 94  
     Drakensberg 75  
     Highlands 6, 11, 16, 227  
 leucanthocyanins 228  
 lichen fields 197  
 light *see* solar radiation  
 lightning 34, 35, 424  
 lignotubers 428  
 limnological regions 323, 326  
 Little Karoo 135  
 lottery models 119  
 Lower Karoo 172–4, 176–9, 180
- mangroves 311–13  
 Maputaland Centre 51, 52–3, 55, 282, 576  
 marine vegetation 348–70  
     alien plant invasions 543  
     community gradients 351  
     community structure and dynamics 357–60  
     community types 353–6  
     competition 359–60  
     conservation 365  
     ecosystem function 360–2  
     grazing 358–9  
     life-form categories 360  
     management 364–5  
     population biology 356–7  
     province boundaries 348–51  
     seaweed flora  
         affinities/biogeography 352  
         diversity 351–2  
         species endemism 352  
         uses 362–4  
     marshes and swamps 324  
     mechanical control of weeds 557, 558, 561  
     medicinal plants 475, 478, 485–7  
 Mesozoic 63–4  
     vegetation history 62  
 microphytic crusts 204  
 milky latex 413  
 mima-like mounds *see* *heuweltjies*  
 mining 160, 244  
 Miocene 50, 78
- endemics 57  
 landscape evolution 9, 12, 13, 14, 16, 17  
 vegetation history 68–9, 79  
 Mitsch and Gosselink model 339  
 Molteno Formation 65  
 monofluoroacetate 413  
 monoterpenoid oils 413  
 monsoons 79  
 montane shrubland/grassland 174–5, 176  
 Mountain Bushveld 225  
 mountain wetlands 326, 329  
 Mpumalanga xxx, xxxiii, 527  
 mycorrhizal relationships 269, 388–90  
 myrmecochory 112–14, 122, 434, 439
- Nama-karoo biome 45, 46, 167–88  
     alien plant invasions 541–2, 548, 549, 550, 553, 555  
     biome-scale boundaries 170  
     categorization of 92, 93, 94  
     climate 168, 169, 170, 171  
     community structure and dynamics 181–4  
     community-scale boundaries 176–9  
     conservation status 573, 574  
     domestic livestock 401  
     and fire 426  
     geology and soils 168, 170  
     graminoid–woody plant interactions 386  
     growth-form mix 181–3  
     herbivory 398–9, 400, 401, 402, 405, 408–11  
     land use and management 185  
     landscape 11, 13  
     landscape-scale boundaries 170–1  
     physiological traits 180–1  
     plant types 179–80  
     reproductive ecology 180  
     satellite grasslands 217  
     sclerophyllly 378  
     species diversity 453, 454, 455, 458  
     succession 183–4  
     succulent content 380  
     topography 167–8  
     vegetation history 68, 71–2, 75, 79
- Namaqua Highlands 6  
 Namaqualand 45, 67–9, 148, 150, 157, 160  
     Broken Veld 133, 134–5, 136, 171  
 Namib Desert 16, 17, 45, 68, 70, 79, 94  
     central and northern 197–9  
     dunes 202–3  
     fairy rings 203  
     herbivores 399  
     inselbergs 200–1  
     microphytic crusts 204  
     mountains 200  
     plains 195–200
- rivers 203  
 southern 199–200  
 tourism 210  
*see also* desert biome  
 Natal xxx, xxxiii  
 Neogene 14–16  
     fossil record 68–9, 78  
 nibbling and gnawing 408–9  
 nitrogen-fixing nodules 263, 388  
 North-eastern Mountain Sourveld 226  
 North-West Province xxx, xxxiii  
 Northern Cape Province xxx, xxxiii  
 Northern Province xxx, xxxiii  
 Nylsvley 89, 259, 267, 270, 325, 380, 398, 413
- obligate resprouters 101, 103, 111  
 Okavango Delta 334–7, 426  
     succession 335, 336, 337  
 Orange Free State xxx, xxxiii  
 Orange River 68, 167, 171, 183, 326, 359  
     riverine forests 378  
 overgrazing 72, 216, 408, 414, 522–3  
 oxalic acid 413
- Palaeocene 10, 12  
 Palaeogene 10, 12, 50, 68, 79  
 Palaeozoic 63–4  
 Pangaeic phase fossils 62–6  
     biodiversity peak 65  
     early vascular plants 64–5  
     glossopterid forests 65  
 pans, highveld 332  
 papyrus swamps 324  
*Passerina* Scrub Zone 308  
 pauciennials 140, 142  
 pedocretes 10, 12  
 perennials 111, 145, 263  
 Permian period 63, 64, 65  
 phanerophytes 91–2, 94, 95, 97  
 Phanerozoic 5  
 phenolic compounds 413  
 phreatophytes 204–5  
 phytogeography 43–7  
 phytoplankton 362  
 plant form and function 376–96  
 plateau wetlands 326, 329  
 Pleistocene 16, 18  
     endemics 57  
     vegetation history 69–70, 71, 72, 73, 75, 76–9  
 Pliocene  
     endemics 57, 78  
     landscape evolution 5, 12, 14, 15, 16, 18  
     vegetation history 68, 69, 70  
 poisonous plants 413  
 pollen: fossil record 67–77  
 polyphenols 228, 413

- Pondoland Centre 51, 52, 53, 55, 288, 576  
 Pongolo River floodplain 327–8, 330, 341–3  
 population growth (human) 511–12  
 Post-African I cycle 12, 13, 14, 17  
 Post-African II cycle 12, 14  
 potential evaporation 35–7  
 precipitation 28, 30–4  
     and biomes 95  
     and species diversity 448, 452, 456–60  
 Pretoria Saltpan crater 69, 75, 76–7, 78  
 primary production 39–41  
 proteoids 101–3, 108, 111, 112, 385–6  
     antiherbivore defences 410  
     and fire 114, 433  
     germination 114  
     photosynthesis 116  
     and post-fire succession 116  
     water use 115  
 psammophorous plants 205–6  
 pubescent leaves 412–13  
 pulse and reverse model 180  
 pyrrolizidine alkaloids 413
- Quaternary period 15, 16, 58  
     vegetation history 62, 69–78
- rainfall *see* precipitation  
 Rapoport's Rule 289  
 Raunkiaer system 91  
 reed marshes and swamps 324  
 reed pans 325  
 renosterveld 46, 101, 102, 105, 106–7, 117, 423  
 restioid marshes 324  
 restioids 101–3, 104, 108, 111, 114, 385–6  
     photosynthesis 116  
     and succession 116  
     water use 115  
 riparian environment 325, 332–3  
     and alien plant invasions 548, 554  
     woodlands 173–4, 379, 406  
 river source sponges 324  
 root adaptations 263, 388–90  
 root sheaths 388, 390  
 root suckers 428
- salt pans 325  
 saltmarshes 309–11, 318  
 sand rhizosheaths 388  
 satellite grasslands 217  
 savanna biome 45, 258–77  
     agricultural history 517–28  
     alien plant invasions 541, 548, 549, 550, 553  
     biome-level boundaries 259  
     broad-leaved savanna 259–63, 266, 267, 268, 272–3  
     categorization of 92, 93  
     climate 258, 259  
     commercial use of plants 491  
     communities 264–5  
         structure and dynamics 270–2  
     community-level boundaries 261–2  
     conservation status 573, 574  
     ecosystem function 272–3  
     fine-leaved savanna 259–61, 263, 266, 267, 268, 272  
     and fire 258, 271, 423, 426  
         in management 439–40  
         plant responses to 428  
         vegetation dynamics 435  
     graminoid–woody plant interactions 386–7  
     herbivory 263, 268, 272–3, 397–405, 407–12, 414  
         anti-herbivore defences 268, 412  
     human population 511  
     landscape-level boundaries 259–61  
     management and use 273–4  
     mycorrhizal relationships 269, 389  
     plants as food 479, 480  
     population dynamics 269–70  
     satellite grasslands 217  
     sclerophyll 262, 268, 378, 379–80  
     as source of timber 482  
     species diversity/richness 272, 453, 454, 455, 458  
     typification limits 94  
     vegetation history 76–7
- sclerophyll 377–80, 413  
 scrub  
     grassy 173  
 seaweed flora 351–2  
     *see also* marine vegetation  
 sedge marshes 324  
 sedge pans 325  
 seeds  
     dispersal by herbivores 411–12  
     polymorphism 149  
     predation 410–11  
 semi-permanent pans 325  
 serotiny 430–1  
     and alien plant invasions 554  
 shrubland  
     arid 171, 173, 175  
     dwarf 45, 142, 175  
         grassy dwarf 175  
 silcretes 11–12  
 Silurian period 64  
 Smartvlei 341–2, 342  
 snow 34  
 soil water stress 37–9  
 soils 16–18  
     biome types 95  
 solar radiation 22–5  
 Sour Bushveld 225  
 sourveld 242, 397, 421, 426, 439  
 South Coast 300, 301, 302–3, 304, 306, 307, 313  
 South West Coast 301, 302–3, 304, 305, 306  
 Southern Namib Centre 195  
 Soutpansberg 11, 281  
 species diversity 447–73  
     approach and methods 450–3  
     model development 452  
     fossil biodiversity peak 65  
     theories 447–50  
         evaluation of 453–66  
 species endemism 43–6, 49, 51–7, 463, 466  
     conservation areas 574–5  
 species richness 47–8, 118, 131, 153–4  
 spekboomveld *see* subtropical thicket  
 spinescence 412  
 spores: fossil record 67–8  
 sprouting and non-sprouting  
     and fire 428–9, 431  
     obligate resprouters 101, 103, 111  
 state-and-transition model 183–4, 271  
 stem-splitting 140  
 stoloniferous growth 412  
 storage floodplains 325  
 Strandveld 133, 134, 136  
 sub-biomic patches 94  
 subtidal communities 354–6  
 subtropical thicket (spekboomveld) 94, 101, 105, 133, 279–80, 286–8, 293  
 succulent dwarf shrubland 171, 175–6, 180  
 succulent karoo biome 45, 46, 131–66  
     alien plant invasions 541–2, 548, 549, 550, 553, 555  
     biomass 158–9  
     biome-scale boundaries 131–6  
     carbon budgets 152–3  
     categorization of 92, 93  
     climate 133, 136, 150–1  
     community structure and dynamics 153–8  
     community-scale boundaries 136–9  
     competition 154–6  
     conservation and management 159–61  
         conservation status 573, 574, 575  
     disturbance and drought 156–7  
     ecosystem function 158–9  
     fire in 426  
     growth forms 139–46  
         zonation of 138  
     herbivory 157–8, 399, 401, 405–6, 409–11  
         anti-herbivore defences 412  
     landscape-scale boundaries 136  
     mineral budgets 152–3  
     nutrient cycling 159  
     phenology 140–8  
     radiation budgets 152

- reproductive biology 148–52
- sclerophyll 378
- soils 133, 136, 156–7
- species diversity 153–4, 453, 454, 455, 458
- species endemism 51, 52, 53, 54, 55, 575
- succession 154
- succulent content 139–40, 380
- vegetation history 68, 70
- water budgets 152–3
- succulents 181, 205, 380–2
  - and rainfall 384–5
  - and temperature 382–4
- Sudano-Zambesian Region 218, 258
- Summer Aridity Index (SAI) 95, 97, 285
- swamp forests 324
- swamps and marshes 324
- sweetveld 242, 397, 421, 426, 439
- table mountains (tafelberge) 11
- tannins 228, 263, 268, 269, 413, 414
- temperature 25–8
  - and species diversity 452, 457, 458
- temporary pans 325
- terpenes 228, 232, 423
- Tertiary period 12–13, 17
  - vegetation history 62, 63, 66, 78
- Tete pan 341, 342
- therophytes 91–2, 97, 139
- Tongaland-Pondoland Region 44, 45, 48, 49, 51
  - forests 280, 282
- tourism 160, 210
- toxic plants 413
- transgressive dunefields 307, 309
- Transkei xxx, xxxiii, 217, 283–4, 285, 404
  - Coast 300–4, 307, 308, 311, 318
- Transvaal xxx, xxxiii, 14, 17, 225–6, 227, 244
  - Drakensberg 6, 8
  - Escarpment 51
  - herbivory in 404–5, 409–10
- Triassic period 63, 64, 65
- Tropical West Africa Marine Province 349
- Turf Highveld 226
- Upper Karoo 45, 174–6, 179
- urbanization 477, 512, 528
- uses of plants
  - commercial uses 489–94
  - crops and staples 477
  - domestic uses 484–5
  - as fencing/building/fuel 482–4, 526
  - as food 476, 477–82
  - impacts of 494–9
  - medicinal 485–7
  - as symbols 487–9
- Valley Bushveld 280
- Van der Valk model 337–8
- vascular plants: evolution 64–5
- vegetation history 62–84
  - and fire 437–8
  - and global palaeoclimate 78–9
  - origin of modern plant communities 68–9
  - Pangaeic phase 62–6
  - Quaternary changes 69–78
  - spread of flowering plants 66–8
- vleis 324, 325
  - highveld 333–4
- Walter hypothesis 270–1
- Waterberge 11
- weeds *see* alien plant invasions
- West Coast 301, 302–3, 304, 305, 306
- Western Cape xxx, xxxiii, 16, 278, 281, 283, 289, 354–5, 359
- Western Mountain Karoo 133, 135, 136, 181
- Western Overlap Marine Province 349–51, 353, 355–7, 359, 362
- wetlands
  - coastal plain 326, 329
  - coastal slope and rimland 326, 329
- wetlands *see* freshwater wetlands
- wildflower industry 122
- Wolkberg Centre 51, 52, 53, 55, 281
- Wonderkrater 74, 75, 76, 77
- Wonderwerk Caves 71, 76
- xylem pressure potential (XPP) 115
- Zambezian region 44, 46
- zoochory 149

# Index of biota and taxa

Note: References in bold indicate illustrations. There may also be textual references on these pages.

- aardvark *see* *Orycteropus afer*
- abalone 359, 362  
*see* *Haliotis midae*
- Abildgaardia ovata* 220
- Abrus precatorius* 488
- Acacia* 45, 74, 519
  - anti-herbivore defences 412
  - and fire 428, 430, 437, 439
  - fynbos 73
  - herbivory 405, 406, 410, 411
  - human use of 475, 514, 526, 560
  - invasive alien 121, 218, 539, 540–1, 543–7
  - savanna 264–5, 267
  - wetlands 32
- A. ataxacantha* 281
- A. baileyana* 541, 564
- A. burkei* 266
- A. caffra* 220, 225, 264, 265, 412
- A. cyclops* 122
  - human use of 490, 492, 560
  - invasive alien 551, 556, 564
    - of fynbos 540, 549, 552, 554–5
    - of karoo 553
    - seed dispersal 313
- A. dealbata* 244, 541, 548, 552, 564
- A. decurrens* 541, 548, 564
- A. erioloba* 198, 200, 203, 261, 264, 428, 431
- A. exuvialis* 266
- A. fleckii* 431
- A. (giraffae) gerrardii* 264
- A. hereroensis* 264
- A. karroo* 73, 524
  - and fire 429, 431, 437
  - forest 282, 292
  - grassland 216, 218
  - herbivory 405, 409
  - human use of 474, 489, 491
  - Nama-karoo 173, 178–9
  - savanna 264–5, 271, 272
  - succulent karoo 134–5, 136, 145
  - A. longifolia* 121, 540, 549, 551, 552, 554–5, 564
- control of 560
- A. mearnsii* 244, 541, 546, 548, 549, 552, 564
- A. melanoxylon* 540, 541, 556, 557, 564
- A. mellifera* 171, 264, 428
- A. montis-usti* 201
- A. nigrescens* 264, 266, 267, 269, 335, 412
- A. nilotica* 286, 495
- A. podalyriifolia* 541, 564
- A. pycnantha* 540, 564
- A. reficiens* 196, 198
- A. robusta* 264, 266, 528–9
- A. saligna*
  - human use of 490, 492, 556–7
  - invasion 318, 551, 564
    - of fynbos 121, 122, 540, 549, 552, 554–5
    - of karoo 553
- A. senegal* 266
- A. sieberiana* 221, 428
- A. tortilis* 268, 405, 431
  - desert 203
  - human use of 497, 499
  - savanna 264, 268
- A. tortilis* ssp. *heteracantha* 265
- Acanthaceae* 50, 54, 74
- Acanthosicyos* 481
  - A. horridus* (*Inara melon*) 202, 204, 305, 474, 476, 490
- Acanthospermum glabratum* 235
- Achariaceae* 49
- Acridocarpus natalitius* 488
- Acrostichum aureum* 311
- Adansonia digitata* (baobab) 264, 270, 406
- Adenia gummifera* 486
- Adenolobus pechuelii* 198
- Adromischus* 142
- Aeodes orbitosa* 353, 357, 360, 364
- African buffalo *see* *Syncerus*
- African elephant *see* *Loxodonta*
- Afzelia quanzensis* 264, 488
- Agapanthus* 494
- agarophytes 353, 363–4
- Agathosma* 48, 102, 488, 492
  - A. apiculata* 113
  - A. betulina* (*buchu*) 474, 488, 489, 490
  - A. ovata* 110
  - A. stenopetala* 113
- Agave americana* 541, 564
  - A. sisalana* 541, 564
- Aizoaceae* 70, 73, 74
  - seed dispersal 149
  - species endemism 49, 50, 54
  - succulent karoo 142, 143
- Albizia adianthifolia* 486
  - A. harveyi* 266
  - A. versicolor* 264
- Albuca* 143
- Alchornea* 77
- Alepidea amatymbica* 486
- algae 204, 311, 313, 348, 351–62, 365
  - uses of 363–4
- alginophytes 364
- Allophylus natalensis* 282
- Alloteropsis semialata* 220, 221, 222, 228, 234
- Aloeaceae* 53
- Aloe* 48, 74, 382, 412
  - succulent karoo 134–5, 142–3, 157
  - A. africana* 407
  - A. asperifolia* 209
  - A. dichotoma* 134, 146, 152, 171, 196, 200
  - A. ferox* 137, 180, 489, 490, 497
  - A. polphylla* 498
- Alopochen aegyptiacus* (Egyptian goose) 343, 409
- Alternanthera pungens* 541, 564
- Amaranthaceae* 70
- Amaranthus* 482
  - A. hybridus* 481
  - A. spinosus* 481
- Amaryllidaceae* 103, 111, 143, 429
  - species endemism 49, 50, 53, 54
- Ammocharis* 406
- Ammophila arenaria* 306, 307, 314

- Amphiroa* 353  
*A. ephedraea* 354, 355  
*Anacampseros* 142  
*Anacardiaceae* 103, 145  
*Anagallis arvensis* 540, 543  
*Anatidae* 409  
*Anchusa* 144  
*Ancyclobotris capensis* (wild apricot) 411  
*Androcymbium* 134, 143  
*Andropogon amplexens* see *Diheteropogon amplexens*  
*Andropogon appendiculatus* 220, 228  
*Andropogoneae* 228, 264, 267, 413  
*Anemone fannini* 486  
*Annonaceae* 285  
*Anotrichium tenue* 354  
antelope 268, 404  
*Anthephora pubescens* 219, 264  
*Anthophoridae* 180  
*Anthophytes* 352  
*A. longifolius* 353  
*Anthospermum* 74, 317  
*A. aethiopicum* 102  
*A. hispidulum* 219  
*A. rigidum* 220  
*Antidorcas marsupialis* (springbok) 261, 399, 406  
ants 114, 149, 410  
*Apiaceae* 50, 54, 143, 180, 544  
*Apis mellifera* 180  
*Apium graveolens* 543  
*Apocynaceae* 56, 143, 145, 380  
*Apodytes dimidiata* 282, 288, 294  
*Aponogeton ranunculiflorus* 328  
*Aptosimum* 135, 137, 138, 144, 180  
*A. procumbens* 178  
*A. procumbens* var. *procumbens* 176  
*Archaeopteris* 65  
*Archaeosigillaria* 64–5  
*Arctotheca* 317  
*A. populifolia* 306, 307, 308, 313, 314  
*Arctotis* 144  
*Argemone* 542  
*A. ochroleuca* (=*A. subfusiformis*) 541, 553–4, 564  
Argentine ant see *Linepithema humile*  
*Argyroderma* 134, 142  
*A. delaetii* 146  
*Aridaria* 142  
*A. noctiflora* 196, 200  
*Aristida* 135, 144, 153, 173, 175, 264, 408, 518, 519  
*A. aequiglumis* 409  
*A. bipartita* 220, 226, 233, 234  
*A. congesta* 178, 235, 237, 238, 240  
*A. diffusa* 173, 174, 183, 219, 220  
*A. junciformis* (ngongoni grass)  
effects of grazing 234, 236–7, 402, 404, 405  
grassland biome 217, 220, 225, 229  
seasonal pattern 231  
*A. stipitata* 219, 232  
*A. transvaalensis* 220  
*Aristidae* 267  
*Artemesia* 74  
*A. afra* 497  
*Arthraerua leubnitziae* 196, 197, 198, 206, 305  
*Arthrocardia* 353  
*A. duthiae* 355  
*Arundo donax* 543, 545, 548, 564  
*Asclepiadaceae* 45, 143–5, 147  
edible 481  
species endemism 49, 50, 53, 54  
toxicity 413  
*Asclepias* 145  
*A. buchenaviana* 198  
*A. fruticosa* 553  
*Aspalathus* 48, 102, 120, 390  
*A. linearis* (rooibos) 474, 490, 494  
*Asparagaceae* 144  
*Asphodelaceae* 142, 143, 147, 149, 380  
*assegaai* see *Curtisia dentata*  
*Aster subulatus* 543  
*Asteraceae* 45, 48, 68, 69, 70, 79, 103  
and fire 430  
fynbos 101, 102, 103  
grassland biome 75, 76  
herbivory 401  
human use of 490, 492  
Nama-karoo 72, 73, 74, 180  
seeds 114, 149  
species endemism 49, 50, 53, 54, 226  
succulent karoo 142–5, 146, 149, 152, 154  
toxicity 158  
as weeds 558, 559  
*Astridia velutina* 131  
*Astroloba herrei* 177, 178  
*Atriplex* 178, 573  
*A. lindleyi* 174, 178  
*A. nummularia* 183, 553  
*Audouinia* 430  
*Augea* 134, 142  
*A. capensis* 149, 200  
*Aulax* 109  
*A. pallasia* 432  
*A. umbellata* 378  
*Australopithecus* 475  
*Avena* 160  
*Avicennia marina* 311, 312, 313, 314–15  
*Axillariella* 352  
*A. constricta* 355  
*Azanza garckeana* 495  
*Azolla filiculoides* 543, 545, 546, 547, 564  
*Babiana* 143, 481, 494  
baboon (*Papio ursinus*) 313, 410, 411  
*Bachelotia antillarum* 353  
*Baikiaea plurijuga* 262, 264  
*Balanites maughamii* 280, 287  
*Banksia* 562  
*B. ericifolia* 562  
*B. grandis* 562  
baobab see *Adansonia digitata*  
*Baphia* 406  
barbets (Capitonidae) 411  
*Bathyergidae* 401  
*Bauhinia* 406  
beetles see *Coleoptera*  
*Bennettitales* 63, 65, 66  
*Bequaertiodendron magalismontanum* (stamvrug) 411  
*Berchemia discolor* 479, 484, 496, 498, 499  
*Berkheya* 486  
*B. fruticosa* 148  
*B. onopordifolia* 220  
*B. pinnatifida* 220  
*Bersama* 486, 489  
*B. lucens* 486  
*B. stayneri* 486  
*B. swinnyi* 486  
*B. transvaalensis* 281  
*B. tysoniana* 486  
*Berzelia intermedia* 102  
*Bidens* 544  
*B. bipinnata* 541, 564  
*B. pilosa* ('Black Jack' forb) 481, 541, 564  
*B. schimperi* 235  
*Bifurcaria brassicaeformis* 353, 356, 357, 359  
*Bifurcariopsis* 352, 356  
*Bignoniaceae* 145  
Black Jack forb see *Bidens pilosa*  
black rhinoceros see *Diceros bicornis*  
black wildebeest see *Connochaetes gnou*  
Black-backed jackal see *Canis*  
*Blechnum attenuatum* 490  
*B. punctulatum* 490  
*B. tabulare* 110  
*Blepharis capensis* 178  
*B. villosa* 178  
blesbok see *Damaliscus*  
blue buffalo grass see *Cenchrus ciliaris*  
blue wildebeest see *Connochaetes taurinus*  
blue-green algae see *Cyanophyta*  
boekenhout see *Rapanea melanophloeos*  
*Bolboschoenus maritimus* 311  
*Boraginaceae* 143  
*Boscia* 196  
*B. albitrunca* 201, 263  
*B. foetida* 197, 198, 209  
*Bostrychia intricata* 353, 354  
*B. moritziana* 313  
*B. radicans* 313  
*Bothriochloa* 228, 232, 413  
*B. insculpta* 228, 233, 264  
*B. radicans* 232  
*Botryocarpa prolifera* 355, 359  
*Botryoglossum* 356  
*B. platycarpum* 355

## 604 / Index of biota and taxa

- Bowiea volubilis* 486, 489  
*Brabejum stellatifolium* 378, 379  
*Brachiaria nigropedata* 264  
 B. *serrata* 219, 409, 412  
*Brachyachne* 229  
*Brachylaena* 317  
 B. *discolor* 281  
 B. *elliptica* 282  
 B. *neriifolia* 102, 379  
*Brachystegia* 264, 401, 437, 499  
 B. *spiciformis* 264, 409  
*Brachystelma* 481  
*Brasenia schreberi* 334, 335  
*Brassicaceae* 54, 143, 149, 544  
*Briza maxima* 540  
*Bromus* 160  
 B. *hordeaceus* 540  
 B. *inermis* (=B. *japonicus*) 543  
 brown algae see *Phaeophyta*  
 brown locust see *Locusta pardalina*  
*Brownanthus* 135, 137, 138, 142  
 B. *arenosus* 196, 200  
 B. *ciliatus* 136, 152, 154  
 B. *kuntzei* 305  
 B. *marlothii* 196, 199  
 B. *pubescens* 197  
 B. *schlichtianus* 196, 197, 200  
 bruchid beetles 411  
*Bruguiera gymnorhiza* 311, 312, 314–15  
*Brunia* 490  
 B. *albiflora* 495  
*Bruniaceae* 49, 102, 324, 430  
 human use of 490  
*Brunsvigia* 143, 147  
 B. *bosmaniae* 146  
*Bryopsis* 353  
 buchu see *Agathosma betulina*  
*Buddleja* 73, 75  
 B. *saligna* 219  
 B. *salvifolia* 217  
 buffalo 337, 398, 404  
*Bulbine* 134, 142  
 B. *latifolia* 486  
 B. *mesembryanthemoides* 140  
 B. *narcissifolia* 219  
*Bulbostylis contexta* 220  
 bulbuls (Pycnonotidae) 316  
*Bulinus natalensis* 342  
*Burchellia bubalina* 282  
*Burkea* 74, 401  
 B. *africana* 264, 265  
*Burkhea* 144  
 bushbaby (*Otolemur*) 411  
 bushbuck see *Tragelaphus scriptus*  
 bushpig see *Potamochoerus*  
*Buxus macowanii* 282, 378
- Cactaceae* 543–4, 558, 559  
*Cactoblastis cactorum* (phycitid moth) 538, 542, 558
- Cadaba* 135  
 C. *aphylla* 178  
*Caesalpinia decapetala* 538, 541, 564  
*Caesalpinioidae* 267, 411  
*Calicorema capitata* 196, 197, 198, 206  
*Callilepsis laureola* 486  
*Caloglossa leprieurii* 313  
*Calopsis* 471  
 C. *paniculatus* 102  
*Campanulaceae* 48, 50, 54, 144  
 canaries 411, 412  
*Canavalia maritima* 308  
 cane rats (Thryonomyidae) 408  
*Canis mesomelas* (black-backed jackal) 313  
*Cannabis sativa* 491–2  
*Cannomois virgata* 102  
*Cantatopiniae* 409  
 Cape grysbosk see *Raphicerus*  
 Cape hare (*Lepus capensis*) 408  
*Capitonidae* (barbets) 411  
*Capparaceae* 69, 74, 79  
*Capparis tomentosa* 406  
*Caralluma* 143, 512  
*Cardiospermum grandiflorum* 539, 541, 564  
*Carex clavata* 221  
*Carissa* 145  
 C. *bispinosa* 291, 380  
 C. *haematocarpa* 173  
*Carpobrotus* 309  
 carrageenophytes 360, 363, 364  
*Carthamus tinctorius* 491  
*Caryophyllaceae* 144  
*Casearia gladiiformis* 281  
*Cassia* see *Chamaecrista*  
*Cassine aethiopica* 282  
 C. *maritima* 287  
 C. *peragua* 282, 293, 380  
 C. *papillosa* 486  
*Cassipourea* 281  
 C. *gerrardii* 281, 282, 499  
*Cassytha* 145  
*Casuarina equisetifolia* 318, 541, 564  
 cattle 519, 521  
 as herbivores 343, 399, 402, 412  
 introduction of 158  
 over-grazing by 523, 525  
 seed dispersal by 411  
*Catunaregam spinosa* 282, 478  
*Caulacanthus ustulatus* 353, 354, 360  
*Caulerpa* 354  
 C. *bartoniae* 356  
 C. *filiformis* 356  
 C. *holmesiana* 356  
 C. *racemosa* 354  
 C. *taxiflora* 562  
*Cavacoa aurea* 282  
*Ceanothus* 119  
 cedar see *Widdringtonia*  
*Celastraceae* 103, 145, 180, 285
- Celonites* 180  
*Celtis* 69, 379  
 C. *africana* 281, 282, 378, 498  
*Cenchrus ciliaris* (blue buffalo grass) 174, 178, 229, 522  
*Centella glabrata* 110  
 C. *lanata* 110  
*Centropodia* 135, 202  
 C. *glauca* 217  
*Cephalaria natalensis* 486, 489  
*Cephalophorus* (duiker) 399  
*Cephalophyllum* 134, 142  
 C. *ebracteatum* 196, 200  
*Ceraria fruticulosa* 196  
 C. *namaquensis* 197  
*Ceratophyllum demersum* 334  
*Ceratotheca sesamoides* 481  
*Ceratotherium simum* (white rhinoceros) 397, 398, 403, 404, 519, 522, 582  
*Cercopithecus aethiops* (vervet monkey) 313, 316, 411  
 C. *mitis* (samango monkey) 399, 411  
*Cereus jamacaru* 541, 564  
*Ceriops tagal* 311, 312  
*Ceropegia* 145, 481  
*Cestrum laevigatum* 541, 564  
*Chaetacanthus costatus* 220  
*Chaetacme aristata* 282  
*Chaetobromus* 134  
*Chamaecrista mimosoides* 219, 234  
*Chamarea* 143  
*Champlia lumbicalis* 353, 356, 359  
*Chilosporum* 354  
 C. *culturatum* 362  
*Cheiridopsis* 48, 142  
 C. *dentata* 148  
 C. *robusta* 56, 196, 199  
*Chenolea diffusa* 306, 309, 310, 314  
*Chenopodiaceae* 54, 68, 70, 74, 144  
*Chenopodium* 544  
 C. *album* 541, 564  
*Chironia* 317  
 C. *decumbens* 316  
*Chlorideae* 228, 267  
*Chlorophyta* 204, 311, 313, 351–2, 355, 364  
*Chlorophytum viscosum* 205  
*Chondropetalum tectorum* 491  
*Chordariaceae* 356  
*Chordariopsis capensis* 353  
*Chromolaena odorata* 538, 539, 541, 546, 552, 564  
*Chrysanthemoïdes* 134, 317  
 C. *monilifera* 287, 306, 313, 315, 316, 378  
*Chrysocoma* 134, 135, 144  
 C. *ciliata* 175, 177, 181, 219  
*Chrysopogon* 264  
*Chylocladia capensis* 353  
*Cirsium vulgare* 541, 564  
*Citrullus lanatus* 477, 478

- Cladophora* 355  
*C. contexta* 360  
*Cladoraphis* 144, 202  
*C. cyperoides* 196, 303, 305, 306, 309  
*C. spinosa* 196  
*Clanwilliam cedar* see *Widdringtonia cedarbergensis*  
*Classopolis* 66  
*Clausena anisata* 281  
*Clavatipollentis* 66  
*Cleistanthus schlechteri* 280, 282  
*Cleome gynandra* 481, 482  
*Clerodendrum myricoides* 282  
*Clifftoria* 48, 69, 74, 75, 102, 428  
*C. linearifolia* 216  
*Clivia miniata* 486  
*C. nobilis* 486  
*Clutia monticola* 221  
*Coccinellidae* 561  
*Coccinia* 481  
*Codium* 352, 354, 355  
*Codon royenii* 204  
*Cola greenwayi* 378  
*C. natalensis* 282  
*Colchicaceae* 143  
*Coleonema* 492  
*C. album* 309  
*Coleoptera* (beetles) 112, 410, 411, 413, 558  
*Coliidae* (mousebirds) 409, 411, 412  
*Collembola* 159  
*Colophospermum* 264, 437  
*C. mopane* 94, 203, 401, 407, 411, 499–500, 521  
*savanna* 203, 260, 263, 264, 267  
*Colpomenia peregrina* 562  
*Colpoon compressum* 287  
*C. speciosum* 429  
*Columbidae* (doves) 411  
*Combretaceae* 68, 74  
*Combretum* 264, 406, 413, 437, 482, 485  
*C. apiculatum* 264, 266, 378, 431  
*C. hereroense* 499  
*C. imberbe* 203, 265, 266, 499, 521  
*C. kraussii* 486  
*C. molle* 264, 266, 378, 413  
*C. zeyheri* 264, 265, 266  
*Commelina diffusa* 481  
*Commiphora* 196, 200, 201, 265, 266, 267  
*C. africana* 264  
*C. glaucescens* 197  
*C. pyracanthoides* 264  
*C. tenuifpetiolata* 197  
*C. virgata* 197  
*conifers* 63, 65, 66  
*Conicosia* 135, 141  
*Connexaetae gnou* (black wildebeest) 397, 398, 399  
*Connexaetae taurinus* (blue wildebeest) 398, 399  
*Conophyllum* 48, 134–5, 142, 383  
*C. gratum* 200  
*C. saxetanum* 200  
*Convolvulaceae* 145, 544  
*Conyzia alba* (=*C. floribunda*) 541, 564  
*C. ambigua* 235  
*C. scabrida* 310  
*Corallina officinalis* 355  
*coralline red algae* 351, 353, 354, 355, 356, 357–60, 362  
*Corallocarpus* 481  
*Corchorus olitorius* 481  
*C. tridens* 481  
*C. trilocularis* 481  
*cord grass* see *Spartina maritima*  
*cordaitanthales* 63  
*Cordia caffra* 282  
*Corriola litoralis* 235  
*Cotula* 144  
*C. coronopifolia* 310  
*Cotyledon* 134, 135, 142  
*C. orbiculata* 137, 383–4  
*cow pea* 521  
*Crabea acaulis* 219  
*crane flower* see *Strelitzia reginae*  
*Crassostrea* 354  
*Crassula* 134–5, 142–3, 206, 381, 383–4  
*C. dichotoma* 204  
*C. grisea* 197  
*C. mucosa* 178  
*C. rupestris* 137  
*C. sladenii* 200  
*Crassulaceae* 45, 111, 380, 413  
*desert* 205  
*species endemism* 50, 53, 54  
*succulent karoo* 131, 142–3, 149  
*Craterocapse tarsodes* 221  
*Cricetomys gambianus* (giant rats) 411  
*Crinum* 492  
*Croton megalobotrys* 335, 406  
*Cryptocarya* 486  
*C. latifolia* 486  
*C. libertiana* 281  
*C. myrtifolia* 486  
*Cryptomyces* 156  
*Ctenium concinnum* 221  
*Cucumis* 145, 481  
*Cucurbitaceae* 143, 145, 481, 492, 521  
*Cunonia capensis* 105, 286, 294, 378, 379  
*Cunoniaceae* 284  
*Cupressaceae* 284, 430  
*Curtisia* 67  
*C. dentata* (assegaai) 294, 486, 487, 496, 499  
*Cuscuta* 145  
*Cussonia paniculata* 177, 265  
*C. spicata* 281  
*Cyanella* 143  
*C. hyacinthoides* 488  
*Cyanophyta* 204, 311, 313  
*Cyathea dregeii* 226  
*cycads* 63, 65–6  
*Cyclopia* (honeybush) 490, 494, 497  
*C. intermedia* 494  
*C. sessiliflora* 494  
*C. subternata* 494  
*Cymbopogon* 228, 232, 325, 413, 475  
*C. dieterlenii* 221  
*C. excavatus* 229, 231, 234, 235  
*C. plurinodis* 231, 232, 238  
*grassland biome* 217, 219, 222  
*Nama-karoo* 174  
*savanna* 264  
*water use* 229, 230, 237  
*C. validus* 217, 491, 495  
*Cynanchum* 317  
*Cynodon* 325  
*C. dactylon* 229, 231, 242, 412  
*grassland biome* 222, 234, 235, 236, 238  
*wetlands* 335, 341, 343  
*C. hirsutus* 240  
*C. incompletus* 174  
*Cyperaceae* 49, 69, 73, 74, 103, 544  
*and fire* 429  
*fynbos* 103  
*species endemism* 50, 54  
*succulent karoo* 143  
*wetlands* 325  
*Cyperus* 324, 478  
*C. articulatus* 334  
*C. esculentus* 235  
*C. fastigiatus* 328  
*C. papyrus* 324, 327, 334, 335, 339  
*C. pectinatus* 334, 335  
*Cyphia* 145  
*Cyphostemma* 196  
*Cyrtanthus* (firelilies) 429  
*C. ventricosus* 111, 430  
*Cysticapnos* 145  
*Dactyloctenium* 264  
*Dactylopius opuntiae* 542, 560–1  
*Dalbergia melanoxylon* 266  
*Damaliscus dorcus* ssp. *phillipsi* (blesbok) 398–9  
*Dasispermum suffruticosum* 307  
*Datura ferox* 541, 564  
*D. innoxia* 538, 542, 553, 554, 564  
*D. stramonium* 541, 554, 564  
*Delosperma* 48, 134, 135, 142, 178  
*D. pergamaceum* 150, 197, 207  
*D. pruinosa* 178  
*D. pubescens* 178  
*Dendrohyrax arboreus* (tree hyrax) 399  
*Desmarestia* 357  
*D. firma* 355, 360  
*Deverra burchellii* 219  
*Dianthus* 144  
*Diascia* 143, 148  
*Diceros bicornis* (black rhinoceros) 397, 398, 399, 406, 411, 522, 582

## 606 / Index of biota and taxa

- Dichapetalum cymosum* 263, 268, 413  
*Dichrostachys cinerea* 264, 266, 270, 272, 405  
*Dicoma anomala* 219  
*Dicroidium* 65, 66  
*Dictyopteris* 356  
*Dictyota* 354  
*D. dichotoma* 353, 355  
*Dictyotales* 352  
*Didelta* 135  
*D. carnosa* 199  
var. *tomentosa* 196, 305, 306  
*D. spinosa* 148  
*Digitaria* 135, 173, 408  
*D. argyrograppa* 230, 404  
*D. diagonalis* 220  
*D. eriantha* 265  
grassland biome 222, 233, 238  
herbivory 402, 409  
Nama-karoo 173, 174, 183  
water use 229, 230  
*D. monodactyla* 220  
*D. (pentzii)* 264  
*D. ternata* 220  
*D. tricholaenoides* 220  
*Diheteropogon* (=*Andropogon*) *amplectens* 217, 221, 229, 235, 236  
*Diheteropogon filifolius* 220, 221, 226  
*Dimorphotheca* 144  
*D. sinuata* 149  
*Dioscorea* 143  
*D. dregeana* 486  
*D. elephantipes* 512  
*D. sylvatica* 486  
*Dioscoreaceae* 143  
*Diosma* 492  
*Diospyros* 135, 145, 286, 289, 481  
*D. lycioides* 173, 178  
*D. mespiliformis* 335, 485, 495  
*D. natalensis* 378  
*D. (Royena) pallens* 265  
*D. whyteana* 281, 291  
*Dipcadi longifolium* 204  
*Diplorhynchus condylocarpon* 264  
*Diptera* 559  
*Dipterocarpaceae* 68  
*Disa uniflora* 108  
*Dispyma crassifolium* 309, 310, 311  
*Dodonea* 72, 73, 74  
*D. viscosa* 102  
*Dombeya rotundifolia* 220, 265  
*Dorotheanthinae* 149  
*Dorotheanthus* 142  
doves (Columbidae) 411  
*Dovyalis rhamnoides* 282  
*Dracophilus dealbatus* 196  
*Drimia* 486  
*Drosanthemum* 48, 134–5, 137, 142, 173, 309  
*D. lique* 175  
*D. montaguense* 152  
*D. paxianum* 196, 199  
*Drosera madagascariensis* 336  
*Drypetes gerrardii* 281, 282, 498  
*D. natalensis* 281  
duiker (*Cephalophorus*) 399  
dung beetles 411  
*Dutoitia* 65  
*Duvalia* 481  
*Ebenaceae* 73, 103, 145  
*Eberlanzia* 135, 137, 138, 196  
*E. horrida* 157  
*E. sedoides* 196, 199  
*E. stylosa* 176  
*Echinochloa* 335  
*Ecklonia* 350, 361, 364  
*E. maxima* 305, 318, 350, 351–2, 353, 354–5, 357  
commercial use 364  
eelgrass see *Zostera capensis*  
Egyptian goose see *Alopochen*  
*Ehretia amoena* 266  
*E. rigida* 412  
*Ehrharta* 134, 135, 144, 317  
*E. calycina* 217  
*E. rupestris* ssp. *dodii* 110  
*E. villosa* 303, 307, 314  
*Eichornia crassipes* 539, 543, 545, 547, 556, 564  
*E. natans* 334  
*Ekebergia capensis* 486  
*E. pterophylla* 281  
*Elaeis guineensis* 492  
eland (*Taurotragus oryx*) 399  
*Elegia* 109  
*E. capensis* 102  
*E. filacea* 104, 110  
*Eleocharis acutangula* 335  
*E. dulcis* 335  
elephant see *Loxodontidae*  
*Elephantorrhiza elephantina* 234  
*Eleusine* 537  
*E. coracana* (finger millet) 477, 510  
*E. indica* 235  
*Elionurus muticus* 219, 228, 229, 238  
*Elytropappus* 73, 75, 79, 102  
*E. rhinocerotis* 101, 102, 110, 174, 176  
*Empleurum serrulatum* 102  
*Encephalartos* 66, 498  
*E. longifolius* 56  
*Enneapogon* 135, 144, 173  
*E. cenchroides* 264  
*E. desvauxii* 172, 175, 178  
*E. scoparius* 219  
*Enteromorpha* 358, 359, 362  
*Epymenia obtusa* 355  
*Equisetum* 65  
*Equus burchelli quagga* (quagga) 397, 399  
*Eragrostidae* 267  
*Eragrostis* 229, 234, 236, 238, 408, 518, 519  
Nama-karoo 175  
savanna 264  
succulent karoo 134, 144, 153  
wetlands 325  
*E. caesia* 221  
*E. capensis* 235  
*E. chloromelas* 175, 224, 230, 232, 240, 413  
*E. curvula* 238, 240  
grassland biome 219, 224, 224, 226, 229, 230, 231  
and grazing 236, 237  
Nama-karoo 183  
reproductive characteristics 235  
*E. gummiflua* 235  
*E. lehmanniana* 240, 242  
and drought 232  
grassland biome 219, 224, 229, 231  
Nama-karoo 175  
plant associations 178  
rain use 230, 237  
*E. nindensis* 197, 198  
*E. obtusa* 175, 219, 224, 230, 232  
*E. pallens* 409  
*E. plana* 219, 220, 225, 229, 237, 238  
anti-herbivore defences 404, 412  
*E. racemosa* 235  
*E. sabulosa* 305  
*E. trichophora* 219  
*Erica* 48, 102  
*E. atropurpurea* 110  
*E. brownleeae* 216  
*E. coccinea* 432  
*E. dominans* 227  
*E. evansii* (=*Phillipia*) 216  
*E. frigida* 221  
*E. hispidula* 110  
*E. inflata* 108  
*E. multumbellifera* 110  
*E. pageana* 56  
*E. phyllocaefolia* 378  
*E. pubigera* 110  
*E. sessiliflora* 430  
*E. transparens* 110  
*E. versicolor* 110  
*Ericaceae* 48, 49, 67, 103, 114, 388, 389–90  
fynbos 73, 74, 76, 102–3, 104  
human use of 490  
species endemism 50, 53, 54  
*Eriopephalus* 134–5, 144, 157, 171, 173, 175  
human use of 492  
*E. africanus* 378  
*E. ericoides* 152, 154, 176, 177, 178, 180  
*E. spinescens* 175, 178–9  
*Eriochrysis pallida* 336  
*Eriosoma angustifolium* 221  
*Eriospermaceae* 53, 143

- Eriospermum* 143, 147  
*E. cooperi* 486  
*Estrildidae* (waxbills) 411  
*Eucalyptus* 218, 244, 293  
 an invasive alien 538, 543, 549, 551, 556  
 human use of 514, 526, 530  
*E. camaldulensis* 553  
*E. cladocalyx* 540, 564  
*E. diversicolor* 540, 564  
*E. globulus* 541, 564  
*E. grandis* 541, 564  
*E. lehmannii* 540, 551, 564  
*Euchaetis* 109  
*Euclea* 73–4, 134, 135, 145, 286, 313  
*E. divinorum* 264, 266, 286, 428, 484, 486, 495  
*E. natalensis* 282, 484, 486  
*E. pseudebenus* 203  
*E. racemosa* 282, 287, 428  
*E. undulata* 157, 173, 378, 520  
*Eucomis autumnalis* 486  
*Eugenia* 481  
*E. albanensis* 476  
*E. capensis* 313  
*Eulalia villosa* 221, 222, 228  
*Euphorbia* 48, 134–5, 137, 143, 152, 203, 309  
 anti-herbivore defences 412  
 human use of 490  
*E. atrispina* 137  
*E. avasmontana* 171  
*E. brachiatia* 305  
*E. chersina* 196, 197, 200, 205  
*E. coerulescens* 176  
*E. damarana* 195, 196, 197, 209  
*E. decussata* 148  
*E. gregaria* 195, 196, 197, 198, 200  
*E. guerichiana* 196  
*E. gummifera* 197, 200  
*E. engens* 265  
*E. mauritanica* 148  
*E. stapelioides* 205  
*E. tirucalli* 489, 494, 541, 564  
*E. triangularis* 282, 283, 524  
*E. verruculosa* 200  
*E. virosa* 196, 197, 200, 201  
*Euphorbiaceae* 48, 66, 143, 285, 380  
 herbivory 406, 413  
 species endemism 50, 53, 54  
*Euryops* 73, 134, 144, 145, 149  
*E. multifidus* 149  
*E. nodosus* 176  
*Eustachys paspaloides* 217, 219, 229  
*Exomis microphylla* 306  
  
*Fabaceae* 48–9, 103, 285, 379  
 alien invasion of 543, 558, 559  
 cluster roots 116, 388, 390  
 human use of 494  
 seeds 389  
  
*species* endemism 50, 54  
 succulent karoo 144–5  
*Faidherbia albida* 203, 209, 482  
*Fagaceae* 68  
*Falckia oblonga* 220  
*Faurea* 390, 437  
*F. saligna* 264, 378  
*Felicia* 102, 144, 171  
*F. echinata* 113  
*F. filifolia* 174, 177, 219, 224  
*F. hirsuta* 178  
*F. muricata* 219  
*Fenestraria* 142  
*F. rhopalophylla* 205  
 ssp. *aurantiaca* 199  
*ferns* 63, 65–6, 67, 68  
*Festuca caprina* 221, 227  
*Ficinia* 317  
*Ficus* 135  
*F. cordata* 203  
*F. natalensis* 335  
*F. sycomorus* 203, 335  
*F. trichopoda* 283, 284, 324  
*F. verruculosa* 335, 336, 489  
*Fimbristylis* 235  
 finger millet see *Eleusine coracana*  
*Fingerhuthia* 144  
*F. africana* 174, 178, 219, 225  
 fireflies see *Cyrtanthus*  
 fish 559  
*Fockea* 143, 148, 481, 512  
*Foeniculum vulgare* 486  
*Forsskaolea* 144  
*Foveolina albida* 200  
 francolins see *Phasianidae*  
*Freesia* 494  
*Fringillidae* 411  
*Fucales* 352, 364  
*Fuirena pubescens* 335  
*F. stricta* 336  
*Fumariaceae* 145  
 fungi 203, 209, 388–90, 558, 559  
  
*Galaxaura* 354  
*Galenia* 134–5, 143  
*G. africana* 178, 378  
*G. dregeana* 196, 197  
*G. frutescens* 178  
*G. fruticosa* 150  
*Galtum* 145  
*G. tomentosum* 149  
*Garcinia gerrardii* 282, 411  
*G. livingstonei* 335  
*Gardenia spatulifolia* 378  
*G. volkensii* 412  
*Garuleum* 135  
*G. bipinnatum* 178–9  
*Gasteria* 142, 149  
*Gazania* 317, 492, 494  
*G. rigens* 307, 316  
 var. *uniflora* 308  
  
 geese 333, 343, 409  
*Geigeria* 198  
*G. alata* 207  
*Geissolomaceae* 49  
*Gelidium* 363  
*G. abbottiorum* 353, 354, 363  
*G. capense* 363  
*G. micropterum* 358  
*G. pristoides* 350, 353, 357, 359, 360, 363  
*G. pteridifolium* 356, 363  
*G. reptans* 353, 354  
*Genetta tigrina* genet 313  
*Gentianaceae* 54  
*Geochelone pardalis* (leopard tortoise) 401, 409  
*Geraniaceae* 45, 48, 49, 50, 54, 143–4  
*Gerbera* 68, 69, 492, 494  
*Gerbillurus* gerbil 408  
*G. paeba* 316  
 gerbils 316, 408  
*Gethyllis* 143  
 giant rat (*Cricetomys gambianus*) 411  
*Gibbaeum* 135, 142, 383  
*Gigartina* 356  
*G. acicularis* 353  
*G. paxillata* 353, 356  
*G. pistillata* 356  
*G. radula* 353, 356, 357, 360, 364  
*G. scutellata* 353  
*G. stiriata* 353, 356, 357, 364  
*Gigartinaceae* 352, 356  
 ginkgoales 63, 65  
 giraffe 411, 412, 413  
*Gladiolus* 48, 143, 494, 512  
*Glossina* (tsetse flies) 399–401  
 glossopterids 63  
*Glossopteris* 65  
*Glottiphyllum* 135, 142, 149  
*Gnidia* 144, 145  
*G. kraussiana* 486  
 goats 399, 405, 413, 519, 523, 525  
*Gonimbrasia belina* (mopane ‘worms’) 491  
*Gorteria diffusa* 148, 154  
*Gracilaria* 359, 363–4  
*G. verrucosa* 363  
 grasshoppers 272, 401, 409, 412  
*Gratelouphia filicina* 353  
 green algae see *Chlorophyta*  
 green pigeon (*Treron calva*) 411  
*Grewia* 145, 266, 410, 496  
*G. bicolor* 378  
*G. flava* 264  
*G. flavescens* 413  
*G. robusta* 173, 177, 178  
*Greyiaceae* 49  
*Grielum* 134  
 ground squirrel see *Xerus inauris*  
*Grubbiaceae* 49, 102  
*Guibourtia coleosperma* 264  
 guineafowl (Numididae) 401, 409, 411

## 608 / Index of biota and taxa

- Gunnera perpensa* 486  
*Gymnodiscus* 142  
*Gymnogongrus* 358
- Hakea* 121, 122, 514, 538, 539, 549, 554, 556–8  
*H. drupacea* (=*H. sauveolens*) 540, 564  
*H. gibbosa* 540, 564  
*H. sericea*  
  control of 560  
  impact of 557  
  as invasive alien 117, 121, 538, 540, 548, 552, 564  
*Haliotis midae* 359, 362  
*Halodule uninervis* 309  
*Halophila ovalis* 309  
*Haplocarpha scaposa* 220  
*Haplostigma* 64, 65  
*hares* (*Lepus* spp.) 401, 408  
*Harpagophytum procumbens* 490, 494  
  *H. zeyheri* 490  
*Harpephyllum caffrum* 283, 486, 524  
*Harpochloa falx* 221, 224, 234, 238  
*Harrisia martinii* 538, 558  
*harvester ants* see *Messor capensis*  
*Haworthia* 48, 135, 142  
  *H. semiviva* 140  
*Hebenstreitia* 317  
  *H. cordata* 306  
*Heeria argentea* 105  
*Heidiphyllum* 65  
*Helichrysum* 48, 102, 144, 234, 317, 413  
  *H. asperum* var. *comosum* 308  
  *H. callicomum* 219  
  *H. cerastioides* 219, 221  
  *H. flanaganii* 221  
  *H. lucilioides* 178  
  *H. mariepsopicum* 221  
  *H. micropoides* 306  
  *H. obtusum* 199  
  *H. odoratissimum* 488, 494  
  *H. oreophilum* 221  
  *H. oxyphyllum* 110  
  *H. platypteron* 221  
  *H. rugulosum* 219  
  *H. setosum* 220  
  *H. spiralepis* 221  
  *H. trilineatum* 221, 227  
  *H. witbergense* 221  
*Helictotrichon turgidulum* 220  
*Helinus integrifolius* 486  
*Heliophila* 143  
*helmeted guineafowl* (*Numida meleagris*) 411  
*Hemiptera* 401, 559  
*Heppia* 204  
*Hereroa* 134, 142  
*Hermannia* 48, 134, 135, 144  
  *H. cuneifolia* 178  
  *H. depressa* 219  
  *H. disermifolia* 148
- H. geniculata* 220  
*H. trifurca* 148  
*Hermbstaedtia* 135  
*Herposiphonia herringii* 358  
*Hessea* 143  
*Heteropogon* 410  
  *H. contortus*  
  and fire 434  
  grassland biome 219, 224, 229, 233, 234  
  seasonal pattern 231  
*Nama-karoo* 173, 177  
  savanna community 264
- Heywoodia lucens* 282  
*Hibiscus cannabinus* 489  
  *H. tiliaceus* 311
- hinged tortoise (*Kinixys*) 401
- Hippobromus pauciflorus* 486  
*Hippopotamus amphibius* 337, 398, 403, 404, 522
- Hirpicium* 135  
  *H. alienatum* 148
- Homeria* 143
- Homo* 68  
  *H. erectus* 475  
  *H. sapiens* 474, 510
- honey bush see *Cyclopia*
- Hoodia* 143, 512
- Hoplophyllum* 134
- Hordeum* 160
- horsetails 63, 65, 67
- Huernia* 143
- Hyacinthaceae* 143, 494
- Hydnora* 145
- Hydnoraceae* 145
- Hydrocleathrus* 354
- Hymenena venosa* 355, 359
- Hymenocardia* 437  
  *H. ulmoides* 282, 284
- Hymenoptera* 559
- Hyobanche* 145
- Hyparrhenia* 264  
  *H. filipendula* 228  
  *H. hirta*  
  community dynamics 234, 236, 237  
  effects of defoliation 241  
  grassland biome 220, 221, 222, 226, 227  
  leucanthocyanins 228
- Nama-karoo* 174  
  plant associations 178  
  reproductive characteristics 235  
  savanna 265  
  seasonal patterns 229, 231
- H. rufa* 335
- Hypericum perforatum* 558
- Hypertelis* 143  
  *H. angrae-pequenae* 196, 199  
  *H. salsoloides* 196, 200
- Hyperthelia dissoluta* 264
- Hyphaene* 476
- H. coriacea* 476  
  human use of 484, 492, 493, 497, 498, 499  
*H. petersiana* 334, 335, 484, 495, 496, 497
- Hypnea spicifera* 353, 354, 356, 357, 362, 364
- Hypodiscus* 102  
  *H. argenteus* 110  
  *H. aristatus* 110
- Hypoxidaceae* 143, 490
- Hypoxis hemerocallidea* 478, 494
- hyraxes 408
- Hystrix africaeaustralis* (porcupine) 401, 408
- Ifloga spicata* 205
- impala 405, 411, 413
- Imperata cylindrica* 228, 308, 334
- Indigofera* 48, 144  
  *I. alopecuroides* 110
- Ipomoea* 317  
  *I. obscura* 219  
  *I. pes-caprae* 303, 307, 315, 316
- Iridaceae* 48, 49, 103  
  and fire 429  
  *fynbos* 103  
  human use of 481, 494, 512  
  reproductive ecology 111  
  species endemism 49, 50, 53, 54, 226  
  succulent karoo 143
- Iridaea* 356, 358  
  *I. stiriata* 360
- Isoberlinia* 264
- Isoglossa* 289
- Isolepis* 143
- Ixia* 143, 512
- Iyengaria stellata* 353  
  *I. confervoides* 313
- Jacaranda mimosifolia* 538, 541, 564
- Jania* 356
- Jasminum* 145
- Julbernadia* 264  
  *J. globiflora* 264
- Juncus* 311, 317  
  *J. kraussii* 310, 316, 492
- Justicia anagalloides* 220
- Juttadinteria deserticola* 196, 200
- Kalanchoe* 436  
  *K. crenata* 486
- karoo caterpillar (*Loxostege frustalis*) 401, 409
- Karroocholoa* 144  
  *K. pupurea* 176
- Kedrostis* 143, 145, 147
- kelps see *Laminariales*
- Kigelia africana* 267, 411
- Kiggelaria africana* 281, 286
- Kinixys* (hinged tortoise) 401

- Kirkia acuminata* 264  
*Kissenia capensis* 198, 200, 204  
*Kleinia* 143  
*K. longiflora* 178–9  
*Kniphofia* 494  
*Kobus leche* (lechwe) 337  
*Kochia salsolooides* 178  
*Koeleria capensis* 221  
*Kohautia cynanchica* 221  
*kudu* see *Tragelaphus strepsiceros*
- Lachenalia* 143, 149, 494  
*Lactucoideae* 74  
*Lagarosiphon ilicifolius* 334  
*L. major* 332  
*L. verticillifolius* 335  
*Lamiaceae* 50, 226, 544  
*Laminaria pallida* 354, 355, 360, 364  
*L. schinzii* 354  
*Laminariales* (kelps) 351, 352–7, 359, 361, 362  
  uses of 364  
*Lampranthus* 48, 134, 135  
*L. multiradiatus* 378  
*Landolphia* 481, 490  
*L. kirkii* 489, 495, 497  
*L. petersiana* 478  
*Lannea* 481  
*L. schweinfurthii* 266  
*Lantana camara* 538, 539, 541, 552, 553, 564  
  biological control 558  
*Lapeirousia* 143, 481  
*Lauraceae* 145, 285  
*Laurencia* 353, 354, 355  
*Lebeckia* 134, 145  
*L. cinerea* 196  
*L. multiflora* 199  
*L. sericea* 148  
*lechwe* (*Kobus leche*) 337  
*Leersia* 335  
*L. friesii* 334  
*L. hexandra* 334  
*Leipoldtia* 135  
*L. constricta* 154  
*L. schultzii* 148  
*leopard* (*Panthera pardus*) 582, 583  
*leopard tortoise* see *Geochelone pardalis*  
*Lepidium* 149  
*L. divaricatum* 178  
*Lepidoptera* 272, 409, 413, 558, 559  
*Leptospermum laevigatum* 318, 540, 549, 551, 565  
*Lepus capensis* (Cape hare) 408  
*Lepus saxatilis* (scrub hare) 401  
*Lessertia* 144  
*Leucadendron* 102, 109, 111  
*L. conicum* 102  
*L. coniferum* 102, 113, 495  
*L. cordifolium* 378  
*L. elimense* 378
- L. eucalyptifolium* 102, 110  
*L. gandogerii* 102  
*L. laureolum* 102, 379  
*L. loerrierei* 102  
*L. meridianum* 102, 113, 378, 495  
*L. pubescens* 113  
*L. rubrum* 102  
*L. salicifolium* 102  
*L. salignum* 102, 429, 432  
*L. uliginosum* 102  
*L. xanthoconus* 102, 378
- Leucosidea sericea* 217, 220, 226  
*Leucospermum* 109, 430, 490  
*L. conocarpodendron* 428  
*L. cuneiforme* 107  
*L. parile* 379
- lichens* 197, 204
- Liliaceae* sensu lato 45, 48, 49, 103, 161  
  and fire 429  
*fynbos* 103  
  species endemism 50, 54, 226
- Limeum* 143
- Limonium* 134, 309  
*L. dyeri* 196, 199  
*L. linifolium* 310
- limpets* 362
- Linepithema humile* (Argentine ant) 114, 410
- Lithops* 142, 200, 383
- Litsea glutinosa* (=*L. sebifera*) 541, 565
- liverworts* 63, 65, 66
- Livingstone potato* see *Plectranthus esculentus*
- Lobeliaceae* 104, 145
- Lobostemon* 74
- Locustana pardalina* (brown locust) 401, 409
- locusts* 401, 409, 413
- Lolium perenne* 543  
*L. rigidum* (=*L. liaceum*) 543
- Lonchocarpus capassa* 266
- Loranthaceae* 145
- Loranthus* 145
- Lotononis* 48, 143
- Loudetia simplex* 220, 221, 222, 225, 226, 235
- louries* (*Musophagidae*) 409, 411, 412
- Loxodonta africana* (African elephant) 397, 398, 399, 405, 406, 407–8, 582  
  herbivory/damage by 269, 270, 413, 414, 522  
  seed dispersal by 287, 411
- Loxostege frustalis* (karoo caterpillar) 401, 409
- Ludwigia leptocarpa* 335
- Lumnitzera racemosa* 311, 312
- Lycium* 515  
  desert 200
- Nama-karoo* 171, 178
- savanna* 265
- succulent karoo* 134, 135, 138, 145, 154
- L. cinereum* 196, 199, 219
- L. oxycarpum* 173–4, 178
- L. prunus-spinosa* 171, 178–9
- L. schizocalyx* 178
- lycopsids* 63, 64–5
- Lyngbya confervoides* 313
- Macrotermitinae* 238
- Maerua schinzii* 198, 201
- Maesa lanceolata* 486
- Malephora* 134–5, 142, 178–9  
*M. crocea* 178  
*M. lutea* 150
- Malvaceae* 544
- Manulea* 143
- Marquesia macroura* 264
- marula* see *Sclerocarya birrea*
- Mastomys* 408
- Maytenus* 75, 135, 145, 286, 289, 317  
*M. acuminata* 287, 378, 489  
*M. heterophylla* 282  
*M. oleoides* 102, 105, 380  
*M. peduncularis* 281, 282  
*M. polyacantha* 173, 174, 177, 178  
*M. tenuispina* 378  
*M. undata* 281
- Medicago polymorpha* 536, 540
- Megachilidae* 180
- Melanterius ventralis* 560
- Melia azedarach* 244, 538, 541, 548, 552–3, 565
- Meliaceae* 145
- Melianthaceae* 145
- Melianthus* 145
- Melica decumbens* 174  
*M. racemosa* 176
- Melinis nerviglumis* 219
- Melolobium* 144
- melons* 474, 477, 478
- Meneris tulbaghia* 111
- Menodora* 145
- Merxmullera* 135  
*M. disticha* 174, 176, 217, 221  
*M. drakensbergensis* 221, 227  
*M. stricta* 105
- Mesembryanthemaceae* 45, 48–9, 70, 73, 103, 157, 161
- desert* 198, 200, 205, 206
- distribution/plant richness* 380–1, 383–4
- fynbos* 103
- genetic diversity* 144
- reproductive biology* 147, 149, 150
- site colonization* 155
- species endemism* 50, 53, 54, 288
- succulent karoo* 131, 134, 139, 142–3  
  generic diversity 141
- toxicity* 413

## 610 / Index of biota and taxa

- Mesembryanthemum* 142, 204, 207  
*M. aitonis* 149  
*M. crystallinum* 154, 206  
*M. guerichianum* 154, 205  
*M. pellitum* 151, 196  
*M. squamulosum* 196, 200, 205  
*Messor* 410  
*M. capensis* (harvester ants) 157, 159  
*Metalasia* 317  
*M. muricata* 113, 316, 378  
*Meterosideros angustifolia* 102  
*Microchloa* 229  
*M. caffra* 220, 229, 232  
*Microcoleus chthonoplastes* 313  
*Microdictyon* 354  
*Microhodotermes viator* 139, 156, 159  
*Microloma* 135, 144, 145  
*Millettia* 521  
*M. grandis* 282  
*M. sutherlandii* 282, 291  
*Mimetes cucullatus* 432  
*M. fimbriifolius* 428  
*M. splendidus* 439  
*Mimosaceae* 406, 543  
*Mimosoideae* 180, 267, 269, 388, 411  
*Mimusops* 317  
*M. caffra* 282, 313, 315  
*Misanthus junceus* 334, 335, 336, 337  
mites 159, 559  
molerats 401, 406, 408–9  
*Molluginaceae* 149  
*Momordica* 481  
*Mondia whitei* 489  
*Monechma* 135  
*M. desertorum* 175  
*M. divaricatum* 177  
*M. incanum* 178–9  
mongongos see *Schinziophyton rautanenii*  
*Monilaria* 134  
*Monimiaceae* 66  
monkeys 313, 316, 399, 411  
*Monocymbium ceresiiforme* 221, 222, 226, 235  
*Monsonia* 479  
*Montinia* 145  
*Montiniaceae* 145  
mopane see *Colophospermum mopane*  
mopane worms see *Gonimbrasia*  
*Moquinella* 145  
*Moraceae* 285  
*Moraea* 143, 512  
*Moringa ovalifolia* 196  
*Morus alba* 541, 565  
mosses 63, 65, 67  
mousebirds (Coliidae) 409, 411, 412  
Mtshiki species 237  
*Muraltia* 48  
*M. squarrosa* 113  
*Musophagidae* (louries) 409, 411, 412  
mussels 358  
*Mutisia* 68, 69  
*Myomyscus verreauxii* 411  
*Myrica* 70, 74, 317  
*M. cordifolia* 287, 313, 316, 489  
*M. serrata* 283  
*Myriocladia capensis* 356  
*Myriophyllum aquaticum* 543, 556, 565  
*Myrothamnus flabellifolius* 196, 488  
*Myrsine africana* 220, 287  
*Myrsiphyllum* 145  
*Myrtaceae* 68, 543–4  
*Najas horrida* 335, 336  
*Namibia pomona* 200  
*Nassella tenuissima* 541, 565  
*N. trichotoma* (=*Stipa trichotoma*) 539, 541, 552, 565  
*Nebelia paleacea* 432  
*Nemesia* 144  
*Nenax microphylla* 174  
*Nerine paniculata* 56  
*Nerium oleander* 538, 542, 543  
*Neuroglossum* 356  
*N. binderianum* 359  
*Newtonia hildebrandtii* 280, 282  
ngongoni grass see *Aristida junciformis*  
*Nicotiana glauca* 541, 542, 548, 553, 565  
*Nothofagus* 66, 284  
*Numida meleagris* (helmeted guineafowl) 411  
*Numididae* (guineafowl) 401, 409  
*Nuxia floribunda* 281  
*Nylandtia* 134, 145  
*Nymmania* 135, 145  
*Nymphaea nouchali* 334  
var. *caerulea* 334, 335, 336  
*Nymphaoides indica* 334  
*Ochna* 437  
*O. pulchra* 263, 264, 428  
*Ocotea bullata* 281, 294, 486, 499  
*O. kenyensis* 281  
*Octocyon megalotis* 149  
*Odyssea paucinervis* 94, 310  
*Oenothera biennis* 235  
*Oerstedtia* 352  
*Oldenlandia* 235  
*Olea* 68, 69, 72, 73, 74, 77  
and fire 286, 437  
*O. capensis* ssp. *capensis* 282, 498  
*O. capensis* ssp. *macrocarpa* 281, 294, 378  
*O. europaea* ssp. *africana* 219, 265, 281, 282  
*O. europaea* ssp. *europaea* 380  
*O. exasperata* 282, 287, 313, 378, 428  
*O. woodiana* 378  
*Oleaceae* 68, 74, 145, 285  
*Olinia emarginata* 281  
*O. ventosa* 282  
*Oncosiphon piluliferum* 196  
*Onychognathus morio* 288  
*Oophytum* 134  
*Ophioglossum polyphyllum* 219  
*Oophytum* 204  
*O. aquosum* 151, 197  
*Ophalmophyllum* 140, 142  
*Opuntia* 149, 183, 542, 544  
*O. aurantiaca* 538, 539, 541, 552, 553, 565  
control of 558  
negative impact of 556  
*O. cactorum* 538  
*O. ficus-indica* (prickly pear) 538, 541, 542, 547, 548, 552, 553, 565  
commercial use 490, 492, 556–7  
control of 560  
*O. imbricata* 538, 541, 565  
*O. leptocaulis* 558  
*O. lindheimeri* (=*O. tardospina*) 560  
*O. robusta* 553  
*O. rosea* 538  
*O. stricta* 538  
*O. vulgaris* 538, 558  
*Orbeopsis* 481  
*Orchidaceae* 103  
and fire 429  
fynbos 103  
pollination 111  
root adaptations 388  
species endemism 50, 53, 54, 226  
*oribi* (*Ourebia ourebi*) 412  
*Oricia bachmannii* 281, 282  
*Ormocarpum trichocarpum* 266  
*Ornithogalum* 143, 494  
*O. stappii* 204  
*O. thyrsoides* 494  
*Oropetium* 229  
*Oryctoperus afer* (aardvark) 156, 159, 238, 410, 582  
*Oryza longistaminata* 334  
*Osteospermum* 134, 135, 144, 149, 175, 406  
*O. junceum* 110  
*O. sinuatum* 148, 150, 152, 153, 378, 405  
ostrich (*Struthio camelus*) 409, 412  
*Othonna* 134, 135, 137, 142, 200  
*O. arbuscula* 148, 199  
*O. cylindrica* 196  
*O. furcata* 196  
*O. opima* 197  
*Otolemur crassicaudatus* (thick tailed bushbaby) 411  
*Otomyinae* 408  
*Otomys* (vlei rats) 408  
*Ottelia ulvifolia* 334  
*Ourebia ourebi* (oribi) 412  
*Oxalidaceae* 48, 50, 53, 143, 148  
*Oxalis* 48, 143, 147  
*Oxyanthus speciosus* ssp. *gerrardii* 281  
*Ozoroa dispar* 146

- Pachyachaeta brachyartha* 355–6  
*Pachypodium* 143  
*P. lealii* 56  
*P. namaquanum* 133, 134, 152, 197, 498  
*Pacourina* 69  
*palms* 68, 69  
*Pamphagidae* 409  
*Panicum* 265  
*P. coloratum* 219, 220, 224, 232, 404, 412  
*P. kalaharensis* 264  
*P. maximum* 232, 264, 268, 412  
*P. natalense* 220, 222, 235  
*P. repens* 334  
*P. stafianum* 230, 232, 332  
*Panthera pardus* (leopard) 582, 583  
*Papilionidae* 180, 269, 388  
*Papio ursinus* (baboon) 313, 410, 411  
*Pappea* 134, 145  
*P. capensis* 266, 293, 405, 520  
*Paranomus bracteolaris* 113  
*P. spathulatus* 110  
*Parapholis incurva* 543  
*Paraserianthes lophantha* 540, 549, 551, 565  
*Paraxerus cepapi* (tree squirrel) 401, 410  
*P. palliatus* (red squirrel) 410–11  
*Parechinus angulosus* 359  
*Parinari* 481  
*P. capens* 263  
*P. curatellifolia* 267, 476  
*Parkinsonia africana* 196, 197, 200, 203  
*Parotomys brantsii* (whistling rat) 408  
*Paspalum* 335  
*P. distichum* 332  
*Passerina* 69, 72, 74, 102, 317  
*P. montana* 174  
*P. obtusifolia* 110  
*P. palacea* 113  
*P. rigida* 307, 308, 313, 315  
*P. vulgaris* 113  
*Passiflora edulis* 541, 565  
*Patella cochlear* 358  
*P. granularis* 358, 359  
*P. oculus* 358  
*Pavetta* 289  
*Pearsonia cajanifolia* 220  
*Pechuel-Loeschea leubnitziae* 198  
*Pedetes capensis* (springhare) 401, 408  
*Pelargonium* 48, 134, 135, 143, 144, 200  
*P. antidysertericum* 487  
*P. ovale* 110  
*Peliosstomum* 180  
*Peltophorum* 74  
*P. africanum* 264, 266, 431  
*Penaea mucronata* 432  
*Peneaceae* 49, 102  
*Pennisetum* 510, 537  
*P. clandestinum* 540, 565  
*P. glaucum* 477  
*Pentanisia prunelloides* 486  
*Pentarrhinum insipidum* 481  
*Pentaschistis* 102, 144  
*P. galpinii* 221  
*Pentzia* 69, 134, 135, 157, 173, 175  
*P. globosa* 174, 178–9, 219  
*P. incana* 180  
Nama-karoo 171, 175, 177, 378  
plant associations 178  
succulent karoo 152, 154  
*P. spinescens* 175  
*Pereskia aculeata* 538, 539, 541, 541, 565  
*Perotis patens* 232  
*Petalidium* 198  
*P. setosum* 198  
*Peysonnelia capensis* 356  
*Phacochoerus aethiopicus* (warthog) 404  
*Phaeophyta* 311, 351–3, 355–7, 363, 365  
*Phasianidae* (francolins) 401, 409, 411  
*Phillipia evansi* see *Erica evansii*  
*Phoenix reclinata* 335, 493  
*Phragmites* 324–5  
*P. australis*  
coastal 310, 311  
human use of 475, 482, 495  
wetlands 325, 326, 327, 333, 339, 341  
*P. mauritianus* 332  
*Phyllica* 48, 102  
*P. axillaris* 102  
*P. ericoides* 113  
*P. stipularis* 113  
*Phyllanthus glauköphylloides* 221  
*Phylohydrax carnosa* 307  
*Phymaspernum aciculara* 219  
*Piaranthus* 143  
*Piliostigma thonningii* 264  
*Pillansia templemannii* 111  
*Pinaceae* 543–4  
*Pinus* 121–2  
afforestation 244, 293, 526, 530  
alien invasion of 538, 540, 543–5, 549, 554, 555–8, 563  
introduction of 514, 537  
*P. canariensis* 555  
*P. elliottii* 541, 555, 565  
*P. halepensis* 540, 555  
*P. longaeva* 379  
*P. patula* 439, 527, 541, 552, 555, 565  
*P. pinaster* 117, 551, 552, 555, 565  
distribution 546, 548  
spread of 537, 539, 540  
*P. pinea* 540, 551, 555, 565  
*P. radiata* 120, 122, 540, 551, 555, 565  
*P. roxburghii* 555  
*P. sylvestris* 537  
*P. taeda* 555  
*Pistia stratiotes* 558  
*Pittosporum viridiflorum* 281  
*Plantago carnosa* 311  
*Platycaulos major* 110  
*Platylophus trifoliatus* 294  
*Plectopterus gambensis* (Spurwing Goose) 333, 343, 409  
*Plectranthus* 289  
*P. esculentus* (Livingstone potato) 477  
*Pleiospilos* 134, 142  
*Plinthus karoicus* 179, 183  
*Plocamium corallorhiza* 353, 354, 355  
*P. cornutum* 353  
*Ploceidae* (weaver-finches) 409, 411  
*Poa annua* 220  
*P. binata* 221  
*Poaceae* 49, 68, 70, 74, 103  
alien invasive 543–4  
and fire 429  
fynbos 101, 103  
root adaptations 388  
species endemism 50, 53, 54  
succulent karoo 143  
*Podocarpaceae* 284, 285, 379  
*Podocarpus* 46, 67, 68, 69, 74, 76–7  
and fire 428  
*P. elongatus* 378, 428  
*P. falcatus* 77, 281, 284, 288, 294, 411  
*P. henkelii* 281, 294  
*P. latifolius* 23  
and fire 286  
forest communities 281, 282, 288, 291  
harvesting 294  
sclerophyll 378, 379  
seed dispersal 288  
*Pogonarthria squarrosa* 232, 235  
polychaete worms 356  
*Polygala* 144  
*Polygalaceae* 48, 50, 54, 104, 144, 145  
*Polygonum aviculare* 541, 565  
*P. plebeium* 328  
*Polymita albiflora* 148  
*Polygong monspeliensis* 543  
*Polysiphonia* 353, 356  
*P. subtilissima* 313  
*P. virgata* 355  
*Polystichum pungens* 490  
*Populus* 551  
*P. alba* 540, 565  
*P. canescens* 540, 552, 565  
porcupine (*Hystrix africaeaustralis*) 401, 408  
*Porphyra* 353  
*P. capensis* 353, 360  
*Portulaca oleracea* 235  
*Portulacaceae* 142, 143, 380  
*Portulacaria* 134, 135, 143  
*P. afra* 94  
herbivory 405, 407, 408, 412  
Nama-karoo 176  
sclerophyll 378  
succulent karoo 133, 137  
*P. pygmaea* 197

## 612 / Index of biota and taxa

- Potamochoerus porcus* (bushpig) 313, 399, 409, 411  
*Potamogeton* 333  
*P. crispus* 325, 327–8, 330, 341, 342, 343  
*P. octandrus* 334  
*P. pectinatus* 309, 325, 327, 332, 341  
*P. thunbergii* 332  
pouched mouse (*Saccostomus campestris*) 410  
prickly pear see *Opuntia ficus-indica*  
*Printzia auriculata* 219  
*Procavia capensis* (rock hyrax) 408  
*Prosopis* 542, 546, 553, 560, 561, 565  
*P. glandulosa* 541, 542  
*P. velutina* 541, 542  
*Protasparagus* 134–5, 144  
*Protea* 23, 69, 75  
and fire 433  
fynbos 102, 109  
herbivory 410, 411, 413  
human use of 490  
reproductive ecology 112, 114–15  
*P. aurea* 102  
*P. caffra* 220  
*P. compacta* 102, 109, 115, 378, 548  
*P. cynaroides* 487  
*P. eximia* 102  
*P. grandiceps* 110  
*P. laurifolia* 102, 108  
*P. lorifolia* 102  
*P. mundii* 102  
*P. nerifolia* 102, 113, 117  
*P. nitida* 102, 108, 110, 379, 428  
*P. obtusifolia* 102, 113, 378, 495  
*P. piscina* 110  
*P. punctata* 102  
*P. repens* 102, 113, 118, 378, 379  
*P. susannae* 102, 113  
*Proteaceae* 49, 67, 68, 70, 74, 103, 284  
cluster roots 388, 390  
and fire 430, 439  
fynbos 102, 103  
harvesting 122  
herbivory 410, 412  
human use of 490, 495  
reproductive ecology 112, 114–15, 389  
species endemism 50, 53, 54  
*Protorhus longifolia* 486  
*Prunus persica* 244  
*Psammobates oculifer* (serrated tortoise) 409  
*Psammophora nissenii* 196, 200, 205  
*P. modesta* 196, 200, 205  
*Psammotermes mossambicus* 209  
*Pseudognaphalium luteo-album* 220, 235  
*Pseudolachnostylus maprouneifolia* 264  
*Psidium guajava* 541, 565  
*Psilocalylon* 134, 138, 142  
*P. absimile* 178  
*P. dinteri* 196  
*psilophyta* 63, 64, 65  
*Psydrax obovata* 294  
*Pteleopsis myrtifolia* 282  
*Pteridium aquilinum* 409  
*Pterocarpus* 437, 496  
*P. angolensis* 428, 431  
*P. lucens* ssp. *antunesii* 428  
*P. rotundifolius* 264, 266  
*Pterocelastrus* 486  
*P. echinatus* 281  
*P. tricuspidatus* 282, 294  
*Pteronia*  
competition 154  
fynbos 102  
herbivory 406  
human use of 492  
Nama-karoo 171, 173, 175, 183  
reproductive ecology 150  
succulent karoo 134–5, 144, 196  
*P. empetrifolia* 152, 378  
*P. glabrata* 196, 200  
*P. glauca* 178  
*P. glomerata* 178  
*P. incana* 148  
*P. pallens* 136, 137, 153, 154, 156, 520  
sclerophyll 378  
*P. sordida* 178  
*P. tricephala* 176  
*Pterosiphonia cloiophylla* 354  
*Putterlickia* 134  
*Pycnonotidae* (bulbuls) 316  
*Pycreus nitidus* 334, 335, 336, 337  
*Pyracantha angustifolia* 541, 546, 548, 565  
*Pyrgomorphidae* 409  
quagga see *Equus*  
*Quelea quelea* (redbilled quelea) 411  
*Quercus* 537  
*Q. robur* 554  
*Ralfsia* 361  
*Ramalina capensis* 196, 197, 198, 199  
*Rapanea melanophloeos* (boekenhout) 284, 286, 287, 288  
human use of 486, 487, 499  
*Raphia australis* 284  
*Raphicerus melanotis* (Cape grysbok) 313  
*Raphionacme* 481  
rats 408, 411  
red algae see Rhodophyta  
red squirrel see *Paraxerus palliatus*  
redbilled quelea (*Quelea quelea*) 411  
*Rediviva* 148  
*Relhania* 102  
*Rendlia altera* 221  
*Restio* 48, 102  
*R. triticeus* 102, 107  
*Restionaceae* 46, 48, 49, 67, 70, 73, 74, 103  
fynbos 102, 103, 104  
germination 114  
human use of 490  
root adaptations 388, 390  
species endemism 50, 53  
wetlands 324  
*Retziaceae* 49  
*Rhabdomys* 156, 408  
*Rhabdosiella calycina* 221  
*Rhamnaceae* 48, 104, 389, 430  
*Rhigozum* 135, 145  
*R. obovatum* 173, 175, 177, 178–9, 183, 265  
*R. trichotomum* 171, 180, 196, 197, 200  
*Rhinephyllum* 134, 142  
*R. macradenium* 152  
rhinoceros bush see *Elytropappus rhinocerotis*  
*Rhizoclonium ambiguum* 354  
*R. implexum* 313  
*R. riparium* 313  
*Rhizophora mucronata* 311, 312, 315  
*Rhodophyta* 311, 313, 351–3, 355–7, 360, 363  
*Rhoicissus* 409  
*R. tomentosa* 281  
*R. tridentata* 486  
*Rhus* 69, 73, 74, 289  
coastal 317  
and fire 286  
fynbos 102  
Nama-karoo 177  
seed dispersal 287  
succulent karoo 134, 135, 145  
wetlands 325  
*R. burchellii* 173, 174, 219  
*R. chirindensis* 281  
*R. ciliata* 219  
*R. crenata* 309, 316  
*R. dentata* 220, 226  
*R. discolor* 221  
*R. erosa* 175, 218, 219, 225  
*R. glauca* 293  
*R. lancea* 174, 178  
*R. leptodictya* 220, 225  
*R. longispina* 378  
*R. magalismontana* 220  
*R. pyroides* 378  
*R. rehmanniana* 221  
*R. undulata* 378  
*Rhynchosia totta* 219  
*Ricinodendron rautanenii* see *Schinziophyton*  
*Ricinus communis* 536–7, 565  
desert 542, 553–4  
forest biome 541, 552  
karoo biomes 553  
*Rinorea angustifolia* 281  
rock hyrax (*Procavia capensis*) 408  
*Rogeria longiflora* 197, 204  
rooibos see *Aspalathus linearis*  
*Roridulaceae* 49  
*Rosaceae* 48, 104, 143

- Rosenia* 135, 175  
*R. humilis* 178–9, 183  
*Rotala myriophylloides* 334  
*Rubiaceae* 50, 145, 285  
*Rubus* 244, 544  
*R. cuneifolius* 541, 552, 565  
*Rumohra adiantiformis* 295, 490, 497  
*Ruppia maritima* 310  
*Ruschia* 48, 73, 74, 154  
  desert 196, 197, 205  
  fynbos 102  
  Nama-karoo 173  
  roots 151  
  succulent karoo 134, 137, 138, 142  
*R. cymosa* 148  
*R. elineata* 148  
*R. robusta* 148  
*R. spinosa*  
  carbohydrates in 153  
  competition 154  
  drought tolerance 151  
  Nama-karoo 171, 175, 177, 178, 179  
*R. viridifolia* 147  
*Ruschianthemum gigas* 196  
*Rutaceae* 48, 49, 68, 102, 103, 104  
  and fire 430  
  human use of 492  
  species endemism 50, 54  
*Saccostomus campestris* (pouched mouse) 410  
*Salacia* 481  
*S. kraussii* 476  
*Salicaceae* 145  
*Salix* 145  
*S. babylonica* 541, 552, 554, 565  
*S. fragilis* 552  
*S. mucronata* 102  
*Salsola* 134, 135, 137, 144, 305  
*S. aphylla* 178–9  
*S. kali* 305, 541, 565  
*S. tuberculata* 178–9, 196, 197, 198  
*S. zeyheri* 171, 196, 200  
*Salvadora persica* 203, 209  
*Salvia* 134  
*S. africana* 378  
*S. africana-caerulea* 487  
*S. repens* 220  
*Salvinia molesta* 543, 544–5, 556, 558, 565  
  samango monkey see *Cercopithecus mitis*  
  samphires see *Sarcocornia*  
*Santalaceae* 48, 50, 145  
*Sapindaceae* 145  
*Sarcocaulon* 134, 143, 196  
*S. crassicaule* 146  
*S. patersonii* 196, 200  
*Sarcocornia* 309  
*S. decumbens* 310  
*S. natalensis* 310, 314  
*S. perennis* 310, 311  
*S. pillansii* 310  
*Sarcostemma* 143  
*S. viminale* 488  
*Sargassum* 354, 356  
*S. heterophyllum* 353  
*S. muticum* 365, 562  
*Sarpa salpa* 359  
*Saturnidae* 401  
*Scaeola* 317  
*S. plumieri* 307, 308, 313, 314, 315, 316  
*Sceletium* 134, 149  
*Schinus terebinthifolius* 541, 565  
*Schinziophyton* (=*Ricinodendron*)  
*rautanenii* (mongongo) 476, 479, 494  
*Schismus* 143  
*S. barbatus* 219  
*Schizachyrium jefferysii* 264  
*S. sanguineum* 220, 222  
*Schkuhria pinnata* 541, 565  
*Schmidtia pappophoroides* 232, 264  
*Schoenoplectus corymbosus* var. *corymbosus* 334  
*Schotia* 145  
*S. afra* 293, 405  
*S. brachypetala* 266  
*S. capitata* 266  
*S. latifolia* 283, 524  
*Scilla natalensis* 486, 496  
*Scirpus* 144, 317, 324  
*S. dioecus* 482  
*S. falsus* 221  
*S. inanis* 482  
*S. nodosus* 313, 316  
*Sclerocarya* 74  
*S. birrea* (marula) 264, 266, 269, 410, 486  
  human use of 474, 485, 494, 495, 497  
  beer 478, 490, 492, 493  
  as food source 479  
  oil from 491  
  yield 476  
*Scopolia mundii* 281  
*Scrophulariaceae* 48, 49, 74, 103  
  species endemism 50, 53, 54  
  succulent karoo 145  
  as weeds 544  
*scrub hare* (*Lepus saxatilis*) 401  
*Scutia myrtina* 282, 309  
*sea lavender* see *Limonium*  
*sea urchin* see *Parechinus angulosus*  
*Sebaea sedoides* 221  
*Secamone* 486  
*Securidaca longepedunculata* 264  
*seed ferns* 63, 65–6  
*Selaginaceae* 48, 49, 50, 144  
*Selago* 48, 144  
*S. galpinii* 221  
*Senecio* 48, 135, 142, 413  
*S. cardaminifolius* 196  
*S. coronatus* 220  
*S. elegans* 306  
*S. erubescens* 220  
*S. retrorsus* 234  
*S. serratuloides* 486  
*S. venosus* 220  
*Senna* (formerly *Cassia*) 544  
*S. didymobotrya* 541, 565  
*Septulina* 145  
*Sericocoma avolans* 177  
*Serinus leucopterus* 411  
*serrated tortoise* (*Psammobates oculifer*) 409  
*Sesbania punicea* 538, 541, 548, 554, 565  
  control of 558, 561  
*Sesuvium sesuvioides* 197, 482  
*Setaria* 264, 265  
*S. incrassata* 220, 233, 263  
*S. lindenbergiana* 219  
*S. megaphylla* 231  
*S. nigrirostris* 219, 220  
*S. sphacelata* 219, 222, 229, 238  
*seven-weeks fern* see *Rumohra*  
*sheep* 399, 409  
  diet 156, 405, 406  
  grazing pressure 402, 412, 523, 525  
  introduction of 159  
*Sideroxylon* 317  
*S. inerme* 282, 287, 288, 293, 309, 313, 316, 378, 486  
*Silene viscosa* 205  
*Sisyndite* 135  
*S. spartea* 197, 200, 201  
*Solanaceae* 145, 543–4  
*Solanum* 544  
*S. elaeagnifolium* 541, 566  
*S. mauritianum* 244, 539, 541, 552, 565  
*S. panduriforme* 219  
*Sonchus oleraceus* 543  
*Sorghastrum friesii* 334  
*Sorghum* 521, 537  
*S. bicolor* 477, 510  
*sour plum* see *Ximenia*  
*Spartina maritima* 309, 310, 543  
*spekboom* see *Portulacaria afra*  
*Spergularia media* 543  
*S. rubra* 543  
*Spermacoce natalensis* 221  
*Sphalmanthus* 48, 134–5, 142–3, 196, 205  
*S. tetragonus* 171, 197  
*Sphenobaiera* 65, 66  
*Sphenostylis angustifolia* 220  
*Spiloxene* 143  
*spinach* 480, 481–2  
*Spirostachys* 74  
*S. africana* 428, 496  
*Splachnidium rugosum* 353  
*Spongites* 358  
*Sporobolus* 175, 229, 264, 317  
*S. africanus* 237  
*S. centrifugus* 221

## 614 / Index of biota and taxa

- S. fimbriatus* 230, 232, 240, 332  
*S. ioclados* 405  
*S. pectinatus* 220  
*S. pyramidalis* 221, 229  
*S. spicatus* 335  
*S. virginicus* 303, 307, 308, 309, 310, 311, 314  
 springbok *see* *Antidorcas marsupialis*  
 springhare *see* *Pedetes capensis*  
 Spurwing Goose *see* *Plectropterus*  
 squirrels 401, 408, 410  
*Staberoha banksii* 112  
*Stachys kuntzei* 220  
 stamvrug *see* *Bequaertiodendron*  
*Stangeria eriopus* 486, 498  
 Stangeriaceae 49  
*Stapelia* 481  
 starlings (*Sturnidae*) 411  
*Stenochlaena tenuifolia* 324  
*Stenotaphrum secundatum* 310, 311  
*Sterculia africana* 200  
*Sterculiaceae* 48, 50, 54, 144  
*Stilbaceae* 49  
*Stipa capensis* 160  
   *S. trichotoma* *see* *Nassella trichotoma*  
*Stipagrostis*  
   desert 196, 202, 204  
   Nama-karoo 171, 173, 175  
   succulent karoo 135–7, 144, 153  
*S. brevifolia* 138, 172, 173, 176, 217  
*S. ciliata*  
   desert 197, 198, 200, 204  
   Nama-karoo 171, 172, 179, 217  
     plant associations 178  
     succulent karoo 135, 138  
*S. ciliata* var. *capensis* 176  
*S. geminifolia* 197, 200  
*S. lutescens* 196  
*S. namaquensis* 174, 178–9  
*S. obtusa*  
   desert 197, 200  
   Nama-karoo 171, 172, 175, 178, 179, 217  
     succulent karoo 135  
*S. sabulicola* 196, 202, 209, 305  
*S. seelyae* 197  
*S. uniplumis* 219, 225, 264  
*S. zeyheri* 308  
*Stoebe* 70, 73, 74, 75, 79, 102, 317  
   *S. plumosa* 316  
   *S. vulgaris* 216  
*Stoeberia* 196  
*Strelitzia reginae* (crane flower) 487  
*Struthio camelus* (ostrich) 409, 412  
*Strychnos* 411, 437  
   *S. cocculoides* 495  
   *S. decussata* 282, 378  
   *S. henningsii* 378  
   *S. madagascariensis* 266, 282  
   *S. pungea* 412  
*S. spinosa* 494  
*Sturnidae* (starlings) 411  
*Suaeda* 94  
   *S. inflata* 310  
 sugar cane 526  
*Suhria vittata* 355, 362, 364  
*Sutera* 48, 144, 175  
   *S. polensis* 220  
*Synaptolepis kirkii* 486, 488  
*Synaptophyllum juttae* 197  
*Synarpha vestita* 497  
*Syncerus caffer* (African buffalo) 337, 398, 404  
*Syzygium cordatum* 335  
   *S. gerrardii* 281, 291  
*Tabernaemontana elegans* 489  
*Tachyandra muricata* 196  
*Tagetes minuta* 235, 538, 541, 566  
*Tamaricaceae* 145  
*Tamarix* 134, 145  
   *T. ramosissima* 553  
   *T. usneoides* 174, 203  
*Tapiphylloides parvifolium* 220  
*Tarchonanthus* 74, 79, 264  
   *T. camphoratus* 264  
*Tatera* 408  
*Taurotragus oryx* (eland) 399  
*Teclea natalensis* 378  
*Tecophilaeaceae* 143  
*Teloschistes capensis* 196, 197, 198  
*Tenebrionidae* 159  
*Tephrosia semiglabra* 219  
*Terminalia* 261, 264, 406, 437, 485  
   *T. prunioides* 265, 267  
   *T. sericea* 264, 265, 266, 272  
     and fire 431  
     human use of 495, 521  
 termites 156, 238, 273, 401, 406  
*Tetrachne dregei* 175  
*Tetragonia* 134, 135, 142, 196, 309, 317  
   *T. decumbens* 196, 199, 305, 306  
*Tetraoria* 102  
*Tettigoniidae* 409  
*Thalassodendron ciliata* 309, 354  
*Thamnochortus erectus* 113, 491  
   *T. insignis* 113, 114, 490, 491, 512  
   *T. lucens* 116  
*Thelypteris interrupta* 334  
*Themeda* 410  
   *T. triandra*  
     and fire 430, 434  
     fynbos 102, 105, 107  
     grassland biome 219–20, 222, 224, 226, 228, 229–31, 233–42  
     herbivory 402, 404–5  
     Nama-karoo 177, 183  
     satellite grasslands 217  
     savanna 264–5, 268  
*Themedetalia triandrae* 222  
*Thesium* 48, 145  
   *T. lineatum* 148  
*Thinopyrum distichum* 306, 307  
*Thymelaeaceae* 50, 54, 104, 144, 145  
*Thyronomyidae* (cane rats) 408  
*Tiliaceae* 145  
 tortoises 409, 412  
*Trachyandra* 143  
   *T. laxa* 204  
*Trachypogon* 236  
   *T. spicatus* 220, 222, 225, 234, 235  
*Tragelaphus strepsiceros* (kudu) 399, 405, 411, 412, 413  
*Tragelathus scriptus* (bushbuck) 313, 399  
*Tragus* 134  
   *T. koelerioides* 230, 237, 240  
 tree hyrax *see* *Dendrohyrax*  
 tree squirrel *see* *Paraxerus cepapi*  
*Treron calva* (green pigeon) 411  
*Trianthema hereroensis* 202, 206  
   *T. parvifolia* 196  
*Tribolium* 143  
*Tribulus terrestris* 515  
*Tricalysia lanceolata* 281  
*Trichilia dregeana* 281, 282, 486, 490  
   *T. emetica* 486, 490  
*Trichilogaster acaciaelongifoliae* 560  
*Trichodiadema barbatum* 178–9  
   *T. setuliferum* 178  
*Trichoneura grandiglumis* 238  
*Trichopteryx* 264  
*Triglochin bulbosa* 314  
   *T. striata* 309, 310, 314  
*Trinervitermes trinervoides* 238  
*Triplochiton zambesiacus* 481  
*Triponox* 229  
*Tristachya leucothrix*  
   and fire 231, 238  
 fynbos 102  
   grassland biome 220, 222, 226, 228, 229, 234  
     grazing of 236, 237, 404  
     reproductive characteristics 235  
*Trochomeria* 481  
*Truxaliniae* 409  
*Trypanosoma* 399  
 tsetse flies (*Glossina*) 399–401  
*Tulbaghia* 74  
*Turbina oblongata* 486, 489  
*Turbinaria* 354  
*Tylecodon* 134, 135, 143  
   *T. paniculatus* 157, 196  
   *T. wallichii* 152, 154  
*Tylosema esculentum* 479, 494  
*Typha* 324  
   *T. capensis* 327, 332, 333, 335, 336  
*Udotea* 354  
*Ulva* 355, 358, 359, 362  
   *U. capensis* 353

- U. lactuca* 364  
*U. rigida* 353  
*Undaria pinnatifida* 365  
 urchins 355, 356, 359, 362  
*Urelytrum agropyroides* 235  
*Urginea* 143, 486  
*Urochlaena* 143  
*Urochloa mosambicensis* 402, 404, 412  
*Ursinia* 144, 148  
 Urticaceae 144  
*Valonia* 354  
*Vangueria infausta* 479  
*Vellereophyton* 317  
   *V. vellereum* 313, 314, 316  
*Verpis lanceolata* 281, 282  
   *V. undulata* 378  
*Verbena bonariensis* 541, 566  
*Vernonia natalensis* 220  
   *V. centaureoides* 221  
 vervet monkey *see Cercopithecus aethiops*  
 Viscaceae 145  
*Viscum* 145  
*Vitellariopsis marginata* 282  
*Vitis* 537  
 vlei rat (*Otomys*) 408  
*Voacanga thouarsii* 489  
*Vossia* 335  
*Wahlenbergia* 48, 144  
   *W. squamifolia* 221  
*Walafridia* 135, 406  
   *W. densiflora* 221  
   *W. geniculata* 177  
*Warburgia salutaris* 478, 486, 497  
 warthog (*Phacochoerus aethiopicus*) 404  
*Watsonia* 512  
   *W. borbonica* 434, 476  
 waxbills (Estrildinae) 411  
 weaver-finches (Ploceidae) 409, 411  
*Websteria confervoides* 335, 336  
 weevils 410  
*Welwitschia* 34, 45  
   *W. mirabilis* 56, 189, 198–9, 205  
 Welwitschiaceae 56  
 whistling rat (*Parotomys brantsii*) 408  
 white rhinoceros *see Ceratotherium simum*  
*Wiborgia* 134, 145  
*Widdringtonia* 67  
   *W. cedarbergensis* (Clanwilliam cedar)  
     73, 410, 441  
   *W. nodiflora* 117, 217, 432  
 wild apricot *see Ancylobotrys capensis*  
 wildebeest 404, 522  
*Willdenowia* 134  
*Wrightia* 379  
   *W. natalensis* 282, 378  
*Xanthium spinosum* 538, 541, 557, 566  
   *X. strumarium* 541, 566  
*Xerophyta viscosa* 200