

Index

Accepted latin names and the page numbers on which the account of them occurs are in **bold** type. Synonym latin names are in *italic*. Vernacular names are in roman. When a vernacular name is the same as the latin genus, the latin genus and species are placed first.

- Absinthium* Hill
vulgare Lam., 467
- Achillea** L., 470
ageratum L., 473
 × **decolorans** Schrad., 471
distans Waldst. & Kit. ex Willd., 471
 subsp. **tanacetifolia** Janch., 472
eupatorium M. Bieb., 473
filicifolia M. Bieb., 473
filipendulina Lam., 473
ligustica All., 472
millefolium L., 472, 556
 var. *alpestris* auct., 472
 var. **compacta** Bréb., 472
 var. *conspicua* Druce, 472
 var. **densiloba** P. D. Sell, 472, 556
 var. *lanata* auct., 472
 var. **millefolium**, 472
 var. **villosa** Hartm., 472
nobilis L., 472
 subsp. **nobilis**, 472
ptarmica L., 471
 forma **ligulosa** Vilm., 471
 × **macrophylla** L., 471
 forma **ptarmica**, 471
serrata Sm., 471
sylvestris Gray, 471
tanacetifolia All., 472
tenuifolia Salisb., 472
tomentosa L., 473
- Achyrophorus* Adans., 98
maculatus (L.) Scop., 100
radicatus (L.) Scop., 99
- Acosta* Adans., 86
- Acrolophus* Cass., 86
paniculatus (L.) Cass., 86
- Acroptilon** Cass., 84
picris (Pall. ex Willd.) C. A. Mey., 84
repens (L.) DC., 84
- ADOXACEAE**, 48
- Adoxa** L., 48
moschatellina L., 48
tuberosa Gray, 48
- Adventina* Raf., 520
ciliata Raf., 521
parviflora (Cav.) Raf., 520
- Aetheorhiza** Cass., 111
bulbosa (L.) Cass., 111
- African Thistle, Lobed, 423
 Rigid, 424
 Variable, 423
- Agathysus* D. Don
tataricus (L.) D. Don, 118
- Ageratum** L., 528
conyzoides L.
 var. *mexicanum* (Sims) DC., 528
houstonianum Mill., 528
mexicanum Sims, 528
- Ake-ake, 461
 Akiraho, 460
Akylopsis Lehm.
suaveolens (Pursh) Lehm., 484
- Amberboa** (Pers.) Less.
moschata (L.) DC., 84
- Ambrosia** L., 513
aptera DC., 514
artemisiifolia L., 513
coronopifolia Torr. & A. Gray, 513
elatior L., 513
integrifolia Muhlenb., ex Willd., 513
longistylis Nutt., 513
media Rydb., 513
psilostachya DC., 513
striata Rydb., 514
trifida L., 514
variabilis Rydb., 514
- Amellus** Adans.
microglossus DC., 440
strigosus (Thunb.) Less., 440
- Ammobium** R. Br. ex Sims
alatum R. Br., 432
- Anacylus* L.
australis Sieber ex Spreng., 487
- Anaphalis** DC., 428
margaritacea (L.) Benth., 428
 var. **angustior** (Miq.) Nakai, 428
 var. **intercedens** Hara, 428
 var. **margaritacea**, 428
 var. *occidentalis* Green, 428
 var. *revoluta* Suksd., 428
 var. **subalpina** A. Gray, 428
triplineris (Sims) C. B. Clarke, 428
- Andryala** L., 208
integrifolia L., 209
 Andryala, Common, 209
Anisanthus Willd. ex Roem. & Schult., 41
microphyllus (Kunth) Willd. ex Roem. & Schult., 42
Anisoderis Cass., 205
foetida (L.) Fisch. & C. A. Mey., 205
- Antennaria** Gaertn., 427
dioica (L.) Gaertn., 427
 var. **dioica**, 427

- Antennaria dioica** (L.) Gaertn. (*cont.*)
 var. **hyperborea** (D. Don) DC., **427**
 var. **pedicellata** F. B. White, **427**
hibernica Braun-Blanq., **427**
hyperborea D. Don, **427**
margaritacea (L.) Gray, **428**
montana Gray, **427**
triplinervis Sims, **428**
 × *Anthemimatricaria* P. Fourn.
celakovskyi Geisenh. ex Domin, **478**
maleolens P. Fourn., **478**
gruettierana Asch., **478**, **556**
- Anthemis** L., **474**
altissima L., **477**
anglica Spreng., **476**
arvensis L., **475**
 var. **anglica** (Spreng.) Syme, **476**
 subsp. **arvensis**, **476**
 var. **arvensis**, **476**
 × **Tripleurospermum maritimum** subsp. **inodorum**, **478**
- austriaca** Jacq., **477**
cota L., **477**
cotiformis Velen., **477**
cotula L., **476**, **556**
 var. **cotula**, **476**
 var. *maritima* auct., **476**
 × **Tripleurospermum maritimum** subsp. **inodorum**, **478**
 var. **vectensis** (F. N. Williams) P. D. Sell, **476**, **556**
cupaniana Tod. ex Nyman, **475**
discoidea (All.) With., **477**
foetida Lam., **478**
 var. *vectensis* F. N. Williams, **478**, **556**
grandiflora Ramat., **482**
hyrcana Sosn. ex Grossh., **477**
mixta L., **474**
montana L.
 subsp. *cupaniana* (Tod. ex Nyman) Arcang., **475**
neilreichii Ortman, **476**
nobilis L., **474**
pontica auct., **476**
punctata Vahl., **475**
 subsp. **cupaniana** (Tod. ex Nyman) R. Fevn., **475**
 var. *incana* Guss., **475**
 var. *sicula* Guss., **475**
- ruthenica** M. Bieb., **476**
subtinctoria Dobrocz., **477**
- tinctoria** L., **477**
 subsp. **australis** R. Fern., **477**
 var. **discoidea** (All.) DC., **477**
 subsp. **fussii** (Griseb.) Beldie, **477**
 var. **fussii** Griseb., **477**
 subsp. **subtinctoria** (Dobrocz.) Soó, **477**
 subsp. **tinctoria**, **477**
 var. **tinctoria**, **477**
zangelana Sosn. ex Grossh., **477**
- Anthemis** × **Tripleurospermum**, **478**
- Apargia* Scop.
autumnalis (L.) Hoffm., **101**
 var. *alpina* Gaudin, **102**, **531**
 var. *salina* Aspegren, **531**
- Apargia* Scop. (*cont.*)
hirta auct., **103**
hispida (L.) Hoffm., **103**
pratensis Hornem., **102**, **531**
taraxaci (L.) Willd., **102**
- Aparine* Guettard
boreale (L.) Hill, **22**
latifolia Moench, **28**
vulgaris Hill, **26**
- Apuleje* Gaertn.
heterophylla (Thunb.) Less., **423**
zeyheri Less., **424**
- Aracium* Monnier
attenuatum Opiz ex Domin, **203**
paludosum (L.) Monnier, **202**
- Arctium** L., **70**
austriacum Teyber, **71**
bardana Willd., **72**
batavum Arènes, **71**
crispum Cretz., **72**
debrayi Senay, **71**
intermedium Lange, **71**
lappa L., **70**, **530**
 subsp. **minus** (Hill) Hook. fil., **71**
 subsp. **nemorosum** (Lej.) P. D. Sell, **71**, **530**
 subsp. **pubens** (Bab.) P. D. Sell, **71**, **530**
majus Bernh., **71**
 subsp. *intermedium* (Lange) Nyman, **71**
 subsp. *nemorosum* (Lej.) Rouy, **71**
minus (Hill) Bernh., **71**
 subsp. *nemorosum* (Lej.) Syme, **71**, **530**
 subsp. *pubens* (Bab.) Arènes, **71**, **530**
nemorosum Lej., **71**, **530**
newbouldii A. Benn., **71**
notha (Ruhmer) J. Wiess, **71**
personata Mill., **71**
pubens Bab., **71**, **530**
ruderales Salisb., **71**
subracemosum (Simonk.) Nyman, **71**
tomentosum Mill., **72**
 var. **glabrum** (Körn.) Arènes, **72**
vulgare (Hill.) Druce, **71**
- Arctotheca** J. C. Wendl., **422**
calendula (L.) Levyns, **422**
calendulacea (Hill) Lewin, **422**
- Arctotis** L., **421**
breviscapa Thunb., **422**
calendula L., **422**
calendulacea Hill, **422**
stoechadifolia Bergius, **422**
 var. **grandis** (Thunb.) Less., **422**
- Arctotis, White, **422**
- Arnosoris** Gaertn., **96**
minima (L.) Schweigg. & Körte, **96**
pusilla Gaertn., **96**
- Artemisia** L., **465**
abrotanum L., **468**
absinthium L., **467**
afra Jacq., **465**
anethifolia Weber, **465**

Artemisia L. (*cont.*)

- annua L.**, 468
biennis Willd., 468
brittonii Rydb., 467
campestris L., 469
candicans Rydb., 467
diversifolia Rydb., 467
dracunculoides Pursh, 469
dracunculus L., 468
falcata Rydb., 467
glabescens Stokes, 469
glauca Pall. ex Willd., 468
gnaphalodes Nutt., 467
herba-alba Asso, 465
herbacea Willd., 468
herriotii Rydb., 467
incompta Nutt., 467
inodora Willd., 468
lindheimeriana Scheele, 467
ludoviciana Nutt., 467
 var. **candicans** (Rydb.) D. D. Keck, 467
maritima L., 469
norvegica Fr., 468
paniculatum Lam., 468
papularis (A. Nelson) Rydb., 467
platyphylla Rydb., 467
pontica L., 465
procera Willd., 468
purshiana Besser, 467
redowskyi Ledeb., 468
scoparia Waldst. & Kit., 465
serrata Nutt., 467
stelleriana Besser, 467
verlotiorum Lamotte, 466
 × **vulgaris**, 467
vulgaris L., 466
 var. **coarctata** Forselles, 466
 subsp. **ludoviciana** (Nutt.) H. M. Hall & Clem., 467
 var. **vulgaris**, 466
 × **wurzellii** C. M. James & Stace, 467
- Ascalea** Hill, 73
lanceolata (L.) Hill, 77
nutans (L.) Hill, 75
- Asperula L.**, 16
arvensis L., 18
azurea Jaub. & Spach, 18
caucasica Pobed., 17
ciliata auct., 16
cynanchica L., 17
 var. **densiflora** Gren. & Godr., 17
 var. **maritima** Lange, 17
 subsp. **occidentalis** (Rouy) Stace, 17
minor Gray, 17
occidentalis Rouy, 17
odorata L., 19
orientalis Boiss. & Hohen., 18
propinqua Pobed., 17
sherardii Höck ex Hallier, 16
taurina L., 17
tinctoria L., 17

Aster L., 443, 555

- amelloides* Besser, 444
amellus L., 444
annuus L., 455
bellidiflorus Willd., 448
bonariensis Spreng., 453
brevibracteatus Rydb., 447
braumalis Nees, 447
californicus Less., 453
canadensis (L.) Krause, 458
canadensis (L.) Kuntze, 441
chinensis L., 459
concinus Willd., 446
conyzae Griess., 435
cordifolius L., 445
discoideus Sond., 452
dracunculoides Willd., 448
dumosus L., 446
 var. **dumosus**, 446
 var. **strictior** Torr. & A. Gray, 446
durus Lunell, 448
eminens Willd., 448
ericoides auct., 445
ericoides L., 450
 var. **ericoides**, 450
 var. **pansus** (Blake) Boivin, 450
firmus Nees, 449
floribundus auct., 447
fluvialis Osterh., 448
foliaceus Lindl., 449
foliosus Pers., 446
geyeri (A. Gray) Howell, 447
hesperius A. Gray, 448
 var. **wootonii** Greene, 448
hispidus Lam., 449
interior Wiegand, 448
laevigatus Lam., 447
laevis L., 446
 var. **concinus** (Willd.) House, 446
 var. **geyeri** A. Gray, 447
 var. **laevis**, 447
 × **novi-belgii**, 447
lanceolatus Willd., 448
 subsp. **hesperius** (A. Gray) Semple & Chmiel., 448
 subsp. **interior** (Wiegand) A. G. Jones, 448
 var. **hirsuticaulis** Semple & Chmiel., 448
 var. **interior** (Wiegand) Semple & Chmiel., 448
 subsp. **lanceolatus**, 448
 var. **lanceolatus**, 448
 var. **latifolius** Semple & Chmiel., 448
 × **novi-belgii**, 448
latissimifolius Kuntze
 var. **serotina** Kuntze 442
lautus Lunell, 448
laxus Willd., 448
linosyris (L.) Bernh., 451
 var. **minor** (Wallr.) Rouy 451
longifolius auct., 447
macrophyllus auct., 445
maritimus Salisb., 451

Aster L. (*cont.*)

- multiflorus* Aiton, 450
novae-angliae L., 450
novi-belgii L., 447
 subsp. *laevigatus* Lam., 447
osterhoutii Rydb., 448
paniculatus Lam., 448
paniculatus Willd., 445
pansus Blake, 450
pickettiana Suksd., 447
pilosus Willd., 445
 var. *demotus* Blake, 446
 var. **pilosus**, 446
 var. **pringlei** (A. Gray) Blake, 446
pringlei A. Gray, 446
pubentior Cronquist, 449
punctatus Waldst. & Kit., 450
punicus L., 449
recurvatus Willd., 448
salicifolius Aiton, 448
 × **salignus** Willd., 448
schreberi Nees, 445
sedifolius L., 450
simplex Willd., 448
 var. *interior* (Wiegand) Cronquist, 448
solandri (Hook. fil.) F. Muell., 461
stenophyllus Lindl., 448
tradescantii auct., 448
tripolium L., 451, 555
 var. **condensatus** Druce, 451
 var. *discoideus* Rchb., 451
 var. **fiosculosus** (Gray) P. D. Sell, 451, 555
 subsp. **tripolium**, 452
 var. **tripolium**, 451
umbellatus Mill., 449
 var. **umbellatus**, 449
 var. **pubens** A. Gray, 449
 × **versicolor** Willd., 447
wootonii (Greene) Greene, 448
- Aster, Blue Wood, 445
 Bushy, 446
 Chinese, 459
 Frost, 445
 Goldilocks, 451
 Heath, 450
 Leafy, 449
 Mexican, 525
 Narrow-leaved Smooth, 446
 Sea, 451
 Stonecrop, 450
 Tall White, 449
- ASTERACEAE**, 62
Asterocephalus Zinn
columbarius (L.) Rchb., 59
Athanasia L.
maritima (L.) L., 470
- Baccharis** L., 462
halimifolia L., 462
 Bachelor Buttons, 464, 471

- Balsamita* Mill., 465
major Desf., 465
Bardana Hill, 70
arctium (Hill) Hill, 72
lappa (L.) Hill, 71
minor (Hill) Hill, 71
Barkhousia Moench, 205
byzantina DC., 205
candollei Spreng., 205
foetida (L.) F. W. Schmidt, 205
 var. *subdivisa* Schur, 205
glandulosa (Guss.) C. Presl, 205
gracilis Freyn & Sint., 206
gracilis Lej. ex Rouy, 205
graveolens (P. Gaertn., B. Mey. & Scherb.) Link, 205
haenseleri Boiss., 207
heterocarpa Boiss., 207
hirta W. D. J. Koch, 205
hispida (Waldst. & Kit.) Link, 208
laciniata Lowe, 207
nicaeensis (Balb.) Link, 206
pinguis Rchb., 203
prostrata Dumort., 205
rhoeadifolia (M. Bieb.) Fisch. & C. A. Mey., 205
rodigioides Sch. Bip. ex W. D. J. Koch, 205
setosa (Haller fil.) DC., 208
supina Rouy, 205
taraxacifolia (Thuill.) DC., 207
triangularis K. Koch, 205
zacynthia Margot & Reut. ex DC., 205
- Baziasa* Steud.
urticaefolia (Kunth) Steud., 521
- Beadplant, 15
 Beauty Bush, 47
 Bedstraw, Common Marsh, 23
 Fen, 20
 Heath, 25
 Hedge, 24
 Lady's, 23
 Limestone, 25
 Northern, 20
 Slender, 25
 Slender Marsh, 23
 Tree, 15
 Wall, 27
- Beggar's-ticks, 523
 Eastern, 523
- Bellflower, *Adria*, 6
 Chimney, 5
 Clustered, 6
 Cornish, 5
 Creeping, 5
 Giant, 4
 Italian, 7
 Ivy-leaved, 9
 Milky, 3
 Nettle-leaved, 4
 Peach-leaved, 3
 Rampion, 3
 Spreading, 2

- Bellflower (*cont.*)
 Trailing, 6
 Tussock, 4
- Bellis** L., 462
monstrosa auct., 463
perennis L., 462, 556
 forma **disciformis** P. D. Sell, 464, 556
 forma **discoidea** D. C. McClintock, 463, 555
 var. **discoidea** Hus, 463, 555
 forma **perennis**, 463
 × **sylvestris**, 463
sylvestris Cyr., 463
- Bellium** L.
bellidioides L., 440
- Bennettia* Gray, 72
alpina (L.) Gray, 72
- Berinia* Brign., 203
nicaeensis (Balb.) Sch. Bip., 206
- Berkheya** Ehrh., 423
heterophylla (Thunb.) O. Hoffm., 423
pinnatifida (Thunb.) Thell., 423
rigida (Thunb.) Ewart, J. White & Rees, 424
- Bidens** L., 521
aristosa (Michx.) Britton, 521
bipinnata L., 524
biternata (Lour.) Merr. & Sherff, 521
californica DC., 523
camporum (Hutch.) Mesfin, 521
cernua L., 522
 var. **cernua**, 522
 forma **discoidea** DC., 522
 forma **minima** (Hill) F. N. Williams, 522
 var. **radiata** DC., 522
 forma **rugosa** Druce, 522
cicutaefolia Tausch, 524
connata Muhlenb. ex Willd., 522
decomposita Wall. ex DC., 524
elongata Tausch, 524
fervida Hort. ex Colla, 524
frondosa L., 523
kotschyana Sch. Bip., 524
melanocarpa Wieg, 523
minima Hill, 522
myrrhidifolia Tausch, 524
peacockii Druce, 522
pilosa L., 523
 var. **bipinnata** (L.) Hook. fil., 524
 var. **pilosa**, 524
 var. **radiata** DC., 524
radiata Thuill., 522
subalternans DC., 521
tenuifolia Tausch, 524
tenuisecta A. Gray., 521
tripartita L., 522
vulgata Greene, 523
- Black-eyed Susan, 517
 Black-jack, 523
 Blanket Flower, 527
Boelia Raf., 14
Brachyderea Cass., 203
nicaeensis (Balb.) Sch. Bip., 206
- Brachyglottis** J. R. Forster & G. Forster, 505,
 556
 × **jubar** P. D. Sell, 505, 556
laxifolia × **compacta**, 505, 556
monroi (Hook. fil.) B. Nord., 506
rangina Buchanan, 506
repanda J. R. & G. Forst., 506
 cv. Sunshine, 556
- Breea* Less., 80
dioica Less., 80
- Bupthalmum** L., 437
cordifolium Waldst. & Kit., 438
helianthoides L., 520
salicifolium L., 438
speciosum Schreb., 438
- Bur-daisy, Hairy, 439
 Purple, 439
 Yellow, 439
- Burdock, 70
 Greater, 71
 Hairy, 72
 Lesser, 71
 Northern, 71
 Woolly, 72
- Bur-marigold, London, 522
 Nodding, 522
 Trifid, 522
- Butterbur, 510
 Great, 510
 White, 511
- Buttonweed, 486
 Annual, 487
- Cacalia* L.
tangutica (Maxim.) Hand.-Mazz., 506
- Calcitrapa* Heist. ex Fabr., 87
hippohaestum Gaertn., 87
stellalis Hill, 87
- Calea* L.
leptophylla G. Forst. 432
- Calendula** L., 512
arvensis L., 512
officinalis L., 512
- Calliopsis* Rchb.
bicolor Rchb., 524
tinctoria (Nutt.) DC., 524
- Callistemma* (Mertens & W. D. J. Koch) Boiss.
chinensis (L.) Druce, 459
- Callistephus** Cass., 459
chinensis (L.) Nees, 459
hortensis Cass., 459
- Calocephalus** R. Br.
knappii (F. Muell.) Ewart & J. White, 432
- Calotis** R. Br., 439
cuneifolia R. Br., 439
dentex R. Br., 439
glabrescens C. T. White, 439
hispidula (F. Muell.) F. Muell., 439
lappulacea Benth., 439
microphylla Benth., 439
suffruticosa Domin, 439

- Calysphyrum* Bunge
florida Bunge, 43
- Campanula** L., 1
alliariifolia Willd., 5
biserrata K. Koch, 3
calydina Boeber ex Roem. & Schult., 3
carpatica Jacq., 4
cavolinii Ten., 7
celtidifolia Boiss. & A. Huet, 3
diffusa Vahl, 7
esculenta Salisb., 3
fragilis Cirillo, 7
 subsp. *cavolinii* (Ten.) Dambolt, 7
giesekiana auct., 8
glomerata L., 6
 var. **dahurica** Fisch. & Ker-Gawl., 6
 var. *nana* C. Bailey, 6
hederacea L., 9
heterophylla Gray, 7
hybrida L., 8
lactiflora M. Bieb., 3
lambertiana DC., 3
lamifolia Adans., 5
latifolia L., 4
linifolia L., 7
macrophylla Sims, 5
medium L., 4
minor Lam., 7
patula L., 2
persicifolia L., 3
portenschlagiana Schult., 6
poscharskyana Degen, 6
pyramidalis L., 5
rapunculoides L., 5
rapunculus L., 3
rhomboidalis L., 7
rigida Stokes, 5
rotundifolia L., 7, 530
 subsp. **montana** (Syme) P. D. Sell, 8, 530
 var. *montana* Syme, 8, 530
 subsp. *rhomboidalis* (L.) Bonnier, 7
 var. *speciosa* A. G. More, 8
 var. *uniflora* auct., 8
speculum-veneris L., 8
trachelium L., 4
urticaefolia Salisb., 4
variifolia Salisb., 7
virgata DC., 3
- CAMPANULACEAE**, 1
 Canterbury Bells, 4
- CAPRIFOLIACEAE**, 29
Caprifolium Mill., 46
dumetorum Lam., 45
germanicum Delarbre, 47
henryi (Hemsl.) Kuntze, 45
hortense Lam., 47
involucratum (Richardson) Kuntze, 44
italicum (Mill.) Medik., 47
japonicum (Thunb. ex Murray) Dum.-Cours., 46
pallidum (Host) Schur, 47
- Caprifolium* Mill. (*cont.*)
perfoliatum (Röhl.) Gray, 47
pileatum (Oliv.) Kuntze, 44
rotundifolium Moench, 47
tataricum (L.) Kuntze, 45
vulgare Medik., 47
xylosteum (L.) Gaertn., 45
- Carbenia* Adans., 92
benedicta (L.) Arcang., 92
- Cardoon, 83
- Carduncellus** Adans.
coeruleus (L.) C. Presl, 93
- Carduus** L., 73
acanthoides auct. et Dandy (1958) et CTW (1987), 74
acanthoides L., 74
 subsp. *multiflorus* (Gaudin) Nyman, 75
acaulos L., 79
 var. *dubius* auct., 79
anglicus Lam., 77
argentatus L., 73
arvensis (L.) Hill, 80
 var. *latifolius* Bab., 81
 subsp. *setosus* (Willd.) Hook. fil., 81
carolorum Howie & Jenner, 78
crispus auct. et CTW (1987), 74
crispus L., 74, 530
 var. **glareicola** P. D. Sell, 75, 530
 subsp. **multiflorus** (Gaudin) Franco, 75
 var. **multiflorus** (Gaudin) DC., 75
 × **nutans** 75
 subsp. **occidentalis** Chass. & Arènes, 75
dissectus L., 77
 × **dubius** Balb., 75
eriphorus L., 76
erisithales Jacq., 78
forsteri (Sm.) Bab., 77
heterophyllus L., 78
lactifolius Stokes, 83
lanceolatus L., 77
macrocephalus Desf., 73
marianus L., 83
multiflorus Gaudin., 75
nutans L., 75, 530
 × **Cirsium arvensis** (L.) Scop., 75
 × *Cirsium vulgare*, 75
 var. **litoralis** P. D. Sell, 75, 530
 × *orthocephalus* auct., 75
palustris L., 80
polyacanthus Schreb., 74
polyacanthus Schleich., 75
pratensis Huds., 77
pycnocephalus L., 73
tenuiflorus Curtis, 73
thoermeri Weinm., 73
tinctorius (L.) Scop., 83
tuberosus L., 78
vulgaris Savi, 77
woodwardii H. C. Wats., 79
- Carlina** L., 69
vulgaris L., 69

- Carlina vulgaris** L. (*cont.*)
 forma *maritima* Rouy, 70
 var. *maritima* (Rouy) P. D. Sell, 70
 var. *vulgaris*, 70
- Carthamus** L., 92
lanatus L. 93
 subsp. *baeticus* (Boiss. & Reut.) Nyman, 93
 subsp. *creticus* (L.) Holmboe, 93
tinctorius L., 92
- Cassinia** R. Br., 432
fulvida Hook. fil., 432
leptophylla (G. Forst.) R. Br., 432
- Catananche** L., 96
caerulea L., 96
- Cat's-ear, 98
 Smooth, 98
 Spotted, 100
 Celtuce, 117
- Centaurea** L., 84
aspera L., 88
benedicta (L.) L., 92
calcitrapa L., 87
cineraria L., 86
cyanus L., 91
dealbata Willd., 84
debeauxii Gren. & Godr., 90, 531
 × *jacea*, 90
 var. *minima* (C. E. Britton) P. D. Sell, 90, 531
 subsp. *nemoralis* (Jord.) Dostál, 90, 531
 var. *nemoralis* (Jord.) P. D. Sell, 90, 531
 × *nigra*, 90
 subsp. *thuillieri* Dostál, 90, 531
 var. *pumila* P. D. Sell, 90, 531
 var. *thuillieri* (Dostál) P. D. Sell, 90, 531
- diffusa** Lam., 87
diluta Aiton, 89
eriophora L., 88
heterophylla Willd., 88
hyalolepis Boiss., 87
isnardii (L.) L., 88
jacea L., 89
macrocephala Muss. Puschk. ex Willd., 89
melitensis L., 88
 × *moncktonii* C. E. Britton, 90
montana L., 91
nemoralis Jord., 90, 531
 var. *minima* C. E. Britton, 90, 531
- nigra** L., 90
 var. *nemoralis* (Jord.) Gremlí, 531
 subsp. *rivularis* (Brot.) Cout., 91
obscura Jord., 91
pallescens Delile
 subsp. *hyalolepis* (Boiss.) Holmboe, 87
 var. *hyalolepis* (Boiss.) Boiss., 87
- paniculata** L., 86
parviflora Sibth. & Sm., 87
picris Pall. ex Willd., 84
pratensis Thuill., 90, 531
repens L., 84
rivularis Brot., 91
- Centaurea** L. (*cont.*)
scabiosa L., 85, 531
 var. *nana* P. D. Sell, 86, 531
 var. *succisiifolia* E. S. Marshall ex C. E. Britton, 86
solstitialis L., 88
- Centranthus** DC., 53
marinus Gray, 54
ruber (L.) DC., 54
- Cephalanoplos* (Necker ex DC.) Fourr.
arvensis (L.) Fourr., 80
- Cephalaria** Schrad., 57
elata (Hornem.) Schrad., 57
gigantea (Ledeb.) Bobrov, 57
syriaca (L.) Roem. & Schult., 57
tatarica Roem. & Schult., 57
- Cervicina* Delile, 8
hederacea (L.) Druce, 9
- Chamaecerasus* Duham.
tartaricus (L.) Billiard, 45
xylostium (L.) Billiard, 45
- Chamaemelum** Mill., 473
arvensis (L.) Schreb., 475
cotula (L.) All., 476
discoidea All., 477
foetidum Baumg., 476
mixtum (L.) All., 474
nobile (L.) All., 474, 556
 forma *duplicatum* (Gray) P. D. Sell, 474, 556
 var. *duplicatum* Gray, 474, 556
 forma *nobile*, 474
 forma *nudum* (Gray) P. D. Sell, 474, 556
 var. *nudum* Gray, 474, 556
- Chamomile, 474
 Austrian, 477
 Corn, 475
 Eastern, 476
 Mediterranean, 474
 Sicilian, 475
 Southern, 477
 Stinking, 476
 Yellow, 477
- Chamomilla* Gray, 483
discoidea (DC.) J. Gay, 484
inodora K. Koch, 486
nobilis (L.) Gren. & Godr., 474
occidentalis (Greene) Rydb., 484
recutita (L.) Rauschert, 484
suaevolens (Pursh) Rydb., 484
vulgaris Gray, 484
- Chartolepis* Cass., 89
Cheiroloma F. Muell., 439
hispidulum F. Muell., 439
- Chevreulia** Cass.
sarmentosa (Pers.) Blake, 427
- Chicory, 94
- Chondrilla** L.
muralis (L.) Lam., 120
Chrysanthemum auct., 478
- Chrysanthemum** L., 481
balsamita (L.) Baill., 465

Chrysanthemum L. (cont.)

- coronarium* L., 479
 subsp. *discolor* (d'Urv.) Rech. fil., 479
 var. *discolor* d'Urv., 479, 556
crassifolium (Lange) Guinea, 481
erubescens auct., 482
hybridum Guss., 479
indicum L., 482
inodorum L., 486
ircutianum (DC.) Turcz., 481
japonense Nakai, 482
leucanthemum L., 480
 var. *cantabricum* (Sennen) Guinea, 481
 subsp. *praecox* Horvatic, 480
macrophyllum Waldst. & Kit., 464
makinoi Matsum., 482
maximum auct., 481
maximum Ramond, 481
 × *morifolium* Ramat., 482
myconis L., 479
ornatum Hemsl., 482
parthenium (L.) Bernh., 464
 × **rubellum** Sealy, 482
segetum L., 478
serotinum L., 479
sibiricum Turcz., 483
sinense Sabine, 482
 × *superbum* Bergmans ex J. Ingram, 481
tanacetum Karsch., 464
uliginosum (Waldst. & Kit. ex Willd.)
 Pers., 479
vestitum Hemsl., 482
vulgare (L.) Bernh., 464
zawadskii Herbich, 483
- Chrysanthemum, Florist's, 482
 Indian, 482
 Korean, 482
 Zawadski's, 483
- Chrysocoma L., 452**
aurea Salisb., 452
coma-aurea L., 452
 var. *patula* (P. J. Bergius) DC., 452
graminifolia L., 442
linosyris L., 451
microcephala DC., 452
nupera Gray, 451
patula P. J. Bergius, 452
tenuifolia P. J. Bergius, 452
- Cicerbita Wallr., 118**
alpina (L.) Wallr., 118
bourgaei (Boiss.) Beauverd, 119
gmelinii Beauverd, 119
macrophylla (Willd.) Wallr., 119
 subsp. **uralensis** (Rouy) P. D. Sell, 119
muralis (L.) Wallr., 120
plumieri (L.) Kirschl., 119
tatarica (L.) Beauverd ex Sosn., 118
uralensis (Rouy) Beauverd, 119
- Cichorium L., 94**
divaricatum Schousb., 95

Cichorium L. (cont.)

- endivia** L., 95
 var. **crispum** Hegi, 95
 subsp. *divaricatum* (Schousb.) Bonnier & Layens, 95
- intybus** L., 94
 subsp. **foliosum** (Hegi) Janch., 95
 var. *foliosum* Hegi, 95
 convar. *radicosum* (Alef.) Holub, 95
 convar. *radicosum* Alef., 95
 subsp. *sativum* Janch., 95
 var. *sativum* (DC.) Janch., 95
 taxon *sativum* Bisch., 95
 var. *sativum* DC., 95
 subsp. **silvestre** (Bisch.) Janch., 95
 taxon *silvestre* Bisch., 95
perenne Stokes, 94
silvestre Lam., 94
- Cineraria L.**
alpina L.
 var. *integrifolia* L., 504
ambigua (Biv.) DC., 490
aspera Thunb., 504
bicolor Willd., 490
burkei Burt Davy, 504
campestris auct., 504
congesta R. Br., 505
geifolia L., 504
gigantea Sm., 494
integrifolia (L.) Murr., 504
lobata L'Her., 504
lyrata DC., 504
nebrodensis Guss., 490
palustris (L.) L., 505
repanda (J. R. & G. Forst.) Forst. fil., 506
serratifolia Gray, 493
- Cineraria, 503
- Cirsium Mill., 75**
acaule Scop., 79
 × **arvense**, 79
 forma *caulescens* Rchb., 79
 × **dissectum**, 79
 × **palustre**, 79
tuberosum, 80
 × **vulgare**, 80
- acaulon* (L.) Scop., 79
anglicum (Lam.) DC., 77
arvense (L.) Scop., 80
 var. **horridum** Wimm. & Grab., 81
 subsp. *incanum* (S. G. Gmel.) Iljin, 81
 var. *incanum* (S. G. Gmel.) Lebeb., 81
 var. **integrifolium** Wimm. & Grab., 81
 var. **maritimum** Fr., 81
 var. *mite* Wimm. & Grab., 81
 × **palustre**, 81
 subsp. *setosum* (Willd.) Iljin, 81
 var. **vestitum** Wimm. & Grab., 81
 × *babingtonii* Rouy, 79
 × **boulayi** E. G. Camus, 79
carolorum (Howie & Jenner) Nyman, 78
 × **celakovskianum** Knaf., 81

- Cirsium** Mill. (*cont.*)
dissectum (L.) Hill, 77
 × **palustre**, 77
erisithales (Jacq.) Scop., 78
eriphorum (L.) Scop., 76
 subsp. **britannicum** Petr., 76
 × **vulgare**, 77
esculentum (Stev.) C. A. Mey., 79
 × **forsteri** (Sm.) Loudon, 77
fraserianum Druce, 80
 × **gerhardii** Sch. Bip., 77
 × **gibsonii** H. C. Wats., 79
glutinosum Lam., 78
 × **grandiflorum** Kitt., 77
helenioides auct., 78
heterophyllum (L.) Hill, 78
 × **palustre**, 78
incanum (S. G. Gmel.) Fisch. ex M. Bieb., 81
 × **kirschlegeri** Sch. Bip., 79
lanceolatum Hill, 77
lanceolatum (L.) Scop., 77
 × **medium** All., 80
 × **mixtum** Druce, 81
montanum Hill, 72
ochroleucum DC., 78
oleraceum (L.) Scop., 79
palustre (L.) Scop., 80
 var. **ferox** Druce, 80
 × **tuberosum**, 80
 × **vulgare**, 80
pratense (Huds.) Druce, 77
rhizocephalum C. A. Mey., 79
rivulare (Jacq.) All., 75
 × **sabaudum** M. Loehr, 80
 × **semidecurrens** Richt., 80
setosum (Willd.) M. Bieb., 81
 × **subspinuligerum** Peterm., 80
tuberosum (L.) All., 78
vulgare (Savi) Ten., 77, 531
 var. **litorale** P. D. Sell, 77, 531
 × **wankelii** Reichardt., 78
 × **woodwardii** (H. C. Wats.) Nyman, 79
 × **zizianum** W. D. J. Koch, 80
- Cleavers, 26
 Corn, 27
 False, 26
 Southern, 27
- Clintonia* Douglas ex Lindl.
elegans Douglas ex Lindl., 14
- Cnicus** L., 92
acaulos (L.) Willd., 79
anglicus (Lam.) C. C. Gmel., 77
arvensis (L.) Roth., 80
 subsp. **setosus** (Willd.) Hook. fil., 81
benedictus L., 92
britannicus Druce, 77
carolorum (Howie & Jenner) Hook. fil., 78
eriphorus (L.) Roth., 76
erisithales (Jacq.) L., 78
forsteri Sm., 77
- Cnicus** L. (*cont.*)
heterophyllum (L.) Roth., 78
lanceolatus (L.) Willd., 77
oleraceus L., 79
palustris (L.) Willd., 80
pratensis (Huds.) Willd., 77
tuberosus (L.) Roth., 78
 × **wankelii** (Reichardt.) F. Hanb., 78
woodwardii (H. C. Wats.) Hook. fil., 79
 Cocklebur, Argentine, 516
 Rough, 515
 Spiny, 515
- Coleostephus** Cass., 479
myconis (L.) Rchb. fil., 479
- Colobium* Roth
taraxacoides (Vill.) Holub, 103
- Colt'sfoot, 509
 Purple, 512
- Columbaria* J. & C. Presl, 59
minor Gray, 59
- Colymbada* Hill, 85
- COMPOSITAE**, 62
- Coneflower, 518
- Conyza* L., 433
squarrosa L., 435
vulgaris Lam., 435
- Conyza** Less, 456
albida Willd. ex Spreng., 457
ambigua DC., 458
bilbaoana J. Rémy, 458
blakei (Cabrera) Cabrera, 456
bonariensis (L.) Cronquist, 458
canadensis (L.) Cronquist, 458, 555
 var. **canadensis**, 459
 × **Erigeron acer**, 459
 var. **incisa** P. D. Sell, 459, 555
 var. **obovoidea** P. D. Sell, 459, 555
 var. **robusta** P. D. Sell, 459, 556
 var. **simplex** P. D. Sell, 459, 555
- daveauiana** Sennen, 457
erigeroides DC., 457
- floribunda** Humb., Bonpl. & Kunth, 458, 555
 var. **floribunda**, 458
 var. **linearifolia** P. D. Sell, 458, 555
japonica (Thunb. ex Murray) Less., 456
sumatrensis (Retz.) E. Walker, 457
- Conyza** × **Erigeron**, 459
- Conyzella* Fabr., 456
canadensis (L.) Rupr., 458
limifolia (Willd.) Greene, 458
- × **Conyzigeron** Rauschert, 459
huelsenii (Vatke) Rauschert, 459
- Coprosma** J. R. Forst. & G. Forst., 15
baueria auct., 15
bauriana Hook. fil., 15
repens A. Rich., 15
retusa Hook. fil., 15
stockii B. S. Williams, 15
- Coralberry, 41

- Cornflower, 91
 Perennial, 91
- Cornsalad, Broad-fruited, 51
 Common, 49
 Hairy-fruited, 51
 Keel-fruited, 49
 Narrow-fruited, 51
- Corvisartia* Mérat
caucasica (Pers.) G. Don ex Loudon, 438
helenium (L.) Mérat, 433
- Coryopsis** L., 524
bidens L., 522
boykiniana Nutt., 524
corymbifolia Wall. ex DC., 524
elegans hort., 524
grandiflora Hogg ex Sweet, 524
heterophylla Nutt., 524
tinctoria Nutt., 524
- Cosmos** Cav., 525
bipinnatus Cav., 525
- Costmary, 465
- Cota* J. Gay ex Guss., 477
altissima (L.) J. Gay ex Guss., 477
austriaca (Jacq.) Sch. Bip., 477
tinctoria (L.) J. Gay ex Guss., 477
- Cottonweed, 470
- Cotula** L., 486
australis (Sieber ex Spreng.) Hook. fil., 487
bipinnata Thunb., 486
coronopifolia L., 486
 var. *integrifolia* (Hook. fil.) T. Kirk, 486
dioica (Hook. fil.) Hook. fil., 487
integrifolia Hook. fil., 486
pusilla Thunb., 486
sororia DC., 486
squalida (Hook. fil.) Hook. fil., 487
turbinata L., 486
venosa Colenso, 487
zeyheri Fenzl ex Harvey, 486
- Cotula* Rupr., 476
foetida S. G. Gmel., 476
- Crepis** L., 201
adenantha Vis., 206
agrestis Fr. ex Bisch., 206
agrestis Waldst. & Kit., 207
angustifolia d'Urv., 204
banatica Willd., 208
barbata L., 208
barbata Mill., 208
biennis L., 203
brachypappa Borm., 206
bulbosus (L.) Tausch, 111
capillaris (L.) Wallr., 206
 var. *agrestis* (Waldst. & Kit.) Dalla Torre & Sarnth., 207
 var. *anglica* Druce & Thell., 207
 var. *glandulosa* Druce, 207
caucasica C. A. Mey., 202
charbonnelii Lévl., 118
cinerea Desf., 207
cooperi A. Gray, 206
croatica (Waldst. & Kit.) Froel., 203
- Crepis** L. (*cont.*)
diffusa DC., 206
dioscoridis Pollich, 204
druceana Murr, 207
echioides Ledeb., 205
fallax Boiss., 205
fistula Fisch. ex Besser, 204
foetens Link ex Buchanon, 205
foetida L., 205
 subsp. **commutata** (Spreng.) Babc., 206
 subsp. *glandulosa* (Guss.) Hayek, 205
 var. *hispidula* Bisch., 205
 subsp. *maritima* (Boiss.) Hayek, 205
 subsp. **rhoeadifolia** (M. Bieb.) Čelak., 205
 subsp. *zacintha* (Margot & Reut. ex DC.) Hayek, 205
gaditana Boiss., 206
glabra Boiss., 202
glabrata Porcius, 208
glandulosa Bastard ex Mössler, 203
glandulosa Guss., 205
gmelinii Schult., 203
graveolens Schrad. ex Steud., 205
hackelii Lange, 207
haenseleri (Boiss.) F. W. Schultz, 207
hieracioides (L.) Lam., 107
hieracioides Waldst. & Kit., 203
hispidula Waldst. & Kit., 208
humilis Gaudin, 206
insularis Moris & De Not., 205
integrifolia Vest, 204
interrupta Sibth., 205
intybacea Brot., 207
lachenalii Gochnat, 204
laciniata (Lowe) F. W. Schultz, 207
lodomariensis Bess., 203
maritima Boucher, 203
mollis (Jacq.) Asch., 203
 subsp. *hieracioides* (Waldst. & Kit.) Domin, 203
 subsp. *velenovskiyi* (Domin.) Domin, 203
muricata Gilib., 203
murorum S. G. Gmel., 204
nestmeiri F. Herm & Degen, 205
nicaeensis Balb., 206
numidica Pomel, 207
paludosa (L.) Moench, 202
polymorpha Pourr., 207
polymorpha Willd., 206
 var. *diffusa* Wallr., 207
praecox Balb., 207
praemorsa (L.) Walther, 204
pulchra L., 202
racemiformis Cariot & St. Lag., 204
racemosa Cariot & St-Lag., 204
recognita Hall. fil., 207
rhoeadifolia M. Bieb., 205
rubra L., 202
rubricaulis Pers., 207
ruderalis Bouch., 207
rumicifolia Boiss., 202
ruprechtii Boiss., 202
rutilans Lacaita, 207, 532

- Crepis** L. (*cont.*)
sabauda Balb. ex DC., 204
sancta (L.) Babc.
 subsp. **sancta** (Gouan) Babc., 202
scabra DC., 206
scabra Willd., 207
setosa Haller fil., 208
strybrnyi Velen., 205
suberostris Coss. & Durieu ex Batt., 202
succisifolia (All.) Tausch, 203
taraxacifolia Thuill., 207
 subsp. *stellata* Ball, 207
taurinensis Willd., 207
tectorum L., 204
 subsp. *barckhausioides* Rouy, 204
umbellata auct., 206
umbellata Thuill., 207
uniflora Thuill., 207
varia Moench, 204
velenovskiyi Domin, 203
vesicaria L., 207
 subsp. *haenseleri* (Boiss.) P. D. Sell, 207
 var. **rutilans** (Lacaita) P. D. Sell, 207, 532
 subsp. **stellata** (Ball) Babc., 207
 subsp. **taraxacifolia** (Thuill.) Thuill., 207
 var. **taraxacifolia** (Thuill.) B. Boivin, 207
virens L., 206
 var. *agrestis* (Waldst. & Kit.) Bisch., 207
 var. *elatior* Cariot & St. Lag., 207
Crinita Moench, 451
Crinitaria Cass., 451
linosyris (L.) Less., 451
Crocodylodes Adans., 423
bilobum (DC.) Kuntze, 423
epitrachys (DC.) Kuntze, 423
heterophyllum (Thunb.) Kuntze, 423
pinnatifidum (Thunb.) Kuntze, 423
rigidum (Thunb.) Kuntze, 423
 Crosswort, 28
 Caucasian, 16
Crucianella L.
stylosa Trin., 16
Cruciata Mill., 28
chersonensis auct., 28
laevipes Opiz, 28
Cryptostemma R. Br., 422
calendula (L.) Druce, 422
calendulacea (Hill) R. Br., 422
Crysogonum L.
virginianum L., 517
 Cudweed, America, 429
 Broad-leaved, 425
 Cape, 431
 Common, 425
 Dwarf, 429
 Field, 426
 Heath, 429
 Highland, 429
 Jersey, 431
 Marsh, 430
 Narrow-leaved 426
 Cudweed (*cont.*)
 Red-tipped, 425
 Small, 426
 Cupidone, Blue, 96
Cupularia Gren. & Godr., 436
graveolens (L.) Gren. & Godr., 436
viscosa (L.) Gren. & Godr., 436
Cyanus Mill., 91
cyanus (L.) Hill, 91
montanus (L.) Hill, 91
segetum Baumg., 91
vulgaris Delarb., 91
Cyclachaena Fresen.
xanthifolia (Nutt.) Fresen., 514
Cynara L., 82
carduncellus L., 82
 var. **sativa** Moris, 83
 var. *scolymus* (L.) Fiori, 83
diversifolia Stokes, 78
eriocephala Stokes, 76
horridus Aiton, 82
lanceata Stokes, 77
palustris (L.) Stokes, 80
repens Stokes, 80
scolymus L., 83
Dahlia Cav., 525
coccinea Cav., 525
 × **hortensis** Guillaumot, 525
pinnata Cav., 525
variabilis (Willd.) Desf., 525
 Dahlia, Garden 525
 Daisy, 462
 Autumn Oxeye, 479
 Crown, 479
 Garden, 463
 Oxeye, 480
 Seaside, 453
 Shasta, 481
 Daisybush, 461
 Coastal, 461
 Mangrove-leaved, 460
 Sticky, 460
 Dandelion, Acute-leaved, 179
 Alderney, 144
 Angular-lobed, 180
 Apiculate-lobed, 190
 Asymmetrical Hook-lobed, 166
 Beautiful-leaved, 196
 Beefink's, 158
 Belgium, 143
 Ben Lawes, 149
 Berthe's, 159
 Black-toothed, 172
 Blood-red, 158
 Bluish-bracted, 178
 Bluish-leaved, 201
 Blunt-lobed, 177
 Bökman's, 165
 Brecon, 161
 Bright, 157

Dandelion (*cont.*)

Bright Green, 148
Brilliant-stalked, 196
British, 154
Broad-bracted, 184
Broad-leaved, 183
Broad-lobed, 194
Broad-stalked, 174
Broddeson's, 176
Brown-fruited, 161
Brown-ribbed, 186
Brown-striped, 164
Bulbous-lobed, 192
Caledonian, 161
Celtic, 155
Cenabum, 139
Channel Island, 146
Cherwell, 176
Cinnamon-fruited, 142
City, 181
Claw-lobed, 162
Close-lobed, 170
Clova, 148
Common, 197
Complex-leaved, 195
Cornish, 152
Crowded-lobed, 187
Cut-leaved, 136
Cut-lobed, 184
Dahlstedt's, 193
Dark-bracted, 154
Dark-green, 153
Dark Hook-lobed, 164
Dark-leaved, 173
Decumbent, 172
Degelius's, 143
Deltoid-lobed, 199
Dense-bracted, 200
Dense-lobed, 169
De Retz's, 142
Dirty-leaved, 192
Diverse-leaved, 197
Divided-leaved, 171
Double-toothed, 155
Druce's, 152
Dull-leaved, 177
Dune, 139
Edmondson's, 184
Ekman's, 189
Elongate-bracted, 199
English, 147
Entire-lobed, 188
Equal-lobed, 181
Erect-bracted, 185
Essex, 141
Faeroes, 147
Fagerström's, 195
Falcate-lobed, 188
False Fen, 160
False Hook-lobed, 164
Fen, 146

Dandelion (*cont.*)

Few-lobed, 180
Fleshy-lobed, 164
Flintshire, 154
Gelert's, 153
Golden-fruited, 141
Gotland, 140
Grassland, 192
Green, 170
Green-bracted, 141
Green-stalked, 168
Grey-bracted, 174
Hairy, 151
Hairy-ribbed, 183
Hairy-stalked, 182
Hairy-stemmed, 193
Hampshire, 158
Haworth's, 139
Hexham, 189
Hook-lobed, 162
Hülphers's, 194
Hump-lobed, 176
Imbricate-bracted, 185
Incise-leaved, 198
Incise-lobed, 168
Irish, 146
Irregular-bracted, 190
Jagged-leaved, 175
Kern's, 167
Lacerate-leaved, 170
Lancashire, 160
Landmark, 158
Large-bracted, 200
Large-flowered, 187
Large-headed, 187
Large Hook-lobed, 163
Large-lobed, 153
Leaden-bracted, 178
Light-green, 173
Linear-lobed, 175
Long-bracted, 186
Lunar-lobed, 190
Lustrous-leaved, 167
Many-coloured, 197
Many-lobed, 145
Many-toothed, 143
Margetts's, 173
Marklund's, 163
Massive, 177
Multilobed, 181
Narrow-bracted, 165
Narrow-lobed, 142
Nordstedt's, 159
Oblong-leaved, 191
Obtuse-leaved, 186
Ochre-styled, 198
Olga's, 160
Øllgaard's, 155
Orange-flowered, 175
Orange-tipped, 194
Orange-toothed, 179

Dandelion (*cont.*)

Orkney, 144
 Ostenfeld's, 161
 Oxford, 141
 Pale-bracted, 151
 Pale-green, 184
 Pale-leaved, 149
 Pale-stalked, 168
 Parallel-leaved, 148
 Parnassus, 139
 Pectinate-leaved, 196
 Pink-stalked, 172
 Pointed-lobed, 200
 Pollenless, 156
 Porter's 155
 Pretty-leaved, 182
 Prickly-leaved, 170
 Pruinose, 166
 Pruinose-bracted, 174
 Pure Yellow, 162
 Purple-blotched, 156
 Purple-bracted, 137
 Purple-stalked, 200
 Recurved-bracted, 145
 Recurved-lobed, 171
 Reddish-bracted, 174
 Red-fruited, 150
 Red-tipped, 179
 Reflexed-bracted, 185
 Reflexed-lobed, 182
 Regular-lobed, 195
 Remarkable, 171
 Richards's, 152
 Roadside, 199
 Robust, 187
 Rounded-lobed, 191
 Ruddy, 138
 Sagittate-lobed, 166
 Sahlin's, 166
 Sand, 138
 Saw-leaved, 165
 Scottish, 142
 Selland's, 180
 Serpentine, 148
 Sharp-lobed, 182
 Sharp-toothed, 137
 Shetland, 147
 Shining, 198
 Shiny-leaved, 169
 Sinuate-lobed, 193
 Skåne, 137
 Slender Hook-lobed, 163
 Small-headed, 173
 Small-spotted, 149
 Smooth, 188
 Sociable, 138
 Spear-toothed, 167
 Spiky-leaved, 177
 Spotted, 151
 Spreading-bracted, 151
 Spreading-lobed, 193

Dandelion (*cont.*)

Spur-lobed, 191
 Squat, 150
 Stiff-leaved, 152
 Straw-fruited, 140
 Sundeborg's, 201
 Swollen-lobed, 179
 Tailed, 190
 Tall, 181
 Tar-blotched, 171
 Teesdale, 159
 Texel, 157
 Thames, 157
 Thick-lobed, 194
 Three-lobed, 196
 Tongue-leaved, 145
 Tongue-lobed, 168
 Toothed, 189
 Twisted-bracted, 183
 Twisted-lobed, 144
 Umber-fruited, 140
 Unexpected, 136
 Variable-leaved, 178
 Violet-striped, 144
 Water Meadow, 157
 Wavy-leaved, 169
 Webb's, 146
 Welsh, 160
 Western, 156
 Wetland, 150
 White-stalked, 176
 Wide-stalked, 150
 Winged, 189
 Yellowish-green, 199
 Yellow-styled, 186

Delairea Lem., 505
odorata Lem., 505
Dendranthemum (DC.) Des Moul., 481
 × *grandiflorum* (Ramat.) Kitam., 482
indicum (L.) Tzvelev, 482
morifolium (Ramat.) Tzvelev 482
rubellum (Sealy) Philp, 482
sinense (Sabine) Des Moul., 482
zawadskii (Herbich) Tzvelev 483

Dibothrospermum Knaf.
agreste Knaf., 486

Diervilla Mill.
florida (Bunge) Siebold & Zucc., 43

Diotis Desf., 470
candidissima Desf., 470
maritima (L.) Desf. ex Cass., 470

Diplemium Raf.
Diplosastera Tausch
tinctoria (Nutt.) Tausch, 524

DIPSACACEAE, 54
Dipsacus L., 54
 × **fallax** Simonk., 55
ferox Loisel., 25
fullonum L., 55
 subsp. *fullonum* auct., 55
 × **laciniatus**, 55

- Dipsacus fullonum** L. (*cont.*)
 var. *sativus* L., 55
 subsp. *sativus* (L.) Thell., 55
 × **sativus**, 55
 subsp. *sylvestris* (Huds.) P. Fourn., 55
laciniatus L., 56
pilosus L., 56
sativus (L.) Honck., 55
strigosus Willd., 56
sylvestris Huds., 55
Distegia Raf.
nutens Raf., 44
Dittrichia Greuter, 436
graveolens (L.) Greuter, 436
viscosa (L.) Greuter, 436
Doellingeria Nees, 449
umbellata (Mill.) Nees, 449
pubens (A. Gray) Rydb., 449
Doria Fabr., 492
Doria Thunb.
canadensis (L.) Lunell, 441
Doronicum L., 507
columnae Ten., 509
 × **pardalianches** × **plantagineum**, 508
cordatum auct., 509
cordatum Lam., 508
cordifolium Stokes, 508
 × *draytonense* hort., 508
 × **excelsum** (N. E. Br.) Stace, 508
 × *hybridum* hort., 508
pardalianches L., 508
 × **plantagineum**, 508
plantagineum L., 508
 var. *excelsum* N. E. Br., 508
 forme *wildenowii* Rouy, 508
 var. *wildenowii* (Rouy) A. B. Jacks., 508
 × **wildenowii** (Rouy) A. W. Hill, 508
Dortmanna Hill, 12
erinus (L.) Kuntze, 12
lacustris Kuntze, 13
siphilitica (L.) Kuntze, 13
urens (L.) Kuntze, 12
Downingia Torrey, 14
elegans (Douglas ex Lindl.) Torr., 14
Dracunculus Ledeb.
marschallianus Ledeb., 469
Ebulus Garcke, 31
humilis Garcke, 31
Echinops L., 68
banaticus Rochel ex Schrad., 69
commutatus Jur., 69
exaltatus Schrad., 69
mollis Schur, 69
multiflorus Lam., 68
paniculatus Jacq., 68
ritro auct., 69
rochelianus Griseb., 69
ruthenicus Rochel, 69
Echinops L. (*cont.*)
sphaerocephalus L., 68
strictus Fisch., 69
viscosus Wierzb., 68
 Elder, 30
 American, 31
 Dwarf, 31
 Golden, 31
 Marsh, 514
 Parsley-leaved, 31
 Red-berried, 30
 Elecampane, 433
 Endive, 95
Epaltès Cass.
australis Less., 424
Erechtites Raf.
glossanthus Sond., 488
minima (Poir.) DC., 503
preanthoides DC., 503
pumila DC., 503
quadridentata (Labill.) DC., 503
Erigeron L. 452
acer L., 455
alpinus auct., 454
alpinus L., 454
ambiguus (DC.) Schultz Bip., 458
amplexicaulis Desf., 454
annuus (L.) Pers., 455
 subsp. *strigosus* (Muhl. ex Willd.) Wagenitz, 455
blakei Cabrera, 456
bonariensis (L.) Cronquist, 458
borealis (Vierh.) Simmons, 454
canadensis L., 458
crispus Pourr., 458
eucephaloides Greene, 453
formosissimus Greene, 453
glaucus Ker Gawl., 453
grandiflorus Nutt., 453
graveolens L., 436
heterophyllus Muhl. ex Willd., 455
hispidus Nutt., 453
 × *huelsenii* Vatke, 459
hyemalis Raf., 454
japonica Thunb. ex Murray, 456
karvinskianus DC, 454
 var. *mucronatus* (DC.) Aschers., 454
leiophyllus Greene, 453
linifolius Willd., 458
linosyris (L.) Clairv, 451
macranthus Nutt., 453
maritimus Nutt, 453
mucronatus DC, 454
neglectus A. Kerner, 454
philadelphicus L., 454
 forma *angustatus* Vict. & Rousseau, 454
 var. *glaber* Henry, 454
 forma *scatericola* (Fern.) Cronquist, 454
provancheri Vict. & Rousseau, 454
pulchellus DC.

Erigeron L. (cont.)

- var. *townsendii* Peattie, 454
- purpureus* Aiton, 454
- var. *attenuatus* Nutt., 454
- scatericola* Fern, 454
- speciosus** (Lindl.) DC., 453
 - var. *macranthus* (Nutt.) Cronquist, 453
 - var. **speciosus**, 453
- strigosus* Muhl. ex Willd., 455
- sumatrensis* Retz., 457
- undulatus* Moench, 458
- uniflorus* auct., 454
- viscosum* L., 436
- vreelandii* Rydb., 453
- Eriolepis* Cass., 76
- Eritheis* Gray, 433
 - maritima* Gray, 435
- Erythrochaete* Sieb. & Zucc.
 - dentata* A. Gray, 507
- Escarole, 96
- Euchylia* Dulac
 - villosa* Dulac, 45
- Eupatorium L., 528**
 - cannabinum L., 528**
 - subsp. **cannabinum**, 528
- Euphrosyne* DC.
 - xanthifolia* (Nutt.) A. Gray, 514
- Eurybia* (Cass.) Cass., 460
 - avicenniifolia* (Raoul) Hook. fil., 460
 - dentata* Hook. fil.
 - var. *linearifolia* Hook. fil., 461
 - var. *oblongifolia* Hook. fil., 461
 - forsteri* Hook. fil., 460
 - maritima* Gray, 451
 - var. *flosculosa* Gray, 451, 555
 - nummulariifolia* Hook. fil., 460
 - solandri* Hook. fil., 461
 - traversii* F. Muell., 461
- Euthamia* Nutt., 442
 - graminifolia* (L.) Elliott, 442
- Everlasting-flower, Annual, 432
 - New Zealand, 432
 - Silver-bush, 432

Facelis Cass.

- retusa** (Lam.) Sch. Bip., 427
- Fedia* Gaertn.,
 - auricula* (DC.) Mert. & W. D. J. Koch, 51
 - carinata* (Loisel.) Steven, 49
 - dentata* (L.) Mirb., 51
 - ecalyculata* Stokes, 49
 - eriocarpa* (Desv.) Rchb., 51
 - morisonii* Spreng., 51
 - olitoria* (L.) Gaertn., 49
- Feverfew, 464
- Filaginella* Opiz, 430
 - uliginosa* (L.) Opiz, 430
- Filago L., 424, 555**
 - apiculata* G. E. Sm. ex Bab., 425

Filago L. (cont.)

- arvensis L., 426**
 - subsp. *lagopus* (Stephan ex Willd.) Nyman, 426
 - var. *lagopus* (Stephan ex Willd.) DC., 426
- canescens* Jord., 425
- eriocephala* auct., 425
- filiformis* Lam., 425
- gallica L., 426**
 - germanica* auct., 425
 - germanica* Huds., 425
 - germanica* L., 425
 - lagopus* (Stephan ex Willd.) Parl., 425
- lutescens** Jord., 425
- maritima* L., 470
- minima** (Sm.) Pers., 426
- pyramidata L., 425**
 - spathulata* auct., 425
- vulgaris** Lam., 425
- Fireweed, Cotton, 503
 - Toothed, 503
- Flaveria** Juss.
 - bidentis** (L.) Kunze, 521
- Fleabane, Alpine, 454
 - Argentine, 458
 - Bilbao's, 458
 - Blue, 455
 - Canadian, 458
 - Common, 437
 - Eastern, 434
 - Garden, 453
 - Guernsey, 457
 - Hooker's, 434
 - Irish, 434
 - Many-flowered, 458
 - Meadow, 434
 - Mexican, 454
 - Small, 437
 - Small-headed, 457
 - Stinking, 436
 - Strigose, 455
 - Tall, 455
 - Woody, 436
- Fleawort, Field, 504
 - Marsh, 505
- Flossflower, 528
- Fox-and-cubs, 211
 - Dense-flowered, 212
 - Glaucous, 213
 - Hybrid, 211
 - Small-flowered, 212
 - Yellow, 212
- Franseria* Cav., 513
 - artemisioides* Willd., 513
- Gaertneria* Medik., 513
 - artemisioides* (Willd.) Kuntze, 513
- Gaillardia** Foug., 527
 - aristata** Pursh
 - × **pulchella** Foug., 527
 - × **grandiflora** Van Houtte, 527

Galactites Moench**tomentosa** Moench, **81***Galatella* Cass., 450*linosyris* (L.) Rchb. fil., 451*punctata* (Waldst. & Kit.) Nees, 450*Galedragon* Gray, 54*pilosus* (L.) Gray, 56**Galinsoga** Ruiz & Pavon, **520***pilosus* (L.) Gray, 56*aristulata* E. P. Bicknell, 521*ciliata* (Rafn.) S. F. Blake, 521*hirsuta* Baker, 520**parviflora** Cav., **520****quadriradiata** Ruiz & Pavon, **521***quinqueradiata* Ruiz & Pavon, **520***urticaefolia* (Kunth.) Benth, 521**Galium** L., **18****album** Mill., **24**subsp. *pyncotrichum* (Heinr. Braun) Krendl, 24*anglicum* Huds., 27var. *leiocarpum* Tausch, 28var. *trichocarpum* Tausch, 28**aparine** L., **26**, 530subsp. **agreste** P. D. Sell, **26**, 530var. **agreste** P. D. Sell, **26**, 530forma *condensata* Druce, 26var. **marinum** Fr., **26**var. *spurium* (L.) W. D. J. Koch, 27subsp. *vaillantii* (DC.) Hook. fil., 27*aristatum* auct., 24*asperum* Schreb., 24*austriacum* auct., 25**boreale** L., **22**var. *stenophyllum* Druce, 22*cinereum* auct., 24**constrictum** Chaub., **23***cruciata* (L.) Scop., 28*debile* Desv., 23*diffusum* D. Don ex Hook., 24**divaricatum** Pour. ex Lam., **18***elatum* Thuill., 24*elongatum* C. Presl, 23*erectum* Huds. 1778, non 1762, 24*fleurotii* Jord., 25, 530*floridum* Salisb., 23*harcynicum* Weigel, 25var. *alpestre* auct., 25var. *transiens* auct., 25*hillardiae* Druce 25, 530*infestum* Waldst. & Kit., 27*insubricum* Gaudin., 24*laeve* Thuill., 25**mollugo** L., **24**var. *aristatum* auct., 24var. *bakeri* Syme, 24subsp. *elatum* (Thuill.) Syme, 24subsp. **erectum** Syme, 24var. *insubricum* (Gaudin) Druce, 24subsp. **pyncotrichum** (Heinr. Braun) O. Schwarz, 24subsp. *scabrum* Hook. fil., 24**Galium mollugo** L. (*cont.*)var. *scabrum* (Hook. fil.) Druce, 24× **verum**, 24*montanum* auct., 25*montanum* Huds., 25**murale** (L.) All., **18***nitidulum* Thuill., 25× *ochroleucum* Wolf ex Schweiff., 24**odoratum** (L.) Scop., **19****palustre** L., **23**forma *angustifolium* Druce, 23var. *angustifolium* (Druce) Druce, 23subsp. **elongatum** (C. Presl) Arcangeli, **23**var. *elongatum* (C. Presl) Syme, 23var. *gracile* auct., 23var. *lanceolatum* Uechtr., 23var. *microphyllum* Lange, 23var. *serrulatum* Druce, 23subsp. **tetraploideum** A. R. Clapham ex Franco, **23**var. *witheringii* (Sm.) Syme, 23**parisiense** L., **27**subsp. **anglicum** (Huds.) A. R. Clapham, **27**var. *anglicum* (Huds.) Hook. & Arn., 27× **pomeranicum** Retz., **24**, 530nothosubsp. **hillardiae** (Druce) P. D. Sell, **25**, 530*procumbens* Stokes, 25*pulchellum* Salisb., 25**pumilum** Murray, **25**, 530subsp. **fleurotii** (Jord.) P. D. Sell, **25**, 530var. *glabrum* auct., 25var. *nitidum* (Thuill.) Druce, 25subsp. *septentrionale* Sterner ex Hyl., 25*pusillum* auct., 25*pyncotrichum* Heinr. Braun, 24× *rothschildii* Druce, 24**rupicola** Bertol., **25***saccharatum* All., 27**saxatile** L., **25**var. *vivianum* (Kliphuis) Erend., 26× **sternerii**, **26****setaceum** Lam., **18****spurium** L., **26**subsp. **infestum** (Waldst. & Kit.) Schübler & Martens,**27**var. *vaillantii* (DC.) Gren., 27**sternerii** Ehrend., **25***sylvestre* Pollich, 25var. *nitidulum* Thuill., 25*tricornum* auct., 27**tricornutum** Dandy, **27****uliginosum** L., **22***umbellatum* Lam., 25*uncinatum* Gray, 26*vaillantii* DC., 27*valantia* Gaertn., C.A. Mey. & Scherb., 28*valantia* G. Weber, 27**verrucosum** Huds., **27****verum** L., **23**var. *littorale* Bréb., 24subsp. **maritima** (DC.) Adema., **24**

- Galium verum** L. (*cont.*)
 var. *maritimum* DC., 24
 subsp. **wirtgenii** (F. W. Schultz) Oborny, 24
virgatum Nutt. ex Torr. & A. Gray, 18
vulgare Gray, 24
witheringii Sm., 23
 Gallant Soldier, 520
Gamochaeta Weddell, 430
purpurea (L.) Cabrera, 430
Gazania Gaertn., 422
leucolaena DC., 423
rigens (L.) Gaertn., 423
 var. **leucolaena** (DC.) Harv., 423
 var. **rigens**, 423
 var. **uniflora** (L. fil.) Roessler, 423
uniflora (L. fil.) Sims, 423
 var. *leucolaena* (DC.) Harv., 423
Gentiana L.
collina With., 6
Geracium Rchb., 202
paludosum (L.) Rchb., 202
praemorsum (L.) Rchb., 204
 German Ivy, 505
Geropogon L.
glaber L., 111
hirsutus L., 111
hybridus (L.) Sch. Bip., 111
Gifola Cass., 425
apiculata Chrtk & Holub, 425
germanica Dumort, 425
Glebionis Cass.
roxburghii Cass., 479
 Globe Artichoke, 83
 Globe Thistle, 69
 Blue, 69
 Glandular, 68
Glossogyne Cass.
hennedyi R. Br., 439
Gnaphalium L., 428, 555
arvense L., 426
bellidioides (G. Forst.) Hook. fil., 432
dichotomum Salisb., 425
dioicum L., 427
gallicum (L.) Hill, 426
lagopus Stephan ex Willd., 426
lanatum auct., 432
luteoalbum L., 431
margaritaceum L., 428
maritimum (L.) Hill, 470
minimum Sm., 426
norvegicum Gunnerus, 429
pensylvanicum Willd., 430
purpureum L., 430
rectum Sm., 429
supinum L., 430
sylvaticum L., 429
 var. **alpestre** Brügger, 429
 var. *nigrescens* auct., 429
 subsp. *norvegicum* (Gunnerus) Hook. fil., 429
Gnaphalium sylvaticum L. (*cont.*)
 var. *norvegicum* (Gunnerus) Hook. & Arn., 429
 var. *rectum* (Sm.) Gaudin, 429
 var. **sylvaticum**, 429
uliginosum L., 429
undulatum L., 431
viscosum Kunth, 428
 Goat's-beard, 110
 Golden bush, 432
 Goldenrod, 440
 Canadian, 441
 Early, 442
 Grass-leaved, 442
 Lime, 441
 Rough-stemmed, 441
 Golden Thistle, 94
 Spotted, 93
 Goldilocks, Fine-leaved, 452
 Shrub, 452
Gomozia Lam.
granadensis Mutis ex L. fil., 15
Gorteria L.
rigens L., 423
uniflora L. fil., 423
 var. *pinnate* Harv., 423
Grindelia Willd., 438
andersonii Piper, 439
hendersonii Greene, 439
lanata Greene, 439
macrophylla Greene, 439
oregana A. Gray, 439
stricta DC., 439
Grossheimia Sosn. & Takht.
macrocephala (Muss. Puschk. ex Willd.) Sosn. & Takht., 89
 Groundsel, 501
 Eastern, 502
 Heath, 502
 Purple, 503
 Sticky, 502
 Tree, 462
 Welsh, 500
 Guelder Rose, 37
 American, 40
 Asian, 40
Guizotia Cass., 516
abyssinica (L. fil.) Cass., 516
oleifera (DC.) DC., 516
 Gum-plant, Coastal, 439
Gymnocline Cass., 463
leucocephala Cass., 464
macrophylla (Waldst. & Kit.) Bluff & Fingerh., 464
Haplostephium D. Don, 202
 Harebell, 7
 Broad-leaved, 7
 Hawkbit, Autumn, 101
 Lesser, 103
 Rough, 103
 Scaly, 97
 Star, 98

Hawk's-beard, Beaked, 207
 Bristly, 208
 French, 206
 Leafless, 204
 Marsh, 202
 Narrow-leaved, 240
 Northern, 203
 Rough, 203
 Smooth, 206
 Stinking, 205
 Tuberos, 111
 Hawkweed, Aberfeldy, 380
 Aggregate-headed, 378
 Alpine, 294
 Ample-toothed, 401
 Anglian, 371
 Apiculate-toothed, 346
 Aristate-toothed, 307
 Armadale, 379
 Arran, 311
 Autumn, 241
 Backhouse's, 288
 Baker's, 245
 Bald-leaved, 290
 Baldock, 367
 Balloon-leaved, 368
 Bank, 418
 Barras, 419
 Basalt, 346
 Beacons, 322
 Beautiful, 375
 Beautiful-leaved, 298
 Beeby's, 325
 Beinn Dearg, 279
 Ben Hope, 391
 Ben More, 310
 Berriedale, 331
 Bettyhill, 343
 Black-bracted, 412
 Black-glandular, 303
 Black-headed, 299
 Bloody, 388
 Bluish-leaved, 239
 Blunt-leaved, 339
 Blunt-toothed, 378
 Boat-leaved, 386
 Borrer's, 259
 Borrowdale, 276
 Boswell's, 330
 Braemar, 258
 Brecon, 347
 Breac, 301
 Breadalbane, 384
 Breast-toothed, 368
 Brindled, 392
 Bristol Channel, 355
 British, 350
 Broad-headed, 254
 Broad-leaved, 252
 Burnside, 388

Hawkweed (*cont.*)
 Caernarvon, 338
 Caesius, 360
 Cairngorm, 282
 Caithness, 323
 Calcareous, 392
 Caledonian, 329
 Candelabra, 403
 Carboniferous, 389
 Carnedd, 335
 Cat's-ear, 343
 Cave, 268
 Chapel-le-dale, 385
 Chedder, 355
 Cher, 377
 Cille, 341
 Claret-leaved, 361
 Claspingleaved, 314
 Cliff, 297
 Cliva Hill, 264
 Close-toothed, 385
 Clova, 306
 Coldbackie, 329
 Common, 357
 Complete, 272
 Confused, 351
 Crag, 308
 Craig Gleisiad, 381
 Crass-leaved, 380
 Cravon, 357
 Cumbrian, 309
 Cup-shaped, 337
 Cusped-toothed, 303
 Dales, 345
 Dappled, 395
 Dark-bracted, 380
 Dark-flowered, 384
 Dark-headed, 247
 Dark-leaved, 369
 Dark-styled, 248
 Dartmoor, 420
 Deganwy, 324
 Dense-branched, 401
 Dense-haired, 307
 Dense-leaved, 244
 Derby, 354
 Dewar's, 260
 Diaphanous, 371
 Disc-leaved, 395
 Distinguished, 363
 Donegal, 328
 Double-toothed, 364
 Dovre, 265
 Doward, 408
 Drummond's, 247
 Dumfries, 386
 Dusky-headed, 302
 Dyfed, 377
 Ebudes, 344
 Elegant, 288

Hawkweed (*cont.*)

Elongate-leaved, 387
 English, 316
 Entire-leaved, 312
 Equal-toothed, 360
 Erin, 314
 Excellent, 273
 Exmoor, 241
 Fang-toothed, 370
 Farr, 323
 Fat-leaved, 330
 Fimbriate-pitted, 313
 Fine-bracted, 371
 Fionn Glen, 335
 Fisher Ghyll, 310
 Flat-leaved, 346
 Fleck-leaved, 391
 Fleshy-leaved, 347
 Floccose, 319
 Floccose-bracted, 311
 Foreign, 419
 Forked, 347
 Four-toothed, 402
 Garden, 409
 Giant-toothed, 402
 Gigantic-toothed, 402
 Glabrous-headed, 238
 Glamorganshire, 401
 Glandular-toothed, 309
 Glen Einich, 283
 Glenridding, 256
 Gloucester, 408
 Golden-flowered, 307
 Goring Gap, 366
 Gouget's, 396
 Grampian, 340
 Grand-toothed, 400
 Granite, 281
 Grassland, 374
 Green-flowered, 326
 Green-leaved, 374
 Grey-bracted, 412
 Grey-haired, 358
 Grey-headed, 356
 Griffith's, 325
 Groves's, 277
 Hairless-bracted, 255
 Hairy-bracted, 311
 Hairy-headed, 381
 Hairy-leaved, 376
 Hairy-stemmed, 251
 Hanbury's, 270
 Handsome, 266
 Hard-headed, 393
 Harris, 325
 Hart's, 315
 Hastate-leaved, 298
 Heart-leaved, 412
 Hebridean, 318
 Hepste, 321

Hawkweed (*cont.*)

Highland, 284
 Hill, 379
 Hirsute, 292
 Hjelt's, 419
 Humphrey Head, 337
 Irish, 258
 Irregular-toothed, 364
 Isabel's, 298
 Island, 397
 Jagged-toothed, 300
 Javeline-leaved, 317
 Jordan's, 415
 Keld Head, 366
 Kenneth's, 272
 Kent, 250
 Kent's, 407
 Kerry, 257
 Killarney, 332
 Kingshouse, 302
 Kintyre, 360
 Klingrahoole, 261
 Koehler's, 406
 Lacerate-leaved, 367
 Laggan, 372
 Lairig, 278
 Lakeland, 307
 Lance-leaved, 343
 Langwell, 316
 Large-flowered, 249
 Large-fruited, 291
 Large-headed, 315
 Large-leaved, 327
 Large-toothed, 239
 Laxo Burn, 263
 Leek-coloured, 394
 Lesser-leaved, 331
 Ley's, 339
 Liljeholm's, 397
 Limestone, 354
 Linton Falls, 359
 Linton's, 382
 Llanfairfechan, 255
 Llanwrtyd, 370
 Long-bracted, 403
 Long-haired, 254
 Long-leaved, 240
 Long-stalked, 378
 Long-toothed, 363
 Lortet's, 376
 Mainland, 262
 Many-toothed, 375
 Marbled, 312
 Marigold, 274
 Maritime, 244
 Marshall's, 300
 McCallum Webster's, 388
 Meall Garbh, 394
 Memorable, 286
 Miles's, 285

Hawkweed (*cont.*)

Minute-toothed, 414
 Moffat, 304
 Mountain, 299
 Narrow-bracted, 326
 Narrow-leaved, 294
 Narrow-toothed, 290
 Naver, 420
 Neat, 270
 Nidd, 257
 Nipple-toothed, 409
 Noble, 287
 North England, 389
 Northern, 249
 North Roe, 261
 Oblong-leaved, 296
 Okraquoy, 266
 Orange-flowered, 361
 Orkney, 379
 Ormes Head, 351
 Oval-leaved, 311
 Oxford, 396
 Painted-leaved, 334
 Pale, 325
 Pale-headed, 358
 Pale-leaved, 340
 Pale Spotted, 334
 Patent-toothed, 406
 Peak, 359
 Pellucid-leaved, 415
 Pentaploid, 293
 Penwyllt, 321
 Perth, 260
 Petite-leaved, 369
 Pettycur, 363
 Picts, 387
 Pointed-leaved, 316
 Porrect-bracted, 336
 Pruinose, 418
 Pugsley's, 263
 Purple-flushed, 335
 Purplish-leaved, 253
 Purple-tinted, 262
 Radyr, 373
 Rare, 267
 Ravens', 305
 Reay, 246
 Red-flushed, 365
 Red-tinted, 323
 Remarkable, 275
 Remote, 260
 Repand-leaved, 344
 Reticulate-leaved, 246
 Rhombic-leaved, 362
 Ribbleshead, 391
 Riddelsdell's, 344
 Rigid, 238
 Riverside, 362
 Roberts's, 360
 Rock, 345

Hawkweed (*cont.*)

Roffey's, 359
 Ronas Voe, 400
 Rosette, 322
 Rough, 367
 Rough-leaved, 258
 Round-headed, 280
 Round-leaved, 317
 Rubicund, 329
 Rusty-red, 361
 Sagittate-leaved, 382
 Sand, 322
 Sannox, 310
 Scabrous, 253
 Scandinavian, 303
 Scarp, 314
 Schmidt's, 342
 Scottish, 320
 Scott's, 322
 Scully's, 252
 Semblister, 266
 Shade, 336
 Shaggy, 295
 Shaggy-stalked, 317
 Shale, 350
 Sharp-toothed, 240
 Shetland, 267
 Shining-leaved, 340
 Shoolbred's, 319
 Short-flowered, 420
 Short-stemmed, 382
 Silurian, 331
 Silvery, 332
 Sinuate-toothed, 383
 Skerry, 390
 Skipton, 370
 Slender, 245
 Slender-bracted, 338
 Slender-leaved, 302
 Slender-toothed, 254
 Small-flowered, 318
 Small-headed, 394
 Small-leaved, 330
 Small-spotted, 383
 Small-toothed, 318
 Snake-headed, 390
 Snowdonia, 421
 Sociable, 373
 Solitary, 267
 Sombre-headed, 305
 Sommerfelt's, 334
 Southern, 373
 Sowa Dee, 321
 Sparse-leaved, 256
 Spear-leaved, 289
 Spence's, 263
 Splendid, 277
 Spotted, 367
 Spreading-toothed, 345
 Stained-leaf, 366

- Hawkweed (*cont.*)
 Star-haired, 421
 Stellate-haired, 319
 Stenström's, 407
 Stewart's, 251
 Sticky, 269
 Stiff-haired, 341
 Streamside, 305
 Strict, 246
 Strict-headed, 413
 Subglobose, 279
 Suffolk, 396
 Summit, 327
 Surrey, 365
 Sutherland, 332
 Taf-fechan, 408
 Tain, 324
 Tall, 372
 Tapered-leaved, 320
 Tavistock, 409
 Tawe, 249
 Tenuous-leaved, 283
 Thick-leaved, 328
 Three-coloured, 336
 Thule, 264
 Tongue-leaved, 257
 Toothed, 251
 Toothless, 414
 Trackway, 403
 Traligill, 312
 Triangular-leaved, 385
 Tufted-hair, 299
 Tutshill, 351
 Uig, 255
 Uist, 383
 Umbellate, 242
 Undivided-leaved, 328
 Uneven-toothed, 337
 Unst, 265
 Upland, 308
 Valuable, 274
 Variable, 369
 Variable-leaved, 390
 Variable-toothed, 306
 Velvet-headed, 301
 Vennicotes's, 304
 Violet-leaved, 364
 Vorlick, 301
 Wall, 269
 Wandering, 413
 Waterfall, 362
 Wathamstow, 375
 Wavy-leaved, 297
 Wedge-leaved, 397
 Weedy, 414
 Welsh, 333
 Western, 355
 Westmorland, 339
 West's, 304
 Willow-leaved, 240
- Hawkweed (*cont.*)
 Wine-leaved, 308
 Wine-stemmed, 261
 Witley, 250
 Wood, 384
 Woolly, 313
 Wye, 333
 Yellow-glandular, 242
 Yellow-styled, 248
 Yorkshire, 342
- Hedypnois** Mill., **97**
autumnalis (L.) Huds., 101
biennis (L.) Huds., 203
cretica (L.) Dum. Cours., **97**
hieracioides (L.) Huds., 107
hirta auct., 103
hispida (L.) Huds., 103
monspeiensis Willd., 97
polymorpha DC., 97
rhagadioloides (L.) F. W. Schmidt, 97
taraxaci (L.) Vill., 102
tubiformis Ten., 97
- Helenium** L., **527**
autumnale L., **527**
- Helianthus** L., **518**
annuus L., **518**
 × **decapetalus**, **519**
aridus Rydb., 519
decapetalus auct., 519
integrifolius Nutt., 519
 × **laetiflorus** Pers., **519**
laevis L., 520
 × **multiflorus** L., **519**
patens Nutt., 519
pauciflorus Nutt., 519
petiolaris Nutt., **519**
rigidus (Desf.) Cass.
 × **tuberosus** L., **518**
tuberosus L., **519**
- Helichrysum** Mill., **431**
bellidioides (G. Forst.) Willd., **432**
bracteatum (Vent.) Andrews, **432**
capillaceum (Thunb.) Less., **431**
expansum (Thunb.) Less., **431**
italicum (Roth) Don, **431**
odoratissimum (L.) Less., **431**
petiolare Hilliard & B. L. Burtt, **432**
petiolatum auct., 432
- Heliopsis** Pers., **520**
helianthoides (L.) Sweet, **520**
 var. **helianthoides**, **520**
 var. **scabra** (Dunal) Fern., **520**
laevis (L.) Pers., 520
platyglossa Cass., 516
scabra Dunal, 520
- Heliotrope, Winter, 511
Helminthia Juss., 108
echioides (L.) Gaertn., 108
 subsp. *humifusa* (Willd.) Arcangeli, 108

Helminthia echioides (L.) Gaertn. (*cont.*)

var. *mollis* Duby, 108, 532

var. *pratensis* (Chevall.) DC., 108, 532

humifusa (Willd.) Trevis, 108

pratensis Chevall., 108

Helminthotheca Zinn, 108

echioides (L.) Holub, 108

var. *incisa* P. D. Sell, 108, 532

var. *mollis* (Duby) P. D. Sell, 108, 532

var. *pratensis* (Chevall.) P. D. Sell, 108, 532

Hemizonia DC.

pungens Torrey & A. Gray, 521

Hemp Agrimony, 528

Heterochaeta DC., 454

Hieraciodes Kuntze, 201

caucasicum (C. A. Mey.) Kuntze, 202

foetidum (L.) Kuntze, 205

glabrum (Boiss.) Kuntze, 203

molle (Jacq.) Kuntze, 203

paludosum (L.) Kuntze, 203

praemorsum (L.) Kuntze, 204

rumicifolium (Boiss.) Kuntze, 202

ruprechtii (Boiss.) Kuntze, 202

setosum (Haller fil.) Kuntze, 208

taraxacifolium (Thuill.) Kuntze, 207

tectorum (L.) Kuntze, 204

vesicarium (L.) Kuntze, 207

Hieracioides Moench, 242

Hieracium L., 218

acamptum P. D. Sell & C. West, 250

acroleucum auct., 357

acroleucum (Stenstr.) Dahlst., 358

var. *daedalolepium* auct., 369, 357, 358

var. *mutabile* (Ley) W. R. Linton, 369

acuminatum Jord., 372

acutifolium Vill., 316, 542

adelphicum P. D. Sell, 401, 554

adlerzii auct., 369, 370, 371

adlerzii F. Hanb., 356

aequiserratum P. D. Sell, 360, 550

aestivum Fr.

subsp. *angustum* auct., 245

subsp. *hemitrachys* Druce & Zahn, 248

subvar. *hethlandiae* (F. Hanb.) Zahn, 264

subsp. *subcrocatum* (E. F. Linton) Zahn, 248

subsp. *subumbellatiforme* Zahn, 245

aggregatifolium P. D. Sell, 322, 543

aggregatum Backh. fil., 378

var. *prolongatum* F. Hanb., 394, 554

alfvengrenii Dahlst.

var. *plurifolium* Zahn, 373

alpinum L., 294

subsp. *alpinum*, 295

var. *genuinum*, 295

forma *grande* sensu F. N. Williams, 287

forma *holosericeum* (Backh. fil.) Zahn, 295

var. *insigne* auct., 294

var. *insigne* (Backh. fil.) Bab., 287

var. *melanocephalum* auct., 294

subsp. *nigrosetosum* auct., 287

Hieracium alpinum L. (*cont.*)

subvar. *tenellum* (Backh. fil.) Zahn, 293

subvar. *villosissimum*, 295

amaurostictum Walter Scott & R. C. Palmer, 266, 533

annicola P. D. Sell, 362, 551

amplexicaule L., 269

subsp. *pulmonarioides* (Vill.) Zahn, 269

var. *pulmonarioides* (Vill.) Gaudin, 269

subsp. *speluncarum* (Arv.-Touv.) Zahn, 268

var. *subhirsutum* Arv.-Touv., 268

ampliiforme P. D. Sell., 318, 542

ampliatum (W. R. Linton) Ley, 317

var. *gracilius* Pugsley, 318, 542

var. *jaculifolium* (F. Hanb.) Pugsley, 317

amydrostictum P. D. Sell, 334, 545

anfractiforme E. S. Marshall, 300

anglicum Fr., 316

var. *acutifolium* (Backh. fil.) Backh. fil., 316

var. *amplexicaule* Backh. fil., 314

var. *brevifurcatum* F. N. Williams, 339

var. *brigantum* (F. Hanb.) W. R. Lint., 342

var. *calcaratum* E. F. Linton, 317

var. *cerinthiforme* (F. Hanb.) F. Hanb., 314

var. *decipiens* Syme, 314

forma *hartii* (F. Hanb.) W. R. Linton, 315

var. *hartii* (F. Hanb.) F. N. Williams, 315

var. *jaculifolium* F. Hanb., 317

× *lancifolium* auct., 342

var. *longibracteatum* F. Hanb., 319

anglorum (Ley) Pugsley, 371

anguinum (W. R. Linton) Roffey, 390

angustatiforme P. D. Sell & C. West, 330

angustatum auct., 330, 393

angustatum (Lindeb.) Lindeb., 331

var. *amphiboloides* auct., 253

subsp. *cacuminum* (Ley) Zahn, 327

angustifolium Hoppe, 246, 532, 542

angustisquamum (Pugsley) Pugsley, 323

angustum auct., 245

apeles P. D. Sell, 321, 543

aphylloporioides F. N. Williams, 252

apiculatidens P. D. Sell, 346, 548

apiculatum (E. F. Linton) Druce, 371

ardaricum Pugsley, 251

ardisodon Dahlst., 379

argentatum (Pugsley) P. D. Sell, 332, 545

argenteum Fr., 332

var. *septentrionale* F. Hanb., 332, 545

var. *subglabratum* (F. Hanb.) Pugsley, 331

argentiforme P. D. Sell, 332, 545

argillaceum Jord., 373

argutidens Uechtr., 363

argutifolium Pugsley, 240

aristidens P. D. Sell, 307, 539

armadalense P. D. Sell, 379, 552

arranense P. D. Sell, 311, 541

arrectarium auct., 373

arrostoecephalum Omang, 268

arvonense P. D. Sell, 338, 546

ascendentidens P. D. Sell, 325, 544

Hieracium L. (cont.)

- asperatum** Jord. ex Boreau, **367**
aspernatum Jord.
 var. *anglicum* Zahn, 373
asteridophyllum P. D. Sell & C. West, **421**
aterrimum Hyl., **406**
atriceps (Pugsley) P. D. Sell & C. West, 272
atratum auct., 303
 subsp. *centripetale* (F. Hanb.) Zahn, 301
 subsp. *cumbriense* auct., 419
 subsp. *cumbriense* (F. Hanb.) Zahn, 309
 var. *gracilifolium* (F. Hanb.) Zahn, 302
 subsp. *molybdochroum* Zahn, 299
 subsp. *sinuans* (F. Hanb.) Zahn, 297
 subsp. *subnigrescens* auct., 302
atriglandulosum P. D. Sell, **303**, 538
attenuatifolium P. D. Sell & C. West, **263**
aurantiacum L., 211
 subsp. *carpathicola* Nägeli & Peter, 211
auratiflorum Pugsley, **384**
auratum auct., 248
 var. *thulense* F. Hanb., 264
auricula auct., 213
australius (Beeby) Pugsley, **265**
aviicola Jord. ex Boreau, **375**
backhouseanum auct., 251
backhouseanum (Zahn) Roffey, 252
 var. *radnoricum* Pugsley, 253
backhousei auct., 286
backhousei F. Hanb., **288**
bakeranum Pugsley, **245**
baliophyllum Dahlst. ex Hyl., **396**
barbareifolium auct., 372
bartonii Pugsley, 248
basalticola Pugsley, **346**
basicrinum (Zahn) Roffey, **335**
bauhinii Besser
 subsp. *arvorum* (Nägeli & Peter) Zahn, 213
beebyanum Pugsley, **325**
bettyhillense P. D. Sell, **343**, 547
bichlorophyllum (Druce & Zahn) Pugsley, 243
 var. *curtum* (W. R. Linton) Pugsley, 243
bienne (L.) Karsch., 204
bifidum Kit.
 subsp. *aggregatum* (Backh. fil.) Zahn, 378
 subsp. *anguinum* (W. R. Linton) Zahn, 390
 var. *anguinum* (W. R. Linton) F. N. Williams, 390
 subsp. *caesionigrescens* (Fr. ex Stenstr.) Zahn, 359
 subsp. *crebridens* auct., 385
 subsp. *crebridens* (F. N. Williams) Zahn, 385
 subsp. *cymbifolium* (Pursh) Zahn, 386
 var. *delicatulum* (W. R. Linton) Zahn, 394
 subsp. *duriceps* (F. Hanb.) Zahn, 393
 subsp. *maculosum* (Dahlst. ex Stenström) Zahn, 391
 subsp. *prolixum* (Norrl.) Zahn, 391
 subsp. *scandinavicum* auct., 384
 subsp. *subcaneum* (W. R. Linton) Zahn, 336
 subsp. *subtenue* (W. R. Linton) Zahn, 380
 subsp. *tricolorans* Zahn, 336

Hieracium L. (cont.)

- bladonii* Pugsley, 241, 532
 var. *brunckeri* Pugsley, 241
boreale auct., 238
 var. *calvatum* F. Hanb., 238
 var. *dumosum* (Jord.) Gren. & Godr., 242
 var. *hervieri* auct., 241
 var. *lacerum* Wimm. & Grab., 239
 subsp. *obliquum* (Jord.) Sudre, 241
 microg. *propinquum* Sudre, 241
 var. *propinquum* (Sudre) Rouy, 241
 var. *rigens* (Jord.) Sudre, 238
 subsp. *vagum* (Jord.) Rouy, 238
 var. *vagum* (Jord.) Gren. & Godr., 238
 subsp. *virgultorum* (Jord.) Sudre, 240
boreoanglicum P. D. Sell, **389**, 554
boreophilum (Zahn) Roffey, 253
borreri Syme, **259**
boswellii E. F. Linton, **330**
breacense P. D. Sell, **301**, 537
breadalbanense F. Hanb., **384**
breconense P. D. Sell, **347**, 549
breconicola P. D. Sell, **322**, 543
breve Beeby, **267**
brevidentatum Jord.
 var. *multiflorum* Zahn, 373
brigantum (F. Hanb.) Roffey, **342**
britanniciforme auct., 351
britanniciforme Pugsley, **351**
britannicoides P. D. Sell, **351**, 549
britannicum auct., 346, 347, 351
britannicum F. Hanb., **350**
 var. *glaucinum* Pugsley, 347
 var. *ovale* A. Ley, 347, 549
 var. *stenolepiforme* Pugsley, 355
 var. *subbritannicum* auct., 351
 var. *subbritannicum* (Ley) Pugsley, 354
 var. *vagense* F. Hanb., 333
brunneocroceum Pugsley, 211
buglossoides auct., 324, 326
 var. *subrude* (Arv.-Touv.) Arv.-Touv., 324
cacuminatum auct., 373
 var. *barbareifolium* auct., 372
cacuminum (Ley) Ley, **327**
caesioides Arv.-Touv.
 subsp. *rionii* (Grenli) Zahn, 312
caesiomurorum Lindeb., **387**
 var. *umbraticum* K. Johans., 378
caesionigrescens (Fr. ex Stenstr.) Omang, **359**
caesiopilosum Pugsley, **360**
caesitium Norrl., **391**
caesium auct., 351
 subsp. *adlerzii* auct., 370
 var. *alpestre* auct., 306
 var. *angustatum* Lindeb., 331
 subsp. *caesiomurorum* (Lindeb.) Zahn, 378
 var. *cambricum* Baker, 333
 var. *coracinum* Ley, 381
 subsp. *cravoniense* (F. Hanb.) Zahn, 357
 var. *decolor* auct., 335

- Hieracium caesium** auct. (*cont.*)
 var. *decolor* W. R. Linton, 336
 subsp. *dissimile* (Lindeb.) Zahn, 303
 subsp. *eustales* (E. F. Linton) Zahn, 311
 subsp. *farrense* (F. Hanb.) Zahn, 323
 var. *hypochaeroides* (S. Gibson) Bab., 343
 var. *insulare* auct., 306
 var. *insulare* F. Hanb., 310
 subsp. *neomarschallianum* Zahn, 300
 subsp. *petrocharis* (E. F. Linton) Zahn, 308
 var. *petrocharis* E. F. Linton, 308
 var. *rhomboides* (Stenstr.) W. R. Linton, 362
 var. *smithii* auct., 336
 var. *smithii* Baker, 351
 var. *subminutidens* Zahn, 370
caespitosum Dumort., 212
 subsp. *colliniforme* (Peter) P. D. Sell, 212
calcaricola (F. Hanb.) Roffey, 251
caledonicum F. Hanb., 329
 var. *boswellii* (E. F. Linton) Zahn, 330
 var. *platyphyllum* (Ley) Ley, 330
 var. *pseudozetlandicum* (Roffey) Pugsley, 322
 subsp. *rubicundiforme* Zahn, 329
 subsp. *veterascens* (Dahlst.) Zahn, 329
calenduliflorum Backh. fil., 274
caliginosum auct., 420
callistophyllum F. Hanb., 298
 var. *cremnanthes* auct., 298
 var. *cremnanthes* (F. Hanb.) F. Hanb., 297
calvatum (F. Hanb.) Pugsley, 238
calviceps Pugsley, 255
 var. *robustum* Pugsley, 255
calvum P. D. Sell & D. J. Tennant, 290
cambricogothicum Pugsley, 255
 var. *glandulosum* Pugsley, 253
cambricum (Baker) F. Hanb., 333
campetetalum (F. Hanb.) P. D. Sell & C. West, 420
candelabrae auct., 392
candelabrae W. R. Linton, 403
caniceps F. Hanb., 388
cantianum F. Hanb., 250
 var. *subrigidum* E. F. Linton ex F. Hanb., 250
cardiophyllum (Jord. ex Sudre) Juxip, 412
carenorum F. Hanb., 340
carneodorum Pugsley, 335
carpathicum Besser, 260
 subsp. *dewari* (Syme) Zahn, 260
 subsp. *dovrense* (Fr.) Zahn, 265
 subsp. *euchrysostylum* auct., 322
 subsp. *perthense* (F. N. Williams) Zahn, 260
 subsp. *scullyi* (E. F. Linton) Zahn, 252
 subsp. *truncatum* auct., 262
centripetale F. Hanb., 301
cerinthiforme F. Hanb., 314
 var. *hartii* F. Hanb., 315
cerinthoides auct., 314
 var. *acutifolium* Backh. fil., 316, 542
 var. *anglicum* (Fr.) Backh. fil., 316
charitodon P. D. Sell, 254, 532
cheriense Jord. ex Boreau, 377
- Hieracium L.** (*cont.*)
chloranthum Pugsley, 326
chloranthum Pugsley ex P. D. Sell, 326, 545
chlorophyllum auct., 373
chlorophyllum Jord. ex Boreau, 374
chrysanthum Backh. fil., 270
 var. *gracilentiforme* F. Hanb., 276
 var. *marshallii* (E. F. Linton) F. N. Williams, 300
 var. *microcephalum* Backh. fil., 271
chrysolorum P. D. Sell & C. West, 307
ciliatiflorum auct., 385, 388
ciliatum auct., 365, 388
 var. *repandum* Ley, 344
 var. *venosum* Ley, 344
cillense Pugsley, 341
cinderella (Ley) Ley, 403
cinerascens auct., 341, 342
clivicola (F. Hanb.) Pugsley, 379
clovense auct., 307
clovense E. F. Linton, 306
 var. *griffithii* F. Hanb., 325
 var. *uistense* Pugsley, 397
colliniforme (Peter) Roffey, 212
collinum Tausch
 subsp. *colliniforme* Peter, 212
commixtum Jord., 366
commutatum (Lindeb.) Elfstr., 299
completum P. D. Sell & C. West, 272
concinatum (F. Hanb.) Roffey, 215
congestum (Beeby) Roffey, 261
 forma *vinaceum* (Beeby) Roffey, 261
coniops Norrl., 358
 var. *hebescens* Brenner, 358
consociatum Jord. ex Boreau, 373
conspurcans Norrl.
 subsp. **callistophyllum** (F. Hanb.) Zahn, 298
 subsp. *cremnanthes* (F. Hanb.) Zahn, 297
cordigerum Norrl.
 var. *asymmetricum* (Ley) Roffey, 337
 var. *subcaneum* (W. R. Linton) Roffey, 336
 var. *tricolorans* (Zahn) Roffey, 336
corymbosum auct., 248
 var. *melanoglochis* E. F. Linton, 247
 var. *pyncotrichum* W. R. Linton, 244
 var. *salicifolium* auct., 245, 248
 forma. *subumbellata* F. N. Williams, 243
 var. *umbellatiforme* W. R. Linton, 245
crassum Almq., 380, 552
cravoniense (F. Hanb.) Roffey, 357
 var. *pseudoduriceps* Pugsley, 357
crebridens auct., 384
crebridens F. N. Williams, 385
crebidentiforme Pugsley, 385
cremnanthes (F. Hanb.) Pugsley, 297
crinellum Omang, 339
croaticum Waldst. & Kit., 203
crocatum auct., 245, 246
 var. *congestum* Beeby, 261
 forma. *hethlandiae* (F. Hanb.) Roffey, 264
 var. *hethlandiae* (F. Hanb.) Druce, 264

- Hieracium crocatum** auct. (*cont.*)
 var. *maritimum* F. Hanb., 244
 var. *thulense* (F. Hanb.) Druce, 264
 var. *vinaceum* Beeby, 261
croceostylum Pugsley, 238, 532
cumbriense auct., 419
cumbriense F. Hanb., 309
cuneifrons (Ley) Pugsley, 397
 var. *decipiens* Pugsley, 407
curvatum auct., 272
cuspidens P. D. Sell & C. West, 303
cyathis (Ley) W. R. Linton, 337
cyclicum P. D. Sell, 317, 542
cymbifolium Purchas, 386
daedaleolepioides (Zahn) Roffey, 369
dalense P. D. Sell, 345, 548
dasypodum Dahlst., 347
dasythrix (E. F. Linton) Pugsley, 307
deargicola P. D. Sell & D. J. Tennant, 279, 533
decolor auct., 335
decolor (W. R. Linton) Ley, 336
deductum auct., 373
deductum Sudre, 375
deganwyense Pugsley, 324
demissum Strömfelt
 var. *australius* (Beeby) Druce, 265
 var. *cacuminum* (Ley) W. R. Linton, 327
 var. *pulchelliforme* (W. R. Linton) Zahn, 266
 subsp. *zetlandicum* (Beeby) Zahn, 267
denticulatum auct., 259
dentifex E. F. Linton, 342
dentulum (E. F. Linton) P. D. Sell, 328, 545
devoniense (F. Hanb.) Roffey, 355
dewari Syme, 260
diaphanoides auct., 371
diaphanoides Lindeb., 371
 var. *apiculatum* E. F. Linton, 371
 var. *ornatum* auct., 369
diaphanum Fr., 369
 subsp. *acroleucum* Stensr., 358
 var. *cacuminum* Ley, 327
 var. *glaucovirens* auct., 372
 var. *praestans* W. R. Linton, 363
dicella auct., 347
dicella P. D. Sell & C. West, 347
difficile P. D. Sell & C. West, 266
dilectum P. D. Sell & C. West, 262
dipteroides Dahlst., 380
discophyllum P. D. Sell & C. West, 395
dispalatum Jord.
 var. *macrondon* Sudre, 239, 532
dissimile (Lindeb.) T. Durande & B. D. Jackson, 303
 var. *majus* Pugsley, 303
 var. *poliaenum* auct., 378
divaricatum G. Don, 296
diversidens P. D. Sell & C. West, 306
donegalense Pugsley, 251
dovrense Fr., 265
 var. *australius* Beeby, 265
 var. *hethlandiae* F. Hanb., 264
- Hieracium dovrense** Fr. (*cont.*)
 var. *pulchelliforme* (W. R. Linton) Beeby, 266
 var. *spectabile* E. S. Marsh., 260
 var. *vulgare* Lindeb., 265
dowardense P. D. Sell, 408, 555
drummondii Pugsley, 247
dumosum Jord., 242
duplicatum auct., 304
 var. *stenophytes* (W. R. Linton) W. R. Linton, 362
duriceps F. Hanb., 393
 var. *campetopetalum* (F. Hanb.) Pugsley, 420
 var. *cravoniense* F. Hanb., 357
 var. *delicatulum* (W. R. Linton) Pugsley 394
eboracense Pugsley, 249
ebudicum Pugsley, 344
einichense P. D. Sell & D. J. Tennant, 283
elatus (Ley) Druce, 408, 555
elatus Rehmman, 408, 555
elegantiforme Dahlst., 267
elevatum P. D. Sell, 408, 555
elongatifolium P. D. Sell, 387, 553
eminens auct., 238, 241
eminentiforme Pugsley, 241
epileucoides Dahlst., 256
erubescens Jord. ex Boreau, 365
erythraeum E. F. Linton ex Pugsley, 323
eucallum P. D. Sell & C. West 345
euprepes F. Hanb., 379
 var. *clivicola* F. Hanb., 379
 var. *glabratum* E. F. Linton, 304
 var. *pruiniferum* W. R. Linton, 418
 var. *stenophytes* (W. R. Linton) F. N. Williams, 362
eustales auct., 319
eustales E. F. Linton, 311
eustomon (E. F. Linton) Roffey, 355
 var. *devoniense* (F. Hanb.) Pugsley, 355
eximium Backh. fil., 292
 forma **tenellum** (Backh. fil.) P. D. Sell & C. West, 293
 var. *tenellum* Backh. fil., 293
exotericum Jord. ex Boreau, 415
 var. *candelabrae* (W. R. Linton) Pugsley, 403
 var. *cinderella* (Ley) Pugsley, 403
 var. *glevense* Pugsley, 408
 forma *grandidens* (Dahlst.) Pugsley, 408
 var. *sublepistoides* (Zahn) Pugsley, 412
faeroense Dahlst., 256
farrense F. Hanb., 323
fastigiatum Fr., 373
festinum Jord. ex Boreau, 376
 subsp. *deductum* (Sudre) Sudre, 375
 subvar. *latebrosum* (Jord. ex Boreau) Sudre, 375
fictum Jord. ex Boreau, 367
filisquamum P. D. Sell, 326, 544
fimiramum Hyl., 401
fissuricola P. D. Sell, 310, 540
flagellare Willd., 214
 subsp. *bicapitatum* (P. D. Sell & C. West)
 P. D. Sell, 214
flocculipubens P. D. Sell, 319, 542
flocculosiforme P. D. Sell, 318, 542

Hieracium L. (cont.)

- flocculosum** Backh. fil. ex Bab., **319**
 var. *angustifolium* Pugsley, 319, 542
 var. *cambricum* (Baker) F. N. Williams, 333
 var. *denticulatum* Pugsley, 318, 542
 var. *insulare* (F. Hanb.) F. N. Williams, 318
florentinum All.
 subsp. *praealtum* (Vill. ex Gochnat) Nägeli & Peter, 213
floribundum Wimm. & Grab., 212
 subsp. *helveolum* Dahlst., 212
fragilicaule Pugsley, 253
 forma *subhirsutum* Pugsley, 253
fratrum Pugsley, **350**
friesii auct., 262
 var. *hirsutum* F. Hanb., 254
 var. *latifolium* (Backh.) E. F. & W. R. Linton, 252
 var. *stewartii* F. Hanb., 251
fucatifolium P. D. Sell, **334**, 546
fulvoaesium Pugsley, **361**
furcilliferum Dahlst., 347
furculatum Elfstr.
 subsp. *dissimile* (Lindeb.) Elfstrand, 303
gentile Jord. ex Boreau, **419**
glabrescens Murr, 360, 550
gibsonii Backh. fil., 343
glanduliceps P. D. Sell & C. West, **366**
glandulidens P. D. Sell & C. West, **309**
glevense (Pugsley) P. D. Sell & C. West, **408**
globosiflorum Pugsley, **280**
 var. *lancifolium* Pugsley, 289
 var. *larigense* Pugsley, 278
globosum Backh. fil., 280
gothiciforme auct., 254
gothicoides Pugsley, **254**
gothicum auct., 254, 255
 var. *basifolium* auct., 254
 forma *latifolium* (Backh.) W. R. Linton, 252
 var. *latifolium* Backh., 252
 var. *stewartii* (F. Hanb.) F. Hanb., 251
gouetanum Gren. & Godr., **396**
gracilentum auct., 283
gracilentum Backh. fil., 285
 var. *graniticola* (W. R. Linton) W. R. Linton, 281
gracilifolium auct., 302, 303
gracilifolium (F. Hanb.) Pugsley, **302**
grampianum P. D. Sell, **340**, 547
grandescens auct., 253
grandidens Dahlst., **400**
graniticola W. R. Linton, **281**
gratum P. D. Sell & C. West, **266**
gravestellum Dahlst.
 var. *rhomboides* Stenstr., 362
griffithii (F. Hanb.) F. Hanb., **325**
grovesii Pugsley, **277**
halfdanii Osk., **265**
halleri auct., 292
 var. *calenduliflorum* (Backh. fil.) F. N. Williams, 274
hanburyanum Zahn, 323
hanburyi Pugsley, **270**
 forma *atraticeps* (Pugsley) P. D. Sell & D. J. Tennant, **277**

Hieracium hanburyi Pugsley (*cont.*)

- var. *atraticeps* Pugsley, 272
 var. *humile* Pugsley, 271
 var. *microcephalum* (Backh. fil.) Pugsley, 271
 forma **pusillum** (Pugsley) P. D. Sell & D. J. Tennant, **271**
hartianum Pugsley, 251
hartii (F. Hanb.) P. D. Sell & C. West, **315**
hartzianum Dahlst., **268**
hastiforme P. D. Sell & C. West, **298**
hebridense Pugsley, **318**
helveolum (Dahlst.) Pugsley, 212
hesperium P. D. Sell, **328**, 545
heterophyllum Bladon, 241
hethlandiae (F. Hanb.) Pugsley, **264**
hibernicum F. Hanb., **258**
 var. *vennicinorum* Pugsley, 258
hjeltii Norrl., **419**
holophyllum W. R. Linton, **328**
 var. *angustisquamum* Pugsley, 323
 var. *dentulum* E. F. Linton, 328, 545
holopleurum auct., 379
holosericeum Backh. fil., **295**
hortense Hyl., **409**
humidorum Almq., 264
hyparcticoides Pugsley ex P. D. Sell, **312**, 542
hyparcticum auct., 312
hypochaeroides S. Gibson, 343
 var. *cyathis* Ley, 337
 var. *griseum* Ley, 341
 var. *lancifolium* W. R. Linton, 343, 548
 var. *saxorum* F. Hanb., 345
hypophalacrum P. D. Sell, **331**
inaequilaterum P. D. Sell, **337**, 546
incisifolium Jord. ex Boreau, 367
inquinatum Jord. ex Boreau, **336**
insigne Backh. fil., **287**
 forma **celsum** P. D. Sell & D. J. Tennant, **287**
 forma **insigne**, **287**
inspissatum P. D. Sell, **380**, 552
insulare (F. Hanb.) F. Hanb., **310**
 var. *petrocharis* (E. F. Linton) F. Hanb., 308
integratum auct., 392
integratum (Dahlst. ex Stenström) Dahlst., **414**
integrilaterum Dahlst.
 var. *stenopholidium* Dahlst., 355
inuloides Arv.-Touv.
 var. *amplidentatum* (F. Hanb.) Zahn, 245
 forma *angustifolium* Dahlst., 244
 subsp. *latobrigorum* Zahn, 248
 subsp. *opsianthum* (Dahlst. ex F. Hanb.) Zahn, 246
 var. *pseudauratifforme* Zahn, 248
 subsp. *pycnotrichum* (W. R. Linton) Zahn, 244
 subsp. *strictiforme* Zahn, 246
iricum Fr., **314**
irregularidens P. D. Sell, **378**, 551
irriguum auct., 371
 var. *haematophyllum* Dahlst., 365
 subsp. *lepidiceps* Dahlst., 370
 subsp. *lepidulum* (Stenstr.) Dahlst., 364
 subsp. *violascens* Almq. ex Dahlst., 364, 551

Hieracium L. (cont.)

- isabellae** E. S. Marshall, **298**
itunense Pugsley, **419**
jaculifolium (F. Hanb.) Roffey, **317**
 var. *calcaratum* (E. F. Linton) Roffey, 317
johnstonii Dahlst., 248
jovimontis auct., 340
juratum Fr.
 subsp. *pseudelatum* auct., 259
kalsoense Dahlst.
 subsp. *burnense* Druce & Zahn, 379
kennethii P. D. Sell & D. J. Tennant, **272**
kentii P. D. Sell, **407**
killinense auct., 393
killinense (Zahn) Roffey, 394
kingshousense P. D. Sell, **302**, 537
kintyricum P. D. Sell, **360**, 550
klingrahoolense Walter Scott & R. C. Palmer, **261**, 533
koehleri Dahlst., **406**
lacerum Reut. ex Fr., 239
lachenalii auct., 373
 forma *nemorale* Pugsley, 377
 var. *pseudoporrigenis* Pugsley, 377
 var. *radylene* Pugsley, 373
 var. *transiens* Ley, 373
lactucaceum Schrank ex DC., 204
lactucella Wallr., 213
laetificum P. D. Sell & C. West, **299**
laevicaule Jord.
 subsp. *acroleucum* (Stenstr.) Zahn, 358
 subsp. *sejunctum* (W. R. Linton) Zahn, 357
 subsp. *triviale* (Norrl.) Zahn, 356
 var. *baltorum* Zahn, 357
laevigatum Willd.
 subsp. *backhouseanum* Zahn, 252
 subsp. *bichlorophyllum* Druce & Zahn, 243
 subsp. *boreophilum* Zahn, 253
 subsp. *calcaricola* (F. Hanb.) Zahn, 251
 subsp. *cantianum* (F. Hanb.) Zahn, 250
 forma *centonata* F. N. Williams, 256
 subsp. *friesii* auct., 262
 subvar. *glandulosiceps* Zahn, 251
 subsp. *grandescens* auct., 253
 subsp. *linguans* Zahn, 257
 subsp. *lissolepium* Zahn, 255
 subsp. *longiciliatum* (F. Hanb.) Zahn, 254
 subsp. *nidense* (F. Hanb.) Zahn, 257
 subsp. *placerothyllum* auct., 253
 var. *polyphyllum* Zahn, 251
 subsp. *scabrisetum* Zahn, 253
 var. *serpentinum* (F. Hanb.) Zahn, 256
 subsp. *sparsifolium* (Lindeb.) Zahn, 256
 subsp. *stewartii* (F. Hanb.) Zahn, 251
 subsp. *stictophyllum* (Dahlst.) Zahn, 256
 subsp. *subgracilipes* auct., 255
 subsp. *substrigosum* Zahn, 254
 subsp. *tavense* (Ley) Zahn, 249
 subsp. *trichocaulon* (Dahlst.) Zahn, 251
lagganense P. D. Sell, **372**, 551
lakelandicum P. D. Sell, **307**, 539

Hieracium L. (cont.)

- lanatum** Vill., **313**
lanceolatum Vill., **258**
lancifolium Vuk., 343, 548
langwellense F. Hanb., **316**
lapeyrousii auct., 314
lapponicum auct., 254
larigense (Pugsley) P. D. Sell & C. West, **278**
lasiophyllum auct., 342
lasiophyllum W. D. J. Koch, **341**
 var. *euryodon* auct., 342
 var. *planifolium* auct., 345
 var. *planifolium* F. Hanb., 345
 var. *semiglabrum* auct. 338, 339
latebrosum Jord. ex Boreau, **375**
latiusculum (Nägeli & Peter) Roffey, 215
latobrigorum (Zahn) Roffey, **248**
 forma *angustifolium* Pugsley, 248
lawsonii auct., 314
lepidiceps (Dahlst.) Prain, **370**
lepidulum (Stenstr.) Omang, **364**
leptodon P. D. Sell & D. J. Tennant, **290**
leucograptum auct., 306
leyanum (Zahn) Roffey, **330**
leyi auct., 340
leyi F. Hanb., **339**
 var. *vestitum* Ley ex E. F. Linton, 338, 547
liljeholmii Dahlst., **397**
lima F. Hanb., 342
 var. *brigitantum* F. Hanb., 342
linguans (Zahn) Roffey, **257**
lineatum Almq. ex Stenström, 255
lingulatum Backh. fil. ex Hook. & Arn., **296**
lintonianum Druce, 382
lintonii Ley., **382**
lissolepium Roffey, **255**
listerae Pugsley, 246
longiciliatum (F. Hanb.) Roffey, 254
longilobum (Dahlst. ex Zahn) Roffey, 304
longiramosum Pugsley, 255
 × *longisquamum* Peter, 218
lortetiae Balbis, **376**
lucidulum (Ley) Roffey, 415
lycopifolium Froel.
 var. *norvegicum* Lindb., 246
macrocarpum Pugsley, **291**
macrodon Nägeli & Peter, 239, 532
macrodon Sudre, 400
maculatum auct., 366
maculatum Sm., 367
 subsp. *asperatum* (Jord. ex Boreau) Zahn, 367
 subsp. *commixtum* (Jord.) Zahn, 366
 var. *genuinum* auct., 371
 subsp. *fictum* (Jord. ex Boreau) Zahn, 367
 forma *immaculatum* Zahn, 368
 forma *incisifolium* (Jord. ex Boreau) Zahn, 367
 var. *inquinatum* (Jord. ex Boreau) Zahn, 366
 subsp. *naevuliferum* (Jord. ex Boreau) Zahn, 367
 subsp. *pollichiae* (Sch. Bip.) Zahn, 359
 var. *spilophaeum* (Jord. ex Boreau) Zahn, 367

Hieracium L. (cont.)

- maculatum* Teesdale ex Turner & Dillwyn, 367
maculoides P. D. Sell & C. West, 383
maculosum auct., 396
maculosum (Dahlst. ex Stenström) Omang, 391
magniceps P. D. Sell & C. West, 315
magyaricum Nägeli & Peter
 subsp. *arvorum* Nägeli & Peter, 213
 subsp. *thoumasium* Peter, 213
mammidens P. D. Sell, 368, 551
marginatum P. D. Sell & C. West, 289
 forma **chaetocephalum** P. D. Sell & C. West, 290
 forma **marginatum**, 290
mariae P. D. Sell, 388, 553
maritimum F. J. Hanb., 244
 var. *pauciceps* Pugsley, 244
marshallii E. F. Linton, 300
 var. *cremnanthes* F. Hanb., 297
medium Jord., 409
medium Lindeb., 371
megapodium Dahlst., 371
melanocephalum auct., 294
melanocephalum Lindeb., 253
 var. *insigne* (Backh. fil.) Bab., 287
melanochloricephalum Pugsley, 305
melanoglochis (E. F. Linton) P. D. Sell, 247, 532
melanolepis Alm. ex Norrl., 415
memorable P. D. Sell & C. West, 286
microcladium (F. N. Williams) Ley, 394
microcladium (Zahn) Omang, 393, 554
microdon Dahlst., 332
microphyllum Hyl., 321, 543
microspilum (Jord. ex Sudre) A. W. Hill, 414
milesii P. D. Sell & C. West, 285
mirandum P. D. Sell & C. West, 260
molle Jacq., 203
molybdochroum Omang, 299
monstrosum Hyl., 409
mougeotii Froel.
 forma *acutifolium* (Backh.) Zahn, 316
 subsp. *anglicum* (Fr.) Zahn, 316
 var. *cerinthiforme* (F. Hanb.) Zahn, 314
 forma *hartii* (F. Hanb.) Zahn 315
 subsp. *iricum* (Fr.) Zahn, 314
 subsp. *skyense* Zahn, 319
mucronellum P. D. Sell & C. West, 319
mundum P. D. Sell & C. West, 288
murorum L.
 subsp. *caliginosum* auct., 420
 var. *camptopetalum* F. Hanb., 420
 subsp. *candelabrae* (W. R. Linton) Zahn, 403
 microg. *cardiophyllum* Jord. ex Sudre, 412
 subsp. *cardiophyllum* (Jord. ex Sudre) Zahn, 412
 var. *cardiophyllum* (Jord. ex Sudre) Rouy, 413
 subsp. *crassiceps* auct., 387
 var. *crassiusculum* auct., 392
 var. *cuneifrons* (Ley) Zahn, 397
 var. *dissimile* Lindeb., 303
 subsp. *exotericum* (Jord. ex Boreau) Sudre, 415
 var. *exotericum* (Jord. ex Boreau) Rouy, 415
 microgen. *gentile* (Jord. ex Boreau) Sudre, 419

Hieracium murorum L. (cont.)

- subsp. *gentile* (Jord. ex Boreau) Zahn, 419
 subsp. *grandidens* (Dahlst.) Zahn, 400
 subsp. *hjeltilii* (Norrl.) Zahn, 419
 subsp. *integratum* (Dahlst. ex Stenstr.) Zahn, 414
 subsp. *killinense* Zahn, 394
 subsp. *lepidulum* Stenstr., 364
 subsp. *longilobum* Zahn, 304
 subsp. *lucidulum* (Ley) Zahn, 415
 var. *lucidulum* Ley, 415
 microg. *macrodon* Sudre, 400
 var. *medium* (Jord.) Gren. & Godr., 409
 subsp. *microcladium* Zahn, 554
 subsp. *microspilum* (Jord. ex Sudre) Zahn, 414
 var. *microspilum* Jord. ex Sudre, 414
 subsp. *neosparsum* Zahn, 418, 555
 subsp. *oblongum* (Jord.) Zahn, 414
 var. *oblongum* (Jord.) Gren. & Godr., 414
 var. *pachyllum* auct., 384
 subsp. *pachyphyloides* Zahn, 389
 var. *pachyphyllum* auct., 346
 var. *pachyphyllum* Purchas., 389
 subsp. *patale* (Norrl.) Zahn, 420
 subsp. *pellucidum* (Laest.) Zahn, 415
 var. *pellucidum* (Laest.) F. Hanb., 415
 var. *phaeotrichum* auct., 384
 subsp. *pictorum* (E. F. Linton.) Zahn, 387
 subsp. *pollinarium* (F. Hanb.) Zahn, 420
 subsp. *pruinale* Zahn, 418
 subsp. *pulcherrimum* (F. Hanb.) Zahn, 393
 var. *pulcherrimum* auct., 421
 var. *pulcherrimum* F. Hanb., 393
 var. *sagittatum* Lindeb., 382
 var. *sanguineum* Ley, 388
 subsp. *stenstroemii* (Dahlst.) Zahn, 407
 subsp. *subcrassum* (Almq. ex Dahlst.) Zahn, 403
 var. *subleptostoides* Zahn, 412
 subsp. *subsanguineum* Zahn, 388
 var. *subulatidens* auct., 418
 var. *sylvivagum* (Jord. ex Boreau) Zahn, 413
 subsp. *sylvularum* (Jord. ex Boreau) Zahn, 401
 var. *sylvularum* (Jord. ex Boreau) Sudre, 401
 subsp. *variicolor* auct., 392
mutabile (Ley) Ley, 369
naevuliferum Jord. ex Boreau, 367
naviense J. N. Mills, 354
nemophilum Jord. ex Boreau, 374
neocoracium Pugsley, 381
neocorymbosum Pugsley, 248
 var. *crocatiforme* Pugsley, 248
neomarschallianum (Zahn) Roffey, 300
neomicrocladium P. D. Sell 393, 554
neopinnatifidum Pugsley, 363
neosparsum (Zahn) P. D. Sell, 418, 555
nidense (F. Hanb.) Roffey, 257
nigrescens auct., 272, 302
 subsp. *backhousei* (F. Hanb.) Zahn, 288
 subsp. *calenduliflorum* (Backh. fil.) Zahn, 274
 subsp. *chrysanthum* Zahn, 270
 subsp. *commutatum* (Lindeb.) Lindeb., 299
 var. *commutatum* Lindeb., 299

Hieracium nigrescens auct. (*cont.*)

- var. *curvatum* auct., 272
 subsp. *eximium* (Backh. fil.) Zahn, 292
 subsp. *globosum* Zahn, 280
 var. *globosum* Hook. fil., 280
 var. *gracilifolium* F. Hanb., 302
 subsp. *graniticola* (W. R. Linton) Zahn, 281
 subsp. *lingulatum* (Backh. fil. ex Hook. & Arn.) Zahn, 296
 var. *lingulatum* (Backh. fil. ex Hook. & Arn.) Hook. fil., 296
 subsp. *pseudocurvatum* Zahn, 282
 subsp. *pseudopetiolatum* Zahn, 294
 var. *senescens* (Backh.) Hook. fil., 299
 subsp. *subgracilentipes* Zahn, 276
nigrifactum P. D. Sell, 302, 538
nigrisquamum P. D. Sell & C. West, 299
nigroglandulosum Lönnr., 415
nitidum Backh. fil., 340
 var. *carenorum* (F. Hanb.) Pugsley, 340
 var. *siluriense* F. Hanb., 331, 545
northroense Pugsley, 261
norvegicum Fr.
 var. *confertum* auct., 256
 subsp. *hibernicum* (F. Hanb.) Zahn, 258
notabile P. D. Sell & C. West, 275
obesifolium Pugsley, 244
obliquum Jord., 241
oblongum Jord., 414
occitanum auct., 241
ochthophilum P. D. Sell, 305, 538
oenophyllum P. D. Sell, 308, 540
ogwenii E. F. Linton, 243
oistophyllum Pugsley, 382
 var. *abrasum* (Dahlst.) Pugsley, 379
oligodon (E. F. Linton) Pugsley, 257
olivaceum Gren. & Godr.
 subvar. *calcaratum* (E. F. Linton) Zahn, 317
 subsp. *flocculosum* (Backh. fil. ex Bab.) Zahn, 319
 subsp. *jaculifolium* (F. Hanb.) Zahn, 317
 subsp. *langwellense* (F. Hanb.) Zahn, 316
 subsp. *llynense* Zahn, 345
 subvar. *longibracteatum* (F. Hanb.) Zahn, 319
 subsp. *pseudolangwellense* Zahn, 297
 subsp. *subrubicundum* (Dahlst.) Zahn, 327
onosmoides auct., 324, 326
 var. *buglossoides* auct., 324
 subsp. *subrude* (Arv.-Touv.) Zahn, 324
onychodontum Hyl., 402
opsianthum (Dahlst. ex F. Hanb.) Roffey, 246
optimum P. D. Sell & C. West, 277
orarium Lindb.
 var. *angustatum* (Lindeb.) F. N. Williams, 331
 var. *erythraeum* E. F. Linton, 323
 var. *fulvum* auct., 323
 var. *fulvum* F. Hanb., 361
 var. *ravusculum* auct., 357
orbicans auct., 392
oreadense W. R. Linton, 379
oreades auct., 331
 var. *subglabratum* F. Hanb., 331, 545
orimeles F. Hanb. ex W. R. Linton, 325

Hieracium L. (*cont.*)

- orimeles* F. Hanb., 325
 var. *argentatum* Pugsley, 332, 545
 var. *obscurum* Pugsley, 326
orthales E. F. Linton, 382
ornatilorum P. D. Sell & C. West, 249
ostenfeldii Dahlst., 268
ovaliforme P. D. Sell, 311, 541
oxybeles P. D. Sell, 316, 542
oxyodus (W. R. Linton) W. R. Linton, 304
 var. *delicatulum* W. R. Linton, 394
pachylodes Nägeli & Peter, 218
pachyphyloides (Zahn) Roffey, 389
pachyphyllum (Purchas) F. N. Williams, 389
pallescens Waldst. & Kit.
 var. *pollichiae* (Sch. Bip.) Arv.-Touv., 359
pallidum auct., 347
 subsp. *crinellum* (Omang) Zahn, 339
 subsp. *devoniense* (F. Hanb.) Zahn, 355
 subsp. *eustomon* (E. F. Linton) Zahn, 355
 subsp. *jovimontis* auct., 340
 subsp. *lasiophyllum* (W. D. J. Koch) Zahn, 341
 subsp. *leyi* (F. Hanb.) Zahn, 339
 var. *planifolium* (F. Hanb.) Zahn, 346
 subsp. *lima* (F. Hanb.) Zahn, 342
 var. *persicifolium* auct., 332
 subsp. *schmidtii* (Tausch) Zahn, 342
paludosum L., 202
paniculatum Gilib., 202
paraliaeforme Dahlst., 379
patale Norrl., 420
patens Dahlst., 314
pauculidens P. D. Sell & C. West., 390
peccense (W. R. Linton) P. D. Sell, 359, 550
peleteranum Mérat, 218
 var. *peleteranum* Pugsley, 218
 subsp. *subpeleteranum* Nägeli & Peter, 218
 subsp. *tenuiscapum* (Pugsley) P. D. Sell, 218
pellucidum Laest., 415
 var. *lucidulum* auct., 395, 421
 var. *lucidulum* (Ley) W. R. Linton, 415
 var. *pulcherrimum* (F. Hanb.) W. R. Linton, 393
pensum P. D. Sell & C. West, 274
pentaploideum P. D. Sell & D. J. Tennant, 293, 536
perampliforme auct., 316
perampliforme Dahlst., 314
peramplum Dahlst., 314
percissum Jord. ex Boreau, 363
permigrescens (Zahn.) Roffey, 215
peroblongum P. D. Sell, 339, 547
perpropinquum (Zahn.) Druce, 241
perscitum P. D. Sell & C. West, 270
perthense F. N. Williams, 260
petiolatum auct., 294
petrocharis (E. F. Linton) W. R. Linton, 308
philanthrax auct., 382
phrixoclonum Omang, 265
pictorum E. F. Linton, 387
 var. *breadalbanense* (F. Hanb.) F. N. Williams, 384
 var. *dasythrix* E. F. Linton, 307
piligerum (Pugsley) P. D. Sell & C. West, 392

Hieracium L. (cont.)

- pilosella* L., 214, 215
 var. *angustifolium* Tausch, 215
 subsp. *angustius* Nägeli & Peter, 215
 var. *concinatum* F. Hanb., 215
 var. *concolor* Tausch, 215
 subsp. *euronota* Nägeli & Peter, 215
 subsp. *latiusculum* Nägeli & Peter, 215
 subsp. *melanops* Peter, 215
 subsp. *micradenium* Nägeli & Peter, 215
 subsp. *nigrescens* (Fr.) P. D. Sell & C. West, 215
 var. *nigrescens* Fr., 215
 subsp. *perinigrescens* Zahn, 215
 var. *pseudopilosella* auct., 215
 var. *stoloniflorum* auct., 214
 subsp. *subvirescens* Nägeli & Peter, 215
 subsp. *tricholepium* Nägeli & Peter, 215
 var. *tricholepium* (Nägeli & Peter) Pugsley, 215
 subsp. *trichoscapum* Nägeli & Peter, 215
 subsp. *trichosomum* Nägeli & Peter, 215
 var. *viride* F. Hanb., 214
- pilosum** Schleich. ex Froel, 313
pinnatifidum auct., 356
pinnatifidum Lönnr. ex Dahlst., 363
 subsp. *scanicum* Dahlst., 370
- placeroophylloides** Pugsley, 253
placeroophyllum auct., 253
platylepium auct., 261
platypyllum (Ley) W. R. Linton, 330
- pollichiae** Sch. Bip., 359
- pollinarioides** Pugsley, 392
pollinarium F. Hanb., 420
 var. *platyphyllum* Ley, 330
- polycomatum* auct., 265
polycomum auct., 265
polyphyllum Dahlst., 248
porrigens auct., 377
 subsp. *floccifrons* Elfstr., 303
- praealtum* Vill. ex Gochnat, 213
 subsp. *thauasium* (Peter) P. D. Sell, 213
- praecox* auct., 395
 subsp. *basicrinum* Zahn., 335
 subsp. *ciliatum* auct., 388
 subsp. *clovense* (E. F. Linton) Zahn, 306
 microg. *fraternum* Sudre, 401, 554
 subsp. *fraternum* (Sudre) Zahn, 401
 subsp. *gougetanum* (Gren. & Godr.) Zahn, 396
 subsp. *medium* (Jord.) Zahn, 409
 var. *medium* (Jord.) Sudre, 409
 var. *oxyodontoides* (Sch. Bip.) Sch. Bip., 359
- praemorsum* L., 204
- praesigne** (Zahn) Roffey, 363
 var. *subdiaphanum* Pugsley, 363
- praetenerum* auct., 384
- praetermissum* P. D. Sell & C. West, 345
- praethulense** Pugsley, 264
- prasiophaeum* Arv.-Touv. & Gaut., 396
- pratense* Tausch., 212
- preanthoides** Vill., 258
 subsp. *lanceolatum* (Vill.) Zahn., 258
 subsp. *strictissimum* auct., 258

Hieracium L. (cont.)

- probum** P. D. Sell & C. West, 273
- prolixum** Norrl., 391
- prominentidens** P. D. Sell, 239, 532
- protentum** P. D. Sell, 394, 554
- promonteriale** P. D. Sell, 337, 546
protractum auct., 249, 256
 var. *shetlandicum* Dahlst., 256
- proximum** F. Hanb., 323
- pruinale** (Zahn) P. D. Sell & C. West, 418
- pseudacrifolium* Pugsley, 253
pseudamplidentatum Pugsley, 245
 var. *stenophyllum* Pugsley, 245
- pseudanglicoides** J. E. Raven, P. D. Sell & C. West, 312
- pseudanglicum** Pugsley, 308
- pseudocurvatum* auct., 272
- pseudocurvatum** (Zahn) Pugsley, 282
- pseudoleyi** (Zahn) Roffey, 335
- pseudomicrodon* Dahlst., 332
pseudonosmoides auct., 326
- pseudopetiolatum** (Zahn) Roffey, 294
- pseudopilosella* auct., 215
pseudoprotractum Pugsley, 256
pseudorepandum Pugsley, 344
- pseudosarcophyllum** Pugsley, 386
- pseudostenstroemii* Pugsley (1941), 407
pseudostenstroemii Pugsley (1948), 389
- pseudozetlandicum** Roffey, 322
- pugsleyi** P. D. Sell & C. West, 263
- pulchelliforme* (W. R. Linton) Pugsley, 266
pulchellum auct., 266
pulcherrimum (F. Hanb.) Roffey, 393
- pulchrius** (Ley) W. R. Linton, 375
- pulmonarioides** Vill., 269
- pulmonarium* auct., 297
pulmonarium Sm., 269
purpurascens Dahlst., 365
- pusillifolium** P. D. Sell, 321, 543
- pyncnodon* Dahlst.
 var. *acutidens* Dahlst., 347
- pyncotrichum** (W. R. Linton) Roffey, 244
- quadridentatum** Hyl., 402
- radylene** (Pugsley) P. D. Sell & C. West, 373
- raveniorum** P. D. Sell, 305, 539
- reayense** (Pugsley) P. D. Sell, 246, 532
reclinatum auct., 369
- rectulum** Ley, 377
- repandulare** Druce, 344
- repandum** (Ley) Ley, 344
 var. *venosum* (Ley) Ley, 344
- repens* Gray, 214
- reticulatiforme** P. D. Sell, 246
reticulatum auct., 246, 247
- reticulatum** Lindeb., 246
 var. *angustifolium* Pugsley, 246, 532
 var. *melanoglochis* (E. F. Linton) Pugsley, 247
 var. *reayense* Pugsley, 246, 532
- rhayaderense* Pugsley, 253
- rhomboides** (Stenstr.) Johanss., 362
- riddelsdellii** Pugsley, 344
- rigens** Jord., 238

Hieracium L. (cont.)

- rigidum* auct., 248
 var. *calcaricola* F. Hanb., 251
 var. *friesii* auct., 249, 262
 subsp. *lineatum* Dahlst., 255
 var. *longiciliatum* auct., 254
 var. *longiciliatum* F. Hanb., 254
 var. *nidense* F. Hanb., 257
 var. *pullatum* auct., 253
 var. *rubefactum* (E. F. Linton) Roffey, 253
 var. *serpentinum* F. Hanb., 256
 var. *stewartii* (F. Hanb.) W. R. Linton, 251
 var. *strigosum* Ley, 254
 var. *tavense* Ley, 249
 subsp. *trichocaulon* Dahlst., 251
 var. *trichocaulon* (Dahlst.) W. R. Linton, 251
rionii Gremli., 312
rivale F. Hanb., 388
 var. *dasythrix* (E. F. Linton) W. R. Linton, 307
 var. *subhirtum* F. Hanb., 381
rivulare Krocke, 362, 551
robertsii P. D. Sell, 360, 550
roffeyanum Pugsley, 359
ronasii P. D. Sell, 400, 554
rosulare Brenner, 322, 543
rotundatum auct., 392
rubefactum (E. F. Linton) Roffey, 253
rubicundiforme (Zahn) Roffey, 329
rubicundum F. Hanb., 329
 var. *boswellii* (E. F. Linton) F. N. Williams, 330
 var. *glabrescens* Pugsley, 360, 550
rubiginosum F. Hanb., 361
 var. *peccense* W. R. Linton, 359, 550
 var. *rivulare* Pugsley, 362, 551
sabaudum L., 241
 forma **bladonii** (Pugsley) P. D. Sell, 241, 532
 forma *calvatum* (F. Hanb.) Zahn, 238
 subsp. *dumosum* (Jord.) Sudre, 242
 var. *latifolium* Gaudin, 238
 subsp. *obliquum* (Jord.) Schinz & Keller, 241
 var. *perpropinquum* Zahn, 241
 subsp. *rigens* (Jord.) Zahn, 238
 var. *rigens* (Jord.) Schinz & Keller, 238
 var. *salicetorum* (Sudre) Zahn, 240
 subsp. *scabiosum* (Sudre) Zahn, 240
 subsp. *vagum* (Jord.) Schinz & Keller, 238
 subsp. *virgultorum* (Jord.) Schinz & Keller, 240
sagitticeps Dahlst., 379
sagittatum (Lindeb.) Dahlst., 382
 var. *abrasum* Dahlst., 379
 var. *ampliatum* (W. R. Linton) Zahn, 317
 subsp. *breadalbanense* (F. Hanb.) Zahn, 384
 var. *clivicola* (F. Hanb.) Zahn, 379
 var. *dasythrix* (E. F. Linton) Zahn, 307
 subsp. *euprepes* Zahn, 379
 var. *glabratum* (E. F. Linton) Zahn, 304
 var. *lanuginosum* auct., 385
 subsp. *leyanum* Zahn, 330
 var. *maculigerum* (W. R. Linton) Zahn, 382
 var. *peccense* (E. F. Linton) Zahn, 359
 var. *philanthrax* auct., 382

Hieracium sagittatum (Lindeb.) Dahlst. (cont.)

- subsp. *rivale* (F. Hanb.) Zahn, 388
 subsp. *rubiginosum* (F. Hanb.) Zahn, 361
 var. *subhirtum* (F. Hanb.) W. R. Linton, 381
salicetorum auct., 248
salicetorum Sudre, 240
salticola (Sudre) P. D. Sell & C. West, 239
sanguineum (Ley) W. R. Linton, 388
sannoxense P. D. Sell, 310
sarcophylloides Dahlst., 347
sarcophyllum auct., 386
 var. *ampliatum* W. R. Linton, 317
 var. *expallidiforme* auct., 390
 var. *expallidiforme* auct., 347
sarmentosum Salisb., 214
saxifragum auct., 296
 subsp. *argenteum* (Fr.) Zahn, 332
 subsp. *carenorum* (F. Hanb.) Zahn, 340
 subsp. *microdon* (Dahlst.) Dahlst., 332
 subsp. *nitidum* (Backh. fil.) Zahn, 340
 subsp. *nitidum* var. *silurense* (F. Hanb.) Zahn, 331
 var. *oreades* auct., 331
 subsp. *orimeles* (F. Hanb. ex W. R. Linton) Zahn, 326
 var. *orimeles* (F. Hanb. ex W. R. Linton) F. Hanb., 325
 subsp. *pseudoleyi* Zahn, 335
 subsp. *pseudonosmoides* auct., 326
 var. *pseudonosmoides* auct., 326
 var. *septentrionale* (F. Hanb.) Zahn, 332
 var. *siluriense* (F. Hanb.) Zahn, 331
 var. *subglabratum* (F. Hanb.) Zahn, 331
 var. *vimineum* auct., 340
saxorum (F. Hanb.) P. D. Sell & C. West, 345
scabiosum Sudre
 var. *salicetorum* (Sudre) Sudre, 240
scabrisetum (Zahn) Roffey, 253
scandinavicum auct., 384
scanicum auct., 373
scanicum (Dahlst.) Ley, 370
 var. *anglorum* Ley, 371
scarpicum Pugsley, 314
schmidtii auct., 343
schmidtii Tausch., 342
 var. *crinigerum* auct., 325
 var. *devoniense* F. Hanb., 355
 var. *eustomon* E. F. Linton, 355
 forma *lasiophyllum* (W. D. J. Koch) F. N. Williams, 341
 var. *superbum* auct., 340
sciaphilum (Uechtr.) F. Hanb., 373
 var. *amplifolium* (Ley) W. R. Linton, 368
 forma *paucifolia* Ley ex Riddelsd., 373
 var. *pulchrius* Ley, 375
 var. *strumosum* Ley, 375
scoticiforme Dahlst., 320
scoticum F. Hanb., 320
 var. *microphyllum* Pugsley, 321, 543
 var. *occidentale* F. Hanb., 328, 545
 var. *rosulare* Pugsley, 322, 543
 var. *submaculatum* Dahlst., 322
scotostictum Hyl., 395
scottii P. D. Sell, 322, 544
scullyi E. F. Linton, 252

- Hieracium L. (cont.)**
scytophyllum auct., 371
sejunctum (W. R. Linton) Roffey, 357
semicrassiceps Pugsley, 387
senescens Backh. fil., 299
 var. *brevifurcatum* Pugsley, 299
 subsp. *marshallii* (E. F. Linton) Zahn, 300
septentrionale Arv.-Touv., 253, 545
 var. *amphibolum* auct., 253
 var. *simplex* Ley, 321, 543
seriflorum Hyl., 402
serratifrons Almq.
 subsp. *caliginosum* auct., 420
 var. *caliginosum* auct., 390, 420
 var. *cinderella* Ley, 403
 var. *crassiceps* auct., 387, 408
 var. *lepistoides* auct., 407, 408
 subsp. *stenstroemii* auct., 389
 subsp. *stenstroemii* Dahlst., 407
 var. *stenstroemii* auct., 389
 var. *stenstroemii* (Dahlst.) W. R. Linton, 407
 subsp. *subcrassum* Almq. ex Dahlst., 403
 var. *torticeps* auct., 407, 408
 var. *triangulare* auct., 407
severiceps Wiinst., 413
shoolbredii E. S. Marshall, 319
shoolbredii Zahn, 322
siluriense (F. Hanb.) P. D. Sell, 331, 545
silvaticoides Pugsley, 384
silvaticum auct., 384
 var. *asymmetricum* auct., 390, 391
 var. *asymmetricum* Ley, 337, 546
 subsp. *caesionigrescens* Fr. ex Stenstr., 359
 subsp. *cordigerum* Fr. ex Stenstr., 359
 var. *crassum* Ley, 380, 552
 var. *lucidulum* (Ley) F. N. Williams, 415
 var. *maculosum* (Dahlst. ex Stenstr.) F. N. Williams, 391
 subsp. *maculosum* (Dahlst. ex Stenstr.) Omang, 391
 var. *micracladium* F. N. Williams, 394
 var. *pellucidum* (Laest.) Almq., 415
 subsp. *prolixum* (Norrl.) Dahlst., 391
 var. *prolixum* (Norrl.) F. N. Williams, 391
 var. *prolixum* auct., 307
 var. *rivale* (F. Hanb.) F. N. Williams, 388
 forma *subhirtum* (F. Hanb.) F. N. Williams, 381
 subsp. *sagittatum* (Lindeb.) Stenstr., 382
 var. *sanguineum* (Ley) F. N. Williams, 388
 var. *subcyanum* W. R. Linton, 336
 var. *subtenuum* W. R. Linton, 380
 var. *tricolor* W. R. Linton, 336
simplex Viv., 321, 543
sinclairii Dahlst., 347
sinuans F. Hanb., 297
sinuolatum P. D. Sell, 383, 552
skyense (Zahn) Roffey, 319
snowdoniense P. D. Sell & C. West, 421
solum P. D. Sell & C. West, 267
sommerfeltii Lindeb., 334
 var. *griffithii* (F. Hanb.) Zahn, 325
 subsp. *sommerfeltii*, 334
- Hieracium sommerfeltii** Lindeb. (cont.)
 subvar. *splendens* (F. Hanb.) Zahn, 335
 var. *splendens* F. Hanb., 335
 var. *subtruncatum* Pugsley, 345
 var. *tactum* F. Hanb., 335
sordidum W. R. Linton ex E. F. Linton, 350
sowadeense P. D. Sell, 321, 543
sparsidens Dahlst.
 var. *elatus* Ley, 408, 555
sparsifolium Lindeb., 256
 var. *grandescens* auct., 249, 253
 var. *lingua* Ley, 257
 var. *longiciliatum* (F. Hanb.) W. R. Linton, 254
 var. *oligodon* E. F. Linton, 257
 var. *placeroephyllum* auct., 253
 var. *strigosum* (Ley) W. R. Linton, 254
sparsifrons P. D. Sell & C. West, 257
sparsum Friv., 418, 555
sparsum Jord. ex Boreau, 418
speluncarum Arv.-Touv., 268
 var. *lanceolatum* Arv.-Touv., 269
spenceanum Walter Scott & R. C. Palmer, 263
spicatum Gilib., 204
spilophaeum Jord. ex Boreau, 367
spraguei Pugsley, 213
spurcatum Jord. ex Boreau, 367
stenolepiforme (Pugsley) P. D. Sell & C. West, 355
stenolepis auct., 346, 351, 354, 355
 var. *anguinum* W. R. Linton, 390
 var. *subbritannicum* A. Ley, 354
stenophyes W. R. Linton, 362
 var. *oxyodus* W. R. Linton, 304
stenopholidium (Dahlst.) Omang, 355
stenotum auct., 332
stenstroemii (Dahlst.) Johans., 407
 var. *subcordatum* Pugsley, 408
sternbergii Hoppe ex Hornem., 203
stewartii (F. Hanb.) Roffey, 251
 var. *praegeri* Pugsley, 251
stictophyllum Dahlst., 256
 var. *concolor* Pugsley, 256
 var. *serpentinum* (F. Hanb.) W. R. Linton, 256
stictum P. D. Sell, 343, 548
 × *stoloniflorum* Waldst. & Kit., 211
 subsp. *schuriana* Nägeli & Peter, 212, 532
striatum Tausch.
 var. *pseudauratum* auct., 248
strictiforme (Zahn) Roffey, 246
strictum auct., 246
 var. *amplidentatum* F. Hanb., 245
 var. *angustum* auct., 245
 var. *humilius* Beeby, 261
 var. *opsianthum* Dahlst. ex F. Hanb., 246
 var. *subcrocatum* E. F. Linton, 248
strumosum (Ley) Ley, 375
subaequalium Hyl., 412
subalpestrifrons Dahlst., 379
subamplifolium (Zahn) Roffey, 368
subanfractum E. S. Marshall, 300
subbritannicum auct., 351

Hieracium L. (cont.)

- subbritannicum** (Ley) P. D. Sell & C. West, **354**
subcrassum (Almq. ex Dahlst.) Johanss., **403**
subcrocatum (E. F. Linton.) Roffey, **248**
subcyaneum (W. R. Linton) Pugsley, **336**
subelatum auct., 258
suberectum auct., 238
subexpallescens Dahlst., 379
subfascicularis (W. R. Linton) Roffey, 357
subglobosum P. D. Sell & C. West, **279**
subgracilentipes auct., 286
subgracilentipes (Zahn) Roffey, **276**
subhirtum (F. Hanb.) Pugsley, **381**
subimpressum Dahlst., 316
subincisum Freyn
 var. *riionii* (Gremli) Arv.-Touv., 312
subintegrifolium Pugsley, **356**
subintegrum auct., 257
subirriguum Dahlst. ex Porat, **364**
sublactucaceum auct., 238, 239
 var. *radnoricum* Druce & Zahn, 238
sublasiophyllum P. D. Sell, **338**, 547
sublepistoides (Zahn) Druce, **412**
subminutidens (Zahn) Pugsley, **370**
submurosum auct., 306
submutabile (Zahn) Pugsley, 369
subnigrescens auct., 302
 var. *gracilifolium* (F. Hanb.) Pugsley, 302
subplanifolium auct., 308, 345
subplanifolium Pugsley, 346
subpolyphyllum Pugsley, 248
subprasinifolium Pugsley, **394**
subquercetorum Pugsley, 238
subramosum auct., 357
subramosum Lönnr., **363**
 subsp. *coniops* (Norrl.) Zahn, 358
 subsp. *holophyllum* (W. R. Linton) Zahn, 328
 subsp. *insulare* (F. Hanb.) Zahn, 310
 var. *megalodon* (F. Hanb.) Zahn, 365
 subsp. *orcadense* (W. R. Linton) Zahn, 379
 var. *rhomboides* (Stenstr.) Zahn, 362
 subsp. *surrejanum* (F. Hanb.) Zahn, 365
subravusculum (W. R. Linton) Roffey, 357
subrectum auct., 238
subrubicundum Dahlst., **327**
subrude Arv.-Touv., **324**
subsanguineum (Zahn) Roffey, 388
subscoticum P. D. Sell, **320**, 543
substrigosum (Zahn) Roffey, **254**
subtenuis (W. R. Linton) Roffey, **380**
 var. *canispense* Pugsley, 380
subtenuifrons P. D. Sell & D. J. Tennant, **284**, 535
subtruncatum Beeby, **262**
 var. *glussburnense* Pugsley, 262
subulatidens auct., 407, 418
 var. *cuneifrons* Ley, 397
subumbellatiforme (Zahn) Roffey, **245**
subviolascens P. D. Sell, **264**, 551
subvirescens (Nägeli & Peter) Roffey, 215
succisifolium All., 203

Hieracium L. (cont.)

- surrejanum** F. Hanb., **365**
 var. *megalodon* E. F. Linton, 365
sylvaticum Lam.
 subsp. *integratum* Dahlst. ex Stenstr., 414
sylvivagum Jord. ex Boreau, **413**
sylvularum Jord. ex Boreau, **401**
syngenes Jord. ex Boreau, **415**
taraxaci L., 102
tavense (Ley) Ley, **249**
tectorum (L.) Hornem., 204
tenuifrons auct., 284
tenuifrons P. D. Sell & C. West, **283**
thalassinum P. D. Sell, **311**, 541
thuringorum Sag., 367
triangulifolium P. D. Sell, **385**, 553
trichocaulon (Dahlst.) Johanss., **251**
tricholepium (Nägeli & Peter) Roffey, 215
tricolorans (Zahn) Pugsley, **336**
tridentatum auct., 249, 251
tridentatum Fr., **251**
 var. *acrifolium* auct., 253
 var. *decipiens* Ley, 249
 forma *glandulosiceps* (Zahn) Pugsley, 251
 var. *polyphyllum* (Zahn) Pugsley, 251
 var. *setigerum* Ley, 253
trinitatis Pugsley, 255
triviale (Norrl.) Norrl., **356**
truncatum auct., 262
tumescens Norrl.
 subsp. *molybdochroum* Dahlst., 299
tunbridgense Pugsley, 377
uiginskyense Pugsley, **255**
uistense (Pugsley) P. D. Sell & C. West, **397**
uisticola Pugsley, **383**
umbellatum L., **242**
 subsp. **bichlorophyllum** (Druce & Zahn) P. D. Sell & C. West, **243**
 var. **commune** Fr., **243**
 var. **coronopifolium** Bernh. ex Hornem., **243**
 var. **curtum** E. F. Linton, **243**
 var. **dunense** Reyn, **243**
 var. *filifolium* Fr., 243
 forma *latifolium* W. R. Linton, 243, 532
 var. **latifolium** (W. R. Linton) P. D. Sell, **243**, 532
 var. *linariifolium* Wallr., 243
 var. *litorale* Lindb., 243
 var. *littoreum* auct., 243
 subsp. *maritimum* (F. Hanb.) Zahn, 244
 var. *monticola* auct., 243
 subsp. **ogwenii** (E. F. Linton) W. R. Linton, **243**
 var. *ogwenii* (E. F. Linton) F. Hanb., 243
 var. *paniculatum* auct., 243
 var. *paniculatum* Cariot, 243
 var. *pauciflorum* auct., 244
 var. **sarniense** P. D. Sell, **243**, 532
 var. *serum* Sudre, 243
 var. **taylori** Bab., **243**
vagense (F. Hanb.) Ley, **333**
vagicola P. D. Sell, **351**, 549

Hieracium L. (cont.)

- vagum** Jord., 238, 532
 forma **croceostylum** (Pugsley) P. D. Sell, 238, 532
 forma **vagum**, 238
variicolor auct., 392
 var. *piligerum* Pugsley, 392
variifolium P. D. Sell & C. West, 390
vennicontium Pugsley, 304
vestitum Gren. & Godr., 338, 547
veterascens Dahlst., 329
vinaceum (Beeby) Pugsley, 261
vinicaule P. D. Sell & C. West, 261
vinifolium P. D. Sell, 361, 550
violascens (Almq. ex Dahlst.) Dahlst., 364
violascens Borbas, 364, 551
virgultorum Jord., 240
 var. *salticola* Sudre, 239
vorlichense P. D. Sell, 301, 536
vulgatum Fr., 357, 549
 subsp. *acuminatum* (Jord.) Sudre, 372
 var. *acuminatum* (Jord.) Arv.-Touv., 372
 var. *amplifolium* Ley, 368
 subsp. *argillaceum* (Jord.) Sudre, 373
 var. *argillaceum* (Jord.) Arv.-Touv., 373
 var. *asperatum* Sudre, 374
 subsp. *aviicola* (Jord. ex Boreau) Zahn, 375
 var. *aviicola* (Jord. ex Boreau) Sudre, 375
 var. *cacuminum* (Ley) F. Hanb., 327
 var. *cheriense* (Jord. ex Boreau) Zahn, 377
 subsp. *chlorophyllum* (Jord. ex Boreau) Zahn, 373
 var. *chlorophyllum* (Jord. ex Boreau) Sudre, 374
 var. *cinereum* Backh., 328
 subsp. *consociatum* (Jord. ex Boreau) Zahn, 373
 var. *consociatum* (Jord. ex Boreau) Sudre, 373
 subsp. *daedalolepium* Zahn., 369
 var. *daedalolepium* auct., 369
 subsp. *deductum* auct., 369
 subsp. *diaphanum* (Fr.) Zahn., 369
 var. *fastigiatum* Zahn, 373
 microg. *festinum* (Jord. ex Boreau) Sudre, 376
 subsp. *festinum* (Jord. ex Boreau) Sudre, 376
 var. *genuinum* (Jord. ex Boreau) Sudre, 363
 var. *genuinum* Syme, 373
 subsp. *lachenalii* auct., 373
 forma *latebrosum* (Jord. ex Boreau) Zahn, 375
 subvar. *latebrosum* (Jord. ex Boreau) Sudre, 375
 subsp. *lepidiceps* (Dahlst.) Zahn, 370
 subsp. *lepidulum* (Stenstr.) Zahn, 364
 var. *lortetiae* (Balbis) Sudre, 376
 forma *maculatum* Backh. fil., 367
 var. *maculatum* F. Hanb., 367
 var. *medium* auct., 373
 var. *mutabile* Ley, 369
 var. *nemorosum* auct., 356
 subsp. *percissum* (Jord. ex Boreau) Zahn, 363
 var. *percissum* (Jord. ex Boreau) Sudre, 363
 subsp. *pinnatifidum* Zahn, 363
 subsp. *praesigne* Zahn, 363
 forma **pseudosubramosum** (Pugsley) P. D. Sell, 357, 549
 var. *pseudosubramosum* Pugsley, 357, 550
 subsp. *pulchrius* (Ley) Zahn, 375

Hieracium vulgatum Fr. (cont.)

- var. *rosulatum* Syme, 357
 var. *rubescens* Backh. fil., 361
 subsp. *scanicum* (Dahlst.) Zahn, 370
 var. *sciaphilum* Uechtr., 373
 forma **sejunctum** (W. R. Linton) P. D. Sell, 357, 550
 var. *sejunctum* W. R. Linton, 357, 550
 subsp. *subamplifolium* Zahn, 368
 forma **subfasciculare** (W. R. Linton) P. D. Sell, 357, 549
 var. *subfasciculare* W. R. Linton, 357, 549
 subsp. *subirriguum* (Dahlst.) Zahn, 364
 var. *submutabile* Zahn, 369
 var. *sublaeve* Sudre, 377
 forma **subravusculum** (W. R. Linton) P. D. Sell, 357, 550
 var. *subravusculum* W. R. Linton, 357, 550
 subsp. *triviale* Norrl., 356
 var. *triviale* (Norrl.) Pugsley, 356
 subsp. *violascens* (Almq. ex Dahlst.) Zahn, 364
westii P. D. Sell, 304
wiesbaurianum Uechtr.
 subsp. *britannicum* (F. Hanb.) Zahn, 350
 subsp. *cambricum* (Baker) Zahn, 333
 subsp. *cyathis* (Ley) Zahn, 337
 var. *griseum* (Ley) Zahn, 341
 subsp. *hypochaeroides* (S. Gibson) Zahn, 343
 var. *saxorum* (F. Hanb.) Zahn, 345
 subsp. *vagense* (F. Hanb.) Zahn, 333
zetlandicum Beeby, 267
zygophorum Hyl., 396
Hippophaestum Gray, 84
vulgare Gray, 87
Homogyne Cass., 511
alpina (L.) Cass., 512
 Honeysuckle, 46
 Box-leaved, 44
 Californian, 44
 Fly, 45
 Garden, 47
 Henry's, 45
 Himalayan, 43
 Perfoliate, 47
 Tartarian, 45
 Wilson's, 44
Hostia Moench, 205
foetida (L.) Moench, 205
Hyoseris L.
cretica L., 97
hedynois L., 97
minima L., 96
rhagadioloides L., 97
taraxacoides Vill., 103
Hypochaeris L., 98
ascendens Brot., 98
dimorpha Brot., 95
glabra L., 99
 var. *erostri* Boiss., 99
 var. *loiseleuriana* Godr., 99
 × **radicata**, 99
hispidula Roth., 99
infesta Salisb., 99
 × **intermedia** Richt., 99

Hypochaeris L. (*cont.*)**maculata** (L.) Scop., 100**radicata** L., 99var. *salina* (Gren.) Rouy, 100subsp. **ericetorum** Van Soest, 100, 106*salina* Gren., 100*Hypochaeris* auct., 98**Ifloga** Cass.**verticillata** (L. fil.) Fenzl., 427*Intybellia* Monnier, 204*praemorsa* (L.) Monnier, 204*Intybus* Fr., 204*bulbosus* (L.) Fr., 111*praemorsus* (L.) Fr., 204**Inula** L., 433**aspera** Poir., 434**britannica** L., 434**caucasica** Pers., 438*conyza* DC., 435**conyzae** (Griess.) Meikle, 435*cordata* Boiss., 434*crithmifolia* L., 435**crithmoides** L., 435*cylindrica* With., 437*dysenterica* L., 437*glandulosa* Willd., 434*grandiflora* Gray, 433*grandiflora* Willd., 434*graveolens* (L.) Desf., 436**helenium** L., 433**hookeri** C. B. Clarke, 434**oculus-christi** L., 435*orientalis* Lam., 434*pulicaria* L., 437*pulicaris* Stokes, 437**salicina** L., 434subsp. **aspera** (Poir.) Hayek, 434*squarrosa* (L.) Bernh., 435*suaveolens* Pall., 435*uliginosa* Sibth., 437*viscosa* (L.) Aiton, 436*vulgaris* Trevis, 435**Iva** L., 514**xanthifolia** Nutt., 514*Ixine* Hill, 75*arvensis* (L.) Hill, 80**Jacea** Mill., 89*alata* Lam., 91*cineraria* (L.) Delarbre, 86*communis* Delarbre, 89*nigra* Gray, 89*nigra* (L.) Hill, 90*paniculata* (L.) Lam., 86*pratensis* Lam., 89*scabiosa* (L.) Lam., 85*segetum* Lam., 91*vulgaris* Bernh., 90*Jacobaea* Mill., 494*aquatica* P. Gaern., B. Mey. & Scherb., 495*Jacobaea* Mill. (*cont.*)*carnea* C. Presl, 497*doria* (L.) P. Gaertn., B. Mey. & Scherb., 492*elegans* (L.) Moench, 503*erucifolia* (L.) P. Gaertn., B. Mey. & Scherb., 496*incisa* C. Presl, 497*nemorosa* Fourr., 494*ovata* P. Gaertn., B. Mey. & Scherb., 493*tomentosa* Moench, 490*vulgaris* Gaertn., 494*Jaegeria* Humb., Bonpl. & Kunth*abyssinica* (L. fil.) Spreng., 516*urticaefolia* (Kunth) Spreng., 521**Jasione** L., 10*appressifolia* Pau, 11*espadanae* Pau, 11*mediterranea* Rouy 11**montana** L., 11var. *boraei* Rouy, 11var. *glabra* Peterm., 11var. *gracilis* Lange, 11var. *hirsuta* Duby, 11var. **imbricans** J. Parn., 11var. *laevis* Duby, 11var. **latifolia** Pugsley, 11var. **litoralis** Fr., 11var. *major* Mert. & W. D. J. Koch, 11var. *maritima* Bréb., 11var. *megaphylla* Vicioso, 11var. *nana* Boreau, 11var. **nana** Gren. & Godr., 11var. *prolifera* A. DC., 11var. *sebularia* Cout., 11var. *stolonifera* DC., 11var. *tenella* Peterm., 11var. *timbali* Rouy, 11*undulata* Lam., 11*vulgaris* Gaterau, 11

Jerusalem Artichoke, 519

Kentranthus auct., 53*Kentrophyllum* Necker ex A. DC., 93*baeticum* Boiss. & Reut., 93*lanatum* (L.) DC., 93*Kerneria* Moench*bipinnata* (L.) Gren. & Godr., 524

Knapweed, Brown, 89

Chalk, 90

Common, 90

Greater, 85

Jersey, 86

Ragwort, 86

Russian, 84

Knautia L., 57**arvensis** (L.) Coult., 57var. *integrifolia* (Roth) DC., 58**Kolkwitzia** Graebn., 47**amabilis** Graebn., 47*Lacinaria* Hill*ligulistylis* A. Nelson, 529

Lactuca L., 115

- adulterina* Gren. & Godr., 117
alpina (L.) A. Gray, 118
ambigua Schrad., 117
angustifolia Gilib., 117
bourgaei (Boiss.) Irish & N. Taylor, 119
caucasica K. Koch, 117
cyanea K. Koch, 117
dubia Jord., 116
flavida Jord., 117
integrata (Gren. & Godr.) A. Nelson, 116
kochiana Beauverd, 118
lactucarii Lamotte, 117, 532
macrophylla (Willd.) A. Gray, 119
minima Gray, 117
muralis (L.) Gaertn., 120
officinarum Crantz, 115
plumieri (L.) Gren. & Godr., 119
salicifolia (K. Koch) Grossh., 118
salicifolia Salisb., 117

saligna L., 117

- var. *cracoviensis* auct., 117
 var. *runcinata* Gren. & Godr., 117

sativa L., 116

- var. *angustana* Irish ex Bremer, 117
 subsp. *asparagina* Janch., 117
 subsp. *capitata* (L.) Schübl. & G. Martens, 116
 var. *capitata* L., 116
 subsp. *crispa* (L.) Schübl. & G. Martens, 116
 var. *crispa* L., 116
 var. *longifolia* Lam., 116
 subsp. *romana* Schübl. & G. Martens, 116

scariola L., 115

- var. *altissima* Lecoq & Lamotte, 117
 var. *integrata* Gren. & Godr., 116
 var. *integrifolia* (Gray) Bogenhard, 116
 var. *lactucarii* (Lamotte) Rouy, 117, 532
 var. *typica* Rouy, 116
 var. *vulgaris* Bisch., 116

schimperii Jord., 115**serratifolia** Sennen, 117**serriola L., 115**

- var. *dubia* (Jord.) Rouy, 116
 forma *integrifolia* (Gray) S. D. Prince & R. N. Carter, 116

silvestris Garsult, 115**sonchifolia** DC., 118**sylvestris** Lam., 115**tatarica** (L.) C. A. Mey., 117**viminea** (L.) J. & C. Presl, 115**virosa** L., 117, 532var. *integrifolia* Gray, 116forma *lactucarii* (Lamotte) P. D. Sell, 117, 532**Lagedium** Soják*tataricum* (L.) Soják, 118**Lappa** Scop., 70*arctium* Hill, 72*glabra* Lam., 71*intermedium* (Lange) Reichb. fil., 71*macrosperma* Wallr., 71**Lappa** Scop. (cont.)

- major* Gaertn., 71
 var. *racemosa* (Lej.) G. Mey., 71
minor Hill, 71
mixta E. G. Camus, 71
nemorosa (Lej.) Körn., 71
notha Ruhmer, 71
pubens (Bab.) Boreau, 71
ruhmerio Guétrot, 71
subracemosa Simonk., 71
tomentosa (Mill.) Lam., 72
 var. *glabra* Körn., 72
vulgaris Hill, 71

Lapsana L., 96*capillaris* L., 206**communis** L., 97subsp. **communis**, 97subsp. **intermedia** (M. Bieb.) Hayek, 97*intermedia* M. Bieb., 97*pusilla* Willd., 96*stellata* L., 98**Lasallea** Greene, 450*ericoides* (L.) Semple & Brouillet, 450*novae-angliae* (L.) Semple & Brouillet, 450**Laurustinus**, 37**Lavender-cotton**, 470**Legousia** Durande, 8*durandii* Delarbre, 8**hybrida** (L.) Delarbre, 8*parviflora* Gray, 8**speculum-veneris** (L.) Chaix, 8**Leontodon** L., 102*autumnalis* L., 101, 531var. *alpinus* (Gaudin) Gren. & Godr., 102subsp. *borealis* Ball, 102var. *cinerascens* Briq., 102, 531var. *coronopifolius* Lange, 102, 531var. *dentatus* Holuby ex Schur, 102, 531var. *latifolius* Schur, 102, 531var. *minus* auct., 101var. *nigrolantus* Fr., 101, 531var. *pinnatifidus* Schur, 102, 531var. *pratensis* (Hornem.) W. D. J. Koch, 102var. *salinus* (Aspegren) Lange, 101var. *simplex* Duby, 101, 531var. *taraxaci* (L.) Hartm., 102var. *vulgaris* Neilr., 102*bulbosus* L., 111*danubialis* Jacq., 103*hastilis* L., 103var. *arenarius* Duby, 106, 531var. *glabratus* W. D. J. Koch, 103*hirtus* auct., 103**hispidus** L., 103subsp. **danubialis** (Jacq.) Simonk., 103var. *glabratus* (W. D. J. Koch) Bisch., 103× **saxatilis**, 103, 531*leysseri* Beck, 103*nudicaulis* auct., 103var. *pristis* Druce, 106, 531

- Leontodon** L. (*cont.*)
obliquus Fr., 145
palustris Lyons, 146
pratensis (Hornem.) Rchb., 102
psilocalyx (Rchb.) Mérat, 106
saxatilis Lam., 103, 531
 var. **arenarius** (Duby) P. D. Sell, 106, 531
 var. **pristis** (Druce) P. D. Sell, 106, 531
taraxacoides (Vill.) Mérat, 103
taraxacum L.
 × **vegetus** Finch & P. D. Sell, 103, 531
- Leontopodium** (Pers.) R. Br. ex Cass.
alpinum Cass., 433
- Leopard-plant, 507
 Przewalski's, 507
- Leopard's-bane, 508
 Eastern, 509
 Harper-Crewe's, 508
 Plantain-leaved, 508
 Willdenow's, 508
- Lepidanthus* Nutt.
suaveolens (Pursh) Nutt., 484
- Lepidoseris* Rchb., 207
- Leptilon* Raf., 456
bonariense (L.) Small, 458
canadensis (L.) Britton, 458
linifolium (Willd.) Small, 458
- Leptinella* Cass., 486
dioica Hook. fil., 487
squalida Hook. fil., 487
- Leptinella, 487
 Hairless, 487
- Lettuce, Blue, 118
 Cabbage, 116
 Cos, 116
 Curled, 116
 Garden, 116
 Great, 117
 Least, 117
 Prickly, 115
 Wall, 120
- Leucantha* Gray
cyanifolia Gray, 88
- Leucanthemella** Tzvelev, 479
serotina (L.) Tzvelev, 479
- Leucanthemum** Mill., 480
cantabricum Sennen, 481, 556
crassifolium (Lange) Lange, 481
ircutianum DC., 481, 556
cantabricum (Sennen) Vogt, 481
crassifolium (Lange) Vogt, 481
lacustre (Brot.) Samp.
 × **maximum**, 418
maximum auct., 481
maximum (Ramond) DC., 481
pallens DC.
 var. *crassifolium* Lange, 481
praecox (Horvatic) Horvatic, 480
 × **superbum** (Bergmans ex J. Ingram) Kent, 481
- Leucanthemum** Mill. (*cont.*)
vulgare Lam., 480, 556
 subsp. **cantabricum** (Sennen) P. D. Sell, 481, 556
 subsp. **crassifolium** (Lange) Rouy, 481
 var. *crassifolium* (Lange) Merino, 481
 subsp. **ircutianum** (DC.) P. D. Sell, 481, 556
 var. **nanum** Pérard, 481
 subsp. **vulgare**, 480
 var. **vulgare**, 481
- Leucojum** L.
aestivum L.
 subsp. **aestivum**, xviii
 subsp. **pulchellum** (Salisb.) Briq., xviii
- Leysera** L.
capillifolia (Desf.) Spreng., 433
tenella DC., 433
- Leycesteria** Wall., 43
formosa Wall., 43
- Liatris** Gaertn. ex Schreb.
ligulistylis (A. Nelson) A. Nelson, 529
- Ligularia** Cass., 507
clivorum Maxim., 507
dentata (A. Gray) H. Hara, 507
przewalskii (Maxim.) Diels, 507
tangutica (Maxim.) Mattf., 506
- Limbardia* Adans., 433
tricuspis Cass., 435
crithmifolia Raf., 435
crithmoides (L.) Dumort., 435
- Linnaea** L., 42
americana Forbes, 43
borealis L., 42
 subsp. **americana** (Forbes) Hultén, 43
 var. *americana* (Forbes) Rehder, 43
- Linosyris* Cass., 451
vulgaris Less., 451
 var. *minor* Wallr. 451
- Liparis** Rich
loeselii (L.) Rich
 var. **loeselii**, xviii
 var. **ovata** Ridd. ex Godfrey, xviii
- Lobelia** L., 12
angulata G. Forst., 14
dortmanna L., 13
erinus L., 12
lacustris Salisb., 13
siphilitica L., 13
urens L., 12
- Lobelia, California, 14
 Garden, 12
 Great, 13
 Heath, 12
 Lawn, 14
 Water, 13
- Logfia* Cass., 426
arvensis (L.) Holub, 426
gallica (L.) Coss. & Germ., 426
minima (Sm.) Dumort., 426

- Lonicera L., 43**
americana auct., 47
caprifolium L., 47
 × **etrusca Sant., 47**
cochinchinensis G. Don, 46
dumetorum Moench, 45
henryi Hemsl., 44
hispanica Boiss. & Reut., 45
involutrata (Richardson) Banks ex Spreng., 44
italica (Mill.) Wood, 47
 × **italica** Schmidt ex Tausch, 47
japonica Thunb. ex Murray, 46
ledebourii Eschsch., 44
ligustrina Wall.
 var. *pileata* (Oliv.) Franch., 44
 var. *yunnanens* Franch., 44
mocinianan DC., 44
nitida E. H. Wilson, 44
ochroleuca St-Lag., 45
pallida Host, 47
perfoliata (Röhl.) Edwards, 47
periclymenum L., 46, 530
 var. *clarkei* Hesl.-Harr., 46
 var. *glaucohirta* Kuntze, 47
 var. **hirsuta** (Rouy) P. D. Sell, 45, 530
 subvar. *hirsuta* Rouy, 45, 530
 subsp. *hispanica* (Boiss. & Reut.) Nyman, 47
 var. *quercifolia* Aiton, 46
pileata Oliv., 44
 forma *yunnanensis* (Franch.) Rehd., 44
pubescens Stokes, 45
racemosa (Michx) Fern., 41
repens Miq., 45
rotundifolia (Moench) Medik., 47
suavis Salisb., 47
symphoricarpos L., 41
tatarica L., 45
villosa (Dulac) K. Koch, 45
vulgaris (Borkh.) Rehd., 45
xylosteum L., 45
Lopholoma Cass., 85
scabiosa (L.) Cass., 85
Lyonnetia Cass., 475
- Madder, 29
 Field, 16
 Wild, 28
- Magaris* DC., 41
- Malacothrix* DC.
crepoides A. Gray ex J. G. Cooper, 206
- Mantisalca** Cass.
salmantica (L.) Briq. & Cavill., 84
- Maori Holly, 461
- Margarita* DC.
nudiflora DC., 42
- Mariana* Hill, 83
lactea Hill, 83
mariana (L.) Hill, 83
- Marianthemum* Schrank, 1
medium (L.) Schur, 4
- Marigold, African, 526
 Corn, 478
 Dwarf, 527
 Field, 512
 French, 526
 Mediterranean, 479
 Pot, 512
 Southern, 526
- Marsea* Adans., 456
canadensis (L.) Badillo, 458
- Maruta* Cass., 478
cotula (L.) DC., 476
foetida Gray, 476
vulgaris Bluff & Fingerh., 476
- Matricaria L., 483**
aurea (Loefl.) Sch. Bip., 483
chamomilla L., 485, 486
chamomilla L. (1763), non L. (1753), 484
decipiens (Fisch. & C. A. Mey.) K. Koch, 483
discoidea DC., 484, 556
 subsp. **discoidea**, 484
 subsp. **occidentalis** (Greene) P. D. Sell, 484, 556
grandiflora (Thunb.) Fenzl ex Harv., 483
indica (L.) Desr., 482
inodora L., 485, 486
 var. *maritima* (L.) Wahlenb., 485
 var. *phaeocephala* auct., 485
 var. *salina* auct., 486
maritima L., 485
 subsp. *inodora* (K. Koch) A. R. Clapham, 486
 subsp. *phaeocephala* auct., 485
 var. *phaeocephala* auct., 485
matricarioides auct., 484
occidentalis Greene 484, 556
parthenium L., 464
perforata Mérat, 486
recutita L., 484
sauveolens L., 484
sauveolens (Pursh) Buchenau, 484
vulgaris Gray, 464
- Matricaria* sensu Flora Europaea, 484
- Mayweed, Scented, 484
 Scentless, 485
 Swollen-flowered, 483
- Mecoschistum* Dulac, 12
urens (L.) Dulac, 12
- Meridiana* Hill
uniflora (L. fil.) Kuntze, 423
- Michaelmas Daisy, Common, 448
 Confused, 447
 European, 444
 Glaucous, 446
 Hairly, 450
 Late, 447
 Narrow-leaved, 448
 Nettle-leaved, 445
 Red-stalked, 449
- Micropsis** DC.
spathulata (Pers.) Cabrera, 427

- Milfoil, Yellow, 473
Millefolium Adans., 471
nobile (L.) Fourr. 472
officinale Ledeb., 472
tomentosum (L.) Fourr., 473
vulgare Ledeb., 472
Millotia Cass.
perpusilla (Turcz.) P. S. Short, **432**
Molpadia (Cass.) Cass., 438
sauveolens Cass., 438
 Moschatel, 48
 Mountain Everlasting, 427
 Mouse-ear Hawkweed, 214
 Few-headed, 214
 Shaggy, 218
 Mugwort, 486
 Annual, 468
 Chinese, 466
 Hoary, 467
 Norwegian, 468
 Slender, 468
 Western, 467
Mulgedium Cass., 118
alpinum (L.) Less., 118
bourgaei Boiss., 119
hispidum Korsh., 119
macrophyllum (Willd.) DC., 119
plumieri (L.) DC., 119
salicifolium K. Koch, 118
tataricum (L.) DC., 118
uralensis Rouy, 119
Mycelis Cass., **120**
muralis (L.) Dumort., **120**
Myconia Sch. Bip., non Lapeyr.
chrysanthemoides Sch. Bip., 479
Myriocephalus Benth.
rhizocephalus (DC.) Benth., **432**

Nardosmia Cass., 511
denticulata Cass., 511
fragrans (Vill.) Rchb., 511
japonica Siebold & Zucc., 510
Nardostachys DC.
jatamansii DC., **435**
Nemauchenes Cass., 208
Nertera Banks & Sol. ex Gaertn., **15**
depressa Banks & Sol. ex Gaertn., 15
granadensis (Mutis ex L. fil.) Druce, **15**
montana Colenso, 15
 New Zealand Holly, 461
 Niger, 516
Nintoa Sweet
japonica (Thunb. ex Murray) Sweet, 46
 Nipplewort, 95

Oglifa (Cass.) Cass.
minima (Sm.) Rchb. fil., 426
Olearia Moench, **460**
avicenniifolia (Raoul) Hook. fil., **460**
 × *moschata*, **461**

Olearia Moench (*cont.*)
dentata Hook. fil., non Moench, 461
forsteri (Hook. fil.) Hook. fil., 460
 × *haastii* Hook. fil., **461**
hillii Colenso, 460
ilicifolia Hook. fil., **461**
macrodonta Baker, **461**
multibracteolata Colenso, 461
nummulariifolia (Hook. fil.) Hook. fil., **460**
paniculata (J. R. & G. Forst.) Druce, **460**
solandri (Hook. fil.) Hook. fil., **461**
traversii (F. Muell.) Hook. fil., **461**
Oligosporus Cass.
condimentarius Cass., 468
Omalotheca Cass., 429
norvegica (Gunnerus) Sch. Bip. & F. W. Schultz, 429
supina (L.) DC., 430
sylvatica (L.) Sch. Bip. & F. W. Schultz, 429
Oncosiphon Källersjö, **483**
grandiflorum (Thunb.) Källersjö, **483**
piligerum (L. fil.) Källersjö, **483**
suffruticosum (L.) Källersjö, **483**
Onopordon L., **81**
acanthium L., **82**
macranthum Schousboe, **82**
nervosum Boiss., **82**
vulgare Gray, 82
Oporinia D. Don, 100
autumnalis (L.) D. Don, 101
 var. *alpina* (Gaudin) DC., 102
 var. *minima* auct., 101
 var. *sordidus* Bab., 102
pratensis (Hornem.) Less., 102
Opulus Mill., 37
palustris Gray, 37
Orchis L.
militaris L.
 var. *militaris*, xviii
 var. *tenuifrons* P. D. Sell, xviii
Ormenis (Cass.) Cass.
mixta (L.) All., 474
nobilis (L.) J. Gay, 474
Otanthus Hoffmanns. & Link, **470**
maritimus (L.) Hoffmanns. & Link, **470**
Othonna L.
integrifolia L., 504
maritima L., 490
palustris L., 505
 Oxeye, Rough, 520
 Oxtongue, Bristly, 108
 Hawkweed, 107
 Pearly Everlasting, 428
 Three-nerved, 428

Pectis L.
pinnata Lam., 527
Pentzia Thunb.
grandiflora (Thunb.) Hutch., 483
Pericallis D. Don, **503**
hybrida R. Nordestam, **503**

- Periclymenum* Mill., 46
italicum Mill., 47
perfoliatum Gray, 47
vulgare Mill., 46
- Petasites** Mill., 510
albus (L.) Gaertn., 511
amplus Kitam., 511
elatior Hill, 510
fragrans (Vill.) C. Presl, 511
hybridus (L.) P. Gaertn., B. Mey. & Scherb., 510
 subsp. **hybridus**, 510
japonicus (Siebold & Zucc.) Maxim., 510
 subsp. **giganteus** Kitam., 511
officinalis Moench, 510
ovatus Hill, 510
petasites (L.) Karst., 510
vulgaris Desf., 510
- Phaeopappus* (A. DC.) Boiss.
macrocephalus (Muss. Puschk. ex Willd.) Boiss., 89
- Phalacroderis* DC., 205
coa DC., 206
- Phalacroloma* Cass. 455
- Phrygia* (Pers.) Gray, 89
major Gray, 85
nigra (L.) Gray, 90
- Phuopsis** (Griseb.) Hook. fil., 16
stylosa (Trin.) Benth. & Hook. fil. ex B. D. Jacks., 16
- Phyteuma** L., 9
orbiculare L., 10, 530
 subsp. **tenerum** (R. Schulz) P. D. Sell, 10, 530
scheuchzeri All., 10
spicatum L., 10
 subsp. **coeruleum** R. Schulz, 10
tenerum R. Schulz, 10, 530
- Picris** L., 106
auriculata Sch. Bip., 107
autumnalis (L.) All., 101
crepoides Saut., 107
echioides L., 108
foetida (L.) Lam., 205
grandiflora Ten., 107
hieracioides L., 107, 531
 var. **arenaria** (Nyár.) P. D. Sell, 107, 531
 subsp. *auriculata* (Sch. Bip.) Hayek, 107
 subsp. *crepoides* (Saut.) Nyman, 107
 var. *gracilis* auct., 107
 subsp. **grandiflora** (Ten.) Arcangeli, 107
 var. *incana* Druce, 107
 var. **leteae** (Nyár.) P. D. Sell, 107, 531
 subsp. *paleacea* (Vest) Domin & Podp., 107
 subsp. *setulosa* (Guss. ex Ces., Pass. & Gibelli) Arcangeli, 107
 subsp. *sonchoides* (Vest) Thell., 107
 subsp. **spinulosa** (Bertol. ex Guss.) Arcangeli, 107
 var. *stricta* (Jord.) Druce, 107
 subsp. *tatrae* Domin & Podp., 107
 var. *umbellata* auct., 107
 subsp. **villarsii** (Jord.) Nyman, 107
 var. **villarsii** (Jord.) P. D. Sell, 107, 531
humifusa Willd., 108
- Picris** L. (cont.)
paleacea Vest, 107
pyrenaica auct., 107
ruderalis Salisb., 108
setulosa Guss. ex Ces., Pass. & Gibelli, 107
sonchoides Vest, 107
 var. *arenaria* Nyár., 107
 var. *leteae* Nyár., 107, 531
spinulosa auct., 107
spinulosa Bertol. ex Guss., 107
stricta Jord., 107
tatrae Borbás, 107
villarsii Jord., 107, 531
- Pilosella** Hill, 209
aurantiaca (L.) F. W. Schultz & Sch. Bip., 211
 subsp. *brunneocrocea* (Pugsley) P. D. Sell & C. West, 211
 subsp. **carpathicola** (Nägeli & Peter) Soják, 211
 × **officinatum**, 211, 532
caespitosa (Dumort.) P. D. Sell & C. West, 212
 subsp. **colliniformis** (Peter) P. D. Sell & C. West, 212
 × **lactucella**, 212
euronota (Nägeli & Peter) Dostál, 215
flagellaris (Willd.) P. D. Sell & C. West, 214
 subsp. **bicapitata** P. D. Sell & C. West, 214
 × **floribunda** (Wimm. & Grab.) Arv.-Touv., 212
lactucella (Wallr.) P. D. Sell & C. West, 213
 subsp. *helveola* (Dahlst.) P. D. Sell & C. West, 212
 × **longisquama** (Peter) Holub, 218
melanops (Peter) Dostál, 215
officinatum F. W. Schultz & Sch. Bip., 214
 subsp. *concinata* (F. Hanb.) P. D. Sell & C. West, 215
 subsp. **euronota** (Nägeli & Peter) P. D. Sell & C. West, 215
 subsp. **melanops** (Peter) P. D. Sell & C. West, 215
 subsp. **micrandenia** (Nägeli & Peter) P. D. Sell & C. West, 215
 × **peleteranum**, 218
 subsp. **tricholepia** (Nägeli & Peter) P. D. Sell & C. West, 215
 subsp. **trichoscapa** (Nägeli & Peter) P. D. Sell & C. West, 215
 subsp. **trichosoma** (Peter) P. D. Sell & C. West, 215
pachylodes Soják, 218
peleterana (Mérat) F. W. Schultz & Sch. Bip., 218
 subsp. **subpeleterana** (Nägeli & Peter) P. D. Sell, 218
 subsp. **tenuiscapa** (Pugsley) P. D. Sell & C. West, 218
praealta (Vill. ex Gochnat) F. W. Schultz & Sch. Bip., 213
 subsp. *arvorum* (Nägeli & Peter) P. D. Sell & C. West, 213
 subsp. *spraguei* (Pugsley) P. D. Sell & C. West 213
 subsp. **thauamasia** (Peter) P. D. Sell, 213
 × **stoloniflora** (Waldst. & Kit.) F. W. Schultz & Sch. Bip., 211, 532
 nothosubsp. **schuriana** (Nägeli & Peter) P. D. Sell, 212, 532
thauamasia (Peter) Dostál, 213
tricholepia (Nägeli & Peter) Dostál, 215
trichoscapa (Nägeli & Peter) Dostál, 215
trichosoma (Nägeli & Peter) Dostál, 215
- Pinardia* Cass., 478
coronaria (L.) Less., 479
 Pineapple Weed, 484

- Ploughman's Spikenard, 435
- Podolepis** Labill.
gracilis (Lehm.) Graham, **433**
longipedata A. Cunn. ex DC., **433**
- Polycantha* Hill, 73
acanthoides (L.) Hill, 74
palustris (L.) Hill, 80
procumbens Gray, 88
- Polymnia* L.
abyssinica L. fil., 516
frondosa Bruce ex Murray, 516
- Porcellites* Cass.
maculata (L.) Cass., 100
radicata (L.) Cass., 99
- Pratia** Gaudich., **13**
angulata (G. Forst.) Hook. fil., **14**
 var. *arenaria* (Hook. fil.) Hook. fil., 14
arenaria Hook. fil., **14**
treadwellii auct., 14
- Prenanthes* L.
bulbosus (L.) DC., 111
muralis L., 120
- Prismatocarpus* L'Hér., 8
hybridus (L.) L'Hér., 8
speculum-veneris (L.) L'Hér., 8
- Pseudognaphalium* Kirp.
luteoalbum (L.) Hilliard & B. L. Burt, 431
undulatum (L.) Hilliard & B. L. Burt, 431
- Pseudolinosyris* Novopokr., 451
- Ptar mica* Mill., 471
acuminata Ledeb., 471
vulgaris DC., 471
- Pulicaria** Gaertn., **437**
dysenterica (L.) Bernh., **437**
 var. *discoidea* Druce, 437
 subvar. *flosculosa* Corb., 437
 var. *longiradiata* Druce, 437
graveolens (L.) Nyman, 436
prostrata Aschers., 437
pulicaria (L.) Karst., 437
uliginosa (Sibth.) Gray, 437
viscosa (L.) W. D. J. Koch, 436
vulgaris Gaertn., **437**
- Pyrethrum* Zinn, 463
balsamita (L.) Willd., 465
indicum (L.) Cass., 482
inodorum Moench, 486
macrophyllum (Waldst. & Kit.) Willd., 464
major (Desf.) Tzvelev, 465
maritimum (L.) Sm., 485
myconis (L.) Moench, 479
parthenium (L.) Sm., 464
sinense (Sabine) DC., 482
tanacetum (Karsch) Grecescu, 464
uliginosum Waldst. & Kit., ex Willd., 479
zawadskii (Herbich) Nyman, 483
- Ragweed, 513
 Giant, 514
 Perennial, 513
- Ragwort
 Broad-leaved, 492
 Chamois, 493
 Chinese, 506
 Common, 494
 Fen, 493
 Golden, 492
 Hedge, 506
 Hoary, 496
 Magellan, 494
 Marsh, 495
 Monro's, 506
 Narrow-leaved, 492
 Narrow-lobed, 491
 Oxford, 496
 Purple, 491
 Shoddy, 491
 Shrub, 505
 Silver, 490
 Welsh, 500
 Wood, 493
 Woad-leaved, 491
 York, 500
- Rampion, Oxford, 10
 Round-headed, 10
 Spiked, 10
- Rantilia* DC.
oleifera DC., 516
- Rapuntium* Mill., 12
dormanna (L.) C. Presl, 13
erinus (L.) Mill., 12
siphiliticum (L.) Mill., 13
urens (L.) Mill., 12
- Ratibida** Raf.
columnifera (Nutt.) Wooton & Standley, **518**
- Rhagadiolus** Juss., **98**
creticus (L.) All., 97
edulis Gaertn., **98**
intermedius Ten., 98
lyratus Lam., 98
stellatus (L.) Gaertn., **98**
 var. *eriocarpus* Faure & Maire, 98
 var. *hebelaeus* DC., 98
 var. *indivisus* Viv., 98
 var. *leiocarpus* DC., 98
 var. *leiolaenus* Boiss., 98
- Rhodanthe** Lindl.
charsleyae (F. Muell.) Paul G. Wilson, **432**
corymbiflora (Schtdl.) Paul G. Wilson, **432**
floribunda (DC.) Paul G. Wilson, **432**
manglesii Lindl., **432**
moschata (Cunn. ex DC.) Paul G. Wilson, **432**
- Robin's Plantain, 454
- Rodigia* Spreng., 205
bulgarica Velen., 205
commutata Spreng., 206
- Rubia** L., **28**
anglica Huds., **28**
peregrina L., **28**
tinctorum L., **29**

RUBIACEAE, 14**Rudbeckia L., 517****amplexicaulis** Vahl, 517**fulgida** Aiton, 517**hirta** L., 517**laciniata** L., 518**serotina** Nutt., 517**trilobata** L., 517*Sabazia* Cass.*urticaefolia* (Kunth) DC., 521

Safflower, 92

Downy, 93

Sagmen Hill, 85*jacoidea* Hill, 85*scabiosa* (L.) Hill, 85

Salsify, 110

Black, 109

Slender, 111

Sambucus L., 29*aurea* (Sweet) Carrière, 31**canadensis** L., 31**ebulus** L., 31*herbacea* Stokes, 31*humilis* Mill., 31*laciniata* (L.) Mill., 31*melanocarpa* A. Gray, 30**nigra** L., 30forma **aurea** (Sweet) Schwer., 31var. *aurea* Sweet, 31var. *chlorocarpa* Hayne, 31var. *heterophylla* Endl., 31forma **laciniata** (L.) Zabel, 31var. *laciniata* L., 31var. *leucocarpa* Sm., 31forma **luteovariegata** (Weston) Schwer., 31var. *luteovariegata* Weston, 31forma **pendula** Dippel, 31var. *rotundifolia* DC., 31var. *virescens* Sweet, 31forma **viridis** (Weston) Schwer., 31var. *viridis* Weston, 31*pubens* Michx, 30**racemosa** L., 30var. **melanocarpa** (A. Gray) McMinn, 30subsp. **pubens** (Michx) House, 30var. *pubens* (Michx) Koehne, 30subsp. **sieboldiana** (Miq.) Hara, 30var. *sieboldiana* Miq., 30*sieboldiana* (Miq.) Schwer., 30

Samphire, Golden, 435

Santolina L., 469**chamaecyparissus** L., 470subsp. **chamaecyparissus**, 470subsp. **tomentosa** (Pers.) Arcangeli, 470*maritima* (L.) Crantz, 470*suaveolens* Pursh, 484*tomentosa* Pers., 470**Saussurea** DC., 72**alpina** (L.) DC., 72

Saw-wort, 83

Alpine, 72

Scabiosa L., 59**ambigua** Ten., 62*arvensis* L., 57var. *integrifolia* (Roth) Peterm., 58var. *pinnatisecta* auct., 57*ateridoi* Pau, 62**atropurpurea** L., 59subsp. **maritima** (L.) Arcangeli, 62*borealis* Salisb., 58**columbaria** L., 59var. *patens* (Jord.) Car. & St-Lag., 59*cupanii* Guss., 62*elata* Hornem., 57*fuchsii* Gray, 58*gigantea* Ledeb., 57*grandiflora* Scop., 62*integrifolia* Roth., 58*maritima* L., 62*pau* Sennen, 62*subacaulis* Bernardin, 58*succisa* L., 58var. *arenaria* Rouy, 58, 530var. *glabrata* auct., 58var. *grandifolia* Rouy, 59, 530var. *hispidula* auct., 58var. *ovalis* Rouy, 58, 530var. *subacaulis* (Bernardin) Rouy, 58, 530*tatarica* M. Bieb., 57

Scabious, Devil's-bit, 58

Field, 57

Giant, 57

Small, 59

Sweet, 59

Scarole, 96

Schkuhria Roth, 526*abrotanoides* Roth, 527*advena* Thell., 527*bonariensis* Hook. & Arn., 527*isopappa* Benth., 527*pedata* A. Gray, 527**pinnata** (Lam.) Thell., 527**Scolymus** L., 93**hispanicus** L., 94**maculatus** L., 93**Scorzonera** L., 109*autumnalis* (L.) Lam., 101**hispanica** L., 109**humilis** L., 109**Scorzoneroides** Moench, 100**autumnalis** (L.) Moench, 101, 531var. **alpina** (Gaudin) P. D. Sell, 102, 531var. **cinerascens** (Briq.) P. D. Sell, 102, 531var. **coronopifolia** (Lange) P. D. Sell, 102, 531var. **dentata** (Holuby ex Schur) P. D. Sell, 102,

531

var. **latifolia** (Schur) P. D. Sell, 102, 531var. **nigrolanata** (Fr.) P. D. Sell, 101, 531var. **pinnatifida** (Schur) P. D. Sell, 102, 531

Scorzoneroides autumnalis Moench (*cont.*)

- var. **pratensis** (Hornem.) P. D. Sell, **102**, 531
 var. **salina** (Aspegren) P. D. Sell, **101**, 531
 var. **simplex** (Duby) P. D. Sell, **101**, 106, 531

Senecilis Gaertn.

- tangutica* (Maxim.) Kitam., 506

Senecio L., **488**

- aethnensis* Jan ex DC., 497
 × **albescens** Burb. & Colgan, **491**
alpestris Gaudin, 493
ambiguus (Biv.) DC., **490**
 × **erucifolius**, **491**
 × **jacobaea**, **491**
aquaticus Hill, **495**, 556
 subsp. **aquaticus**, **495**
 var. **aquaticus**, **495**
 var. *aquaticus* auct., 495
 forma *aurantiacus* Druce, 495
 var. *barbareifolius* auct., 495
 subsp. *barbareifolius* (Wimm. & Grab.) Walters, 495
 var. *barbareifolius* Wimm. & Grab., 495
 forma *discoideus* Druce, 495
 var. *dubius* Druce, 495
 subsp. **erraticus** (Bertol.) V. A. Mathews, **495**
 var. *erucoides* (Wimm. & Grab.) V. A. Mathews, 495
 var. *flosculosus* Gray, 495
 var. *intermedius* Druce, 495
 × **jacobaea**, **496**
 var. *lanatus* Gray, 495
 var. *major* Bab., 495
 subsp. **ornatus** (Druce.) P. D. Sell, 495, 556
 var. *ornatus* Druce, 495, 556
 var. *pennatifidus* Gren. & Godr., 495
arcticus Rupr., 505
 × **baxteri** Druce, **500**
bicolor (Willd.) Tod., 490
 subsp. *cineraria* (DC.) Chater, 490
 subsp. *nebrodensis* (Guss.) Chater, 490
brasilienis Less., **488**
burchellii auct., 492
cambreensis Rosser, **500**
campestris auct., 504
 var. *maritima* Syme, 504
carinosus (C. Presl) C. Presl, 497
chrysanthemifolius Poir., 497
 subsp. *aethnensis* (Jan ex DC.) Lambinon, 497
cineraria DC., 490
clivorum (Maxim.) Maxim., 507
congesta (R. Br.) DC., 505
crithmifolius Scop., 435
cruentus auct., 503
denticulatus O. F. Müll., 501
doria L., **492**
 subsp. *transylvanicus* (Boiss.) Nyman, 493
doronicum (L.) L., 493
dunensis Dumort., 494
eboracensis R. J. Abbott & A. J. Lowe, **500**
elegans L., **503**
erectus Trow, 501

Senecio L. (*cont.*)

- erraticus* Bertol., 495
 subsp. *barbareifolius* auct., 495
 subsp. *barbareifolius* (Wimm. & Grab.) Beger, 495
erucifolius L., **496**
 var. **communis** Rouy, **496**
 var. **erucifolius**, **496**
 forma *glabra* Druce, 496
 × **jacobaea**, **496**
 var. **latilobus** Boiss., **496**
 var. *linnaeanus* Rouy, 496
 var. **viridulus** (Matrin-Donos) Rouy, **496**
flosculosus Jord., 494
fluviatilis Wallr., **492**
forsteri Hook. fil., 506
fuchsii auct., 493
georgii Endl., 506
glaber Ucria., 497
glastifolius L. fil., **491**
glossanthus (Sond.) Belcher, **488**
grandidissimus Schur, 492
grandiflorus P. J. Bergius, **491**
greyi auct., 505
 × **helwingii** Begar ex Hegi, **502**
henryi Hemsl., 506
hybrida Hyl., 503
 × *hybridus* Burb., 501
inaequidens DC., **492**
incisus (C. Presl) C. Presl, 497
integrifolius (L.) Clairv., 504
 subsp. *maritimus* (Syme) Chater, 504
 var. *maritimus* (Syme) A. R. Clapham, 504
jacobaea L., **494**
 var. *abrotanoides* Druce, 494
 subsp. *aquaticus* (Hill) Bonnier & Layens, 495
 var. **condensatus** Druce, **494**
 var. *discoideus* Wimm. & Grab., 494
 subsp. **dunensis** (Dumort.) Kadereit & P. D. Sell, **494**
 subsp. *erraticus* (Bertol.) Sudre, 495
 var. *flosculosus* Lam. & DC., 494
 subsp. **jacobaea**, **494**
 var. **jacobaea**, **494**
 var. **nemorosus** (Jord.) Loret & Barrandon, **494**
 var. *nudus* Weston, 494
 var. *stenoglossus* Brenan & N. D. Simpson, 494
juniperinus L. fil., **488**
laciniatus Gray, 494
 var. *maritimus* Gray, 494
lanuginosus Trow, 501
latifolius Trow, 501
lautus auct., 492
 × **leichtensteinensis** Murray, **496**
leucanthemifolius Poir.
 subsp. *vernalis* (Waldst. & Kit.) C. Alexander, 502
lividus L.
 var. *denticulatus* (O. F. Müll.) DC., 501
 × *londinensis* Lousley, 500
mikanioides Otto ex Walp., 505
minimus Poir., **503**
monroi Hook. fil., 506

Senecio L. (cont.)

- montanus* L., 502
multicaulis Trow, 501
nebrodensis auct., 497
 var. *bipinnatifidus* (Vis.) Hayek, 497, 556
 var. *calabricus* (Fiori) Fiori, 497
 var. *laciniatus* Vis., 499, 556
nemosus Jord., 494
nudiusculus DC., 488
oederiifolius DC., 488
 × **ostenfeldii** Druce, 496
ovatus (P. Gaertn., B. Mey. & Scherb.) Willd., 493
 subsp. **alpestris** (Gaudin) Herborg, 493
paludosus L., 493
palustris (L.) Hook., 505
 × *patersonianus* R. M. Burton, 496
pinnulatus Thunb., 491
polyanthemus L.
 var. *subserratus* DC., 491
praecox Trow, 501
przewalskii Maxim., 507
 × *pseudovernalis* Zabel ex Nyman, 502
pterophorus DC., 491
 var. *apterus* Harv., 491
quadridentatus Labill., 503
rapistoides DC., 502
repens Stokes, 492
rupestris Waldst. & Kit., 497, 556
 var. *bipinnatifida* Vis., 497
 var. *calabricus* (Fiori) Pign., 497
 var. *pinnatifidus* Evers ex Hegi, 497, 556
 forma *sinuatodentatus* Evers ex Hegi, 497
 var. *sinuatodentatus* (Evers ex Hegi) E. I. Nyárády, 497
salicetorum Godr., 492
sarracenicus auct., 492
scandens DC., 505
semperflorens Stokes, 501
smithii DC., 494
spathulifolius auct., 504
squalidus L., 496, 556
 subsp. **aethnensis** (Jan ex DC.) Greuter, 497
 var. *aethnensis* (Jan ex DC.) Fiori, 497
 var. **bipinnatifidus** (Vis.) P. D. Sell, 497, 556
 var. **calabricus** Fiori, 497
 subsp. **chrysanthemifolium** (Poir.) Greuter, 497
 subsp. *glaber* (Ucria) Nyman, 497
 var. *glaucescens* Spruce, 497
 var. **laciniatus** (Vis.) P. D. Sell, 497, 556
 var. **pinnatifidus** (Evers ex Hegi) P. D. Sell, 497, 556
 subsp. **rupestris** (Waldst & Kit.) P. D. Sell, 497, 556
 var. **rupestris** (Waldst & Kit.) P. D. Sell, 497, 556
 subsp. **squalidus**, 497
 forma *subinteger* Druce, 497
 var. **subinteger** (Druce) Druce, 497
 × **viscosus**, 500
 × **vulgaris**, 500
subnebrodensis Simonk., 500

Senecio L. (cont.)

- sylvaticus** L., 502
 var. *denticulatus* (O. F. Müll.) Wahlenb., 501
 var. **nanus** Rouy, 502
 var. **sylvaticus**, 502
 × **viscosus**, 502
tangutica Maxim., 506
tenuifolius Jacq., 496
 × **thuretii** Briq. & Cavill., 491
transsylvanicus Schur, 492
venustus Aiton, 491
verbascifolius Hombr. & Jacq., 494
vernalis Waldst. & Kit., 502
 × **vulgaris**, 502
viridulus Matrin-Donos, 496
 × **viscidulus** Scheele, 502
viscosus L., 502
vulgaris L., 501, 556
 subvar. *crassifolius* Rouy, 501, 556
 var. **crassifolius** (Rouy) P. D. Sell, 501, 556
 subsp. *denticulatus* (O. F. Müll.) P. D. Sell, 501
 var. *dunensis* Knuth, 501
 var. *erectus* (Trow) Druce, 501
 var. **hibernicus** Syme, 501
 var. *lanifer* Wilmott, 501
 var. *lanuginosus* Druce, 501
 var. *latifolius* (Trow) Druce, 501
 var. *multicaulis* (Trow) Druce, 501
 var. *praecox* (Trow) Druce, 501
 forma *radiatus* Hegi, 501
 var. *radiatus* auct., 501
 var. *radiatus* W. D. J. Koch, 501
 var. *rubricaulis* Trow ex C. E. Salmon, 501
 subsp. **vulgaris**, 501
 var. **vulgaris**, 501
 × *whitwellianus* Lees ex Cheetham, 496
Seridia Juss., 88
asper (L.) Sweet, 88
melitensis (L.) Sweet, 88
solstitialis (L.) Sweet, 88
Seriola L.
commutata (Spreng.) Less., 206
Seriphidium (Besser ex Hook.) Fourr.
maritimum (L.) Poljakov, 469
Serratula L., 83
alpina L., 72
arvensis L., 80
incana C. G. Gmel., 81
inermis Gilib., 83
monticola Boreau, 84
picris (Willd.) M. Bieb., 84
setosa Willd., 81
tinctoria L., 83
 var. *monticola* (Boreau) Syme, 84
 var. **reducta** Rouy, 84
 Shaggy Soldier, 521
Shawia J. R. & G. Forst., 460
avicenniifolia Raoul, 460
paniculata (J. R. & G. Forst.) Druce, 460
 Sheep's-bit,

Sherardia L., 16**arvensis L., 16**

- var. *hirsuta* Baguet, 16
- var. *maritima* Griseb., 16
- var. *mutica* Wirtg., 16
- var. *ovata* Fisch.-Benz., 16
- var. *walravenii* Wirt., 16

Sigesbeckia L., 516

- caspiaca* Fisch. & C. A. Mey., 517
- cordifolia* auct., 517
- iberica* Willd., 517
- jordallensis* auct., 517
- microcephala DC., 516**
- orientalis L., 517**
- serrata DC., 517**

Silybum Adans. 83

- mariae* Gray, 83
- marianum (L.) Gaertn., 83**

Sinocalia H. Rob. & Brettell, 506

- henryi* (Hemsl.), H. Rob. & Brettell, 506
- tangutica (Maxim.) B. Nord., 506**

Sixalis Raf.

- atropurpurea* (L.) Greuter & Burdet, 59
- subsp. *maritima* (L.) Greuter & Burdet, 62

Sneezeweed, 527

Sneezewort, 471

Snowball Tree, 40

Snowberry, 41

- Doorenbos, 42
- Pink, 41
- Small-leaved, 42

Solidago L., 440

- altissima* Aiton, 241
- altissima* L., 442
- angustifolia* Mill., 441
- calciicola (Fernald) Fernald, 441**
- cambrica* Huds., 441
- canadensis L., 441**
 - subsp. *altissima* (L.) O. Bolòs & Vigo, 442
 - subsp. **canadensis, 442**
 - var. *scabra* Torr. & A. Gray, 442
 - × **virgaurea, 442**
- doronicum* L., 493
- gigantea Aiton, 442**
 - subsp. **gigantea, 442**
 - var. *leiophylla* Fernald, 442
 - subsp. **serotina (Kuntze) McNeill, 442**
 - var. **serotina (Kuntze) Cronquist, 442**
- graminifolia (L.) Salisb., 442**
- graveolens* (L.) Lam., 436
- jailarum* Juz., 441
- lanceolata* L., 442
- lapponica* With., 441
- latifolia* Mill., 441
- minor* Mill., 441
- minuta* L., 441
- minuta* Mill., 441
- × **niederederi Khok, 442**
- rugosa Mill., 441**
- serotina* Aiton, 442

Solidago L. (cont.)**virgaurea L., 440**

- var. *alpestris* Rchb., 441
- var. *angustifolia* (Mill.) Sm., 441
- var. *arctica* Hartm., 441
- var. *calciicola* Fernald, 441
- var. *cambrica* (Huds.) Sm., 441
- var. *corymbosa* Druce, 441
- var. *dentatifolia* Druce, 441
- var. *interrupta* Druce, 441
- var. *lanceolata* Druce, 441
- var. *latifolia* (Mill.) Sm., 441
- var. *minor* (Mill.) Sm., 441
- subsp. **minuta (L.) Arcangeli, 441**
 - var. *minuta* (L.) Simmons, 441
 - var. *plukenetiana* Druce, 441
 - var. *pumila* (Willd.) Gaudin, 441
- subsp. **virgaurea, 441**
 - var. *vulgaris* Mill., 441
- viscosa* (L.) Lam., 436
- vulgaris* Mill., 441
- Solstitiaria* Hill, 88
 - flava* Hill, 88
 - melitensis* (L.) Hill, 88
 - solstitialis* (L.) Hill, 88

Sonchus L., 112

- alpinus* L., 118
- arvensis L., 113**
 - var. *angustifolius* auct., 113
 - subsp. *glabrescens* (Wimm. & Grab.) Guenth., 113
 - var. *glandulosus* Coss. & Germ., 113
 - var. **integrifolius Bisch., 113**
 - var. *laevipes* W. D. J. Koch, 113
 - var. *maritimus* G. F. W. Meyer, 113
 - forma *uliginosus* (M. Bieb.) Javorka, 113
 - subsp. **uliginosus (M. Bieb.) Nyman, 113**
- asper (L.) Hill, 114, 532**
 - subsp. **glaucescens (Jord.) Ball, 114**
 - var. *inermis* Bisch., 114
 - var. **integrifolius Lej., 114**
 - var. *laevis* Wallr., 114
 - subsp. *nymanii* (Tineo & Guss.) Hegi, 114
 - × **oleraceus, 115**
 - var. **sabulosus P. D. Sell, 114, 532**
- caeruleus* Sm., 118
- canadensis* Froel., 119
- glaucescens* Jord., 114
- hispidus* Ledeb., 119
- macrophyllus* Willd., 119
- nymanii* Tineo & Guss., 114
- oleraceus L., 113, 532**
 - var. *albescens* Neuman, 114
 - subsp. *asper* (L.) Hook. fil, 114
 - var. *asper* L., 114
 - var. *glandulosus* auct., 114
 - var. *integrifolius* Wallr., 114
 - var. *lacerus* Wallr., 114
 - var. **litoralis P. D. Sell, 114, 532**
 - var. *purpurascens* Druce, 114
 - var. *triangularis* Wallr., 114

Sonchus L. (*cont.*)

- palustris** L., **112**
piquetii Druce, *113*
plumieri L., *119*
tataricus L., *118*
uliginosus M. Bieb., *113*
vulgaris Rouy, *113*
 var. *marinus* Rouy, *113*
 Southernwood, *468*
 Sow-thistle, Alpine Blue, *118*
 Common Blue, *119*
 Hairless Blue, *119*
 Marsh, *112*
 Perennial, *113*
 Pontic Blue, *119*
 Prickly, *114*
 Smooth, *113*
Soyeria Monnier, *201*
paludosa (L.) Godr., *202*
 Spanish Needles, *524*
Specularia Heist. ex A. DC., *8*
hybrida (L.) A. DC., *8*
speculum-veneris (L.) A. DC., *8*
 Squinancywort, *17*
 Star-thistle, Eastern, *87*
 Large-headed, *89*
 Lesser, *89*
 Maltese, *88*
 Red, *87*
 Rough, *88*
 Small-flowered, *87*
 Woolly, *88*
 Yellow, *88*
Stenactis Cass.
annuus (L.) Nees, *455*
glauca (Ker Gawl.) Nees *453*
speciosa Lindl., *453*
Stephanocoma Less.
rubricaulis (DC.) Sch. Bip., *424*
Stobaea Thunb., *423*
apitrachys DC., *423*
biloba DC., *423*
heterophylla Thunb., *423*
pinnatifida Thunb., *423*
rigida Thunb., *424*
rubricaulis DC., *424*
zeyheri (Less.) DC., *424*
 St Paul's-wort, Eastern, *517*
 Western, *517*
Strongylosperma Less.
australe (Sieber ex Spreng.) Less., *487*
Stuartina Sonder
hamata Philipson, **427**
Succisa Haller, **58**
praemorsa Asch., *58*
pratensis Moench, **58**, *530*
 var. **arenaria** (Rouy) P. D. Sell, **58**, *530*
 var. **grandifolia** (Rouy) P. D. Sell, **59**, *530*
 var. **ovalis** (Rouy) P. D. Sell, **58**, *530*
 var. **subacaulis** (Bernardin) P. D. Sell, **58**, *530*
subacaulis Bernadin, *58*, *530*

Sunflower, *518*

- Lesser, *519*
 Perennial, *519*
 Thin-leaved, *519*
Symphoria Pers., *41*
glaucescens (Kunth) Spreng., *42*
glomerata Pursh, *41*
microphylla (Kunth) Spreng., *42*
montana (Kunth) Spreng., *42*
racemosa (Michx) Pursh, *41*
rubra Raf., *41*
Symphoricarpos Duhamel, **41**
albus (L.) S. F. Blake, **41**, *530*
 subsp. **laevigatus** (Fernald) P. D. Sell, **41**, *530*
 subsp. **laevigatus** × **microphyllus** × **orbiculatus**, **42**
 var. **laevigatus** (Fernald) S. F. Blake, *41*
 × **chenaultii** Rehder, **41**
 × **doorenbosii** Krüssm., **42**
glaucescens Kunth, *42*
imberbis Tausch, *41*
mexicanus K. Koch, *42*
microphyllus Kunth, **42**
 × **orbiculatus**, **41**
montanus Kunth, *42*
orbiculatus Moench, **41**
racemosus Michx, *41*
 var. **laevigatus** Fernald, *41*, *530*
rivularis Suksd., *41*
spicatus Engelm., *41*
vulgaris Michx, *41*
Symphotrichum Nees
hesperius (A. Gray) Å. Löve, *448*
laeve (L.) Å. Löve, *446*
lanceolatum (Willd.) G. L. Nesom, *448*
novi-belgii (L.) G. L. Nesom, *447*
 × *salignum* (Willd.) G. L. Nesom, *448*
simplex (Willd.) Å. Löve, *448*
 × *versicolor* (Willd.) G. L. Nesom, *447*
Tagetes L., **525**
erecta L., **526**
erythrocephala Rusby, **526**
gracilis DC., **526**
minuta L., **526**
patula L., **526**
tenuifolia Cav., **526**
Tanacetum L., **463**
angulatum Willd., *473*
balsamita L., **465**, *556*
 var. **balsamita**, **465**
 subsp. **balsamitoides** (Sch. Bip.) Grierson, *465*
 var. **balsamitoides** (Sch. Bip.) P. D. Sell, **465**,
556
 var. *tanacetoides* Boiss. *465*
balsamitoides Sch. Bip., *465*, *556*
breviradiatum Sch. Bip., **464**
coccineum (Willd.) Grierson, **463**
grandiflorum Thunb., *483*
indicum (L.) Sch. Bip., *482*
leucanthemum (L.) Sch. Bip., *480*
leucophyllum Regel, **463**

Tanacetum L. (cont.)

- macrophyllum** (Waldst. & Kit.) Sch. Bip., **464**
morifolium (Ramat.) Kitam., **482**
parthenium (L.) Sch. Bip., **464**
 forma *discoideum* Sch. Bip., **464**
 forma **fosculosum** (DC.) Beck, **464**
 forma **hortense** (Schur) Beck, **464**
 forma **parthenium**, **464**
sinense (Sabine) Sch. Bip., **482**
serotinum (L.) Sch. Bip., **479**
suaveolens (Pursh) Hook., **484**
vulgare L., **464**
zawadskii (Herbich) Pawl., **483**

Tansy, **464**Rayed, **464****Taraxacum Wigg. 120**

- aberrans** Hagend., Soest & Zevenb., **190**
acidodontum Dahlst., **150**
acidotum M. P. Christ., **148**
acroglossum Dahlst., **184**
acromaurum Dahlst., **149**
acutifidum M. P. Christ., **200**
acutifrons Markl., **179**
acutum A. J. Richards, **144**
adamii auct., **153**
adiantifrons Ekman ex Dahlst., **182**
adsimile Dahlst., **199**
aequatum Dahlst., **186**
aequilobum Dahlst., **183**
aequisectum M. P. Christ., **181**
affine G. E. Haglund, **145**
akteum Hagend., Soest & Zevenb., **158**
alatum H. Lindb., **170**
altissimum H. Lindb., **181**
amarellum J. Kirschner & Stepanek, **146**
amphiodon Dahlst. ex G. E. Haglund, **195**
amplum Markl., **189**
ancistrolobum Dahlst., **180**
angliciforme Dahlst., **160**
anglicum Dahlst., **147**
angulare Hagend., Soest & Zevenb., **180**
angustisquamum Dahlst. ex H. Lindb., **181**
ardisodon Dahlst., **197**
ardlense A. J. Richards, **156**
arenastrum A. J. Richards, **138**
argutum Dahlst., **137**
atactum Sahlén & Soest, **165**
atonolobum Hagend., Soest & Zevenb., **171**
atrovirens Dahlst., **164**
aurosulum H. Lindb., **190**
austrinum auct., **146**
beeftinkii Hagend., Soest & Zevenb., **158**
bercheriense Dahlst., **195**
berthae C. C. Haw., **159**
biforme auct., **161**
boekmanii Borgv., **165**
brachycranum (Dahlst.) A. W. Hill, **142**
brachyglossum (Dahlst.) Raunk., **137**
bracteatum Dahlst., **153**
breconense C. C. Haw., **161**
britannicum Dahlst., **154**

Taraxacum Wigg (cont.)

- broddesonii** G. E. Haglund, **176**
caledonicum A. J. Richards, **161**
calophyllum Dahlst., **152**
caloschistum Dahlst., **196**
cambricum A. J. Richards, **160**
camabriense A. J. Richards, **159**
campylodes G. E. Haglund, **148**
canulum G. E. Haglund, **142**
caudatum auct., **190**
celticum A. J. Richards, **155**
cenabense Sahlén, **139**
ceratolobum Dahlst., **148**
cherwellense A. J. Richards, **176**
chloroleucophyllum Dahlst., **162**
chloroticum Dahlst., **177**
chloroticum Dahlst. ex Florström, **177**
chrysophaenum Rail., **179**
ciliare Soest, **146**
cimbricum Wüinst., **147**
clovense A. J. Richards, **148**
coartatum G. E. Haglund, **190**
commixtum G. E. Haglund, **138**
commutatatum Dahlst., **138**
connexum Dahlst., **189**
cophocentrum Dahlst., **191**
cordatum Palmgr., **188**
cornubiense A. J. Richards, **152**
corynodes G. E. Haglund, **169**
craspedotum Dahlst., **149**
crispifolium auct., **154**
croceiflorum Dahlst., **175**
croceum auct., **148**
curtifrons H. Øllg., **178**
cyanolepis Dahlst., **178**
cymbifolium H. Lindb. ex Dahlst., **149**
dahlstedtii H. Lindb., **193**
degelii G. E. Haglund, **143**
densiflorum M. P. Christ., **193**
densilobum Dahlst., **170**
diastematicum Markl., **192**
dilaceratum M. P. Christ., **170**
dilatatum H. Lindb., **192**
discretum auct., **139**
disseminatum G. E. Haglund, **141**
drucei Dahlst., **152**
dunense Soest, **139**
duplidens H. Lindb., **161**
duplidentifforme auct., **155**
duplidentifrons Dahlst., **155**
edmondsonianum H. Øllg., **184**
edmondsonii A. J. Richards, **151**
ekmanii Dahlst., **189**
erythropermum Andr. ex Bess.
 subsp. *brachyglossum* Dahlst., **137**
 subsp. *gotlandicum* Dahlst., **140**
 subsp. *lacistophyllum* Dahlst., **136**
 subsp. *proximum* Dahlst., **140**
 subsp. *rubicundum* Dahlst., **138**
euryphyllum (Dahlst.) Hjelt, **150**
exacutum Markl., **185**

Taraxacum Wigg (*cont.*)

- excellens** Dahlst., 156
eximium auct., 147
expallidiforme Dahlst., 174
exsertiforme Hagend., Soest & Zevenb., 185
exsertum Hagend., Soest & Zevenb., 184
faeroense (Dahlst.) Dahlst., 147
fagerstroemii Sältin, 195
falcatum Brenner, 142
fasciatum Dahlst., 200
firmuliforme A. J. Richards, 158
fulgidum G. E. Haglund, 157
fulvicarpum Dahlst., 161
fulviforme Dahlst., 141
fulvum Raunk., 142
 subsp. *brachycranum* Dahlst., 142
fusciflorum H. Øllg., 164
geirhildae (Beeby) R. Palmer & Walter Scott, 147
gelertii Raunk., 153
glauciniforme Dahlst., 143
gotlandicum (Dahlst.) Dahlst., 140
grandifolium G. E. Haglund, 165
gravinense Dahlst., 180
haematicum G. E. Haglund ex H. Øllg. & Wiezell, 158
hamatiforme Dahlst., 166
hamatifrons auct., 161
hamatifrons Dahlst., 150
hamatum Hagend., Soest & Zevenb., 163
hamatum Raunk., 162
hamifarum Dahlst., 164
haworthianum Dudman & A. J. Richards, 139
helvicarpum Dahlst., 141
hemicyclum G. E. Haglund, 182
hemipolyodon Dahlst., 195
hepaticum Rail., 195
hesperium C. C. Haw., 156
hexhamense A. J. Richards, 189
hibernicum G. E. Haglund, 154
hirsutissimum C. C. Haw., 151
hispanicum auct., 137
hoedicense Soest, 146
horridifrons Rail., 170
huelphersianum Dahlst. ex G. E. Haglund, 194
hygrophilum Soest, 157
hypochaeris auct., 148
inane A. J. Richards, 156
incisum H. Øllg., 198
inopinatum C. C. Haw., 136
insigne Ekman ex M. P. Christ. & Wiinst., 171
interveniens G. E. Haglund, 181
intumescens G. E. Haglund, 179
johnstonii Dahlst., 162
kernianum Soest, Hagend. & Zevenb., 167
lacerabile Dahlst., 160
lacerifolium G. E. Haglund, 175
lacinosifrons Wiinst., 193
lacinosum Dahlst., 171
lacinulatum Markl., 175
lacistophyllum (Dahlst.) Raunk., 136
laeticolor Dahlst., 168

Taraxacum Wigg (*cont.*)

- laetiforme* auct., 139
laetifrons Dahlst., 152
laetum auct., 139
lainzii auct., 152
lamprophyllum M. P. Christ., 167
lancastricense A. J. Richards, 160
lanceolatum Poiret, 146
lancidens Hagend., Soest & Zevenb., 167
landmarkii Dahlst., 158
latens H. Øllg., 184
laticordatum Markl., 172
latisectum H. Lindb., 194
latispina Dahlst., 199
latissimum Palmgr., 183
lepidum M. P. Christ., 174
leptodon Markl., 186
leucopodium G. E. Haglund, 176
limnanthes G. E. Haglund
 subsp. *limnanthoides* Soest, 146
linguatum Dahlst. ex M. P. Christ. & Wiinst., 168
lingulatum Markl., 186
longisquameum H. Lindb., 199
lucidum Dahlst., 201
lunare M. P. Christ., 190
luteum C. C. Haw. & A. J. Richards, 162
macranthoides G. E. Haglund, 187
macrolobum Dahlst., 168
maculatum Jord., 199
maculigerum auct., 151, 152
maculigerum H. Lindb.
 subsp. *europhyllum* Dahlst., 150
maculosum A. J. Richards, 151
magnihatatum auct., 156
margettsii C. C. Haw., 173
maritimum Hagend., Soest & Zevenb., 146
marklundii Palmgr., 163
melanthoides Dahlst. ex M. P. Christ. & Wiinst., 201
mimulum Dahlst. ex H. Lindb., 182
monspeliense (Dahlst.) Dahlst., 138
mucronatum auct., 199
multicolorans Hagend., Soest & Zevenb., 197
naeviferum auct., 197
naeviferum Dahlst., 171
naevosiforme Dahlst., 150
naevosum Dahlst., 150
necessarium H. Øllg., 173
nietoi A. J. Richards, 154
nigridentatum T. Edmondson, 172
nitidum Hagend., Soest & Zevenb., 198
nordstedtii Dahlst., 159
obliquilobum Dahlst., 194
obliquum (Fr.) Dahlst., 145
 subsp. *platyglossum* (Raunk.) Nordh., 145
oblongatum Dahlst., 191
obscuratum G. E. Haglund, 199
obtusifrons Markl., 186
obtusilobum Dahlst. ex G. E. Haglund, 177
ochrochlorum G. E. Haglund ex Rail., 189
oellgardii C. C. Haw., 155

Taraxacum Wigg (*cont.*)

- officinale** Wigg., 148
officinale auct.
 subsp. *gelertii* (Raunk.) Dahlst., 153
 subsp. *ostenfeldii* (Raunk.) Dahlst., 161
 subsp. *speciosum* (Raunk.) Dahlst., 177
 subsp. *tenebricans* Dahlst., 169
olgae A. J. Richards, 160
oncolobum Dahlst., 174
orcadense Dahlst., 153
ordinatum Hagend., Soest & Zevenb., 171
ornatum auct., 147
ostenfeldii Raunk., 161
oxoniense Dahlst., 141
pachylobum Dahlst., 194
pachymerum G. E. Haglund, 192
pallescens Dahlst., 172
pallidipes Markl., 174
pallidipes Markl. ex G. E. Haglund, 174
palustre (Lyons) Symonds, 146
palustrisquamum A. J. Richards, 160
pannucium Dahlst., 168
pannulatiforme Dahlst., 171
pannulatatum Dahlst., 186
parnassicum Dahlst., 139
parvuliceps auct., 161
pectinatiforme H. Lindb., 196
pectinosum G. E. Haglund, 142
perhamatum Dahlst., 191
pericrispum M. P. Christ., 170
perlacinatum Dahlst., 153
piceatum Dahlst., 178
placidum A. J. Richards, 144
planum Raunk., 197
platyglossum Raunk., 145
plicatum Dahlst., 150
pollichii auct., 146
polyodon Dahlst., 197
porrigens Markl. ex Puol., 176
porteri C. C. Haw., 155
praeradians auct., 184
prionum Hagend., Soest & Zevenb., 165
proceriquameum H. Øllg., 187
procerum auct., 187
protractifrons Dahlst. ex M. P. Christ. & Wiinst., 168
proximiforme Soest ex Lambinon & Soest, 140
proximum (Dahlst.) Raunk., 140
pruinatum M. P. Christ., 166
pseudohamatum auct., 162
pseudohamatum Dahlst., 164
pseudolacistophyllum Soest, 145
pseudolarssonii A. J. Richards, 151
pseudonordstedtii A. J. Richards, 159
pseudoproximum Soest, 141
pseudoretroflexum M. P. Christ., 191
pulchrifolium Markl., 196
pycnostictum M. P. Christ., 149
quadrans H. Øllg., 164
raii auct., 146
raunkiaeri Wiinst., 155

Taraxacum Wigg (*cont.*)

- reclinatum* auct., 147
remanentilobum Soest, 188
retroflexum H. Lindb., 182
retzii Soest, 142
rhamphodes G. E. Haglund, 187
richardsonianum C. C. Haw., 152
rubellum M. P. Christ., 150
rubicundum (Dahlst.) Dahlst., 138
 subsp. *monspeliense* Dahlst., 138
 subsp. *pulvigerum* H. Lindb., 138
sagittipotens Dahlst. & R. Ohlsen ex G. E. Haglund, 188
sahlinianum Dudman & A. J. Richards, 166
sarniense A. J. Richards, 146
scanicum Dahlst., 137
scoticum A. J. Richards, 142
scotiniforme Dahlst. ex G. E. Haglund, 199
sellandii Dahlst., 180
semiglobosum H. Lindb., 183
semiprivum Dahlst., 170
serpenticola A. J. Richards, 148
serratilobum Dahlst., 162
severum M. P. Christ., 191
silesiacum Dahlst. ex G. E. Haglund, 139
similatum Dahlst., 195
simile auct., 141
sinuatum Dahlst., 193
speciosum Raunk., 177
spectabile auct., 147
 var. *faeroense* Dahlst., 147
 var. *geirhildae* Beeby, 147
spiculatum M. P. Christ., 166
spilophyllum auct., 185
stenacrum Dahlst., 175
stenoglossum Dahlst., 176
stereodes Ekman ex G. E. Haglund, 182
stictophoreum M. P. Christ., 149
stictophyllum Dahlst., 152
subbracteatum A. J. Richards, 154
subcyanolepis M. P. Christ., 174
subdilatum Dahlst., 194
subditivum Hagend., Soest & Zevenb., 166
subexpallidum Dahlst., 168
subhamatum M. P. Christ., 163
subhuelpersianum M. P. Christ., 173
sublacinosum auct., 168
sublaearifolium Hagend., Soest & Zevenb., 195
sublaeticolor Dahlst., 173
sublaetum auct., 139
sublatissimum Dahlst., 200
sublongisquamum M. P. Christ., 199
subnaevosum A. J. Richards, 151
subpallescens Dahlst., 186
subpraticola auct., 174
subundulatum Dahlst., 195
subxanthostigma M. P. Christ. ex H. Øllg., 200
sundeborgii Dahlst., 201
tamesense A. J. Richards, 157
tanylepioides Dahlst., 153
tanylepis Dahlst., 144

- Taraxacum** Wigg (*cont.*)
tanyphyllum Dahlst., 193
tarachodum Hagend., Soest & Zevenb., 186
tenebricans (Dahlst.) Dahlst., 169
texelense Hagend., Soest & Zevenb., 157
tortilobum Florström, 144
trilobatum Palmgr., 196
tumentilobum Markl. ex Puol., 179
uncosum auct., 172
undulatiflorum M. P. Christ., 177
undulatum H. Lindb. & Markl., 169
unguilibiforme Dahlst., 162
unguilobum Dahlst., 162
vachelliae Dahlst., 137
valens Markl., 185
vastisectum Markl. ex Paol., 187
wallonicum Soest, 143
webbii A. J. Richards, 146
westhoffii Hagend., Soest & Zevenb., 146
xanthostigma H. Lindb., 198
xiphoidium G. E. Haglund, 148
- Tarragon, 468
 Russian, 469
- Teasel, Cut-leaved, 56
 Fuller's, 55
 Small, 56
 Wild, 55
 Yellow-flowered, 56
- Telekia** Baumg., 438
cordifolia (Waldst. & Kit.) DC., 438
ovata K. Koch, 438
speciosa (Schreb.) Baumg., 438
- Tephrosia** (Rchb.) Rchb., 504
helenitis (L.) B. Nord., 504
integrifolia (L.) Holub, 504
 subsp. **integrifolia**, 504
 subsp. **maritima** (Syme) B. Nord., 504
palustris (L.) Fourr., 505
 subsp. **congesta** (R. Br.) Holub, 505
- Tessenia** Bub.
philadelphica (L.) Lunell, 454
 var. *attenuata* (Nutt.) Lunell, 454
- Tetragonotheca** L.
abyssinica (L. fil.) Ledeb., 516
- Tetralix** Hill, 75
eriphora (L.) Hill, 76
- Thistle, Blessed, 92
 Broad-winged, 74
 Cabbage, 79
 Carline, 69
 Cotton, 82
 Creeping, 80
 Golden, 94
 Marsh, 80
 Meadow, 77
 Melancholy, 78
 Milk, 83
 Musk, 75
 Plymouth, 73
 Reticulate, 82
 Slender, 73
- Thistle (*cont.*)
 Spear, 77
 Spotted Golden, 93
 Tuberous, 78
 Weltd, 74
 Woolly, 76
 Yellow, 78
- Thrinia** Roth, 102
hirta Roth, 103
 var. *arenaria* (Duby) DC., 106
 var. *psilocalyx* (Rchb.) DC., 106
hispida auct., 103
laevis Lag., 106
leysseri Wallr., 103
nudicalyx Lag., 106
nudicaulis auct., 103
psilocalyx Rchb., 103
taraxacoides (Vill.) Gaudin, 103
- Throatwort, 9
- Thyrsosma** Raf., 32
- Tickseed, Garden, 524
 Large-flowered, 524
- Tolpis** Adans., 208
barbata (L.) Gaertn., 208
umbellata Bertol., 208
- Tolpis, 208
- Trachelium** L., 9
caeruleum L., 9
- Tragopogon** L., 110
australis Jord., 111
coelesyriacus Boiss., 111
eriosperma Ten., 111
geropogon Rouy, 111
glaber (L.) Hoffm., 111
hirsutus (L.) Kotschy, 111
hybridus L., 111
longirostris Bisch. ex Sch. Bip., 111
minor Mill., 110
 × **mirabilis** Rouy, 111
orientalis L., 111
porrifolius L., 110
 subsp. **australis** (Jord.) Nyman, 111
 subsp. *longirostris* (Bisch. ex Sch. Bip.) Holmboe, 111
 × **pratensis**, 111
 subsp. *sativus* (Gaterau.) Br.-Bl., 111
pratensis L., 110
 subsp. **minor** (Mill.) Wahlenb., 110
 subsp. **orientalis** (L.) Celak., 110
sinuatus Avé-Lall., 111
- Treasureflower, 423
 Plain, 422
- Trichera** Schrad. ex Roem. & Schult., 57
arvensis (L.) Schrad. ex Roem. & Schult., 57
 var. *subintegerrima* Lange, 58
- Trimorpha** Cass., 455
acris (L.) Gray, 455
alpina Gray, 454
borealis Vierh., 454
uniflora auct., 454
vulgaris Cass., 455

- Tripleurospermum** Sch. Bip., 484, 556
inodorum Sch. Bip., 486
maritimum (L.) W. D. J. Koch, 485
 subsp. **inodorum** (K. Koch) Hyl. ex Vaar., 486
 subsp. **maritimum**, 485
 subsp. **nigriceps** P. D. Sell 485, 556
 subsp. *phaeocephalum* auct., 485
 var. *salinum* auct., 486
 subsp. **vinicaule** P. D. Sell 486, 556
perforatum (Mérat) Lainz, 486
 × **Tripleurothemis** Stace, 478, 556
gruetterana (Asch.) P. D. Sell, 478, 556
maleolens (P. Fourn.) Stace, 478
Tripolion Raf., 451
maritimum Raf., 451
Tripolium Nees, 451
vulgare Besler ex Nees, 451
Troglophyton Hilliard & B. L. Burtt
parvulum (Harvey) Hilliard & B. L. Burtt, 431
Tussilago L., 509
alba L., 511
alpina L., 512
farfara L., 509
fragrans Vill., 511
hybrida L., 511
petasites L., 510
ruderalis Salisb., 509
vulgaris Lam., 509
 Twinflower, 42
Urostemon B. Nord., 505
Vaccinium L.
album L., 41
Valantia L.
aparine L., 27
ciliata Opiz ex J. & C. Presl, 28
cruciata L., 28
 Valerian, Common, 52
 Marsh, 53
 Pyrenean, 53
 Red, 54
 Turkey, 53
Valeriana L., 52
collina Wallr., 52
dentata (L.) All., 51
dioica L., 53
 subsp. **sylvatica** (Rich.) F. G. Mey., 53
locusta L., 49
 var. *dentata* L., 51
 var. *olitoria* L., 49
officinalis L., 52, 530
 var. *latifolia* auct., 52
 subsp. **collina** (Wallr.) Nyman, 52
 subsp. **dunensis** P. D. Sell, 52, 530
 var. *mikanii* auct., 52
 subsp. **sambucifolia** (J. C. Mikan ex Pohl) Hayw., 52
olitoria (L.) Willd., 49
phu L., 53
pyrenaica L., 53
rubra L., 54
sambucifolia J. C. Mikan ex Pohl, 52
sylvestris Gray, 53
VALERIANACEAE, 48
Valerianella Mill., 48
auricula DC., 51
carinata Loisel., 49
 var. *pubescens* auct., 49
dentata (L.) Pollich, 51
 var. **mixta** Dufour, 52
eriocarpa Desv., 51
 var. **glabrescens** Cosson, 51
kotschy Boiss. 49
locusta (L.) Laterr., 49
 subsp. **dunensis** (D. E. Allen) P. D. Sell, 49
 var. *dunensis* D. E. Allen, 49
 var. *oleracea* (Schltr.) Breist., 49
morisonii (Spreng.) DC., 51
olitoria (L.) Pollich, 49
rimosa Bastard, 51
 var. *dasycarpa* auct., 51
Vellereophyton Hilliard & B. L. Burtt
dealbatum (Thunb.) Hilliard & B. L. Burtt, 431
 Venus's Looking-glass, 8
 Large, 8
Verbesina L.
encelioides (Cav.) Benth. & Hook. fil. ex A. Gray, 517
sativa Roxb. ex Sims, 516
Viburnum L., 32
americanum auct., 40
 × **bodnantense** Aberc. ex Stearn, 33
davidii Franch., 37
edule Pursh, 40
farinosum Stokes, 33
farreri Stearn, 33
 × **grandiflorum**, 33
fragrans Bunge, 33
lantana L., 33
 var. **glabratum** Chab., 36
 × **rhytidophyllum**, 36
 var. **rugosum** Lange, 36
 var. *viride* A. Kern., 36
opulus L., 37, 530
 var. *americanum* Aiton, 40
 forma **flavum** (Horwood) P. D. Sell, 40, 530
 var. *flavum* Horwood, 40, 530
 var. *pimina* Michx, 40
 forma **roseum** (L.) Hegi, 40
 var. *roseum* L., 40
 var. *sterilis* DC., 40
oxycoccus Pursh, 40
 × **rhytidophylloides** J. V. Suringar, 36
rhytidophyllum Hemsl. ex Forbes & Hemsl., 36
sargentii Koehne, 40
 forma **flava** Rehd., 40
tinus L., 37
trilobum Marsh., 40
veitchii C. H. Wright, 36
 Viburnum, Bodnant, 33
 David's, 37
 Farrer's, 33
 Hybrid, 36
 Wrinkled, 36
 Viper's Grass, 109

Virea Adans.*autumnalis* (L.) Gray, 101*hispidula* (L.) Gray, 103*pyreniaca* Gray, 101*Virga* Hill, 54*pilosa* (L.) Hill, 56*Virgulus* Raf., 450*ericoides* (L.) Reveal & Keener, 450var. *pansus* (Blake) Reveal & Keener, 450*novae-angliae* (L.) Reveal & Keener, 450*Vittadinia* Rich.*triloba* auct., 454**Wahlenbergia** Schrad. ex Roth, 8**hederacea** (L.) Rchb., 9**nutabunda** (Guss.) A. DC., 9**trichogyna** Stearn, 9

Wayfaring Tree, 33

Asian, 36

Weigela Thunb., 43**florida** (Bunge) DC., 43*rosea* Lindl., 43

Weigela, 43

Wibelia P. Gaertn., B. Mey. & Scherb., 205*foetida* (L.) Sch. Bip., 205*graveolens* P. Gaertn., B. Mey. & Scherb., 205*setosa* (Haller fil.) Röhl., 208*Wiborgia* Roth, 520*acmella* Roth, 520*parviflora* (Cav.) Kunth, 520*urticaefolia* Kunth, 521*Wiestia* Sch. Bip.*virosa* (L.) Sch. Bip., 117

Woodruff, Annual, 18

Blue, 18

Pink, 17

Sweet, 19

Woodvillea DC.*calendulacea* DC., 453

Wormwood, 467

Field, 469

Sea, 469

Xanthidium Delpino, 513*artemisioides* (Willd.) Delpino, 513**Xanthium** L., 514*album* (Widder) H. Scholz, 515**ambrosioides** Hook. & Arn., 516*basilicum* Vell., 515*californicum* Greene, 515*catharticum* Coste & Sennen, 516*cavanillesii* Schouw & Didr., 515*echinatum* Murray, 515*eriocarpon* Wallr., 516*italicum* Moretti, 515*leucocarpon* Wallr., 516*macrocarpum* DC., 515*orientale* L. 515*riparium* Itzigs & Hertsch., 515*saccharatum* Wallr., 515**spinosum** L., 515**strumarium** L., 515subsp. **italicum** Moretti D. Löve, 515subsp. **strumarium**, 515**Xanthophthalmum** Sch. Bip., 478**coronarum** (L.) P. D. Sell, 479, 446var. **discolor** (d'Urv.) P. D. Sell, 479,

556

segetum (L.) Sch. Bip., 478*Xeranthemum* L.*bracteatum* Vent., 432*bellidioides* G. Forst., 432*Ximenesia* Cav.*encelioides* Cav., 517*Xylosteon* Mill., 44*album* (L.) Moldenke, 41*cordatum* Moench, 45*dumetorum* Moench, 45*involutatum* Richardson, 44*tataricum* (L.) Dum.-Cours., 45*vulgare* Borkh., 45

Yarrow, 472

Fern-leaf, 473

Noble, 472

Southern, 472

Sweet, 473

Tall, 471

Yellow Ox-eye, 438

Willow-leaved, 438