

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using
Analysis of Variance - A. J. Underwood

Index

[More information](#)

Author index

- Anderson, R. L. 484
 Andrew, N. L. 78, 276, 357
 Andrewartha, H. G. 11
- Bacon, F. 20, 29
 Bartlett, M. S. 158, 183
 Bateson, P. 159
 Bennington, C. C. 483
 Bernstein, B. B. 415
 Bertness, M. D. 414
 Birch, L. C. 11, 410
 Boik, R. J. 407
 Box, G. E. P. 158, 183, 192, 194, 286, 346, 428
 Brown, D. R. 31, 187, 202, 215, 216, 217, 224, 238, 271, 303, 343, 344, 346, 348, 354, 364, 377, 389, 391, 392, 395, 407, 413, 431, 460, 471, 476, 477
 Bryant, J. L. 464
 Burdick, R. K. 202, 345, 346, 348, 352, 355, 380, 381
- Casella, G. 343, 344, 345, 346, 348, 352, 354, 355, 380
 Chalmers, A. F. 13
 Chapman, M. G. 127, 185, 357, 360, 483, 484
 Chester, S. T. 407
 Clarke, K. R. 416
 Cliff, A. D. 279
 Cochran, W. G. 45, 46, 47, 48, 59, 62, 109, 114, 158, 184, 187, 235, 238, 241, 389, 395, 398, 399, 401, 431, 433, 444, 458, 460, 465, 474
 Cohen, J. 99, 126, 215, 216, 217
 Collins, H. M. 128
 Colquhoun, D. 224
 Connell, J. H. 18, 46, 47, 127, 410, 426
 Connor, E. F. 17, 282, 410
 Conover, W. J. 114, 128, 131, 224
- Cornfield, J. 364
 Cox, D. R. 192, 428
 Cox, G. 401, 458, 465, 474
 Crawley, M. J. 3
 Creese, R. G. 414
 Crowder, M. J. 375, 408
 Cubit, J. D. 116, 117
 Curnow, R. N. 383
- Davis, A. R. 426
 Dawkins, H. C. 242, 442
 Day, R. W. 226, 230, 232, 233, 235, 241, 242, 333, 409
 Dayton, P. K. 20, 121, 411
 DeBenedictus, P. A. 415
 Delaney, H. D. 381
 Denley, E. J. 22, 123
 Diamond, J. M. 7, 134, 410
 Doran, H. E. 192, 426, 428
 Duncan, D. B. 240
 Dunn, O. J. 464
 Dunn-Sidák, Z. 232, 233
 Dunnett, C. W. 409
 Durbin, J. 425
- Einot, I. 226, 235, 241, 242
 Eisenhart, C. 158, 198, 202
- Fairweather, P. G. 47, 93, 426
 Federer, W. T. 383
 Feyerabend, P. K. 8, 19
 Field, C. A. 408
 Fisher, R. A. 59, 111, 143, 158, 385, 388, 401, 483
 Fleiss, J. L. 348
 Fletcher, D. 354
 Fletcher, W. J. 414
 Fortin, M.-J. 279
 Frank, P. W. 156

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)*Author Index*

497

- Gabriel, K. R. 226, 235, 241, 242
 Gaston, K. J. 192
 Gaylor, D. W. 354
 Geary, R. C. 48
 Geisser, S. 407
 Gilpin, M. E. 410
 Goldfeld, S. M. 428
 Gossett, W. S. (Student) 76
 Gottman, J. M. 282
 Graybill, F. A. 202, 345, 346, 348, 352, 354, 355, 380, 381
 Green, J. R. 428
 Green, R. H. 278, 407, 415, 416
 Greenhouse, S. W. 407
 Greenwood, J. J. D. 483
 Greig-Smith, P. 279
 Guise, J. W. B. 192, 426, 428
 Gurevitch, J. 407, 478, 483

 Hairston, N. G. 159
 Hand, D. J. 375, 408
 Hanson, N. R. 8, 19
 Harper, J. L. 12, 415
 Hartley, H. O. 59, 62, 183, 225
 Hawking, S. W. 285
 Hobson, K. D. 278
 Hocutt, M. 86
 Hollander, M. 114, 128, 131, 224
 Holm, E. R. 426
 Hopper, F. N. 354
 Howitt, L. 278
 Huitema, B. E. 226, 461, 463, 464, 474, 476, 477
 Hultquist, R. A. 354
 Hurlbert, S. J. 2, 16, 21, 117, 132, 159, 243, 245, 261

 Ito, Y. 426

 Jenkins, G. M. 286
 Johnson, C. R. 408
 Johnson, D. E. 381, 388
 Johnson, P. O. 473

 Kempthorne, O. 202, 344
 Kendall, M. G. 429
 Kennelly, S. J. 284, 330
 Kershaw, K. A. 279
 Keuls, M. 235
 Kitting, C. L. 408
 Koyre, A. 8, 19
 Kruskal, W. H. 194, 223, 224
 Kuhn, T. 19

 Lack, D. 20
 Lakatos, I. 484
 Lawton, J. H. 192

 Legendre, P. 279
 Leibnitz, G. 285
 Lemmon, E. J. 86
 Levene, H. 183
 Lewontin, R. C. 201, 202
 Lively, C. M. 483
 Lund, J. R. 241
 Lund, R. E. 241

 Maelzer, D. A. 426
 Mapstone, B. D. 78, 276, 357
 Margerison, D. 428
 Martin, P. 159
 Maxwell, S. E. 381
 McArdle, B. H. 192, 429
 McCulloch, C. E. 343, 344, 345, 346, 348, 352, 354, 355, 380
 McGuinness, K. A. 426
 McKone, M. J. 483
 McLean, R. A. 354
 Mead, R. 383, 388, 483
 Medawar, P. 29
 Menge, B. A. 177
 Merton, R. K. 18
 Michels, K. M. 31, 187, 202, 215, 216, 217, 224, 238, 271, 303, 343, 344, 346, 348, 354, 364, 377, 389, 391, 392, 395, 407, 413, 431, 460, 471, 476, 477
 Mill, J. S. 106
 Miller, R. G. 335, 409
 Milliken, G. A. 381, 388
 Mitchell-Olds, T. 381
 Moore, J. R. 355
 Moran, M. J. 47
 Morrissey, D. J. 278
 Morrow, L. L. 483
 Mosteller, F. 189
 Murdoch, W. W. 415, 416
 Musgrave, A. S. 484

 Nelder, J. A. 199, 204, 380
 Newman, D. 235
 Newton, I. 285
 Neyman, J. 473

 Oliver, J. S. 411
 Ord, J. K. 279

 Paine, R. T. 19
 Parker, K. R. 415, 416
 Paulson, A. S. 464
 Pearson, E. S. 59, 62
 Perry, J. N. 3, 442
 Peters, R. H. 7, 9, 99
 Petraitis, P. S. 348, 356
 Pickett, S. A. 113
 Pielou, E. C. 40, 275, 279

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)

498

Author Index

- Polthoff, R. F. 474
 Popper, K. R. 15, 19
 Putwain, P. D. 415
- Quandt, R. E. 428
 Quinn, G. P. 226, 230, 232, 233, 235, 241, 242, 333, 409
- Ramsey, P. H. 226, 235, 241
 Rice, W. R. 333
 Robinson, D. L. 274, 354, 355
 Roe, A. 201, 202
 Rohlf, F. J. 232, 274, 429
 Rosenthal, R. 229, 233
 Rosnow, R. L. 229, 233
 Ryan, T. A. 225, 235, 236, 237, 240, 241, 242, 331, 333
- Sanders, W. L. 354
 Satterthwaite, F. E. 354, 377
 Scheffé, H. 158, 183, 241, 343, 344, 346, 354, 364, 375, 471
 Scheiner, S. M. 478
 Schoener, T. W. 410, 411, 414
 Searle, S. R. 343, 344, 345, 346, 348, 352, 354, 355, 380
 Shaw, R. G. 381
 Siegel, S. 114, 128, 131, 224
 Simberloff, D. 17, 410
 Simpson, G. G. 201, 202
 Slade, N. A. 180
 Slauson, W. L. 347
 Snaydon, R. W. 410
 Snedecor, G. W. 45, 46, 47, 48, 59, 62, 109, 114, 187, 235, 238, 241, 389, 395, 398, 399, 431, 433, 444, 460
 Sokal, R. R. 232, 274, 429
 Sousa, W. P. 18, 127
 St Amant, J. L. S. 426
 Stark, J. S. 278
- Steel, R. G. D. 428
 Stewart-Oaten, A. 415, 416
 Stroup, W. W. 354
 Stuart, A. 429
 Swihart, R. K. 180
- Thayne, W. V. 483
 Thompson, W. A. 355
 Torrie, R. C. 428
 Trenbath, B. R. 415
 Tukey, J. W. 189, 225, 364, 389, 391
- Underwood, A. J. 2, 7, 8, 9, 15, 17, 22, 47, 85, 86, 87, 123, 127, 134, 159, 183, 185, 188, 195, 202, 217, 243, 276, 278, 279, 280, 284, 289, 330, 347, 348, 356, 357, 364, 410, 411, 413, 414, 416, 418, 426, 483, 484
 Ury, H. K. 232
- Wallace, A. 483
 Wallis, W. A. 194, 223, 224
 Walsh, J. S. 483
 Watson, G. S. 425
 Weerahandi, S. 194
 Welden, C. W. 347
 White, P. S. 113
 Wilk, M. B. 202, 344
 Winer, B. J. 31, 187, 202, 215, 216, 217, 224, 238, 271, 303, 343, 344, 346, 348, 354, 364, 377, 389, 391, 392, 395, 407, 413, 431, 460, 471, 476, 477
 Wolfe, D. A. 114, 128, 131, 224
 Wonnacott, T. 3, 4
- Yates, F. 59, 401
 Youtz, C. 189
- Zalinski, J. 415
 Zar, J. H. 364, 377

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)

Subject index

- χ^2 , *see* Chi-squared test
- Accuracy 38–44
- Allocation of replicates to experimental treatments 114–18, 389, 396–8
- Analysis of covariance
 - adjusted means 457–62
 - assumptions 464–71
 - balancing 445
 - comparing regressions 474
 - factorial analysis of variance 471–3
 - factorial designs 476–7
 - homogeneity of regressions 465–6
 - independence 464–7
 - interpretation 462–4, 468–71
 - linear models 447–55
 - logical framework 444–7, 462
 - more than one covariate 475–6
 - multiple comparisons 442, 464, 471–3
- Anderson test 484
- Artefacts 133–7, 135, (Fig. 6.4)
- Assumptions of analyses
 - homogeneity, *see* Variance
 - independence, *see* Independence of data
 - normality, *see* Normal Distribution
 - summation 155, 195–7
- Asymmetrical analyses
 - fixed factors 411–14, 412 (Table 12.8)
 - linear model 416
 - random factors 417 (Table 12.9)
 - SNK tests 409
 - Type I error 409
- Balanced sampling 141–2, 149, 156–7, 273–5, 345–6, 380–4
 - and heterogeneity of variances 274
- Bartlett's test 183
- Before/After experiment, *see* *t*-test, paired comparison
- Binomial test 128–30
- Bryant–Paulson–Tukey test 464
- Central Limit Theorem 67, 151
- Chi-squared test for two unpaired samples 131
- Cochran's test 184, 474
- Competition
 - confounding 414–15
 - logical framework 410–15
- Confidence interval 70–4, 353–4
 - choice of α 78
- Confidence limits 70–4
- Confounding 104–6
 - competition 414–15
 - lack of controls 104–6, 134
 - nested analysis 245, 260–1, 269
- Controls 101 (Fig. 6.2), 104–7, 118–24; *see also* Artefacts
- Cornfield–Tukey rules 364–8
- Cost-benefit analysis
 - costs 285–8, 316–18
 - optimization 284–8, 286 (Table 9.12), 316–18
 - pilot study 288
 - standard errors 284, 287
 - variances 284–5
- Covariance analysis, *see* Analysis of covariance
- Dealing with uncertainty 50
- Degrees of freedom
 - any model 362–4
 - factorial analyses 303–4, 362–4
 - nested analyses 254–8
 - one-factor experiment 152–3
 - operational definition 37, 38 (Table 3.3)
 - t*-test, mensurative experiment 84
 - t*-test, paired samples 102 (Table 6.1)
 - t*-test, two samples 110 (Table 6.2)
- Dispersion parameter
 - defined 35

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)

500

Subject index

- Dispersion parameter (*cont.*)
 sample estimate of variance 36–7, 71
 (Table 5.1)
 sample estimate, *see* Variance
- Duncan's test 240–1
- Dunn–Bonferroni test 464
- Dunn–Sidak test 232–3
- Dunnett's test 409
- Effect size, *see* Power
- Environmental impact 93
- Environmental sampling 93, 415–8
- Estimates of effects of treatments 155–6
- Experiment on
 behavioural variation 327–31
 competition, inter- and intra specific
 412–13, 412 (Table 12.8)
 crowding of females and males 318–21
 density of limpets and cover of algae
 331–4
 density of limpets, cover of algae, season
 335–40
 desert rodents 104–5
 diversity of plants 112–13
 fire on plants 404–5
 growth of snails 359–62, 376
 insect pollinators 243–4
 insect attacks and nitrogen 358–9,
 361–2
 insects and birds 264–6
 insects and plants on a hillside 466–71
 insects, density of plants, watering
 391–401
 insects on farms 275–8, 291–4
 lizards and predators 117–18, 132–7
 lobsters 160–8
 predators and alternative prey 173–5
 removal of predators 118–28
 sizes of frogs 444–7
- Experimental tests of hypothesis 16–17
 manipulative experiments 16, 118–24
 mensurative experiments 16, 21, 82–7,
 103
- Explanations, *see* Logical models
- Factorial analysis
 and covariance, *see* Analysis of
 covariance
 degrees of freedom 303–4, 362–4
 efficiency 316–18
 fixed factor 323–331
 independence 307, 344
 information 313–15
 interactions 303, 313–15, 319–38, 339
 (Fig. 10.6), 344, 361–2, 388–91,
 393–395, 400, 402, 403 (Table 12.6),
 405 (Table 12.7), 406
- linear model 306–12, 361–2
- multiple comparisons, fixed factors
 331–5, 332 (Table 10.9), 334
 (Table 10.10)
- multiple comparisons, random factors
 330–1
- null hypotheses 305–12
- orthogonal factors 298–300
- partitioning of variation 300–3,
 302 (Table 10.3), 311, 364–75
- pooling, *see* Pooling
- power 346–7
- power and alternative hypotheses
 341
- power and interactions 340–2
- random factors 323–31
- Falsification 15–17; *see also* Logical
 framework
- F*-distribution
 and heterogeneity, *see* Variance, hetero-
 and homogeneity
 and non-independence, *see* Independence
 of data
- Fisher's combinatorial test 483
- Fixed factor 198–204, 302 (Table 10.3),
 323–31
- alternative hypotheses 214–16
- interpretation 204–5
- null hypothesis 199–200, 209
- operational definition 201–4
- power 209–16, 210 (Fig. 8.2), 212
 (Fig. 8.3), 213 (Fig. 8.4)
- regression 428–9
- see also* Factorial analysis and Random
 factor
- F*-ratio 364–69
- central *F* 216, 17, 344, 346
- nested analyses 259–60, 273
- non-central *F* 209–11, 210 (Fig. 8.2), 212
 (Fig. 8.3), 213 (Fig. 8.4), 215–16,
 216 (Table 8.2), 346
- one-tailed 154
- quasi *F*-ratios 377
- three-factor experiments 364–9, 370–1
 (Table 11.8)
- two-factor experiments 370–4, 372
 (Table 11.9), 373 (Table 11.10), 374
 (Table 11.11)
- two-tailed 109–12
- Frequency distribution 25
- binomial 52, 129, 192
- continuous 27
- discrete 25
- log-normal 69, 190–2
- normal, *see* Normal distribution
- Poisson 188
- t*, *see t*-distribution

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)*Subject index*

501

- Hartley's test 183
- Hetero- and homogeneity of variances, *see* Variance, hetero- and homogeneity
- Hierarchical analysis, *see* Nested analysis
- Hypothesis, *see* Logical hypotheses
- Independence of data 150, 159–60, 179 (Table 7.10), 179–80, 258, 282, 307, 344
 - analysis of covariance 464–7
 - negative correlation among samples 168–71
 - negative correlation within samples 166–8
 - positive correlation among samples 172–9
 - positive correlation within samples 160–6
 - power 168, 174, 178
 - probability 108–9
 - regressions 425–6
 - repeated measures analysis 404
 - split-plot design 400–1
 - Type I error 164–5, 169, 172
 - Type II error 168, 178
- Interactions, *see* Factorial analysis
- Johnson–Neyman test 473–4
- Kruskal–Wallis test 194, 223–4
- Kurtosis 47–9
 - defined 47
 - ecological use 47
 - leptokurtosis 47
 - platykurtosis 47
- Latin squares 401–3
 - assumptions 402
 - interactions 402, 403 (Table 12.6)
 - linear model 401–2
 - logical framework 401
- Levene's test 183
- Linear model
 - analysis of covariance 447–55
 - asymmetrical analyses 416
 - general models 361–2
 - Latin squares 401–2
 - linear regression 419–21
 - multiple regression 435
 - nested analyses 250–4
 - one-factor analysis 141, 145–7, 205–6
 - polynomial regression 440
 - randomized blocks 387
 - repeated measures 405
 - split-plot 393, 398
 - three-factor analyses 335, 372 (Table 11.9), 373 (Table 11.10), 374 (Table 11.11)
 - two-factor analyses 306–12
 - Tukey's test 391
- Linear regression
 - analysis of variance 431, 430 (Table 13.2)
 - assumptions 424–30
 - covariance, *see* Analysis of covariance
 - fixed or random X 428–9
 - functional relationship 419
 - goodness-of-fit 431–4
 - homogeneity of variances 427–8
 - hypotheses 420
 - independence 425–6
 - intercept 419
 - least-squares 422
 - linear model 429–30
 - multiple, *see* Multiple regression
 - normality 429–30
 - polynomial, *see* Polynomial regression
 - t -test 422–4, 423 (Table 13.1)
- Location parameter 30–3
 - sample estimate, *see* Mean
- Log transformation 69 (Fig. 5.4) 70, 189–92
- Logical fallacy 86–7
- Logical framework 4–5, 7, 9 (Fig. 2.1), 18–21, 29, 50, 53–4, 54 (Fig. 4.2), 84–7, 86 (Fig. 5.9), 101, 478–80
 - analysis of covariance 444–7, 462
 - analysis of variance 154–5
 - competition 414–15
 - factorial analyses 299–300, 359 (Table 11.1)
 - Latin squares 401–3
 - more than two samples 137–9
 - multiple regression 439
 - nested analyses 244, 253, 268–9
 - observations 8, 9, 11
 - observations, theory-laden 19–20
 - randomized blocks 386–8
 - paired t -test 101
 - unpaired t -test 114
 - variance components 349–51
- Logical hypotheses 13–14, 53, 479–81
 - alternative hypotheses and power, *see* Power
 - one- or two-tailed 62–64
- Logical models 10–12
 - alternative 13, 18
 - refined 18
- Logical null hypotheses 15 17, 53, 55, 61, 305–12
 - equal to hypothesis 84–7

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)

502

Subject index

- Machine formulae 157
- Magnitudes of effects
 - comparisons among areas 350, 356
 - components of variation 351–4, 353 (Table 10.15)
 - confidence intervals 352–3
 - fixed factors 349 (Table 10.13)
 - incommensurability 349–51
 - interactions 355–6
 - negative estimates 354–5
 - random factors 351–4, 353 (Table 10.15)
 - relative importance 348, 349 (Table 10.13), 350
 - sums of squares 348
- Mann–Whitney test
 - for two samples 131
- Mean
 - defined 31–2
- Measurements
 - extrinsic variability 25
 - intrinsic variability 24
 - precision, *see* Cost–benefit and Variance
 - statistical estimates 30
 - variables and parameters 31
- Meta-analysis 482–4
- Missing data 380–4
- Mixed model
 - degrees of freedom 362–4
 - power 346–7
 - spatial replication 342–4
- Mode 34, 69 (Fig. 5.3)
- Multiple comparisons 224–42, 378–80
 - alternative hypotheses 227–9
 - analysis of covariance 442, 464, 471–3
 - a posteriori* tests 226–7, 234–9, 236–7 (Table 8.6), 239 (Table 8.7)
 - a priori* tests 227–34, 231 (Table 8.5)
 - factorial analyses 331–3
 - general model 378–80
 - interpretation 239–40
 - nested analyses 261
 - orthogonal contrasts 229–30, 231 (Table 8.5)
 - sequential tests 235, 238
 - Type I and Type II errors 225–6, 230, 240–2, 316, 333–5
- Multiple regression 434–9
 - analysis 436–7 (Table 13.4), 438
 - collinearity 439
 - linear model 435
 - logic 439
- Natural experiment 134
- Nested analysis
 - comparing variation among units 244, 261–8
 - confounding, *see* Confounding
 - cost–benefit, *see* Cost–benefit analysis
 - degrees of freedom 254–8
 - independence among units 258, 282
 - interpretation 253–4, 262–8
 - linear model 250–4
 - mean squares 254–8, 294–5
 - multiple comparisons 261
 - partitioning of data 245–9
 - pooling, *see* Pooling
 - power 289–90
 - pseudoreplication 245
 - representative sampling 245, 258
 - standard errors 261
 - total variability 249
 - variability among treatments 249
 - variability among units 244, 261–8
 - variability within samples 249
- Non-linear regression 444
- Normal distribution 58–62, 58 (Fig. 4.3), 68–73, 108, 111, 128–31, 151, 194–5, 429–30
- Null hypothesis, *see* Logical null hypotheses
- Observations, *see* Logical framework
- One-factor analysis of variance
 - degrees of freedom 152–3
 - fixed factors 197
 - linear model 141, 145–7
 - mean square 153–4
 - null hypothesis 140, 146
 - total variation 142–4
 - variation among samples 143, 172, 177
 - variation within samples 143, 164, 167, 177
- Orthogonal factors, *see* Factorial analysis
- Parameters 31, 51
- Patchiness 173–7
- Pilot experiments 180, 288, 481
- Polynomial regression 439–43
 - analysis 441 (Table 13.5)
 - linear model 440
- Pooling 268–73, 272 (Table 9.8), 343–4, 347, 375–7
 - Type I error 270–1
 - Type II error 270
- Population
 - relevant, defined 27–30, 51, 203
 - wrong one sampled 132–4
- Power
 - alternative hypothesis 97–9, 341
 - defined 91
 - effect size 97, 124
 - factorial analyses 316, 340–7
 - and fixed factors, *see* Fixed factor
 - independence, *see* Independence of data

Cambridge University Press

0521556961 - Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance - A. J. Underwood

Index

[More information](#)*Subject index*

503

- interactions 340–2
- mixed model 346–7
- nested analyses 289–90
- precautionary principle 92–3
- and random factors, *see* Random factor
- size of sample 93–5, 126
- t*-test of unpaired samples 124–8, 126 (Table 6.5)
- Type I error 92–3, 126
- Type II error 87–99, 126
- variance 95–7, 124–5, 211–12, 218–20
- variance components, random effects 289–90
- Precautionary principle, *see* Power
- Precision, *see* Cost–benefit analysis and Variance
- Predictions, *see* Logical hypotheses
- Pseudoreplication 132, 245
- Quality control 184–6
- Quasi-*F* 377–8
- Random factor 198–204, 324–31
 - alternative hypothesis 220–3
 - interpretation 204–5, 209
 - null hypothesis 199–200, 209
 - operational definition 201–4
 - power 206–22, 219 (Fig. 8.5)
 - regression 428–9
 - variance components, *see* Magnitudes of effects
 - see also* Factorial analysis and Fixed factor
- Randomized blocks 343, 346, 385–91
 - assumptions 388
 - interactions 388–91
 - linear model 387
 - logical framework 386–8
 - mean squares 387 (Table 12.1)
 - replication in blocks 389
- Repeated experiments 142, 342–4, 350, 356, 481–4
- Repeated measures designs 403–8
 - alternative designs 406–7
 - interactions 405 (Table 12.7), 406
 - linear model 405
 - multivariate alternatives 407
 - non-independence 404
- Ryan's test 240–2
- Samples
 - biased 38–44
 - describing 81–2
 - independence, *see* Independence of data
 - necessity for 30
 - random 38–44
 - repeated sampling 65
 - representative 31, 33, 38–44, 114–17, 245, 248
 - two-stage 42
- Scheffé's test 183
- Size of sample 67–8, 78–9
 - and power, *see* Power
- Skewness 44–7
 - defined 46
 - ecological use 46
 - effect on sample means 70
- SNK test, *see* Student–Newman–Keuls test
- Software 5
- Spatial autocorrelation 279
- Spatial patterns 275–8, 291 4, 342–4, 350–6, 481–2
- Split-plot designs 391–401, 394 (Table 12.3)
 - alternative designs 395–8
 - assumptions 393, 400
 - interactions 393–5, 400
 - linear model 393, 398
 - non-independence 400–1
 - replication 396–8
- Standard deviation 70, 74 (Table 5.2)
 - defined 36
- Standard error 70–3, 74 (Table 5.2)
 - defined 70
 - of difference between two means 107–8
 - multiple comparisons 224–7, 229–42, 378–80
 - nested analyses 261, 284–7
- Statistical test
 - binomial 128–30
 - components 54 (Fig. 4.2), 55–7
 - critical values 51, 62
 - example using beer-cans 74–6
 - example using birds' nests 58–62
 - example using coins 51
 - example using weights of eggs 82–4
 - logical structure 54 (Fig. 4.2)
 - power, *see* Power
 - region of rejection 56–7, 62, 64
 - test statistic 56, 63–4, 63 (Fig. 4.6)
 - t*-test, *see t*-test
 - Type I and Type II errors, *see* Type I error and Type II error
- Stratification 276
- Student–Newman–Keuls test 236–42, 261, 262 (Table 9.5), (Table 10.9), 332–3, 334 (Table 10.10), 378, 409
- t*-distribution 76–7
 - approximate 114
- t*-test
 - mensurative or goodness-of-fit test 84–99
 - more than two samples 137–9
 - one- and two-tailed *t*-test 103
 - paired comparison 100–6

t-test (*cont.*)
 regression 422–4, 423 (Table 13.1)
 unpaired test of two samples 82–4,
 100–28
 Table of multipliers 365, 366 (Table 11.4)
 Temporal patterns 279–82
 Testing hypotheses 3, 479–81
 Test statistic, *see* Statistical test
 Theories, *see* Logical models
 Tukey's test for non-additivity 389–91, 390
 (Table 12.2)
 Type I error 17, 57, 62, 64, 87–99, 88
 (Table 5.3), 211–14, 217–20, 316,
 333–35
 and multiple comparisons, *see* Multiple
 comparisons
 nested analysis 266–8
 and power, *see* Power
 Type II error 17
 goodness-of-fit test 84–99, 86 (Fig.5.9)
 and multiple comparisons, *see* Multiple
 comparisons
 Unbalanced data 380–4

Variables, *see* Measurements
 Variance
 components, *see* Magnitude of effects
 F-distribution and 182, 193
 hetero- and homogeneity of 109–14, 181
 (Fig. 7.8), 151, 181–94, 274, 427–8
 population variance defined 35–6
 precision 73–5, 77–82, 156–7, 211–14,
 218–20
 residual, error term 291–5
 sample estimate 36–7, 76, 151
 tests for heterogeneity 109–12, 183–4
 transformations 187–94
 arc-sin 192
 log 189–92
 square-root 188–9
 and Type I error 109, 114, 182, 194
 uncertainty 76
 Variation
 among samples 143, 172, 177, 249
 among units 244, 261–8
 total 142–4, 249
 within samples 143, 164, 167, 177,
 249