

Index

Ordinary references are in Roman type, main references in **bold**, illustrations in *italics*.

- aboriginal Australians 74, 76, 77, 78, 82, 101, 115–116, 177, 239
- abrasion 163, **231–233**
- accessory furcation root 50, 53, 55, 59
- accessory ridge 28, 30, 88, 89
- additional teeth, *see* supernumerary
- Africans 82, 88, 91, 101–102
- age estimation 146–147, 177–178, 193, 204–205, 207–216, 229, 239–242, 290–292
- attrition-based methods 239–242
- Brothwell attrition ageing system **239**, 240
- dental development 146–147
- enamel layering in crown, *see* odontochronology
- Gustafson & Koch dental development chart 134–135, 146
- Gustafson histological technique 210–214
- Haavikko dental development method 132, 146
- histological methods 207–216
- Johanson histological technique 212–213
- Maples histological technique 212, 214
- Miles attrition ageing method 208, 239, 241–242
- root dentine sclerosis/transparency, *see* dentine
- Schour & Massler dental development chart **142**, **143**, 146
- secondary dentine, *see* dentine
- Smith dental development method **131**, **133**, 146
- tests of accuracy 131–132, 134, 142, 180, 208, 210, 212, 215, 242
- third molar ageing method 136–137
- Ubelaker dental development chart 142–146
- agenesis 100, 102, 109, **113–114**
- alizarin 126, 188–189
- alveolar bone 13, **261**, 263–268
 - resorption, *see* bone loss
- alveolar emergence 138
- alveolar process 260
- amelogenesis, *see* enamel
- amelogenesis imperfecta 165
- amelogenin 227–228
- AMGX and AMGY genes 227, 230
- amino acids 226–229, 254–255, 287
- Andresen's lines, *see* dentine
- Angle's classification **107**, 110, **111**, 115
- anodontia 113
- anterior fovea **52**, 99
- anterior teeth 7, 14–31, 72, 83, 84, 86–88, 106, 110
- apatite 148, 193, 199, **217–219**, 224–225, 257
- apes, *see* Pongidae
- apex **8**, **11**
- apical **8**, **10**, **12**
- appositional brown striae of Retzius 161
- approximal attrition, *see* attrition
- approximal caries, *see* caries
- approximal grooving 251
- Ardipithecus ramidus* **4**, 181
- Arizona State University system **86**, 87–99, 103, 308
- Asians 82, 88, 91, 101–102
- ASU, *see* Arizona State University
- asymmetry 75–79, 99
- attrition **18**, 21, 24, 27, 34, 35–36, 39, 44–45, 49, 50–51, 54, 56, 71, 107, 115–117, 210–214, 233–242, 284, 287, 291–292
- age-related, *see* age estimation
- approximal 24, 35, 45, 51, 56, 71, 107, 115–116, **242**
- facets 244–247
- gradient 236–237
- interstitial or interproximal, *see* approximal
- microscopic, *see* microwear
- Molnar attrition recording system 233–235
- Murphy attrition recording system 232–233
- occlusal **18**, 21, 24, 27, 34, 35–36, 39, 44–45, 49, 50–51, 54, 56, 71, 107, 115–117, **233–242**
- Scott attrition recording system 233, **236**

- attrition (*cont.*)
 Smith attrition recording system 232, 233
australopithecines 3, 4, 21, 23–24, 30–32, 34, 36, 38, 41, 42–44, 47, 49, 52–56, 57, 59, 62–63, 65, 67, 74, 76, 84, 96, 105, 176, 179, 181, 249, 282
see also Australopithecus and Paranthropus
Australopithecus 3, 4, 21, 23–24, 30–32, 34, 38, 42–43, 49, 52, 54, 56, 57, 59, 62–63, 65, 67, 74, 76, 83, 93, 105, 173, 176, 178–181, 249, 282
Australopithecus afarensis 4, 24, 74, 76, 105, 179
Australopithecus africanus 4, 21, 54, 59, 65, 74, 76, 173
Australopithecus anamensis 4
- baboon 81
 bacteria 254–255, 257–258, 260, 262, 271–272, 275–276, 279, 284
 barrel-shaped incisor 19, 22, 87
 biochemistry 217–230, 293–294
 body size 80, 82
 bone loss 262, 263–266, 267–268, 287
 horizontal 263–264
 Karn system for recording bone defects 267
 Kerr system for recording bone defects 268
 vertical 264–265
 breadth, crown 71
 brochs, *see* enamel
 brown striae of Retzius, *see* enamel
 brushite 219, 257
 bruxism 117, 242
 BSE, *see* microscopes
 BSR, *see* Buccal Segment Relation
 Buccal Segment Relation 108, 110
 buccal 10, 12, 13
 buccal pit 53, 59, 67
 buccolingual diameter 12, 71, 72–84
 buttress of canine 23, 30, 88
- calcite 219–220
 calcium phosphates 217–219
 calcospherites 185–186
 calculus 72, 217, 255–260
 callipers 308
 canine fossa 33, 37
 canines 6–7, 9, 23–31, 83, 86, 88–89, 106, 121–125
 Carabelli trait 50, 51, 53, 65, 85–86, 91, 92, 99, 101
 carbohydrates 254–255, 259, 267, 276–278, 282
 caries 217, 260, 269–284, 287, 293
 approximal 255, 274, 280–281, 283
 cement 271
 dentine 270–272
 DMF indices 279–280
 enamel 269–271
 fissure 255, 260, 272–273, 280–283
 gross 281
 initiation sites 272–275, 281
 root surface 274–275, 282–283
 smooth surface 273–274
- spot lesion 269
 casein 254, 279
 casts 72, 104, 107–108, 299–300
 caucasoid dental complex 101
 CDJ 8, 187, 198–199, 201, 271
 CEJ 8, 12, 263–266
 cement 8, 11, 13, 118, 198–206, 207–214, 260–261, 271
 afibrillar cement 202
 cement-enamel junction, *see* CEJ
 cementicles 206
 cementoblasts 198–200
 cementocytes 200–202, 204
 extension 19, 22
 extrinsic fibre cement 203
 extrinsic fibres 199, 200, 201, 202–205
 Howship's lacunae 202, 203
 intrinsic fibre cement 204
 intrinsic fibres 199, 201–205
 layering 201, 204–205, 207–210, 292
 mixed fibre cement 203–204
 resorption hollow 202, 203, 205
 cervical 8
 cervical burnout 13, 275
 cervical margin 8, 18, 22, 24, 32–33, 39, 45, 47, 52, 56, 71, 97, 119
 cervix 8, 11
 cheek teeth 7, 31–67, 73, 83–84, 88–98, 103, 109–111
 chewing cycle 244–245
 chimpanzee 152, 282
 cingulum 8, 88
 bulge 14, 23, 32, 67, 88
 lingual 91
 clay pipe wear facet 251–253
 clinical eruption 138
 clone theory 75
 Closing Stroke 244–245
 cluster bands 161
 collagen 185–187, 190, 196, 198–199, 226, 229, 262
 congenitally absent teeth, *see* agenesis
 connective tissue 118
 contact, Europeans in the New World 177, 249–250, 283
 coronal 8
 cortical plate of jaws 261, 263–268, 287
 counter-winging 101, 108, 112–113
 cremation 181, 196
 crenellation 53
 crista obliqua, *see* oblique ridge
 cross-sectional growth study 127, 130
 cross striations, *see* enamel
 crossbite 110, 111, 112, 114
 crowding of teeth 109, 112
 crown 8, 11, 14–67, 70–99, 101–105, 119–129, 177–178, 231–253, 269–274
 area 72
 breadth 12, 71
 height 12, 71
 index 72
 length 12, 70–71

- module 72
- crown root groove 19, 22, 88
- crypt 122, 126, 137, 181, 298
- crystallites 148, 152–153, 181, 185–187, 199, 217
- cusps 31–67, 85, 88–97, 99–103, 106–112, 119–125
 - area in occlusal plane 104–105
 - cusp 1 in molars 85, 88
 - cusp 2 in molars 85, 88
 - cusp 3 in molars 85, 88, 90
 - cusp 4 in molars 85, 88, 90
 - cusp 5 in molars 85, 88, 90, 93, 95–96
 - cusp 6 in molars 54, 55, 59, 85, 92–93, 95–96, 101
 - cusp 7 in molars 54, 55, 59, 85, 93, 95, 101
 - tribosphenic names 85
- cyst 286–287
- DAR 88, 89, 99
- dating 220–222, 228–229
- DDE, *see* developmental defects of dental enamel
- DDE index 172–174
- dead tract 193–195, 270, 272
- death assemblage 70
- deciduous dentition 6–7, 9, 15, 17, 23, 25, 27, 31, 60–67, 73, 81–83, 86, 88–89, 91, 96–97, 101, 109, 114, 118, 121–124, 143–145, 148
- decussation, *see* enamel
- deflecting wrinkle 55, 59, 67, 96, 97, 101–102
- demineralized preparations 185, 188, 204, 209, 304
- dental follicle, *see* tooth germ
- dental indices 72
- dental lamina, *see* tooth germ
- dental papilla, *see* tooth germ
- dental reduction 84–85
- denticles, *see* pulp stones
- dentine 8, 11, 13, 21, 24, 34, 44, 49–50, 56, 118–119, 182–197, 218, 221–227, 271–272
 - Andresen's lines 187–188
 - circumpulpal 182
 - contour lines of Owen 187
 - dentin tubules 182–185, 190–194
 - enamel–dentine junction, *see* EDJ
 - fibres of von Korff 185
 - granular layer of Tomes 187, 190
 - hyaline layer of Hopewell Smith 187
 - incremental lines of von Ebner 187–188
 - interglobular spaces 190, 191
 - intertubular 185, 196
 - lines 187–190
 - mantle 182, 185, 187
 - matrix 184–185
 - odontoblast process 182
 - odontoblasts 119, 182, 185, 188
 - odontoclast 202
 - peritubular 185, 186–187, 190, 193, 196
 - sclerosis 193, 197, 210–215, 270–272, 292
 - secondary 182, 193–195, 215, 270–271, 292
 - transparency 192, 193, 210–215
 - dentition 6
 - development of teeth 118–147
- Belleville dental development study 131–132
- birth state of dental development 122–124, 126–127
- enamel layering in crown, *see* odontochronology
- Fels Growth Study 78, 80, 131
- Demirjian dental development scheme 132–135
- Logan & Kronfeld dental development study 125–126, 142, 146
- Moorees, Fanning & Hunt dental development study 128–129, 131, 146
- tooth germs, *see* tooth germ
- tooth ring analysis 126
- developmental defects of dental enamel 165–177
 - see also* amelogenesis imperfecta, fluorosis, opacities, syphilis
- developmental groove 31, 33, 35
- diagenesis 171, 181, 196–197, 206, 220–223, 225–230
- diameters of crown 12, 33–34, 39, 42, 47, 49, 54, 56, 70–85, 99, 288–289
- diastema 109, 110
- diazone, *see* enamel
- diet 115–117, 166, 136–177, 190, 220, 223–225, 229, 237, 239, 242, 248–250, 254, 259, 267–268, 276–279, 282–284, 292–293
- digitizer 104–105, 236, 244
- discolouration 165
- disease 254–287, 293
 - see also* calculus, caries, periodontal disease, periapical
- distal 10–13
- distal transverse ridge 35, 38
- diverticles 8, 20, 23–24, 32, 44, 46, 49, 56, 60, 64, 66
- dizygous twins 79, 100, 115
- DMF indices, *see* caries
- DNA 230, 294
- drawing tube 104, 309
- drift 107, 115–116
- DZ, *see* dizygous twins
- edge to edge bite 108, 115
- EDJ 8, 13, 155, 182, 185, 271
- electron spin resonance 225
- enamel 8, 11, 13, 21, 24, 35, 44, 50, 56, 66, 118–119, 148–181, 218, 221–225, 269–271
 - amelogenesis 119, 148–149
 - brochs 163
 - brown striae of Retzius 120, 155–156, 157–161, 163, 167, 177–181, 189
 - cement–enamel junction, *see* CEJ
 - cross striations 150–151, 153–157
 - decussation 153, 154–155
 - DDE, *see* developmental defects of dental enamel
 - diazone 153
 - enamel–dentine junction, *see* EDJ
 - enamel hypoplasia, *see* hypoplasia
 - extension 97–98, 102
 - Hunter–Schreger bands 153, 155
 - imbrication lines 163

- enamel (*cont.*)
 isolated deep pits 163
 matrix 118–119, 121, 148–149, 217–218,
 227–228
 organ 118–119, 121
 parazone 153
 pathological bands 160–161
 patterns 1, 2 & 3 149–152
 pearl 98
 perikyma grooves 163, 167, 177–181, 233, 258
 perikyma ridges 163, 233
 perikymata 161–163, 164, 165, 167, 168–169,
 177–181, 233
 prism-free 149–150
 prisms 149–153, 157
 surface overlapping projections 163
 Tomes' process 148–149
 Tomes' process pits 148, 157, 163, 167,
 169–170, 232–233
 Wilson bands 160–161, 176
 entoconid 85
 entoconulid 85
 environmental factors 78–80, 115–177
 epimerization of amino acids 228–229
 epithelium 118–119
 error
 measurement 71–72, 78–79
 non-metrical variant recording 99
 eruption of teeth 137–145, 263–264, 282
 ESR, *see* electron spin resonance
 ET, *see* microscopes
 etching 150, 157, 196, 304–305
 Europeans 82, 88, 91, 102
 exfoliation 23, 31, 64, 138, 205
 extension, *see* enamel extension
 extinction 152–153, 186, 312–313
 extrinsic fibres, *see* cement
 exudate 262, 284
- family studies 80–81, 267, 282
 FDI 8, 9, 107–112, 114, 172, 174
 Fels Growth Study 78, 80, 131
 fibroblast 202
 field theory 73–75, 99
 fissures 31, 33, 35, 38, 39, 40, 43, 45, 46–47,
 52–53, 55, 59, 63, 67, 93–96, 99, 103–104,
 106–107, 109, 121
 intertubercular, tubercular 103
 'X', 'Y' or '+' variants of lower molars 55, 59,
 93–96
 fistula 285–287
 fluorapatite 218
 fluorine 171, 220–222, 257, 279, 284
 fluorosis 171, 173, 220, 284
 foramen caecum, *see* buccal pit
 formation of teeth 118–137, 142–145, 148–149,
 178–181
 fossa 31, 33, 35, 37–39, 45, 47, 52–53, 94, 96,
 121
 fovea, *see* fossa
 fragmentation 21, 24, 36–37, 45, 51, 56, 58
 fundamental macroscopic units 6, 290
- furcation 8, 34, 49, 56, 97
 furcation root, *see* accessory furcation root
 furrows, *see* fissures
- GCF, *see* gingival crevice fluid
 genotype 79–80
 gibbons 69, 81, 91, 150, 190
 gingivae 260–262
 attached 260–261
 free 260–261
 gingival crevice 255, 260
 gingival crevice fluid 254, 260
 gingival emergence 138–142
 gingival groove 260–261
 gingival sulcus 260–261
 gingivitis 262
 glycoproteins, *see* proteoglycans
 gorillas 69, 74, 76, 81, 152, 249, 282
 grooves, *see* fissures
 ground substance 185, 190, 199, 202–203
- haematoxylin 188, 204, 304
 height, crown 71
 heritability 79–80, 100, 103, 115
 Hertwig's sheath 119, 121, 198
 Hominidae, hominids 3–4, 18, 68, 81, 83–84, 105,
 150, 178–181
 Hominoidea 3
Homo 4, 31–34, 36, 39, 41–45, 47, 49, 52, 54,
 55–57, 62–67, 72–77, 83–85, 96, 105, 176,
 179, 249
Homo early 56, 74, 76, 83, 105, 179
Homo erectus 4, 49, 56, 74, 76, 83
Homo habilis 4
Homo sapiens 4, 49, 56, 74, 76, 83–84, 249
 homologous points 68, 70
 Hopewell Smith's hyaline layer, *see* dentine
 horns, *see* diverticles
 Howship's lacunae, *see* cement
 Hunter–Schreger bands, *see* enamel
 Hutchinson's incisors 171
 hydroxyapatite 217–218
 hypercementosis 205–206
 hypocalcification, *see* opacities
 hypocone 85, 88–89, 90
 hypoconid 85
 hypoconulid 85
 hypodontia 113
 hypoplasia 161, 165–177, 178, 190, 283, 291
 see also amelogenesis imperfecta, fluorosis,
 syphilis
- imbrication lines, *see* enamel
 imbrical brown striae of Retzius 161
 immunity 260–261
 impaction 109, 113
 impressions 175, 299–300
 incisal 8, 12
 incisors 6–7, 9, 14–22, 86–88, 101–102, 108, 110,
 112–113, 120, 121–125, 232, 234–235
 central and lateral 9
 inferior alveolar canal 263–264, 266

- inflammation 262, 284–286
 infrafibrous defects 264–265
 inheritance 79–80, 100, 115, 165, 267
 interglobular spaces, *see* dentine
 internal enamel epithelium, *see* tooth germ
 interproximal, *see* approximal
 intrinsic fibres, *see* cement
 Inuit 78, 101, 239, 279
 irregularities 109, 112
 isolated deep pits, *see* enamel
 isometric projection 13
- jaw reduction 84, 116
 junctional epithelium 261–262
- Krapina 81, 98
- labial 12–13
 labrets 252
 lamellae 163, 165
 lamina dura 13, 126, 285
 Lapps 74, 76–77
 lead 223
 length, crown 12, **70–71**
 length, root 71
 lesion 262, 269–275
 lingual 10–13
 lingual fossa **86**, 88, 104
 Logan & Kronfeld dental development study 125–126, 142, 146
 longitudinal growth study 127, 130
 loss of teeth 265, 280, 287
 lymphocytes 260–262
- macrophages 260, 262
 maize agriculture 176–177, 229, 250, 267, 283
 malformed teeth 109
 malocclusion 106–107, 115–117
 mamelons 14–17, 19, 22–23
 marginal ridges 14, 16, 17, 22–24, 26, 28, 29–33, 37–39, 42–43, 45, 46–47, 52–53, 55, 59, 61–62, 63–67, 86–88, 89, 104, 121
 matrix secretion phase 148, 165
 matrix vesicles 185
 maturation phase 148–149, 165, 171
 measurements 12, 68–85, 99, 103–105, 108–112, 233, 236, 243–244, 259, 263–266, 288–290
 bone loss 263–266
 calculus 259
 crown diameter 18, 33–34, 39, 42, 47, 49, 55–56, 70–85, 99, 288–289
 developing teeth 125, 134–135
 occlusion 108–112
 root dentine transparency 215
 secondary dentine 215
 wear 233, 236, 243–244
- Melanesians 82, 101
 mesenchyme 118–119
 mesial 10–13
 mesial marginal tubercle 50, 53, 55, 59
 mesiodistal diameter 12, **70–71**, 72–84
- mesiolingual groove of lower premolars 33, 39, 40
 metacone 85, 90
 metaconid 85
 metaconule 45, 47, 49–50, 53, 85, **89**, 91, 99, 101, 105
 metaconulid 85
 metrical variation 69–85, 288–289
 MFH, *see* Moorees, Fanning & Hunt dental development study
 micro-organisms 254–255, 257–258, 260–262
 microscopes 309–315
 backscattered electron detector (BSE) 315
 confocal 311
 Everhart–Thornley detector (ET) 314
 light 309–313
 polarizing 310, 312–313
 scanning electron 313–315
 stereomicroscope 310–311
 microwear 243–251, 292–293
 midline deviation 108, 110, 112, 114
 missing teeth, *see* agenesis
 Moiré fringe contourgraphy 105
 molars 7, 9, **45–67**, 85, 88–99, 101, 109–111, 113–115, 120–125, 135–137, 140–145, 232–237, 238–241, 244–249, 272
 monetite 219
 mongoloid dental complex 101
 monkeys 81, 176, 249
 monozygous twins **79**, 100, 103, 115
 Monson's curve or sphere 237–239
 Moon's molars 172
 Moorees, Fanning & Hunt dental development study 128–129, **131**, 146
 morphology 68–105
 Moulage system 280
 mucosa 254, 260
 mulberry molars 172
 mutilation of teeth 251–252
 MZ, *see* monozygous twins
- Native Americans 79, 82, 88, 91, 101, 112, 176–177, 242, 249–250
 Neanderthals **4**, 74, 76, 78, 81–83, 98, 176, 179, 268, 287
 neonatal line 126, **159–160**, 189–190
 non-metrical variation 69, 85–103, 289–290
 and see the following: accessory furcation root, accessory ridge, anterior fovea, barrel-shaped incisor, buccal pit, Carabelli trait, counter-winging, crown root groove, DAR, deflecting wrinkle, distal transverse ridge, fissures, mesial marginal tubercle, mesiolingual groove of lower premolars, metaconule, oblique ridge, paramolar structure, parastyle, peg incisor, protostyliid, radicular plate, radix, shovelling, supernumerary cusp, taurodont, Tomes' root, trigonid crest, tubercle of Zuckerkandl, tuberculum, winging
- Nubia 101, 176, 282

- oblique ridge 45, 47, 49–50, 53, 63
 occlusal 8, 10, 12, 13
 occlusion 70, 106–117, 138, 290
 centric 106
 intercuspal 106, 109
 plane 237–239
 and see: Angle's classification, counter-winging,
 crossbite, crowding of teeth, edge to edge
 bite, irregularities, malformed teeth,
 malocclusion, midline deviation, Monson's
 curve, overjet, overbite, retained deciduous
 teeth, underjet, upper midline diastema,
 winging
 octacalcium phosphate 193, 219, 257
 odontoblasts/clasts, *see* dentine
 odontochronology 126, 177–181, 291
 odontoglyphics 103
 odontology 2
 opacities 165, 169–171, 172–174
 openbite 108, 110, 111, 112, 114
 orang-utan 80, 152, 282
 orientation of teeth 13, 16–17, 20, 26–27, 30, 33,
 37, 42, 48, 51, 58, 61
 orthogonal projection 12–13
 overbite 106, 108, 110, 112, 114
 overjet 108, 110, 112, 114
 Owen's lines, *see* dentine

 palatal 11
 paracone 86
 paramolar structure or tubercle 35, 38, 43, 91
Paranthropus 3, 4, 21, 23, 30, 32, 34, 36, 38, 41,
 42–44, 47, 49, 52–54, 56, 57, 59, 62–63, 65,
 67, 74, 76, 83, 105, 176, 179, 181, 249, 282
Paranthropus boisei 4, 49, 56, 65, 67, 74, 76, 179
Paranthropus robustus 4, 49, 56, 74, 76, 179
 parastyle 50, 53, 65, 85, 91, 93, 99
 parazone, *see* enamel
 pathological bands, *see* enamel
 peg incisor 19, 22
 periapical abscess 285–287
 periapical granuloma 284–286
 perikymata, perikyma grooves and ridges, *see*
 enamel
 periodontal disease 210, 231, 259, 260–269, 271,
 274, 280, 287, 293
 see also bone loss
 periodontal ligament 13, 198, 200, 202, 210,
 260–262
 periodontal pocket 260–262
 periodontitis 262, 263, 266–269, 274
 permanent dentition 6, 7, 9, 14–60, 72–117,
 122–125, 132–137, 143–145, 153–181, 207–
 216, 231–287
 phagocytes 260
 Phase I & II 244–245, 246–249
 phenotype 79–80
 photogrammetry 104–105, 243
 pits, *see* microwear
 pkg, *see* perikyma grooves
 plaque 254–255, 259–262, 267, 275–276
 plaque fluid 255
 PME, *see* probable mutation effect
 polydonta 114
 polygenesis 114
 Pongidae, pongids 3, 6, 69, 74, 76, 80, 83, 91,
 93, 96, 105, 149, 152, 176, 178, 181, 190,
 249, 252, 282
 populations 69–70, 72–78, 80, 83, 101–102, 113,
 125, 165, 289, 280–284, 290
 Power Stroke 241–245
 pre cement 199, 217
 predentine matrix 119, 121, 184, 199, 217
 premolars 6, 7, 9, 31–45, 83, 88, 91, 93, 98–99,
 102, 106, 109–111, 123–125
 preservation, *see* diagenesis
 primary epithelial band 118
 prism cross striations, *see* enamel
 prism-free enamel, *see* enamel
 prisms, *see* enamel
 probable mutation effect 84
 profiles
 crown size 73–74, 76, 83
 variability 77
 protein 225–229, 254–255, 257, 279
 proteoglycans 226–227, 254–255, 257
 proto 85
 protoconid 85
 protostyliid 55, 59, 67, 85, 97, 101
 pulp chamber 8, 11, 13, 15, 20, 24, 25, 32, 34,
 44, 46, 49, 56, 60, 64, 66, 98, 121, 182,
 193–195, 208, 211, 213
 pulp stones 194–195
 pulpititis 284

 quadrants of the dentition 6, 7, 9, 16–17, 26–27,
 33, 48, 61
 quasi-continuous variation 100

 racemization of amino acids 228–229
 radial section, *see* sections
 radicular 8
 radicular plate 53, 60–61, 64–65
 radio-opaque 13, 126–127, 307
 radiography 13, 126–133, 263, 269, 272,
 274–275, 284, 287, 306–308
 radiolucent 13, 126–127, 269, 271–24, 285, 307
 radix ectomolaris 55, 59, 67
 radix endomolaris 55, 59, 67
 radix paramolaris 50, 53
 replicas 299–300
 resorption hollow, *see* cement
 retained deciduous teeth 109, 114
 Retzius striae, *see* enamel
 robustness index 72
 roots 8, 11, 15–19, 20, 24, 25–28, 29–31, 30–36,
 37–38, 39–41, 43–44, 46, 48, 49, 50, 51–56,
 57, 58, 60–63, 64–67, 97–99, 102, 119, 121,
 192, 193, 202–203
 additional 19, 22, 28, 29, 30, 35, 38, 50, 53,
 55, 59, 67
 canal 8, 13, 15, 20, 22, 24, 25, 32, 34, 41, 44,
 46, 48, 49, 51, 53, 56, 60–61, 66, 193–194,
 208, 211, 213

Index

373

- coalescence and fusion 53
- length 12, **71**
- resorption 23, 31, 64, 66–67, **138**, 142, 202, 205
- root dentine sclerosis or transparency, *see* dentine
- variation in number 34, 37–38, **41**, 43–44, **98–99**, 102
- rotation 112
- saliva 254, 260
- scorability index 99
- scratches, *see* microwear
- secondary dentine, *see* dentine
- sections 11, **300–304**
 - radial **11**, 15, 25, 32
 - tangential **11**, 32, 46, 60
 - transverse **11**, 15, 25, 32, 46, 48, 60, 61
- sex determination 81, 227, 230, 289
- sex differences in development 125
- sex linked genes 80–81, 100
- sexual dimorphism 69, **80–82**, 83–84, 99, 100
- shovelling 19, 22, **86–88**, 99, 100–102, 104
 - double shovelling 19, 22, **86–88**, 102
- Sinodonty 101–102
- Sivapithecus* 150, 249
- sodium fluoride 188–189
- spacing 109, 112
- species 69
- Spee, curve 237–239
- Spitalfields 131, 132, 134, 178–180, 208, 214, 229
- stable isotopes 224–225, 229
- starch 254–255, 276–278
- Stephan curves 277–278
- stress 78–79, 177
- strontium 223–224
- sugar 254–255, 276–278, 282, 283
- summary tooth size 72
- Sundadonty 101–102
- supernumerary cusp 50, 53
- supernumerary teeth 109, **114**
- surface overlapping projections, *see* enamel
- syphilis 171–172
- tangential section, *see* sections
- taurodont 98
- TDS, *see* tooth displacement score
- tetracycline 188–189
- Ticuna Indians 78
- Tomes' granular layer, *see* dentine
- Tomes' process pits, *see* enamel
- Tomes' root 40, 43, **44**, 98
- toothbrush abrasion 231
- tooth displacement score 110
- tooth germ 75, 118–119, 125–126
 - bell stage 119
 - bud stage 118
 - cap stage 118–119
 - dental follicle 118, 198
- dental lamina 118–119
- dental papilla 118–119, 198
- internal enamel epithelium 118–119, 148
- tooth ring analysis, *see* development of teeth
- TPI, *see* treatment priority index
- trace elements 223, 224
- transposition 109, **113**
- transverse section, *see* sections
- trauma 109, 165
- treatment priority index 110
- trigon 51
- trigonid crest 96
- tubercle of Zuckerkandl 60, 64–65, 67
- tuberculum 14, 15–16, 19, 20, 22, 23, 26, 29, 28, 86, 88
 - extension 19, 22, 30, 88
 - furrow 19, 22
 - projection, *see* tuberculum extension
- tufts 228
- twin studies 79, 100, 103, 115, 267
- underjet 108
- upper midline diastema 109, 110, 112
- uranium 222, 225
- Uto-Aztec premolar **88**, 93
- variation
 - continuous 79–80
 - crown diameter 73–79
 - cusp number 38–40, 43, 52–55, 59, 62–67, 88–97, 101–102
 - discontinuous 79–80
 - quasi-continuous 100
 - root number, *see* roots
 - tooth number, *see*: agenesis, anodontia, hypodontia, polydontia, polygenesis, supernumerary teeth
- vestibular 12
- vestibular lamina 118–119
- von Ebner's lines, *see* dentine
- von Korff's fibres, *see* dentine
- weaning 176–177, 229
- wear 18, 21, 23–24, 27, 34, 35–36, 39, 44–45, 49, 50–51, 54, 56, 71, 107, 115–117, 163, 231–242, 284, 287, 291–292
 - see also* abrasion and attrition
- wear facets, *see* attrition
- weight
 - calculus 259
 - developing teeth 125, 134, 136
- whitlockite 193, **219**, 257
- Wilson bands, *see* enamel
- winging 108, **112–113**
- x-rays 13, 306–308
- zinc 224
- Zsigmondy system 8–9