

Index

- absolute integral closure, 382
- acyclic complex, 23
- acyclicity criterion, 24, 25, 27, 351
- admissible grading, 260
- affine algebra, 416–417
- affine hull, 224
- affine semigroup, 256
 - simplicial, 269
- affine semigroup ring, 256–263, 305
 - and regularity, 263
 - Cohen–Macaulay property of, 269
 - graded prime ideals of, 261
 - local cohomology of, 266–269
- affinely (in)dependent, 225
- a -invariant
 - free resolution and, 141
 - of a Veronese subring, 144
 - of a Cohen–Macaulay ring, 141
 - of a Gorenstein ring, 140
 - of a positively graded algebra, 176
 - of a simplicial complex, 222
- a -invariant
 - and F -rationality, 405
- Alexander duality, 241
- algebra structure on a resolution, 121
- algebra with straightening law, *see*
 - graded ASL
- alternating graded algebra, 40
- alternating homomorphism, 120
- analytic deviation, 202
- analytic spread, 190
 - inequalities for, 191
- analytically independent, 190
- antiderivation, 43
- Artin’s approximation theorem, 340
- *Artinian, 142
- ASL, *see* graded ASL
- associated graded module, 6, 7, 182
- associated graded ring, 6, 182, 303
 - dimension of an, 185
- augmented oriented chain complex, 229, 266
- Auslander’s conjecture, 365
- Auslander–Buchsbaum formula, 17
- Auslander–Buchsbaum–Nagata theorem, 70
- Auslander–Buchsbaum–Serre theorem, 66
- Bass number, 101–103, 135, 138, 372–375
- Bass’ conjecture, 96, 374
- Betti number, 16, 17, 367–371
 - and characteristic, 243
 - fine, 240
 - graded, 37
- bidual, 19
- big Cohen–Macaulay algebra, 347, 382
- big Cohen–Macaulay module, 323, 334, 336
 - balanced, 342–346, 352
 - completion of, 343
- big rank, 360
- boundary complex, 224
- Boutot’s theorem, 293
- Briançon–Skoda theorem, 391–393
- Bruggesser–Mani theorem, 228
- Buchberger algorithm, 158
- Buchsbaum ring, module, 86
- Buchsbaum–Eisenbud
 - acyclicity criterion, 23–25, 351
 - structure theorem, 121
- canonical element theorem, 359, 361, 366

- canonical module, 107–120
 - and finite extension, 112
 - and flat extension, 115–116, 118
 - and ground field extension, 120
 - and polynomial extension, 118
 - and power series extension, 118
 - class of, 315
 - completion of, 110
 - existence of, 111, 113
 - free resolution of, 113
 - is divisorial ideal, 117
 - localization of, 110
 - modulo regular sequence, 110, 118
 - of a graded ring, 136–144
 - of a non-Cohen–Macaulay ring, 134
 - of an Artinian algebra, 113
 - rank of, 117
 - uniqueness of, 109
- *canonical module, 139–144
 - existence of, 141, 143
 - localization of, 140
 - modulo regular sequence, 141
 - uniqueness of, 139
- catenary, 62
- Čech complex
 - modified, 130
- cell complex, 264–266
- chain, 208
- character, 279
 - inverse determinant, 279
- class group, 315
 - of a localization, 315
 - of a polynomial extension, 315
 - of a positively graded algebra, 315
- closed half-space, 223
- codimension
 - conjecture, 366
 - of a complex, 352, 361, 368, 370
 - of an ideal, 413
- coefficient field, 419
- Cohen’s structure theorem, 419
- Cohen–Macaulay approximation, 119
- Cohen–Macaulay complex, 210, 219, 346
 - and base ring, 222
 - and links, 237
- doubly, 252–254
 - level, 240, 252
 - topological characterization of, 239
 - type of, 240
 - upper bound for h -vector, 213
- Cohen–Macaulay module, 57–65, 68, 69
 - and completion, 60
 - and flat extension, 60
 - and polynomial extension, 60
 - and power series extension, 60
 - big, *see* big Cohen–Macaulay module
 - graded, 64
 - localization of, 58
 - maximal, 57, 73, 108
 - modulo regular sequence, 58
 - multiplicity of, 197
- Cohen–Macaulay ring, 57–65, 68, 96, 367, 374
 - see also* Cohen–Macaulay module and F -rationality, 394
 - and associated graded ring, 186
 - and base field extension, 61
 - and faithfully flat extension, 64
 - and Reynolds operator, 282
 - graded, 64
 - is universally catenary, 62
 - one dimensional, 192
 - unmixedness of ideals in, 59
- Cohen–Seidenberg theorems, 414
- coideal in a poset, 312
- *complete, 142
- complete intersection, 73–85, 96, 119, 367
 - and flat extension, 77
 - and ground field extension, 77
 - and polynomial extension, 77
 - and power series extension, 77
 - graded, 85
 - localization of, 76, 77
 - locally, 77–78, 85
 - modulo regular sequence, 76
- complete intersection defect, 77
- complete local ring, 62, 113, 133, 418–419
- completely integral, 186

- completely integrally closed, 186
 complex with finite length homology,
 324, 327, 329, 362
 cone, 230, 258
 convex
 combination, 223
 hull, 223
 set, 223
 cotangent module, 200
 cover, 215
 cross-section, 262
 cyclic polytope, 226–227
- decomposable module, 100
 Dehn–Sommerville equations
 for Euler complexes, 238
 for polytopes, 228, 229
 dehomogenization, 38–39, 73
 depth, 8–16, 96, 353
 and dimension, 12
 and Ext, 11
 and finite extension, 15
 and flat extension, 13
 and projective dimension, 16–18
 of a non-finite module, 350
 of completion, 60
 determinantal ring, 306, 311–318
 a-invariant of, 317
 canonical module of, 316
 Cohen–Macaulay property of, 312
 dimension of, 312
 Gorenstein property of, 316
 normality of, 312
 of alternating matrix, 318
 of symmetric matrix, 317, 318
 Serre condition (R_2) for, 315
 diagonalizable group, 279
 difference operator, 148
 dimension, 304, 305, 365, 412–418
 and flat extension, 415–416
 and polynomial extension, 416
 and power series extension, 416
 inequality, 418
 of completion, 60
 *dimension, 35
 direct summand theorem, 356, 361
 divisible module, 91
 divisor class group, *see* class group
- divisorial ideal, 315
 doset algebra, 318
d-sequence, 202
 dual, 19
- edge, 208
 Ehrhart
 function, series, 275
 quasi-polynomial, 276
 embedded deformation, 200
 embedding dimension, 74
 equicharacteristic local ring, 419
 equidimensional, 383
 equimultiple ideal, 202
 essential extension, 97
 maximal, 98
 proper, 97
 *essential extension, 136
 proper, 136
 Euler characteristic
 and multiplicity, 195
 and multiplicity symbol, 193
 of a simplicial complex, 212, 231
 reduced, 231
 of the Koszul homology, 193
 partial, 197
 Euler complex, 238
 f-vector of, 239
 Euler relation, 229
 Evans–Griffith syzygy theorem, 371
 excellent ring, 382
 expanded subsemigroup, 290
 expected rank, 24, 351, 353, 370
 exterior algebra, 40–43, 79, 80
 of free module, 42
 of graded module, 43
 exterior power, 41, 53–54
- face lattice, 224, 262
 face of a cell, 264
 face of a simplicial complex, 207
 dimension of, 207
 face ring, 209
 facet of a simplicial complex, 208
 factorial ring, 70–72, 117, 315
F-finite ring, 398
 fibre, 414
 filtered ring, 182

- filtration, 182
 - Noetherian, 183, 184
 - separated, 183
 - strongly separated, 183
- fine grading, 210
- finite flat dimension, 87
- finite regular cell complex, *see* cell complex
- F -injective ring, 401
- first deviation, 75, 76
- Fitting invariant, 21–23
 - of maximal ideal, 84
- flag variety, ASL property of
 - coordinate ring of, 311
- form, 28
 - initial, 186
- F -pure ring, 406
- fractionary ideal, 119
- F -rational ring, 393
 - and Cohen–Macaulay property, 394
 - and completion, 400
 - and flat extensions, 398
 - and localization, 395, 397
 - and pseudo-rationality, 404
 - Gorenstein, 395
 - graded, 398
 - is normal, 394
 - modulo regular element, 397, 401
- F -rational type, 405
- F -regular ring, 385–386
 - see also* F -rational ring
- Frobenius functor, 327–331
 - flatness of, 330
- Frobenius homomorphism, 327
 - action on local cohomology, 400–402
- Frobenius power, 328
- F -stable, 402
- full subsemigroup, 263
- function of polynomial type, 148
- f -vector, 209
 - and h -vector, 213
- Gauss’ lemma, 315
- general linear form, 163
- generic flatness, 297
- generically complete intersection, 200
- generically Gorenstein, 117, 179
- geometric realization, 225
- G -graded ring, 210
- going-down, 414, 415
- going-up, 414, 415
- Gordan’s lemma, 259
- Gorenstein complex, 243–246
 - and Euler complex, 244
 - simplicial sphere is, 246
 - topological characterization of, 244
- Gorenstein ideal, 120
 - of grade three, 121
- Gorenstein ring, 95–97, 102, 112, 118, 119
 - and flat extension, 116
 - and associated graded ring, 186
 - and faithfully flat extension, 120
 - defined by monomials, 181
 - extremal, 155
 - graded, 143
 - is Cohen–Macaulay, 102
 - localization of, 95
 - modulo regular sequence, 95
 - of dimension one, 119
 - of dimension zero, 107
 - ring of type 1 is, 374
 - type of a local, 102
- Gotzmann space, 173
- Gotzmann’s theorem
 - persistence, 172
 - regularity, 169
- Gröbner basis, 158
- grade, 8–16, 27, 36
 - and acyclicity, 23, 351
 - and dimension, 58
 - and exact sequence, 11
 - and Ext, 10
 - and height, 13, 59
 - and Koszul complex, 50–52
 - formulas for, 11
 - of a module, 12, 25, 366
 - of a non-finite module, 348–354
- graded algebra, 28
- graded ASL, 301
 - Cohen–Macaulay property of, 305
 - discrete, 304

- graded Hodge algebra, 300
 - Cohen–Macaulay property of, 304
 - discrete, 301
 - Gorenstein property of, 304
- graded ideal, 28
- graded module, 27–39
 - category of, 28, 38
 - depth of, 33, 36
 - dimension of, 32, 39
 - grade of, 36
 - projective, 36
 - projective dimension of, 36
 - support of, 30
 - type of, 33
- graded ring, 27–39
 - Noetherian, 29
 - polynomial ring as, 28
 - trivial, 29
- graded submodule, 28
- Grassmannian, 306
 - ASL property of coordinate ring of, 307
- Grothendieck’s condition (CMU), 62
- G -subspace, 292
- g -theorem, 255
- height, 412, 413
- Henselian local ring, 339
- Henselization, 340
- Hilbert function, 147
 - of a positively graded algebra, 174
 - and f -vector, 212
 - and graded free resolution, 153
 - higher iterated, 150
 - of $\omega_{k[A]}$, 246
 - of a \mathbb{Z}^n -graded module, 211
 - of a Gorenstein complex, 246
 - of a graded Gorenstein ring, 177
 - of a homogeneous complete intersection, 181
 - of a homogeneous ring, 157
 - of a one dimensional homogeneous domain, 181
 - of an Euler complex, 246
 - of the *canonical module, 176, 177
- Hilbert polynomial, 149
 - coefficients of, 151
- Hilbert quasi-polynomial, 175
- Hilbert ring, 417
- Hilbert series, 147
 - see also* Hilbert function
- Hilbert’s Nullstellensatz, 417
- Hilbert’s syzygy theorem, 69
- Hilbert–Burch theorem, 26
- Hilbert–Samuel function, 188
- Hilbert–Samuel polynomial, 188
- Hochster’s finiteness theorem, 336–342
- Hochster–Roberts theorem, 292, 386
- Hodge algebra, *see* graded Hodge algebra
- homogeneous
 - algebra, ring, 29, 147
 - component, 28
 - element, 28
 - homomorphism, 28
 - of degree i , 33
 - localization, 31
 - system of parameters, 35, 37
- homogeneous socle, 142
- homogenization, 39
- homological height theorem, 363
- h -vector, 212–214
 - of a homogeneous
 - Cohen–Macaulay algebra, 166
 - of a level ring, 179
 - of an integral polytope, 277
- hyperplane, 223
- hypersurface ring, 298
- I -adic filtration, 182
- ideal generated by monomials, 181
- ideal in a semigroup, 257
 - primary, 257
 - prime, 257
 - radical, 257
 - radical of, 257
- ideal of definition, 188
- ideal of minors, 21–23
- ideal of the principal class, 59
- incidence function, 264
- indecomposable module, 100
- indiscrete part, 302
- injective dimension, 92–95
 - and localization, 92
 - finite, 94, 119, 374, 375
 - modulo regular sequence, 94

- *injective dimension, 138
- injective hull, 97–101, 103, 107
 - localization of, 99
- *injective hull, 136
- injective module, 88–92
 - decomposition of, 100
 - direct sum of, 90
 - localization of, 90
- *injective module, 136–139
- injective resolution, 91, 96
 - minimal, 99, 101
- *injective resolution, 138
- integral closure of an ideal, 388
 - of monomials, 393
- integral dependence on an ideal, 387–391
 - and on a ring, 393
 - valuative criterion for, 390
- integral extension, 414–415
- integral over an ideal, *see* integral dependence on an ideal
- integral polytope, 276
- intersection multiplicity, 366
- intersection theorem, 361–367
 - improved new, 362, 366, 371
 - new, 329, 362, 366
 - Peskine–Sapiro, 365
 - Serre’s, 364, 367
- invariant of a group, 278

- join, 221

- Koszul algebra, 83
 - and the canonical module, 127
 - of a complete intersection, 78–85
 - of a Gorenstein ring, 125, 127
- Koszul cohomology, 45, 131
- Koszul complex, 43–54, 74, 75, 85
 - algebra structure on, 44
 - and flat extension, 46
 - and grade, 50–52
 - as an invariant, 52
 - functorial properties, 48
 - of a sequence, 46
 - of regular sequence, 50
 - rigidity of, 54
- Koszul homology, 44–54, 348, 368
 - algebra structure on, 44
 - and cohomology, 48
 - and flat extension, 46
 - annihilator of, 326
 - exact sequence of, 49
 - functorial properties of, 47
- Krull dimension, *see* dimension
- Krull’s principal ideal theorem, *see* principal ideal theorem

- leading monomial, 157
- lemma of Rees, 94
- lemme d’acyclicité, 27
- length of a module
 - and flat extension, 15
- length of a poset, 215
- level ring, 179, 240
- lexsegment, 158
 - ideal, 161
- line segment, 223
- line shelling, 228
- linear algebraic group, 278
- linear resolution, 169
- link, 232
- local cohomology, 127–136, 372
 - and depth, 132
 - and dimension, 132
 - annihilator of, 323–327
 - canonical element in, 357–361
 - functors, 128
 - of a Gorenstein ring, 129
 - vanishing of, 132
- local duality, 133, 134
 - for graded rings, 141–144
- *local ring, 35–37, 64, 72, 85
- locally free module, 136
- locally upper semimodular, 215
- lying over, 414

- Macaulay
 - coefficient, 160
 - representation, 160
- Macaulay’s theorem
 - on Hilbert functions, 162
 - on order ideals of monomials, 156
- Matlis duality, 103–107
 - for graded modules, 143

- *maximal, 35
- minimal
 - complex of length s , 353
 - free resolution, 16
 - graded, 36
 - multiplicity, 191
 - number of generators, 16
 - presentation of a local ring, 74
 - reduction, 190
 - system of generators, 16
 - homogeneous, 36
- m -linear resolution, 155
- modification, 331–336
 - non-degenerate, 331
 - of type s , (s_1, \dots, s_r) , 331
- module of semi-invariants, 279
- Molien series, 283
- Molien's formula, 284
- monomial theorem, 354
- monomial with exponent, 300
 - support of, 300
- multiplicity, 150, 277
 - and Cohen–Macaulay module, 197, 199
 - and rank of a module, 197
 - of a (non-graded) module, 188
 - symbol, 193
 - system, 192
- Nagata's theorem, 315
- Nakayama's lemma, graded variant, 39
- neighbourly, 227
- Noether normalization, 416
 - graded, 37
 - in complete local ring, 419
- normal domain, *see* normal ring
- normal ring, 71–72, 117
 - as direct summand, 357
 - ring of invariants is, 279
- normal semigroup, 290
- normal semigroup ring, 257–261, 270–278
 - canonical module of, 272, 273
 - Cohen–Macaulay property of, 272
 - Gorenstein property of, 274
 - local cohomology of, 271
- normal vector, 223
- normality criterion, 71, 73, 187
- numerical semigroup, 178
 - conductor of, 178
 - symmetric, 178
- octahedron, 208
- order complex, 208
- order ideal of a module element, 360, 368
- order ideal of monomials, 156
- orientation of a module, 47
- oriented simplicial complex, 229
- perfect ideal, *see* perfect module
- perfect module, 25–27, 366
 - Cohen–Macaulay property of, 59, 68, 69
- Pfaffian, 120
 - ideal, 318
- Plücker relation, 307
- Poincaré
 - algebra, 125
 - duality, 124–127
 - series, 87
- polyhedral set, 223
- polyhedron, 223
 - f -vector of, 224
 - combinatorial equivalent, 224
 - dimension of, 224
 - edge of, 224
 - face of, 224
 - facet of, 224
 - subfacet of, 224
 - vertex of, 224
- polynomial ring
 - ASL property of, 310
- polynomial ring over a field, 69, 72
- polynomials with coefficients in a module, 5
- polytope, 223, 224
 - f -vector of, 229
 - see also* polyhedron
- simplicial, 225

Index

451

- poset, 208
 bounded, 215
 graded, 215
 locally upper semimodular, 305
 of minors, 306
 pure, 215
 shellable, 215
- positive cone, 262
- positive semigroup, 259
- positively graded algebra, ring, 29, 37, 287
 Noetherian, 29
- prime avoidance, 8, 34
- principal ideal domain, 96
- principal ideal theorem, 359, 364, 412
- projective dimension, 16–18, 25
 finite, 66, 69, 119, 365, 367, 375
- projective module, 20
- projective resolution, 16
- pseudo-rational ring, 393, 403
 and rational singularities, 402–405
- pseudo-reflexion, 285
- pure
 extension, 293
 subring, 293
- pure resolution, 153
- pure subring, 406
- quasi-polynomial, 174
- quasi-regular sequence, 5–8, 52, 342
- rank
 of a homomorphism, *see* rank of a module
 of a module, 19–21, 27, 54
 of a poset element, 215
 of a semigroup, 257
 with respect to a module, 351
- rational
 cone, 258
 half-space, 258
 polytope, 258
- real projective plane, 236
- reduced simplicial (co)homology, 230
 relative, 241
- reduced singular homology
 and simplicial homology, 231
 and cell complex, 266
 of a sphere, 231
- reduction ideal, 189, 388
- reduction to characteristic p , 65, 296, 336, 363
- Rees ring, 182
 and reduction ideal, 189
 dimension of, 185
 extended, 182
 minimal prime ideals of, 184
- reflexive module, 19, 27, 107
- regular element, 3, 9, 21
- regular equational presentation, 337
- regular local ring, 65–73, 97
 as a direct summand, 354–357
 associated graded ring, 66
 Cohen–Macaulay property of, 66
 completion of, 65
 factoriality of, 70
 localization of, 67
 normality of, 71
 of characteristic p , 330–331
- regular ring, 68–73, 96, 97
 and ground field extension, 70
 and polynomial extension, 69
 and power series extension, 69
 graded, 72
 positively graded, 72
- regular sequence, 3–8, 15, 67, 79, 342
 and completion, 4
 and finite projective dimension, 365
 and flat extension, 4
 and localization, 4
 and system of parameters, 12
 homogeneous, 34
 of 1-forms, 35
- regular system of parameters, 65, 79
- regularity (Castelnuovo–Mumford), 168
- Reisner’s criterion, 235
- relative interior, 225, 261
- representation of a group, 278
- resolution with algebra structure, 82
- reverse degree-lexicographic order, 156

- Reynolds operator, 281, 282, 292
 ring of characteristic p , 327
 ring of invariants, 278–298
 a -invariant of, 296
 and regularity, 287
 canonical module of, 280, 285, 296
 Cohen–Macaulay property of, 280, 283, 292
 complete intersection property of, 290
 Gorenstein property of, 281, 285, 296
 of a diagonalizable group, 279–281
 of a finite group, 281–291
 of a group of pseudo-reflexions, 286–291
 of a linearly reductive group, 292–297
 ring of type one, 374
 saturation, 168
 second deviation, 81
 self-dual complex, 48
 semi-invariant of a group, 279
 separable, 70
 sequence, *see* regular sequence
 Serre’s condition (R_n), 71, 73
 Serre’s condition (S_n), 63–64, 71, 73
 Serre’s normality criterion, 71
 shellable complex, 214–221
 h -vector of, 218
 is Cohen–Macaulay, 217
 shelling, 214
 of a polytope, 228
 simplex, 208, 225
 simplicial complex, 207
 acyclic, 230
 connected, 222
 constructible, 219
 core of, 244
 dual, 241
 of a simplicial polytope, 225
 pure, 210
 restriction of, 241
 shellable, *see* shellable complex
 simplicial sphere, 237
 singular locus, 382
 skeleton, 221
 small support of a module, 345
 socle, 15, 79
 solution of height n , 336
 split acyclic complex, 23
 standard basis, 158
 standard monomial, 301
 standard representation, 302
 Stanley’s reciprocity law, 275
 Stanley–Reisner ring, 209, 301
 and punctured spectrum, 237
 canonical module of, 246–254
 Cohen–Macaulay property of, *see*
 Cohen–Macaulay complex
 dimension of, 210
 Gorenstein property of, *see*
 Gorenstein complex
 homogeneous system of parameters
 of, 220
 local cohomology of, 232–236
 minimal prime ideals of, 210
 of order complex, 304
 Stanley–Reisner rings
 Betti numbers of, 240–243
 star, 232
 straightening law, relation, 301
 on poset of minors, 306–311
 superficial element, 192
 superheight, 363
 support
 of a monomial, 211, 300
 of an element $a \in \mathbb{Z}^n$, 211
 supporting hyperplane, 224
 symmetric ASL, 311
 system of homogeneous linear
 diophantine equations, 274
 system of parameters, 334, 336, 354,
 413
 and multiplicity, 195
 syzygy, 16, 64
 rank of, 367–371
 test element, 398–399
 tight closure, 378
 and completion, 381, 399
 and integral closure, 391–393
 and localization, 381, 396
 and module-finite extension, 381
 and regular rings, 383

Index

453

- and system of parameters, 384
- of \mathfrak{m} -primary ideal, 385
- of a principal ideal, 392
- tightly closed ideal, 378
 - primary component of, 387
- torsion module, 19
- torsion-free module, 19, 26, 27
- torsionless module, 19, 27
- torus, 279
- transpose of a module, 27
- transversal, 262
- triangulation, 231
- trivial extension, 118
- type of a module, 13–15, 102, 103, 114
 - and flat extension, 13
 - and localization, 115
- UFD, *see* factorial ring
- universally catenary, 62
- unmixed ideal, 59, 63
- unmixed ring, 63
- upper bound theorem
 - for polytopes, 227
 - for simplicial complexes, 237–240
- valuation ring, 390
- vanishing of $\text{Ext}_R^i(M, \omega_R)$, 135
- Veronese subring, 144
- vertex, 207
 - scheme, 225
- visible, 270
- volume of a polytope, 277
- weak sequence, *see* weakly regular sequence
- weakly F -regular, *see* F -regular ring
- weakly regular sequence, 3–9, 50, 353
- \mathfrak{x} -regular module, 3
- \mathbb{Z}^n -grading, 210