

## Index

- aberrations (optical) *see also* astigmatism, chromatic aberration, distortion, coma, eyepieces, field curvature, optical surface inaccuracies, spherical aberration, 10–16, 25–6, 33–7, 90, 92, 294
- absolute magnitude *see* magnitude
- achromatic object glass, 16–19
- Achromatic Ramsden eyepiece, 34–5
- active areas (solar), 265
- active prominences, 265–71, 273, 274
- Airy disc, 5–7, 316
- Albireo (beta Cygni), 315
- Almaak (gamma Andromedae), 315
- Alnitak (Orion belt star), 93, 95, 98, 283, 330
- Alnilam (Orion belt star), 93, 95, 98, 283
- Alphonsus *see* lunar craters
- altazimuth telescope mounting, 62, 66–7, 74–8, 231
- aluminium reflective films, 40–1
- American Association of Variable Star Observers (AAVSO), 275, 280
- Andromeda, 331–2
- Ångström, 335, 344
- antenna patterns (radio), 366–70
- Antoniadi, E. M., 182
- Antoniadi scale of seeing, 28, 160, 161, 163, 164, 165, 166, 167, 185, 186, 193, 204, 209
- aperture (definition), 3
- aperture stops, 29, 181, 183, 284
- apparent field of view, 30–7, 325
- apparent magnitude *see* magnitude
- Argelander step method (comparison star sequence method), 282
- Aristarchus *see* lunar craters
- artificial star photometer *see* photometry
- ASA number *see* ISO number
- Association of Lunar and Planetary Observers (ALPO), 192, 393
- asteroids, 104, 221–9
- astigmatism, 13–14, 58, 60
- astrometry, 88, 156, 228–9, 238
- atlases (star) *see* charts (star)
- atmosphere  
   transmission, 38–41  
   turbulence, 27–8, 117, 133, 137, 138, 139, 145–6, 181, 259
- atomic number, 335–6
- aurorae, 102, 104, 221, 246–8
- autocollimation devices, 53–4, 55
- band spectra *see* spectra
- Barlow lens, 37–8, 114, 299, 317
- ‘barn door’ camera mount, 97–101
- binary stars, 314–25
- binary star designations, 316–17
- binoculars, 230, 279, 280, 289, 325
- black-body radiation, 339–40
- blink microscope comparator, 221–2, 290
- blooming of lenses, 36, 41
- boloides, 243
- British Astronomical Association (BAA)  
   [*see also* lists of BAA papers – pages, 382–90], 185, 192, 232, 260, 261, 275, 280, 392
- Callisto, 212–13
- Cassegrain telescope, 21, 23–5, 54–5
- Cassegrain-Newtonian telescope, 48, 62
- Cassini’s division, 214–17
- catalogues  
   binary star, 316–17, 380  
   galaxies, 325, 379–80  
   nebulae, 325, 379–80  
   star, 316–17, 325, 379–80
- catadioptric telescopes, 21, 25–6, 55, 56
- charge coupled devices (CCDs), 135, 138, 140–56, 168, 175, 179, 195, 196–7, 199, 200, 207, 210, 219–20, 229, 233, 312–13, 324–5, 333, 348, 364

- cells  
 object glass, 49–51  
 primary mirror, 49–51  
 characteristic curves (of photographic emulsions), 84–6  
 charts (star), 225, 280–1, 325, 379–80  
 chromatic aberration, 10–13, 33–8  
 chromosphere, 265, 341  
 coelostat, 254, 269  
 collimator (spectroscope), 346–7, 351, 357–8, 360  
 collimation  
 of star diagonal, 56  
 of telescopes, 51–6, 57–60  
 colour film, 80, 83, 88, 89, 123, 248  
 coloured filters, 112–13, 154, 156, 176, 188–9, 195, 197, 200, 210, 216, 251–4, 257, 273–4, 292–3, 295, 312–13, 331  
 colour index, 312  
 colour vision, 192–3, 207, 209–10, 216, 329–30  
 coma, 13, 15, 25–6, 92, 113, 328  
 comets  
 hunting, 229–32  
 nomenclature, 232  
 photography, 148, 152, 233–8, 239  
 comparison stars, 242, 282–4, 292–5, 307–13  
 computer-aided telescopes, 65–6  
 computer-controlled telescopes, 65–8, 233, 305, 308–9  
 conjunctions (planetary), 182, 183, 191, 201, 213  
 continuous spectra, 339  
 contrast (image)  
 photographic (*see also* CCD), 84–6, 125–9  
 visual, 18, 19, 22, 181–2, 329  
 corona (solar), 268  
 cusp-caps (of Venus), 186–8  
 Cygnus, 276, 286, 287–9, 327
- dark adaption, 9–10, 325, 331  
 Dawes limit, 5–7, 315  
 Deimos, 197, 200  
 detector quantum efficiency (DQE), 141, 305  
 dewing problems, 48, 101, 302  
 diffraction, 3–7, 348–54  
 diffraction gratings, 348–54, 358  
 DIN number *see* ISO number  
 Dione, 218  
 dispersion, 11, 12, 16–17, 268, 341–5, 350–1, 352, 353, 354, 360  
 dispersive power, 16  
 distance modulus, 277  
 distortion  
 barrel, 15–16  
 pincushion, 15–16, 88  
 Doppler shift, 274  
 Double Cluster (Perseus), 102, 325  
 double stars *see* binary stars  
 drawing  
 Jupiter, 202–5  
 Mars, 191–4  
 Moon, the, 158–67  
 Saturn, 215–16  
 Sun, the, 205–6  
 Venus, 184–7  
 drives (telescope), 62–8, 105, 108–11, 156, 233, 303  
 Dumbbell Nebula, 110, 329
- eastern elongations *see* elongations  
 eclipsing binary stars, 285, 310  
 effective focal length (EFL) *see* focal lengths  
 effective focal ratio (EFR) *see* focal ratios  
 electromagnetic radiation, 334–41  
 electrons (in atoms), 335–40  
 electronic imaging, 132–56, 164, 168, 174, 175, 179, 195–6, 199, 200, 207, 210, 219–20, 229, 231, 233–9, 254, 312–13, 324–5, 331, 332–3, 364  
 elongations, 181, 182  
 emission nebulae *see* nebulae  
 emulsions (photographic) *see* photographic  
 Enceladus, 218  
 Encke's division, 214  
 equation (personal) *see* personal equation  
 equatorial telescope mountings, 43, 46, 62–5, 250, 306, 310–11, 356  
 Erfle eyepieces, 34, 36  
 eruptive variable stars, 286  
 Europa, 212–13  
 exit pupil, 8–10, 325  
 eye-ring *see* exit pupil  
 eyepieces (*see also* Erfle eyepieces, Huygenian eyepieces, Huygens-Mittenzwey eyepieces, Kellner eyepieces, Monocentric eyepieces, Nagler eyepieces, Orthoscopic eyepieces, Plössyl eyepieces, Tolles eyepieces, 8–10, 30–7, 115–17, 137–8, 230, 251, 279, 293, 325  
 eyepiece fields of view *see* apparent field and real field
- Fabry lens, 300, 301  
 faculae, 259  
 field curvature, 15–16  
 field sizes  
 of eyepieces *see* apparent field and real field, *also* eyepieces  
 of photographic field frames, 88, 90, 107  
 filaments, 268, 273  
 films (photographic) *see* photographic

- filters, 102–3, 154, 156, 174, 176, 188–9, 195, 197, 200, 210, 216, 220, 251–4, 292–3, 331
- finder charts, 225–8, 325
- finder telescopes, 61
- filar micrometer *see* micrometers
- fireballs, 243
- flares (solar), 258, 265, 266–8, 273
- flexure, 43, 49–50, 101, 108, 109, 111
- flux-gate magnetometer, 248
- focal length (definition), 1–3, 88, 90–1
- focal ratio (definition), 3, 90–1
- focusing screens (of cameras) *see* photographic
- fogging *see* photographic
- force-processing *see* photographic
- fractional method, 282–3
- galaxies, 314, 331–3
- Ganymede, 212–13
- gas-giant plans *see* Jupiter, *also* Saturn, *also* Uranus, *also* Neptune
- gas-hypersensitisation *see* photographic
- ghost images, 36, 231
- glass (optical properties of), 16–18, 41
- gnomonic projection maps
- Great Nebula in Orion *see* Orion Nebula
- grain (photographic) *see* photographic
- granules (solar), 257, 273
- gratings (diffraction) *see* diffraction gratings
- guiding (photographic) *see* photographic
- halation, 294
- Harvard classifications, 276, 288–9
- Herschel wedge, 253–4
- Horsehead Nebula, 330
- Huygenian eyepieces, 32–3, 34
- Huygens-Mittenzwey eyepieces, 33, 34
- hypersensitisation *see* photographic
- hydrogen spectra *see* spectra
- Hyperion, 218
- hypothermia, 244
- Iapetus, 218
- image resolution *see* resolution
- image scale (definition), 3, 88, 107, 138, 343–4, 353–4
- inferior conjunctions *see* conjunctions
- interference, 349–50
- International Astronomical Union (IAU), 157, 198, 232
- interferometer (radio) *see* radio interferometer
- Io, 212–13
- irregular variable stars, 286
- iris/pupil  
 of camera, 91  
 of eye, 9–10, 325
- ISO number, 80–3, 112–13, 119–20
- jam-jar magnetometer, 248
- Joint European Amateur Photometer (JEAP), 303, 305
- Julian date, 284–5, 310
- Jupiter, 119, 147, 201–12, 173, 287, 298
- Jupiter's  
 belts, 202–3  
 Great Red Spot (GRS), 147, 205–7, 208  
 nomenclature, 203  
 zones, 201–3
- Kellner eyepieces, 34, 35
- Kodak  
 films *see* photographic filters, 188–9, 195, 210
- König, 7/70 eyepiece, 37
- latitude measures  
 on Jupiter, 210–12  
 on the Moon, 157–8  
 on Saturn, 217
- Leonid meteors, 243
- light grasp (definition), 3
- light pollution, 102–3, 331
- line spectra *see* spectra
- local  
 hour angles *see* hour angles  
 seeing conditions *see* seeing conditions  
 sidereal time *see* sidereal time
- lunar craters  
 Alphonsus, 120, 170–1, 174  
 Archimedes, 120, 133  
 Aristarchus, 120, 159–60, 172, 174  
 Arzachel, 171  
 Gassendi, 148  
 Hevelius, 165  
 Messier and Messier A, 174  
 Plato, 168  
 Ptolemaeus, 171  
 Regiomontanus, 134  
 Sirsalis, 167  
 Torricelli B, 161, 174  
 Tycho, 157–8  
 Yerkes, 160–1
- lunar crater shadow measurements, 168–70
- lunar mare, 157–8
- lunar occultations, 177–9
- Lyrid meteors, 243
- magnification, 8–10  
 and seeing, 29–30  
 and field size, 31  
 maximum useful, 30  
 minimum useful, 9–10, 30

- magnitude (definition), 277  
   estimates, 242, 281–4  
   equations, 112, 277  
   measures, 292–313  
 Maksutov telescope, 26, 55  
 mare *see* lunar mare  
 Mars, 190–200  
 Mean Daily Frequency (MDF), 265  
 Mercury, 181–2  
 Messier and Messier A *see* lunar craters  
 meteors  
   photography, 104, 245–6  
   radio observation, 246, 365, 378  
   spectrography, 246, 345  
   visual observation, 244–5  
 meteoroids, 243  
 micrometers, 210–12, 217, 317–23  
 micrometer constant, 319–20  
 microrelief, 174  
 microdensitometry, 175, 295  
 Mimas, 218  
 minimum deviation, 341, 343, 346  
 Mintaka (Orion belt star), 93, 95, 98, 283  
 Mira-type variable stars, 285  
 mirrors (telescope) *see* telescope mirrors  
 Monocentric eyepiece, 34, 36  
 Moon, the, 108, 116–17, 118, 119, 126–8,  
   133–4, 137, 148–9, 157–79, 348, 363  
 motor drives *see* drives (telescope)  
 mountings (telescope) *see also* altazimuth  
   mountings *and* equatorial mountings,  
   43–5, 46, 48, 62–5, 66–7, 74–8, 231,  
   250, 306, 310–11, 356  
 mounting auxiliary equipment on  
   telescopes, 61–2, 110–11, 114–16,  
   112–13, 136–7, 249–54, 292–4,  
   299–303, 347, 353–4, 355–61  
 mylar filters, 251–3  
  
 Nagler eyepiece, 34, 37  
 nebulae  
   absorption, 329–31  
   catalogues, 325, 379–80  
   emission, 329–31  
   reflection, 328–9  
 Neptune, 201, 218–19  
 Newtonian telescope, 20–3, 43–8, 51–4, 74,  
   105, 108, 111, 136, 180–1, 250–2, 305,  
   356  
 novae, 104, 287–91  
 Nova Cygni, 1975, 287, 288, 289  
 nova hunting, 104, 289–91  
  
 object glasses, 7–9, 16–19, 55  
 objective gratings, 353–4  
 objective prisms, 341–5  
 observatories, 69–78  
 oculars *see* eyepieces  
  
 occultations  
   lunar *see* lunar occultations  
   planetary/stellar, 219–20  
 off-axis mask, 29, 181, 183  
 opacity (photographic), 84, 295  
 oppositions (planetary), 190, 201, 213,  
   218–19  
 optical accuracy *see also* aberrations, 19–20,  
   296  
 optical density, 84–6  
 Orion Nebula (M42), 93, 95, 98, 130–1, 329  
 orthochromatic films, 87  
 Orthoscopic eyepiece, 34, 35  
  
 panachromatic films, 88  
 penumbra, 259  
 Phobos, 197, 200  
 Perseid meteors, 243  
 phase-switching, 373–5  
 Phoebe, 218  
 photographic  
   camera focusing aids, 107  
   camera focusing screens, 107  
   developing, 122  
   enlargement of primary image, 113–21  
   exposure lengths, 81–97, 112–13, 116–21  
   field of good definition, 113, 115, 117  
   films, 80–9, 112–13  
   fogging (dichroic), 122  
   fogging (sky), 101–3, 121  
   grain, 80–1, 82, 121–2  
   guiding, 92–101, 109–12, 233–8  
   halation, 294  
   magnitudes, 101, 112  
   reciprocity failure, 87–8  
   resolution, 80–1, 83  
   tolerance to undriven exposures, 91–2,  
   108, 120  
   unsharp masking, 129–31  
 photometry  
   photographic, 175, 294–5  
   photometric, 174–5, 212, 218, 219–20  
   visual, 292–4  
 photomultiplier tubes, 296–9  
 photon counting, 304–5  
 plagues, 259  
 Plato *see* lunar craters  
 Pleiades, 98, 325, 328  
 Plössyl eyepiece, 34, 35–6  
 Pluto, 233  
 Pogson's step method, 283  
 Polaris, 353–4  
 position angles  
   double star, 320–1  
   lunar, 177–8  
 Praesepe (M44), 222, 325, 326  
 precession, 227–8  
 pre-exposure (of films), 121–2

- prominences, 265–8  
 Purkinje effect, 283–4
- quiescent prominences *see* prominences
- radian measure, 4  
 radiant (of meteor shower), 243  
 radio antennae, 366–70  
 radio flux, 365–6  
 radio interferometer, 370–5  
 radon emissions from the Moon, 172, 176  
 Ramsden eyepiece, 33–5  
 real field of view, 31, 230, 325  
 reciprocity failure *see* photographic  
 reflection nebulae *see* nebulae  
 refracting telescopes, 7–10, 16–19, 55  
 refractive index, 16  
 resolution  
   of telescopes, 3–7, 19, 27–8, 113, 138,  
   145, 315–16  
   of photographic emulsions *see*  
   photographic
- Rhea, 218  
 Ring Nebula (M57), 329
- 28 Sagittarii, 219–20  
 Saturn, 213–20  
 Schmidt cameras, 25–6, 235  
 Schmidt-Cassegrain telescopes, 21, 25–6, 55  
 Schröter's effect, 189  
 secondary spectrum, 16–18  
 seeing *see also* atmosphere *and* Antoniadi  
   scale of seeing  
 seidal errors, 11–16, 23, 25  
 selenographic coordinates, 157–8  
 semi-regular variable stars, 285  
 setting circles, 233, 281  
 'shadow of the nucleus' effect, 240, 241  
 'sighting tube' collimation aid, 53–6  
 silica gel (use of), 311–12  
 silver reflective films, 40–1  
 Sky Atlas, 2000.0 *see* charts (star)  
 slow motions, 64, 66–7, 96, 111, 235, 269,  
   348  
 soliton, 205  
 SN, 1988A, 332–3  
 SN, 1994I, 332–3  
 spectra, 170, 335–64  
 spectrograph, 344–8, 351–2, 354–63  
 spectrohelioscope, 266–72  
 spectroscopy, 268–9, 272, 344–8, 352–3  
 sporadic meteors, 243, 378  
 stars  
   binary *see* binary stars  
   brightnesses *see* magnitudes  
   colours *see* colour index  
   distances *see* distance modulus  
   variable *see* variable stars  
   star clusters, 98, 102, 222, 325–31  
   star diagonals, 56  
   Sun, the, 249–74, 338, 342, 352–3, 363  
   sunspots, 258–65, 266–8, 270–1  
   supernovae, 104, 275, 331–3  
   superior conjunctions *see* conjunctions  
   synodic periods (of planets), 182, 183, 190,  
   201, 213, 218, 219  
 System I and System II coordinates, 205,  
   206
- telescopes *see also* Cassegrain telescope,  
*and* Cassegrain-Newtonian telescope,  
*and* Newtonian telescope, *and*  
 catadioptric telescope, *and* Maksutov  
 telescope, *and* radio telescope, *and*  
 refracting telescope, *and* Schmidt-  
 Cassegrain telescope, *and* tri-  
 schiefspiegler telescope, *and* tri-space  
 refractor, 1–26, 42–78, 92, 94–7,  
 105–31, 131, 136, 156, 180–1, 229–31,  
 249–55, 278–80, 284, 303–6, 315–16,  
 325, 341, 353–61, 366–78  
 telescope mirrors, 19–26, 40–1, 49–56, 57–9  
 telescope tubes, 42–9, 111, 306, 355–6  
 terrestrial planets *see* Mercury *and* Venus  
*and* Mars  
 Titan, 218, 219  
 tri-schiefspiegler telescope, 25, 181  
 tri-space refractor, 18–19  
 Tolles eyepiece, 34, 36  
 Torricelli B *see* lunar craters  
 Transient Lunar Phenomena (TLP), 170–7,  
   348  
 tube currents, 47–9  
 Tycho *see* lunar craters
- umbra, 259  
 unsharp-masking *see* photographic  
 Uranus, 218–19  
 Uranometria 2000.0 *see* charts (star)
- variable stars, 275–87, 292–313  
 Vega (Alpha Lyrae), 287, 312  
 video imaging, 132–40, 179  
 visual responses of eye, 5, 9, 87, 193, 207,  
   209, 216, 283–4, 329–30
- western elongations *see* elongations  
 Wratten series filters, 188–9, 195, 210
- Yagi antennae, 367–70  
 Yerkes *see* lunar craters
- zenith hourly rate (ZHR), 246  
 zones *see* Jupiter *and* Saturn