

Index

- 3-D vision 241
- 3-Level system 250–252
- A-B-O blood typing 64
- ABD-SOAR 95, 105–113, 116
- abducer 97, 215
- abduction
- and bounded resources 214
 - characterization of 5, 14, 29, 139, Figure 6.1, 178, 207, 223
 - complexity independent of model 159
 - computational costs 203
 - computational feasibility of 136
 - conclusion 14, 16
 - and deduction 12–13
 - deliberate 6
 - descriptive theory of 14
 - evaluative theory of 14
 - explanatory theory of 14
 - fallibility of 16, 180
 - goal of 13
 - in historical scholarship 8
 - includes generation and possible acceptance 9
 - intractability, factors that cause 158
 - is a distinct form of inference 3
 - in language understanding 6, 8
 - in learning 197
 - normative theory of 14
 - optimal algorithm 178
 - optimal strategy 207
 - as optimization 205
 - in ordinary life 6, 29, 260
 - pandemonious control of 150
 - as part of logic 12
 - as a pattern of evidential relationships 12
 - as a pattern of justification 9
 - in perception 6, chapter 10
 - perceptual 6
 - and prediction 26
 - and probabilities 26–27
 - process 9
 - real-time 207
 - as reasoning from effect to cause 29
 - in science 7, 29, 260, 271
 - seeded processing 246
 - snapshot vs. moving-picture 264
 - as a subtask of prediction 26
 - success with difficult domain 192
 - successful 260
 - suspended 14
 - task analysis 139, Figure 6.1
 - task definition 9, 204–207, 215
 - ubiquitous in cognition 202
- abduction machines
- a problem endemic to all six 213–214
 - composable 263
 - Machine 1 *see* Machine 1
 - Machine 2 *see* Machine 2
 - Machine 3 *see* Machine 3
 - Machine 4 *see* Machine 4
 - Machine 5 *see* Machine 5
 - Machine 6 *see* Machine 6
 - six generations of 136, 139
 - summary of capabilities 262–264
- abduction problem 160
- abductive argument, force of 259
- abductive assembly 58–59
- can be computationally expensive 74
 - characterizing the information-processing task 202
 - in RED-1&2 74–75
 - knowledge requirements 96–97
 - by message passing 147, 148
 - refinement control 104
 - stages of processing 212
 - three generic subgoals 95
 - tractability of 205
- abductive formant trackers 250
- abductive hypothesis assembly *see* hypothesis assembly
- abductive justification 9–12, 263
- abductive-assembly function 214
- abductive-confidence function 269
- Abelson, R. P. 47
- abstract machines 262
- abstract psychology 52
- abstracting from low-level descriptions 43
- acceptance, degrees of 210

Cambridge University Press

0521575451 - Abductive inference: Computation, Philosophy, Technology

Edited by John R. Josephson and Susan G. Josephson

Index

[More information](#)

296

acceptance, threshold for 145
 accounts-for
 adjustment during assembly 134
 determining 133, 190, 199
 knowledge 96, 111
 acoustic invariants 247
 acoustic stratum 248
 active vision 244
 ad hoc category 141
 additive reaction strengths 176
 affirming the consequent 158
 agglutination 65
 agora 242
 AI as art 34–35
 AI as design science 35–37
 AI as engineering 32
 AI as the science of intelligence 52
 AI as traditional science 32–34
 AI disunity 31
 AI programs, evaluation of 32
 Allemang, D. 3, 157, 158, 163, 165, 166,
 167, 171, 291
 Altmann, E. 106
 ambiguity 143, 149, 212, 214, 223, 244, 263
 ampliative inference 13, 260
 analogy 141, 265, 271
 closeness of 272
 annotated state transition 128
 antecedent conditions 17
 anti-A 64
 antibody 63
 antibody identification 67
 antigens 63
 antigram 65
 Ao, B. note 10.7, note 10.9
 Appelt, D. 238
 architecture 39, 42
 for abduction 124, 131, 150, 241
 analog and symbolic contrasted 40
 artifacts of 49
 connectionist 40
 connectionist, for abduction 213
 consequences of assumptions about 145
 for diagnosis 124
 empirical investigation of 61
 flexible 115
 for general intelligence 105
 general problem solving 116, 262
 independence/dependence 42
 mental 59
 method-specific 116
 multileveled 49
 of QAWDS 187
 of RED-1 and RED-2 66–75
 SOAR-like 106
 symbolic 40
 task-level 60
 task-specific 115
 TIPS 118
 unitary 49, 51, 52, 59
 universal 39, 50

ABDUCTIVE INFERENCE

Argument from Design note 6.2
 Aristotle 16, 17, note 1.11
 articulatory gestures 254, 258
 articulatory invariants 247
 ArtRec 250, 252–258
 attention, focus of 49
 auditory stratum 249

 backtracking minimization 263
 Bayes's Theorem 26
 Bayesian belief network 161
 BB1 116
 Beckman, M. note 10.4, note 10.7, note 10.9
 behavior note 5.4
 belief 12
 belief revision, Pearl's theory of 161–162,
 164, 169, 173
 Believed hypotheses 209, *see Machine 5,*
 Machine 6
 best explanation
 algorithm for finding 173
 compared to what? 15
 confidence in 269
 likelihood of being correct 232, 270
 unique 270
 best-small plausibility criterion 171, 173,
 Appendix B note
 Bhaskar, R. note 1.9
 biased sampling processes 21
 blackboard systems 246
 blood typing 63
 blood-bankers' vocabulary 65
 Bogenschütz, S. 291
 boldness 86
 Bonaparte, N. 8
 Bond, W. E. 129
 Boole, G. 44, 45
 Bordley, J. 10, 11, 121
 bottom-up processing 238, 239, 242, 245
 Bromberger, S. 29
 Browman, C. P. 249, 251
 Brown, D. C. 2, 54, 60, 97, 116, 118
 Brown, J. S. 187, 195
 Bruce, D. J. 250
 Bruner, J. 238
 Buchanan, B. 72
 Bylander, T. 2, 3, 60, 61, note 3.4, 117, 130,
 132, 157, 158, 163, 165, 171, 180, 181,
 186, 191, 194, note 8.2, 234, 293

 C/D model 258
 Caduceus 103
 causal processes 126–129, 130
 causal responsibility 17, 18, 29
 causal sufficiency 17
 causal understanding 29
 causality
 axiomatization of 271
 causation 16–18
 cause 17
 direct and indirect 189

Index

297

- efficient 17, 35
 - and explanation note 1.10
 - final 17, 35
 - formal 17
 - hidden 264
 - and implication 17
 - material 17
 - mechanical 17
 - remote 92
- caution 86, 231
- cells 64
- certainty 1, 16, 266, *see also doubt, uncertainty*
 - emergent 15–16, *see also emergent certainty*
 - increased by hedging 23
 - islands of 142, 144, 151, 203, 211, 223, 224, 245, 246
 - values 226, 227
 - vocabulary 225
- certainty-increasing inference 16, *see also uncertainty reduction*
- chance, as explanatory 21
- Chandra, *see Chandrasekaran, B.*
- Chandrasekaran, B. 1, 2, 31, 50, 54, 56, 60, 61, 63, 68, 73, 94, 106, 115, 116, 117, note 5.1, 118, 120, 126, 129, 130, 132, 134, 160, 182, 183, 291, 292, 293
- channels 239, 259
- Charniak, E. 5, 25, 238
- classification 52, 59, *see also hierarchical classification*
 - specialist 54, 215
- clause 248
- coarticulation 258
- cognitive dissonance 146
- cognitive psychology 33
- coherence 19, 222, 271
- coincidence 22
- Columbo note 9.7
- communication-intensive processing 150
- compiled deliberation 238, 240
- complete explanation 143, *see also explanation, complete*
- complexity 44, 51, 54, 124, 181, 187, 202, 203, 204, 214–215, 268, chapter 7
- complexity reduction 68, 71, 178, 214
- component behavior 131
- composite hypothesis 84, *see also hypothesis, composite*
 - generating all plausible 75
 - locally best 191
 - subtasks of forming 139
- composition of hypotheses 242, 243–244
- computational architecture *see architecture*
- computational complexity of abduction *see complexity*
- concept
 - instantiation 142
 - new 241
- concurrent processing 139, 263
- confidence
 - adjustment 120, 144, 146, 210, 216, 217, 218, 243, 268
 - all things considered 268
 - coarse scale 26, 267, 268
 - of composite hypothesis 171–173, 271
 - of conclusions 212
 - correlated with correctness 232
 - of data items 120
 - equal 223
 - grades 144
 - graduated descent 263
 - initial 142, 199, 243, 267
 - numerical 26
 - precision 144
 - prima facie 71, 141, 142, 143, 146, 243, 267, 271
 - quality of the estimate of 206
 - set by expert judgment 71
 - set by voting note 10.2
 - symbolic 68
 - thresholds, relative and absolute 143
 - vocabularies for expressing 219, 267
- confidence / coverage tradeoff 144
- confidence-setting behavior 237
- confidence-setting rules 232, 267
 - validation of 236
- confident portion of the best explanation 143, 210
- Connection Machine 150
- connectionism 40–42
- consilience of inductions 245
- consistency 83, 169, 244, 263
- consolidation 130–132
- constrictor symptoms 104
- content theory 47
- contrasting possibility 29
- control
 - constructs 39
 - fine 116
 - fixed 96, 216
 - in generic tasks 53
 - in hierarchical classification 54
 - opportunistic 96, 216, 263
 - programmable 97
 - of refinement 100, 102, 104, 146, 263
 - in rule systems 49
 - specification of 60
 - strategies 52
- control knowledge 49, 97, 107, 109, 111, 112
- controlled experiment 21
- converter/distributor model of phonetic implementation *see C/D model*
- Cooke, W. 291
- Cooper, G. 159, 162, 169
- corrective learning task 196
- correctness 44, 45, 47, 77, 85, 88, 89, 138, 223, 233, 234, 235, 236, 270
- correlation 19, 22, 146, 270, 271
- correspondence with the facts 237, 264

- cost of error 206
 cover-and-differentiate method 164
 coverage / confidence tradeoff 144
 covering-law model of explanation *see explanation, covering-law model of*
 CREAM 196, 197–201
 credit assignment 196–197, 200
 criticism 29, 66, 74, 78, 83–88, 95, 102, 134–135, 146, 214, 262
 cross-match 66
 crucial experiment 7, 244
 CSRL 60, note 3.4, 99, 124, 263
 CSRL-IGTT 215
 cueing 138, 141, 242
 CV system 250
- Darden, L. note 1.3, 129, note B.2, 291
 Darwin, C. 8
 Dasigi, V. 238
 data
 relativity of 242
 roles of in abduction 243
 to be explained 199, 210
 data gathering 14, 21, 143, 212, 242, 244
 data language 260
 data perspective 147
 David, J. M. 180
 Davis, R. 159, 187, 196
 de Kleer, J. 143, note 7.1, 159, 162, 164, 187, 195
 deception 13, 212
 decision point 83, 97, 102
 reoccurring 100, 118
 decision table 99
 deduction 15
 and abduction 12, 13
 and explanation 16
 and prediction 23
 deductive-nomological model of explanation *see explanation, deductive-nomological model of*
 default method 216
 DeJong, G. 197
 DeJongh, M. 3, 130, 141
 delaying hard decisions 102, 103, 138, 144
 deliberation-perception isomorphism 241
 DENDRAL 72, 75, 87
 Descartes, R. 13, note 6.2
 design science 35–37
 design task 52, 53, 54, 60, 115
 detective 7, note 9.7
 determinism 17
 device 126, 129, 130, 132, 187
 diagnosis 9–12, 50, 58, 115
 errors in 10–11, 200
 generic task analysis 52–59
 perception-like 241
 use of functional knowledge in 126–130, 131–134
 use of structural knowledge in 130–134
 in various architectures 51
 diagnostic dialog 11
 diagnostic differential 10, 91, 146, 244
 differential *see diagnostic differential*
 disbelief 210
 disjunctive syllogism 12
 disphasic muscle activity 192
 domain independence 94, 137, 138, 218
 Donahue, T. note 1.12
 doubt 13, 244, *see also uncertainty*
 cannot be eliminated 14
 persistence of 16
 Doyle, A. C. 7, 90
 Dr. Gait-1 186
 Dr. Gait-2 186
 Dressler, O. 159
 DSPL 60, 97, 118
 DSPL++ 116
 Dunlop, B. 291
 Dvorak, D. 159
 Dzierzanowski, J. 186
- EAGOL note A.1
 ECHO 218, 222
 emergent certainty 15, 260
 empathy 265
 emphasis 255, 257
 empirical generalization 19, 264
 empirical knowledge 16
 empiricism 16
 Ennis, R. 19, 20, 291
 enumerative induction 19
 Erickson, D. 238, note 10.12
 Erman, L. 246
 error candidate generation & selection 197
 error detection 120, 131, 146, 228
 error minimization 206
 Eshelman, L. 164
 essential hypotheses 76, 84, 85, 143, 148, 209, 227, *see also hypothesis, Essential*
 actually occur 154
 are not essential 211
 relative to rivals 144, 212
 uncovered 223
 essential kernel 85
 essentials-first leveraging-incompatibilities strategy 211
 essentials-first strategy 142–155
 establish-refine control strategy 55, 68
 establish-reject knowledge 54
 etiologies 239
 Evans, C. 63, note 3.1, note 3.4, note 3.5, note 3.6
 evidence
 breadth of 76
 domain-independent theory of 269
 negative to positive, note 1.5, 91
 patterns of 71
 evidence abstractions 56
 evidential links 240

Index

299

- evidential relationships, science of 12
 evidential support 12
 evocation of hypotheses 139–141, 242
 expectation-based disambiguation 252
 expectations 131, 244, 246
 failure of 21, 264
 experiment 6, 7, 16, 21, 31
 expert judgment 71, 91, 230
 explaining as much as possible 207, 264
 explanandum 20
 explanation 16, note 1.9, 18, 29, 160
 best 15, 160, 205
 cognitive aspects of 18
 complete 83, 85, 160, 166, 169, 203, 204,
 214, 224, 228, *see also complete
 explanation*
 confidence in 269, *see also confidence*
 confident, partial 263
 correct 85
 of correlation 22
 covering-law model of 20
 deductive-nomological model of 17, 20
 and deductive proof 16
 definition of 204
 expansion 224
 by general statements 20
 ideally complete 25
 incomplete 17, 214, 228
 models of 17
 of multiple findings 103
 object of 20, 21, 29
 partial note 7.2, 204, 263
 plausible 15
 and pragmatics 18
 and prediction 24–25
 of prediction failure 264
 psychological 17
 of sample frequencies 19–22
 of special findings 103
 of state transitions 128
 statistical 17
 true 10, 15
 uncertainty of 214
 and understanding 28, 206
 unique best 158
 what needs to be accounted for 189
 explanation function 160
 explanation seekers 264
 explanation-accepting processes 260
 explanation-based learning 197
 explanation-seeking processes 180, 260
 explanations
 all possible consistent 143
 generating all possible 136
 George-did-it type 24
 number of 165
 explanatory coverage 142, 143, 162, 199
 determining 142
 maximizing 204, 205, 206
 explanatory inference 5
 explanatory interactions 169
 explanatory power 271
 monotonically increasing 83
 explanatory relationships 223
 explanatory scope 243
 explanatory usefulness 76
 fair questions 11
 false but useful propositions 45
 Fann, K. T. 8, 158
 Fannin, E. 291
 feature patterns 57
 Feigenbaum, E. 38, 72
 Feth, L. note 10.4
 filing system of the mind 48
 final-cause naming 64
 finding the best explanation 204
 findings 103
 ambiguous 143
 order of consideration 90–91
 unexplainable 143
 unusual 90
 Fischer, O. 3, 94, note 4.2, 136
 focus of attention 49, 50, 67, 79, 90, 96, 103,
 104, 159, 183, 206, 249
 focus of puzzlement 206
 Fodor, J. 238
 formant note 10.8
 four-machine experiment 224
 Fox, Richard 3, 202, note 9.3, 238, note
 10.7, note 10.9, note 10.12, 293
 Fox, Robert note 10.4, note 10.7, note 10.9
 FR *see Functional Representation Language*
 frames 46–47, 73
 Frayman, F. 102
 frequency semantics for probabilities 267,
 269
 Fromkes, J. note 5.3
 Fujimura, O. 238, note 10.12, 252, 258, 292
 functional knowledge 126, 132
 functional modularity 60
 Functional Representation Language 126
 functions
 of a device 126
 explained by causal processes 128
 Gabriel, R. 186
 gait 184
 Gardocki, R. 291
 Garey, M. 157, 168, 172
 generalization, hedged 23
 Generalized Set Covering model 72
 generating elementary hypotheses 199
 generic goals 216
 generic tasks 35, 60, 106, 115, 200, 216
 alternative methods for 114
 canonical methods for 216
 characterization 53
 classical view 62
 elementary 53, 60, 61

Cambridge University Press

0521575451 - Abductive inference: Computation, Philosophy, Technology

Edited by John R. Josephson and Susan G. Josephson

Index

[More information](#)

300

generic tasks (cont.)
 in antibody identification 67
 generic-task approach 59–62
 gestural score 249
 gesture hypotheses 253
 Gettier problem note 1.8
 givens 29
 gluteus maximus 193
 goal, problem-solving 96
 goal-seeking machines 263
 God note 6.2
 Goel, A. 3, 136, 147, 148, 150, 174, 202,
 213, 293
 Goldstein, L. 249, 251
 Gomez, F. 50, 68
 Gregory, R. L. 238
 guess 210, 212, 217, 232, 263
 informed 143, 149
 guilt 219

Halliday, M. 249, 250
 Hamscher, W. 159, 187
 hard decisions 144
 delaying 102–103, 144
 hard implication note 9.5
 Harman, G. 1, 5, 6, 7, 8, note 1.8, 19, 25
 Harvey, A. 10, 121
 Hastie, R. 5
 Hayes-Roth, B. 116
 Hayes-Roth, F. 102, 246
 hearing 239
 HEARSAY-II 102, 246
 hedged generalizations 23
 hedging, to strengthen inference 23
 Helmholtz, H. 238
 Hemami, H. 187
 hemolysis 65
 Hempel, C. 17
 Herman, D. 116
 Herring, M. 291
 hesitation 13
 heterogeneous problem solvers 59
 Hidden Markov Models note 10.5
 hierarchical classification 54–56, 60, 141
 in RED 67–69
 is ubiquitous 56
 hierarchy of constituents 247
 Hillis, D. 150
 Hinkelman, E. 291
 Hirsch, D. 186, 195
 Hoare, C. 147
 Hobbs, J. 25, 238
 Holmes, S. 7, 90
 hot map 259
 Hubel, D. 239
 Huber, R. 180
 Hume, D. 270
 HYPER 60, 125
 hypotheses
 causally integrated composites 263

ABDUCTIVE INFERENCE

deep knowledge as a source of 132
 generating elementary 139
 partitioning sets of 210
 hypothesis
 acceptance 8
 Believed 209, *see also Machine 5, Machine 6*
 Best 227
 Clear-Best 143, 144, 146, 148, 151, 209,
 210, 211, 217, 227
 comparison 136
 composite 9, *see also composite hypothesis*
 Confirmed 216
 criticism 8
 Disbelieved 210
 Essential 143, 210, 212, 217, *see also essential hypotheses*
 evaluation 243, 262
 evocation *see evocation of hypotheses*
 formation 242, 262, 272
 fragment 79
 generation 8, 67, 68, 199, 212
 Guessed 210
 maximally plausible 262
 most plausible first 136
 OTHER 269
 parts of 84
 reconsideration 244
 scoring 131, 213, 243, 245
 testing 272
 Weak-Best 143, 149, 209, 210, 217, 227
 hypothesis assembly 60, 67
 anomaly during 228
 as composition of mathematical functions
 199
 cross checking during 146
 opportunistic 211
 in QUAWDS 188–191
 recursive 263
 hypothesis comparison, implicit 75
 hypothesis interactions 91–93, 132–134,
 145–146, 163, 167, 218, 243, 267, 268
 additive overlap 134, 145
 cancellation 158, 169–171, 176, 177, 178
 causal 146, 263
 compensatory behavior 185
 dense 181
 explanatory alternatives 91
 explanatory need 146
 implication 216, 251, 263
 incompatibility 79, 91, 146, 155–156, 158,
 note 7.8, 176, 177, 178, 202, 203, 208–
 210, 219, 223, 224, 226, 244, 251,
 263
 probabilistic 146
 soft implication 223
 subtype 146
 suggestiveness 146
 sympathy and antipathy 91, 218
 type-subtype 91, 243

Index

301

- unknown 269
- hypothesis matching 56–57, 59, 60, 199
 - in RED 69–72
- hypothesis perspective 147
- hypothesis selection, arbitrary 138, 143, 144, 149, 152
- hypothesis-improving operations 97
- hypothesis-space simplification 268
- hypothesization by analogy 141, 271
- hypothetico-deductive model 25

- IDABLE 60, 124
- IDB *see intelligent database*
- IGT Toolset *see Integrated Generic Task Toolset*
- implication, causality and 17
- implication, soft 222
- incompatibility abduction problems 167–169
- incompatibility knowledge 224, 231, 232, 233, 234, 235
- incompatible hypotheses, discriminating between 234
- independent abduction problems 164–166, 167
- independent incompatibility abduction problem 168
- induction 18, 22–27
- inductive generalization 16, 19, 22
- inductive projection 22, 24
- inference 26
 - ampliative 13, 260
 - converging lines of 245
 - defined 12
 - fallible 12, 260
 - function of 12
 - knowledge producing 259
 - in perception 238, 240
 - strengthened by hedging 23
 - taxonomy of types 27
 - truth preserving 13, 43
 - truth producing 13, 260
- inference mechanism 49
- inference to the best explanation, *see abduction*
- infinite loop in hypothesis assembly 83
- information-processing strategies 38, 50, 52, 53, 54, 59
- information-processing task 35, 37, 40, 41, 42, 61
- information-seeking processes 14
- innocence 219
- instantiation of hypotheses 139, 142, 242, 243, 244, 262
- Integrated Generic Task Toolset 215, 251
- intelligence 14, 51, 53, 268, 272
 - and action 178
 - biological 45
 - as a collection of strategies 53
 - information-processing theory of 45
 - where does the power come from? 45, 48
- intelligence of the hearer 258
- intelligent database 72, 73, 182
- InterLisp-D note 4.1
- INTERNIST 68, 72, 75, 87, 159, 164
- intractability, factors leading to 157, 177
- invocable method 97
- Ishida, Y. 252
- island driving strategy 102, 246
- islands of certainty *see certainty, islands of*

- Johnson, D. 157, 168, 172
- Johnson, K. note 5.3
- Johnson, T. 3, 94, note 4.3, note 5.3, 293
- Josephson, J. 1, 5, 60, 63, note 3.1, note 3.2, note 3.7, 94, note 4.1, 129, 134, 136, 147, 154, 157, 158, 160, 163, 165, 171, 174, 180, 183, 202, note 9.3, 238, note 10.7, note 10.9, note 10.12, 262, 266, 270, 291, 292, 293, 294
- Josephson, S. G. 3, 31, 291, 292
- Josephson, S. J. 291
- jury 5, 7, 218
- justified true belief 16

- Kamel, A. 129
- Kant, I. 238
- Kedar-Cebelli, S. 197
- Keller, R. 197
- Kent, B. 186
- Keuneke, A. 61, 126
- Kiritani, S. 252
- knowing that we know 16
- knowledge
 - accounts-for 96
 - causal 114, 126, 263
 - compilation 132, 234, 239, note 10.2
 - compiled 123, 124–126, 129, 130
 - control 49
 - deep 114, 132
 - diagnostic note 5.2
 - evoking 138
 - and explanatory hypotheses 29
 - of explanatory relationships 236, 263
 - finding-importance 96
 - of functions 126
 - general 141
 - of hypothesis incompatibility 79, 236
 - hypothesis interaction 96
 - of hypothesis interactions 243
 - hypothesis matching 263
 - inseparable from use 45
 - justified true belief 16
 - limits of 1, 264
 - method-specific 116
 - operator-implementation 106
 - operator-proposal 106
 - operator-selection 106
 - from perception 259
 - in the philosophical sense 16, 260
 - plausibility assignment 96

- knowledge (cont.)
 of possibilities 141
 possibility of 16, 136, 180, 272
 scientific 260
 search-control 107
 strategic 96
 structural 263
 symbolic logic for representing 44
 veridical perceptions 260
 without absolute certainty 260
 knowledge base 43, 49
 knowledge engineer 60
 knowledge groups 70, 189
 knowledge level 46, 61
 knowledge organization 47
 knowledge-producing inferences 16, 259
 knowledge reformulation 196
 knowledge representation 60, 159
 depends on use 50, 60
 knowledge-base refinement problem 196
 knowledge-directed data retrieval 57–58, 60
 in RED 72–74
 knowledge-use vocabulary 61
 Korda, S. 3, 63, 293
 Krishnamurthy, A. note 10.4, note 10.7
 Krivine, J. M. 180
 Ku, I. 3, 269, 270
 Kuhn, T. 35
 Kuipers, B. 159, 187
 Kulikowski, C. 180

 LAIR 2
 Laird, J. 95, 105, 106
 language of thought 60
 language understanding 238
 law 7, 218
 layer-layer harmony 244
 layered-abduction model of perception 238, 240
 Leake, D. note A.1
 learn time 241
 learning 1, 28, 40, 48, 181, 196, 197, 240, 241, 257
 from mistakes 196
 opportunities for 245
 least commitment strategy 102
 Lenzo, K. 238, note 10.12
 Lesser, V. 102, 246
 Levesque, H. 143, 162
 likelihood 14, 84, 142, 266, 267, 271, 272
 qualitative 160
 likely absent 76
 likely present 76
 Livingstone, M. 239
 local abductive criteria 142
 local abductive reasoning 145
 logic
 for attributing knowledge to an agent 46
 for describing the objects of thought 46
 for justification 45
 limitations of traditional note 1.13, 141
 for program semantics 46
 for representation 43–46
 as the science of evidential relationships 12
 use in AI note 2.1
 logic of discovery note 1.6
 logic of justification note 1.6
 logic of science 1
 logical implication, confused with causation 17
 logical possibility 272
 logically justified 259
 lookahead 110, 111, 112
 LOOPS note 4.1
 low-likelihood alternative explanations 14, 212, *see also explanation*
 Lucas, J. note 5.3
 Lycan, W. 5, note 1.1, note 1.7, 291

 MacDonald, J. 291
 Machine 1 137, 142, 262
 essential hypotheses 144
 Machine 2 137–138, 263
 essential hypotheses 144
 Machine 3 94, 138, 263
 Machine 4 139, 142, 225, 263
 essential hypotheses 143
 and Machine 5 146
 strategy 143
 summary 150
 Machine 5 146, 208–213, 225, 229, 242, 243, 263
 assembly strategy 211
 Machine 6 242, 262, 263
 control strategy 246
 malfunction hierarchy 114
 malfunction model 126
 Marr, D. 35, 41, 239
 Martin, P. 238
 Matcher 224, 225
 Matcher with assembler and incompatibility handling 229
 Matcher with incompatible hypotheses handling 226
 Matcher-with-Assembler 226
 maximizing explanatory coherence 19
 maximizing explanatory coverage 202, 206
 maximum plausibility requirement 158, 178
 McDermott, D. 5, 238
 MDX 181, 266
 MDX2 3, 129, 181, 184, 263
 medical diagnosis 5, 95, 239, chapter 5, chapter 8
 memory organization 47, 184
 mental architectures 59
 mental structures 51
 mentalese 60
 message passing, for abductive assembly 147
 Messaro, D. 259

Index

303

- method choice 101, 115
 run time 115
 Miller, R. A. 68, 72, 159, 164
 Milne, A. A. 7
 mind, fundamental operations of 25
 minimal cardinality 111
 minimum cover 172
 Minsky, M. 46, 196
 mistakes, recovering from 244–246
 Mitchell, T. 197
 Mittal, S. 58, 60, note 3.4, 73, 102, 181, 182, 194
 Moberg, D. 129
 model-based diagnosis 159
 modus ponens 5
 monotonic abduction problems 166–167
 Montague, E. 186
 Mooney, R. 197
 morpheme 248
 most probable explanation 161
 motor theory of speech perception 249
 MPE *see most probable explanation*
 multisense integration 259
 Murrer, S. 291
 Myers, J. A. 72
 Myers, J. D. 68, 159

 Narayanan, H. note 9.3
 Nau, D. 72, 164
 Necker cube 245
 neural-net abduction 150
 Newell, A. 32, 46, 95, 105, 106, 107, 116
 Newton, I. 7
 nine five NINE Pine Street 252
 noise hypothesis 8, 212, 253, 254
 noisy channel 16
 non-superfluosity, kinds of 85
 normality 9, 24, 126, 161, 169, 185
 novelty 263
 NP-hard abduction 157
 numerical vs. qualitative representations 42–43

 object identity 259
 object-oriented programming 47
 objectivity 1
 observation 16, 19, 20, 21
 observation language 13
 Occam's razor 58, 84, *see also simplicity, parsimony*
 optimal solutions 178
 ordered abduction problems 173
 other minds 6, 265
 outré 90
 Overview 75, 78, 125

 panel, test 64
 parallel channels 247
 parallel processing 144, 150
 in abduction 147

 parsimonious covering theory 164
 parsimony 84, 85, 111, 145, 160, 171, 211, 213–214, 227, 262, 271, *see also simplicity*
 essentials-first strategy and 152, 154
 testing for 148
 Partridge, D. 292
 PATHEX/LIVER 95, 117, 263
 pathognomonic 103, 230
 pathological states 239
 Patil, R. 170
 Patten, T. 238
 Pearl, J. 159, 160, 161, 162, 164, 167, 169, 271, 291
 PEIRCE 3, 60, 94, 125
 compared to ABD-SOAR 113
 control mechanism 97–101
 single-finding abducers 145
 Peirce, C. S. 3, 5, 8, 18, note 4.1, 158, 238
 PEIRCE-IGTT 215, 216, 222, 251, 255
 Peng, Y. 9, 68, 72, 150, 159, 162, 164, 271
 Pennington, N. 5
 perception 238
 abductively justified 260
 as compiled deliberation 240
 inference in 238, 240
 multisense 258, 259
 perception-deliberation isomorphism 241
 Perricone, B. 72
 phoneme note 10.6, 249
 phonetic stratum 249
 phonological-prosodic stratum 249
 phrase 248
 physical symbol system hypothesis 32
 place of articulation 250
 placebo 21
 plan selection and refinement 60
 planning 26
 plans 47–48
 Plato 16
 plausibility 12, 70, 71, 75, 83, 171, 266–272, appendix B, *see also confidence*
 arguments 271
 of composite hypotheses 89, 171, 174, *see also best-small criterion*
 from analogy 141, 271
 function 160
 grades 144
 initial 142
 linearly ordered values 158
 multidimensional 269
 as a number 268
 ordering 136
 prima facie 141
 probabilistic interpretation of 267–270
 tractability of determining 162
 Pooh, W. T. 7
 Poole, D. 162
 Pople, H. 68, 72, 103, 158, note A.1
 population-to-sample inference 19

- possibility 271, 272
 knowledge of 141
 merely logical 141
 plausibility as 271
 real 141, 272
- practicality of computations 178
- pragmatic bias 264
- pragmatic stratum 250
- pragmatics 134, 149, 231
- prediction 19, 22–28
 based on trust 25
 and explanation 24–25
 failure of 25, 264
 is not deduction 23
 revision of 264
 from structural descriptions 131
 as a subtask of abduction 26
- priming 141, 242
- principle of plausible repetition 141, 271
- probability 24, 173, 266, 267, 272
 and abduction 26–27
 posterior 267
 prima facie 267
 prior 27
- problem decomposition 263, *see also*
generic tasks
- problem difficulty 234
- problem of induction 1, 22–24
- problem space 106
- problem-solving architecture *see architecture*
- problem-solving strategy 67, 144
- problem-space computational model 106
- process abstraction 129
- propensity 267
- prosodic control 258
- prototype vs. typical 257
- PSCM *see problem-space computational model*
- Punch, W. 3, 60, 94, note 4.1, 117, note 5.1, 119, 120, note 5.3, 215, 293
- Putnam, C. 291
- Pyati, R. 291
- Pylyshin, Z. W. 42
- qualitative simulation 132, 187
- quantifier of ordinary life 23
- QUAWDS 3, 181, 184, 187, 263
- Ramanujan, J. 150, 213
- rationality *see also intelligence*
 Bayesian 268
 emergent 48
 and hedging 23
- Rauschenberg, J. note 10.7
- real possibility 272
- Realism 1, 237, 264
- Reason 1
- recognition 215, 247, 258
- RED 2, chapter 3, 63, 175, 267, 269
 domain knowledge 67
 future versions 236
 in PEIRCE 101
 project goals 65
 RED-1 2, 3, 63, 75, 141
 performance 76–78
 strategy 78
 RED-2 2, 3, 63, 78, 83, 133, 134, 141, 174
 performance 88–90
 RED-3 101
 red-cell antibody identification 63
 reference-class problem 27, 268, 269
 Reggia, J. 9, 50, 68, 72, 150, 159, 162, 164, 271, 291
 register 250
 reidentification 259
 Reiter's theory of diagnosis 160–161, 169
 Reiter, R. 51, 143, note 7.1, 159, 160, 162, 164
 Reitman, W. 292
 representation, of causal processes 127–129
 representational commitments 40, 41
 revising the data 8
 Rh types 64
 risk of error 144
 robot scientist 1, 259, 264
 Rock, I. 238
 role 36, 128
 Rosenbloom, P. 95, 105, 106
 rule-based systems 48–50
 rule-out knowledge 178, 228
- Sadayappan, P. 136, 147, 150, 174, 213, 293
- Salmon, W. note 1.9, 27
 sample size 21
 sample, biased 19, 20, 21
 sample-to-population inference 19
 sampling processes 21
- Schank, R. 47, 141
- Schwartz, W. 170
- scientific reasoning 260, 270
- scripts 47–48
- Searle, J. 34
- Sebeok, T. 7
- second-best explanation 270
- segment, phonetic 258
- selectors 97–101
- semantic networks 49
- Sembugamoorthy, V. 56, 61, 126, 129
- sensory events 264
- sentence 248
- serum 64
- set-covering model 68, 72, 75, 87, 164
- Sherlock Holmes strategy 90
- SIMD parallelism 150
- similarity, degree of 141, 272
- Simon, H. 32, 35, note 4.5, 181
- Simon, S. 180, 181, 185, 186, 196, 293
- simplicity 84, *see also parsimony, Occam's razor*

Index

305

- as an epistemic virtue 84
- single-fault assumption 158
- skepticism 16, 180, 206
- Smetters, D. note 9.3
- Smith, J. W. 2, 63, note 3.1, note 3.2, 94, 117, note 5.1, note 5.3, 136, 154, 160, 293
- Smolensky, P. 40
- SOAR 95, 105, 106, 116
- soft constraint 246
- soft implication note 7.5, 222
- software modularity 101
- specialists 54, 57, 58, 59, 62, 68, 69, 118, 215
- specificity 263
- speculation 210, 212
- speech recognition 238, 246, 247, *see also spoken language understanding*
- obstacles to automating 247, 252, 257
- statistical approaches 257
- Speicher, C. note 5.3
- spoken language understanding 238, 239, 246
- strata 247–250
- sponsor-selector mechanism 97, 118
- sponsors 97
- spreading disambiguation 223, 243
- spurious 22
- statistical association 146
- statistical syllogism 23
- Stefik, M. 102
- stereotypes 46
- Stickel, M. 238
- Sticklen, J. 2, 3, 61, 129, 130, 134, 180, 182, 183, 293
- strategy-specific primitives 50
- Strohm, P. 63, 154
- strong AI 34
- structure/function models
 - advantages for diagnosis 123
- shortcomings 123
- Struss, P. 159, 187
- substances 130
- subtask dependencies 139
- Sutherland, G. 72
- Svirbely, J. 63, note 5.1, note 5.3, 136, 154
- syllable 249, 258
- symbol 41
- synthetic agents 264
- synthetic worlds 264
- systemic grammar 249
- Szolovits, P. 170, 186
- Tanner, M. 2, 3, 5, 60, 63, note 3.1, note 3.2, note 3.4, note 3.5, note 3.7, 94, note 4.1, 154, 157, 158, 160, 163, 165, 171, 197, 202, 269, 293
- task specificity 94
- task-method-subtask analysis 116
- task-specific problem solver 69
- task-specific vocabulary 52
- task-structure analysis 114, 117
- taxonomic hierarchy 263
- teleology 18, 35
- term introduction 13
- test design 234
- testimony 7
- Thadani, S. 129, note 10.9
- Thagard, P. note 1.2, 150, 218, 219, note 7.6, 222, 291
- theory formation 260, 264
- theory language 13, 260
- Thomas, S. 291
- thresholds of acceptance 143, 145, 159, 205, 209, 211, 217
- tie breaking 149
- TIPS 3, 95, 117, 118, 263
- ToMake 127
- top-down processing 238, 239, 242, 244, 251, 252, 263
- Tracy, K. 186
- Transgene project 129
- true cause 180
- truth 1, 44, 45
- truth finding 260
- truth preservation 13, 43
- truth production 13, 260
- Truzzi, M. 7
- Turing Machines 39
- Turing test 34
- Turing universal 50
- Umiker-Sebeok, J. 7
- uncertainty 223, 230, *see also certainty*
- uncertainty control 144, 206
- uncertainty reduction 231, 236, 243
- uncovered essentials 223
- understanding 29
 - causal processes 129
 - complex devices 126
 - and explanation 206
 - how something works 126
- unexplainable findings 143, 149
- unexplained remainder 79, 143, 210, 263
- universal quantifier 23
- Unknown-Disease 212
- Valiant, L. G. note 7.7
- Very Clear-Best hypothesis 212
- vision 239
- visual metaphors 241
- Wallace, W. note 1.10
- Wang, P. 164
- Weak-Best hypotheses *see hypothesis, Weak-Best*
- Weintraub, M. 3, 180, 181, 186, note 8.2, 198, 293
- Welch, A. 291
- what can be known 1
- Whewell, W. note 10.3

Cambridge University Press

0521575451 - Abductive inference: Computation, Philosophy, Technology

Edited by John R. Josephson and Susan G. Josephson

Index

[More information](#)

306

why questions 29

Wilks, Y. 292

Williams, B. 143, note 7.1, 159, 162, 164

Winograd, T. 249

witness 7

Wittgenstein, L. 46

wonder 28

ABDUCTIVE INFERENCE

word 248

word boundaries 252

word hypothesis 254

X-ray Microbeam 252

Yost, G. 106