

Index

- 0-1 matrix, 50
- $B_f(x, \epsilon, n)$, 108
- C^0 topology, 710, 712
- $C^0(X)$, 705, 713
- $C^0(X, Y)$, 705
- C^1 conjugate, 641, 642
- C^1 topology, 718, 725
- C^1 -close, 17
- C^∞ topology, 719
- C^r conjugate, 57
- C^r equivalent, 57
- C^r modulus, 58, 67
- C^r topology, 718, 719, 726
- $C^r(M)$, 716
- $C^r(M, M)$, 719
- $\mathbb{C}(A, x)$, 276
- $\text{Diff}^r(M)$, 719
- $\text{Fix}(f)$, 16
- $H(\xi)$, 162
- h_μ , 169
- $h_{\text{top}}(f)$, 109
- L^p space, 713
- $NW(f)$, 129
- $p(f)$, 106
- $p(f|_\Lambda)$, 583
- $p(\varphi^t)$, 107
- $P_n(f)$, 39, 106
- $P_n(f|_\Lambda)$, 621
- $P_{T, \epsilon}$, 586
- $P_T(\varphi)$, 654
- $R(f)$, 129
- α -limit point, 37
- α -limit set, 37
- δ -measure, 618
- ϵ -dense, 578
- λ -Lemma, *see* Inclination Lemma
- ω -limit point, 37
- ω -limit set, 37
- ζ -function, 106, 330
 - for flows, 107
- \wedge , 723
- absolutely continuous, 184, 195, 405, 412, 414
- action
 - average, 439
 - functional, 357, 363, 365, 367, 371, 423, 434
- action-angle coordinates, 34, 197, 227
- adapted coordinates, 240, 283
- adding machine, 28, 505
- admissible
 - itinerary, 492
 - manifold, 675
 - path, 50
- sequence, 50
- algebraic entropy, 114
- almost everywhere (a.e.), 732
- angular momentum, 198
- Anosov, 742, 750, 756, 761–763
 - Closing Lemma, 269
 - for flows, 548
 - diffeomorphism, 263, 558, 572, 575, 587, 611, 638, 640
 - flow, 545, 549, 554, 558, 572, 642
- Anosov–Katok method, 415
- approximation, fast, 415
- Arnold
 - Theorem, 406
 - tongues, 755
- asymptotic, 11, 12, 52, 451
 - behavior, 2, 4, 6, 10, 11, 15, 16, 18, 20, 24, 26, 36, 38–41, 45, 57, 105, 117, 131, 146, 156, 183, 184, 237
 - cycle, 484, 485, 487, 488
 - density, 133
 - distribution, 2, 105, 135, 137, 138, 157, 177
 - to a fixed point, 12, 16, 18, 35
 - frequency, 133
 - invariant, 105
 - orbit growth, 105, 106
 - orbits, 211
 - property, 2, 4, 11, 45, 68, 143
 - subexponential, 113
- attractor, 4, 128, 464, 532, 534, 537, 538, 540
 - Hénon, 760
 - hyperbolic, 532, 537, 540, 541
 - Lorenz, 760
 - Plykin, 540, 760
 - Smale, 532, 535–537, 744, 759
 - strange, 760
- Aubry–Mather set, 426
- average
 - space, 138
 - time, 136
 - two-sided, 137
- ball dimension, 123
- Banach space, 711
- basic set, 271
- basin of attraction, 519, 521, 527, 559
 - immediate, 519–522, 559
 - one-sided, 519
- Bernoulli
 - measure, 156, 174
 - shift, 156
 - topological, 48, 156
- Betti number, 328, 736, 737
- bifurcation, 298
 - Hopf, 303

period-doubling, 301
 saddle-node, 302
 structurally stable, 299
 biLipschitz, 709
 billiard, 339
 map, 339
 outer, 352
 Birkhoff, 3, 5, 12
 Ergodic Theorem, 136, 230, 662
 normal form, 351
 periodic orbit, 355, 426, 427
 Theorem, 430
 Borel
 measurable, 734
 measure, 734
 regularity, 734
 set, 734
 bounded
 distortion estimate, 192, 383, 386, 402, 419, 460
 variation, 401–403, 419
 Bowen measure, 618, 650
 broken geodesic, 367, 555
 bump function, 282, 292, 464, 727
 bunching, 285, 603
 bundle
 cotangent, 722
 space, 721
 sphere, 204
 tangent, 717
 vector, 721
 canonical transformation, 204, 221
 Cantor
 function, 392
 set, 12, 41, 48, 81, 83, 151, 264, 382, 396, 398, 399, 423, 426, 427, 460, 464, 491, 532, 534, 562, 705, 760
 middle-third, 40, 42, 49, 55, 771
 of positive measure, 771
 ternary, *see* Cantor set, middle-third
 caustic, 448
 center, 130
 central force, 225
 characteristic flow, 231
 chart, 706
 Cherry flow, 464
 Christoffel symbols, 728, 774
 closed
 curve, 730
 form, 724
 set, 703, 708
 Closing Lemma, 689
 coboundary, 100
 cocycle, 608, 611, 612, 661
 Hölder, 659, 678
 induced, 664
 twisted, 100
 untwisted, 65, 100
 coding, 91

cohomological equation, 100, 101, 104, 189, 279, 608
 cohomologous, 100
 cohomology, de Rham, 724
 compact, 703
 locally, 704
 compact-open topology, 710
 compactification, one-point, 705
 complete
 flow, 720
 measured σ -algebra, 732
 metric space, 16, 709
 vector field, 7
 completely integrable, 34, 227
 completion
 of measured σ -algebra, 732
 of metric space, 709
 component
 connected, 705
 full, 274, 276, 489, 651, 652
 conditional
 entropy of a partition, 163
 information function, 163
 measure, 138
 cone, 245, 546, 601, 687
 criterion, 266, 546
 family, 246
 field, 245, 687
 configuration space, 200–204, 229
 conformal, 383, 385, 386
 conjugacy
 singular, 412, 415
 smooth, 57
 topological, 68
 conjugate, C^m , 57
 connected
 component, 705
 space, 705
 connection, 728
 Levi-Civita, 729
 contact
 diffeomorphism, 231
 flow, 231, 576, 642, 656, 779
 form, 231
 manifold, 231
 type, submanifold of, 232
 continuity, 705
 of entropy, 525
 Hölder, 597–601, 604, 607–612, 673, 674, 692, 709
 Lipschitz, 709
 contracting, 15
 homothety, 21
 subspace, 24
 contraction mapping
 method, 77, 88, 89, 91
 principle, 16, 17, 77, 88, 89, 244, 251, 252, 270, 279, 567, 568, 678
 convergence exponential, 16
 convex, 714
 locally, 714
 coordinates
 action-angle, 34, 197, 227
 adapted, 240, 283

- Darboux, 221
 - local, 706
 - Lyapunov, 668, 673, 690, 691
 - symplectic, 221
- cotangent bundle, 203, 722
- covariant derivative, 728
- cover, 707
 - double, 39, 184, 195, 452, 587, 773, 774
 - Markov, 489, 520
 - universal, 708
- covering multiplicity, 419, 420, 521
- current, 485
- curvature
 - Gaussian, 213
 - sectional, 551, 729
 - tensor, 551, 555, 729
- cylinder, 47–49, 51, 120, 121, 156–158, 160, 174, 175, 177, 179, 505, 572, 573, 594, 733, 769
- Darboux
 - coordinates, 221
 - Theorem, 221
- de Rham cohomology, 724
- degree, 117, 310, 561
 - of a circle map, 70, 72, 73, 76, 310
 - of a continuous map, 313
 - homotopy invariance of, 313
 - at a regular point, 311
 - via regular points, 312
 - topological definition, 315
 - via volume, 312
- dense
 - collection of measurable sets, 152, 170
 - metrically, 417, 476
 - orbit, 27, 40, 45, 47, 141, 216, 278, 343, 398, 609
 - semiorbit, 31, 55, 129, 174, 465, 768
 - set, 288, 704, 710
- depth of a section of preimages, 189
- derivation, 717, 720
- derivative, 718
 - covariant, 728
 - exterior, 724
 - Lie, 718, 722, 724
 - partial, 720, 721
- devil's staircase, 392
- diffeomorphic, 718
- diffeomorphically equivalent, 718
- diffeomorphism, 718
 - local, 718
- differentiable
 - conjugacy, 57
 - dynamics, 4
 - function, 716
 - manifold, 716
 - map, 718
 - structure, 716
- differential, *see* derivative
- Diophantine
 - condition, 95, 104
 - number, 94, 99, 103, 290, 405, 406, 459, 460, 484, 561
- Dirichlet
 - domain, 214
 - kernel, 418
 - region, 670
- distribution
 - asymptotic, 2, 105
 - function, 733
 - (subbundle), 721
- dynamics
 - differentiable, 4
 - fluid, 4
 - Hamiltonian, 5
 - smooth, 4
 - symbolic, 4, 5
 - topological, 3
- elliptic fixed point, 296
- embedding, 718
- entropy, 162
 - algebraic, 114
 - fundamental-group, 115, 116
 - homotopical, 117
 - maximal, 618
 - measure-theoretic, (*see also* entropy, metric), 745
 - metric, 169
 - of a partition, 162
 - conditional, 163
 - with respect to a partition, 168
 - topological, 109, 308, 309, 316, 491, 494, 497–499, 503–505, 525, 583, 672, 698
 - via covers, 118
 - for flows, 112
- equidistribution, 146
- equilibrium state, 615, 627, 634, 636–638, 640–642, 779
- equivalent
 - C^m , 57
 - cocycles, 661
 - diffeomorphically, 718
 - flow, 64
 - homeomorphically, 705
 - homotopically, 707
 - mod 0, 732
 - norms, 711
 - orbit, 66
 - smoothly, 57
 - topologically, 61
- ergodic, 137
 - decomposition, 139, 173
 - measures as extreme points, 139, 148, 149
 - Theorem, 136, 230, 662, 665
 - theory, 2
 - uniquely, 137, 141, 146, 147
- ergodicity, *see* ergodic
- essential equivalence class, 332
- Euler characteristic, 730, 736
- Euler–Lagrange equation, 200
- Euler–Poincaré Formula, 737
- evolute, 448

- exact form, 724
- expanding
 - distribution, 85, 238, 274
 - fast, 241
 - fixed point, 302
 - foliation, 46, 122
 - map, 39, 71, 73, 106, 120, 150, 153, 174, 191, 193, 310, 317
 - subspace, 24, 263
- expansive
 - flow, 125, 586
 - homeomorphism, 584, 585, 616, 618, 622, 627–630, 635–637
 - map, 125, 126, 268, 583, 615, 619, 621, 627, 628, 635
- expansivity constant, 125
- exponential
 - convergence, 16
 - growth of the fundamental group, 554
 - growth rate, 106
 - map, 203, 739
 - type, 48
- extension
 - lemma, 242, 674
 - natural, 637
 - of twists, 355
- exterior
 - derivative, 724
 - form, 723
 - product, 723
- extreme points, 139, 714
 - and ergodic measures, 139
- factor
 - metric, 143
 - topological, 68, 111
- factor space, 706
- fast-approximation methods, 415
- filtration, 663
- Finsler manifold, 728
- first-return map, (*see also* Poincaré map, section map), 8, 145
- fixed-point method, *see* contraction mapping method
- flow, 7
 - Anosov, 545
 - Cherry, 464
 - contact, 231, 576, 642, 656, 779
 - equivalence, 64
 - under a function, 9, 458
 - geodesic, 549–552, 554, 555, 557–559, 608
 - horocycle, 550
 - irrational, 33
 - linear
 - on octagon, 466
 - on torus, 32
 - special, 9, 458
 - structural stability of, 69
- flux, 188
 - form, 485
- focus, 22, 344
- foliation, 590, 605, 720
 - stable, 598, 600, 607, 608, 613, 641, 642
 - strong, 577, 642, 648, 779
 - weak, 600
 - unstable, 598, 600, 607, 608, 613, 641, 642, 651
 - strong, 576, 577, 642, 648, 779
 - weak, 600
- frequency locking, 755
- fundamental
 - class, 486
 - domain, 28, 61, 90, 214, 373, 374, 377, 417, 541, 589
 - method, 62, 90, 261, 279, 300
 - group, 115, 213, 373, 374, 707
 - entropy, 115, 116
- Gauss–Bonnet Theorem, 214, 730
- Gaussian curvature, 213, 729
- general linear group, 716
- generating
 - function, 341, 352
 - partition, (*see also* generator), 171
- generator, 11, 171
 - of cocycle, 661
 - of fundamental group, 116
 - of group, 113, 114
 - one-sided, 171, 173
- generic, 288, 329, 471–475, 486
 - saddle, 486
- genus, 213–215, 330, 336, 377, 451, 463–466, 469, 479, 480, 486, 488, 730, 776
- geodesic, 728
 - broken, 367, 555
 - equation, 372, 728, 729
 - flow, 202–206, 211–217, 229, 231, 549–552, 554, 555, 557–559, 608
 - minimal, 372
- gradient flow, 36–38, 41, 70, 71, 119, 125, 291, 294, 297, 322, 327, 338, 356, 360, 571, 771, 773
- graph transform, 250, 252, 675
- group
 - discrete, 738
 - free, 118
 - fundamental, 707
 - general linear, 716
 - orthogonal, 716, 739
 - special linear, 716, 739
 - special orthogonal, 739
 - symplectic, 716, 739
- growth rate, 106
- Haar measure, 147, 544, 740
- Hadamard–Perron Theorem, 242, 244, 256, 266, 267, 545, 601
- Hamiltonian
 - dynamics, 5
 - equations, 34, 203, 204, 219, 223
 - flow, 223
 - function, 34
 - vector field, 223
- Hartman–Grobman Theorem, 260, 262, 278

- Hausdorff
 metric, 425–427, 429, 440, 768
 space, 703
- Hénon attractor, 760
- heteroclinic point, 275
- Hölder
 cocycle, 659, 678
 continuous, 48, 54, 55, 63, 101, 403,
 597–601, 604, 607–612, 673, 674, 692,
 709
 exponent, 403, 404, 600, 603, 606, 610
 inequality, 712
 structure, 48
- homeomorphism, 705
- homoclinic point, 275, 278
 transverse, 12
- homothety, contracting, 21
- homotopical
 entropy, 117
 equivalence, 707
- homotopy, 707
 invariant, 707
 trick, 194, 279, 486
- Hopf, 3, 5
 argument, 217, 779
 bifurcation, 303
- horocycle, 211
 flow, 550
- horosphere, 554
- horseshoe, 82, 264, 274, 492
 map, 493
- Hurewicz isomorphism, 116, 736
- hyperbolic
 attractor, 532, 537, 540, 541
 fixed point, 25, 70
 for flow, 239
 linear map, 23
 measure, 679
 metric, 207
 nonuniformly, 238, 659, 660, 689
 periodic orbit, 239
 periodic point, 239
 plane, 205, 207, 717
 point, 675
 repeller, 264, 519
 set, 263, 534, 538
 for flow, 545
 locally maximal, 271
 toral automorphism, 43, 46, 84, 87, 90,
 107, 123, 154, 177, 587, 641
 toral endomorphism, 46
 uniformly, 681
- identification space, 706
- immersion, 718
- in involution, 224, 226
- Inclination Lemma, 257, 681
- independent partitions, 164
- index of a fixed point, 318
- induced transformation, (*see also* first-return
 map, Poincaré map), 664
- inducing, (*see also* first-return map, Poincaré
 map), 8
- information function, 162
 conditional, 163
- injectivity radius, 368, 375
- integer part, 387
- integrable
 completely, 34
 system, 227
- Intermediate Value Theorem, 18, 311, 383,
 386, 497
- interval exchange transformation, 470
- invariance of domain, 705
- involution, in, 224, 226
- irrational
 flow, 33, 145, 155
 rotation, 26, 27, 70, 101, 102, 146, 151,
 174, 350, 540, 706
 number, 391, 392, 395–399, 401, 405,
 414, 415, 419, 423, 426, 427, 433, 438
 slope, 44, 718
 toral translation, 29, 147
- isometry, 728
- isomorphic
 measure spaces, 733
 measured σ -algebras, 732
 topological vector spaces, 711
- isomorphism
 to dual, 203, 219
 group, 114
 Hurewicz, 116, 736
 of measure spaces, 733
 measure-theoretic, *see* metric isomor-
 phism
 of measured σ -algebras, 733
 metric, 143, 144, 149, 151, 169, 399, 472,
 506
 of topological vector spaces, 711
- isotropic, 220, 221
- isotropy group, 549, 558
- iterated partition, *see* joint partition
- Jacobi, 744
 equation, 552
 field, 551, 552
 identity, 225, 721
- Jacobian, 184–186, 606, 611, 779
 stable, 779
 unstable, 607, 627, 638, 639, 642, 693
- jet, 279
- joint partition, 164, 168, 173, 472, 475
- Jordan
 block, 19
 Curve Theorem, 452, 454, 730
 normal form, 19, 286
- K-system, 748
- KAM method, 92
- kinetic energy, 196
- Koszul formula, 729
- Kronecker flow, 32
- Kronecker–Weyl Equidistribution Theorem,
 146
- Krylov–Bogolubov Theorem, 135, 183

- Lagrange equation, 200
 Lagrangian, 201
 complement, 228
 subbundle, 221
 submanifold, 221
 subspace, 220
 lamination, 719
 lattice, 740
 Lebesgue
 density point, 420
 integrable, 481
 measurable, 420, 733
 measure, 99, 136, 145–147, 149–154, 179, 196, 288, 410–413, 419, 473, 476, 532, 615, 622, 712, 725, 732, 733
 number, 181, 316, 709, 767
 space, 2, 136, 139, 142, 143, 163, 660, 664–666, 668, 733, 734
 Lefschetz
 Fixed-Point Formula, 322, 326–329, 331, 332, 587, 772, 773
 number, 326, 328, 330–332, 587
 Legendre transform, 204
 length metric, 729
 Levi-Civita connection, 729
 Lie
 algebra, 738
 bracket, 226, 718, 720
 derivative, 718, 722, 724
 group, 738, 739
 limit cycle, 303
 linear fractional transformation, (*see also* Möbius transformation), 207, 317
 Liouville
 measure, 205
 Theorem, 223
 Liouville–Arnold Theorem, 227
 Lipschitz continuous, 709
 Livschitz Theorem, 609, 637
 Lobachevsky plane, 207
 local product structure, 272, 578, 581, 590, 595, 677
 locally
 compact, 704
 connected, 706
 convex, 714
 logistic map, *see* quadratic family
 Lorenz attractor, 760
 Luzin Theorem, 659, 679
 Lyapunov, 5
 block form, 666, 672
 change of coordinates, 668, 673
 chart, 690, 691
 exponent, 662, 669, 675, 679
 upper, 663
 metric, 263, 650, 668
 norm, 668, 669
 scalar product, 668
 majorization method, 60, 91, 94
 manifold, 706
 admissible, 675
 with boundary, 706
 differentiable, 716
 stable, 212, 240, 257, 260, 267, 268, 275, 283, 292–297, 345, 348, 535, 537, 548, 554, 581, 588–590, 595, 598, 599, 639, 689, 697
 strong stable, 545, 546
 strong unstable, 545, 546, 576
 topological, 706
 unstable, 212, 240, 257, 260, 267, 268, 275, 283, 292–297, 345, 348, 535–537, 548, 554, 575, 578–581, 588–590, 595, 598–600, 607, 639, 689, 697
 weak stable, 546, 576
 weak unstable, 546, 576
 Margulis measure, 647, 650
 Markov
 approximation, 572
 chain, *see* Markov measure
 n-step topological, 52, 573, 582
 topological, 50, 51, 519, 520, 562, 572, 574, 581, 583, 591, 593, 595
 transitive, 51
 cover, 489, 520
 graph, 490, 497, 500
 interval, 523
 measure, 157, 616
 partition, 80, 574, 591, 592
 measurable, 420, 732, 733
 measure, 732
 absolutely continuous, 184, 185, 195, 405, 412, 414
 Bowen, 618, 650
 Bowen–Margulis, 618
 class, 184
 equilibrium, *see* equilibrium state
 ergodic, 185
 Gibbs, 615
 invariant, 135, 137, 740
 Lebesgue, 99, 136, 145–147, 149–154, 179, 196, 288, 410–413, 419, 473, 476, 532, 615, 622, 712, 725, 732, 733
 Margulis, 647, 650
 Parry, 176, 184
 probability, 134, 135, 732
 singular, 405, 410–412, 419
 smooth, 184
 space, 732
 measure-theoretic isomorphism, *see* metric isomorphism
 metric
 factor, 143
 Hausdorff on closed sets, 425–427, 429, 440, 768
 hyperbolic, 207
 isomorphism, 143, 149, 399, 472, 506
 length, 729
 Rokhlin, 164, 166
 metrically dense, 417, 476
 metrizable, 710
 minimal, 27
 flow, 32

- geodesic, 372, 373, 435
- orbit, 437
- set, 130
- state, 434
- mixing, 151–154, 156, 158, 160, 161, 176
- topological, 45, 46, 151, 574–576, 588
- Möbius
 - cap, 731
 - strip, 731
 - transformation, 207–209, 211, 213, 218, 731, 769, 770
- modulus, C^m , 58, 67
- momenta, 203
- momentum, 196
- Morse, 369, 370
 - function, 291, 294, 297
 - index, 336
 - Lemma, 336
 - theory, 336, 338, 356
- Morse–Smale system, 744, 752
- Moser Theorem, 195
- multiplicity
 - of covering, 419, 420
 - of exponent, 663
- natural extension, 637
- Newton
 - equation, 196, 365
 - Law, 196
 - method, 60, 92, 407
- node, 21, 23, 24, 302
- Noether Theorem, 225
- nontrivial recurrence, 131
- nonuniform hyperbolicity, 238
- nonwandering
 - point, 129, 278, 505, 525, 589, 638, 772
 - set, 129, 130, 271, 465, 558, 559, 574, 575, 581, 583, 587, 588, 778
- norm, 711
- normal
 - form, 281, 282, 285
 - Birkhoff, 351
 - Jordan, 19, 286
 - topological space, 703
- null set, 732
- octagon, 212, 466
- one-cocycle
 - twisted, 100
 - untwisted, 65, 100
- one-point compactification, 705
- one-sided shift, 48
- orbit
 - equivalence, 66
 - growth, 105
- orientability, 330, 452–454, 457, 463, 469, 482, 485, 486, 587, 723
- orthogonal, 711
 - group, 716, 739
 - special, 739
- Osedelec Multiplicative Ergodic Theorem, 665
- parallel, 728
- Parry measure, 176, 184, 616, 620
- partition, 74
 - joint, 164, 168, 173, 472, 475
 - measurable, 161
 - of unity, 717
- path-connected space, 705
- period-doubling bifurcation, 301
- periodic obstruction, 101, 597, 609
- Perron–Frobenius
 - operator, 187, 190
 - Theorem, 157, 158, 175, 177
- Pesin, 5, 742, 750
 - set, 680
 - tempering kernel, 667
 - theory, 659
- phase space, 1, 2, 9, 11, 16, 28, 41, 79, 133, 229, 558
 - of Lagrangian system, 201
- Plykin attractor, 540, 760
- Poincaré, 3, 5, 6, 747, 751, 754, 755, 757
 - case, 94
 - classification, 397, 399
 - disk, 212, 215, 731
 - half-plane, 207, 209, 212
 - Lemma, 222, 232, 724, 736
 - map, (*see also* first-return map, section map), 8, 240
 - Recurrence Theorem, 142, 230, 473
- Poincaré–Bendixson Theorem, 452
- Poincaré–Hopf Index Formula, 730
- Poincaré–Siegel Theorem, 94
- pointwise ergodic theorem, *see* ergodic, Theorem
- Poisson
 - bracket, 224
 - Theorem, 226
- potential energy, 196
- preimages, section of, 189
- pressure, 623
 - Variational Principle for, 625
- pretransversal, 452
- probability
 - measure, 134, 135, 732
 - space, 136, 161, 164, 169, 732
- product
 - exterior, *see* wedge product
 - structure
 - global, 589
 - local, 272, 578, 581, 590, 595
 - topology, 704, 705, 713
 - wedge, 723
- proper map, 589
- pseudo-orbit, 269, 565
- pullback, 312, 724
- quadratic family, 41, 63, 78–80, 160, 311, 511, 526, 527
- quasi-invariant measure, 2, 419
- quasi-minimal, 465
- Radon–Nikodym Theorem, 148

- rank, 189
- rational
 - map, 317, 559, 561
 - polygon, 452, 481, 482
 - rotation, 26, 70, 350
 - number, 387, 389–391, 393, 394, 398, 429
 - ζ -function, 330
- rectangle, 591
- recurrence, 105, 129
 - nontrivial, 131
- recurrent point, 129
- regular
 - neighborhood, 674
 - point, 311, 671
 - value, 311, 725
- residual, 288
- resonance, 280
 - (p, q) -, 282
 - term, 281
- return map, *see* first-return map
- Riemann sphere, 314, 317, 323, 328, 559, 731
- Riemannian
 - manifold, 728
 - metric, 728, 739
- Riesz Representation Theorem, 713
- rigid
 - cocycle, 661
 - interval, 471, 474
- Rokhlin, 3
 - inequality, 169
 - metric, 164, 166
- rotation
 - irrational, 26, 27, 70, 101, 102, 146, 151, 174, 540, 706
 - number, 61, 388, 424, 426, 427
 - irrational, 391, 392, 395–399, 401, 405, 414, 415, 419, 423, 426, 427, 433, 438
 - rational, 387, 389–391, 393, 394, 398, 429
 - set, 392
 - vector, 483
- Ruelle inequality, 669
- saddle, (*see also* hyperbolic fixed point), 25, 36, 70, 302, 320, 344, 347, 348, 359, 456, 464, 465, 467, 468, 470, 479, 481, 482, 487, 765
 - connection, 36, 452, 471, 472, 474–482, 765, 772, 778
 - double, 466, 482
 - inverted, 25, 347, 348
 - multiple, 321, 486, 487
 - generic, 486
 - triple, 321
- saddle-node, 464
 - bifurcation, 302
- Sard Theorem, 725, 727
- section, 721
 - map, (*see also* first-return map, Poincaré map), 8
 - of preimages, 189
 - sectional curvature, 729
 - semiconjugacy, 68
 - semicontinuity
 - lower, 705
 - of entropy, 498, 699
 - upper, 649, 705
 - of entropy, 525
 - semilocal, 7, 11, 12, 60, 70, 79, 82, 90, 91, 94, 238, 260, 263, 273, 274, 298, 354, 385, 430, 451
 - semistable, 128, 300, 391, 394, 413
 - separable
 - measured σ -algebra, 732
 - topological space, 704
 - separated set, 110
 - Shadowing
 - Lemma, 565, 571
 - for flows, 569
 - for nonuniformly hyperbolic systems, 660, 690
 - Theorem, 566, 571–573, 778
 - for flows, 547, 569, 572
 - shift transformation, 48
 - Siegel
 - case, 94
 - disk, 561
 - simply connected space, 707
 - singular
 - conjugacy, 412, 415
 - measure, 405, 410–412, 419
 - value, 311, 725
 - sink, 694
 - Smale, 5, 12, 745, 748, 751, 762
 - attractor, 532, 535–537, 744, 759
 - smooth
 - conjugacy, 57
 - dynamics, 4
 - measure, 184
 - sofic system, 583, 622
 - solenoid, 534
 - space
 - average, 3, 138
 - Banach, 188, 711
 - compact, 704
 - complex projective, 233
 - configuration, 200–204, 229
 - connected, 705
 - contractible, 707
 - cotangent, 203, 722
 - covering, 707
 - dual, 219
 - Euclidean, 19
 - factor, 9, 706
 - function, 77, 87, 92
 - functional, 16
 - Hausdorff, 703
 - Hilbert, 711
 - identification, 706, 717, 730
 - Lebesgue, 136, 139, 142, 143, 163, 733, 734
 - linear, 711

- locally connected, 706
- L^p , 713
- measure, 136, 732
- metric, 16, 708, 709
- normal, 703
- normed linear, 711
- of partitions, 169, 170
- path-connected, 705
- phase, 1, 2, 9, 11, 16, 28, 41, 79, 133, 229
- pre-Hilbert, 711
- probability, 136, 161, 164, 169, 732
- root, 23, 54
- separable, 704
- sequence, 47, 79, 120, 735
- simply connected, 707
- of smooth maps, 718
- symplectic, 219
- tangent, 10, 203, 717
- topological, 703
- topological vector, 711
- totally disconnected, 705
- spanning set, 108
- special
 - flow, 9
 - linear group, 716, 739
 - orthogonal group, 739
- specification, 577, 578, 580
 - for flows, 580
 - property, 578, 580, 581, 583–586, 615–618, 622, 628–630, 632, 635–637, 779
 - for flows, 580
 - Theorem, 578, 580, 583, 585, 595, 608, 616, 620
 - for flows, 580
- spectral
 - analysis, 144
 - decomposition, 56, 574
 - radius, 19
- spectrum, 19
 - of periodic point, 58
- splitting, exponential, 242
- stability
 - strong structural, 69, 571, 572
 - for flows, 69
 - structural, 69, 70, 76, 90, 571, 572
 - for flows, 69
 - topological, 69
- stable manifold, 211, 212, 244, 257, 260, 267, 268, 275, 283, 297, 345, 535, 537, 548, 554, 581, 588–590, 595, 598, 599, 639, 689, 697
 - in hyperbolic set, 267
 - at periodic point, 240, 292–296, 348
 - strong, 545, 546
 - weak, 211, 546, 576
- state, 361, 364, 434, 435, 441, 442
 - (a, b, n) , 363, 364, 423, 434–437, 440
 - minimal, 363, 434–437, 444, 446
 - ordered, 357, 434, 435, 437
 - (p, q) , 357, 361–364, 440, 442, 445, 446
 - periodic, 423, 434, 442
 - statistical sums, 623
 - stochastic, 157
 - strong structural stability, 69, 571, 572
 - for flows, 69
 - structural stability, 69, 70, 76, 90, 571, 572
 - for flows, 69
 - subadditivity, 110, 114, 168, 373, 388, 436
 - subbundle, 721
 - subshift of finite type, *see* topological Markov chain
 - subspace
 - contracting, 24
 - expanding, 24
 - isotropic, 220
 - Lagrangian, 220
 - sufficient
 - collection of measurable sets, 152
 - family of partitions, 170
 - superattracting, 559
 - suspension, 576
 - flow, 8
 - manifold, 8
 - symbolic
 - dynamical system, (*see also* topological Markov chain), 49
 - dynamics, 4, 5
 - symplectic
 - coordinates, 221
 - diffeomorphism, 221
 - form, 219, 221
 - gradient, 223
 - group, 220, 716, 739
 - linear map, 219
 - manifold, 221, 231
 - space, 219
 - structure, 222
 - symplectomorphism, 221
 - tangent
 - bundle, 717
 - second, 722
 - unit, 718
 - set, 253
 - space, 10, 203, 717
 - vector, 717
 - tempered
 - cocycle, 661
 - function, 661
 - tempering kernel, 667
 - tent map, 78, 159, 492, 499, 514, 528
 - entropy of, 499
 - time average, 134, 136
 - and space average, 138
 - two-sided, 137
 - time change, 65, 547
 - trivial, 66
 - topological
 - Bernoulli shift, 48
 - conjugacy, 68
 - dynamics, 3
 - entropy, 109, 308, 309, 316, 491, 494, 497–499, 503–505, 525, 583, 672, 698

- via covers, 118
- for flows, 112
- equivalence, 61
- factor, 68
- invariant, 705
- Markov chain, 50, 519, 562, 572, 574, 581, 583, 591, 593, 595
- n -step, 52, 573, 582
- transitive, 51
- mixing, 45, 46, 574–576, 588
- space, 703
 - separable, 704
- stability, 69
- transitivity, 27, 29, 141, 216
- topology, 703
 - C^0 , 710, 712
 - C^1 , 718
 - C^∞ , 719
 - C^r , 718, 719, 726
 - compact–open, 710
 - discrete, 47
 - induced, 703
 - product, 704, 705, 713
 - real-analytic, 719
 - uniform, *see* C^0 topology
 - weak, 712
 - weak*, 712
- toral
 - automorphism, 43
 - hyperbolic, 43, 46, 84, 87, 90, 107, 123, 154, 177
 - endomorphism, 46
- torus, 28, 29, 32, 34, 36, 41, 44, 46, 457, 458, 460, 464, 483, 485, 717, 765
 - double, 465
- total energy, 196
- totally disconnected space, 705
- transfer operator, *see* Perron–Frobenius operator
- transitive
 - stochastic matrix, 157
 - topological Markov chain, 51
 - topologically, 27
- transversal, 453, 457
- transversality, 289
- transverse
 - fixed point, 17, 290, 295
 - homoclinic point, 12
 - periodic point, 295
- twist
 - homeomorphism, 364
 - interval, 350
 - map, 349
 - property, 340
- twisted one-cocycle, 100
- two-sided time average, 137
- uniformly hyperbolic, 681
- unimodular, 740
- unique ergodicity, 137, 141, 146, 147
- universal cover, 708
- unstable manifold, 211, 212, 244, 257, 260, 267, 268, 275, 283, 297, 345, 535–537, 548, 554, 575, 578–581, 588–590, 595, 598–600, 607, 639, 689, 697
 - in hyperbolic set, 267
 - at periodic point, 240, 292–296, 348
 - strong, 545, 546, 576
 - weak, 211, 218, 546, 576
- untwisted one-cocycle, 65, 100
- variation, 402, 419, 493, 498, 499
 - bounded, 401–403, 419
- Variational Principle, 130, 181, 669
 - for pressure, 625
- vector
 - field, 7, 717
 - complete, 7
 - tangent, 717
- volume, 195
 - growth, 374
- weak
 - stable manifold, 211, 546
 - topology, 712
 - unstable manifold, 211, 218, 546
- weak* topology, 712
- wedge product, 723