

# INDEX

- accelerated systems, Hamiltonian dynamics. *See* Hamiltonian dynamics, in accelerated systems
- acceleration  
   and relation to mass, 512–513  
   block on inclined plane, 2–3  
   caused by a constant force, 535–536  
   elevator, 20  
   transformation of coordinate systems, 266
- action functional  $S$ , 51, 178, 220
- action principle. *See* variation principle  
   extended. *See* extended action  
   relativistic. *See* relativistic action  
   variable, 230–231
- action-angle variables, 230–235, 237, 238,  
   246–247 (prob)  
   pendulum. *See* pendulum, action-angle variables
- adiabatic invariants, 118, 233–235
- airplane wings, 397
- Almagest*, 130
- almost periodic, 238
- amplifiers, parametric. *See* parametric amplifiers
- analytical mechanics, 23
- angle variable, 230, 232
- angular frequency, 526
- angular momentum, 137–139, 170–172, 283, 245 (prob)  
   intrinsic. *See* angular momentum, rotational  
   rotational, 292  
   total, 291–292  
   translational, 292
- angular momentum barrier, 140–141
- angular velocity, 256–257, 264–266, 283, 293, 304, 306,  
   276–277 (prob)
- anharmonic oscillator, 398–401  
   driven, 401–411  
   period of, 401
- annihilation radiation, 517
- antisymmetric four-tensor, electric and magnetic fields,  
   530, 539
- antisymmetric matrix, 264, 304
- aphelion, ellipse. *See* ellipse, aphelion
- apparent force, 267
- approximate solutions to non-analytic problems, 383–411
- apsides, ellipse. *See* ellipse, apsides
- arc length, 138
- area-preserving map. *See* map, area-preserving
- Aristarchus of Samos, 317
- Aristotle, 317
- Arnol'd. *See* KAM theorem
- Arnold diffusion, 451, 470, 472
- asteroid belt, 469
- asteroid, perturbed by Jupiter (prob), 417
- astrophysical data, table of, 167–169
- asymmetric top, 288, 331 (prob)  
   kinetic energy, 306  
   torque free, 305–312
- attractive force, hyperbolic orbits. *See* hyperbolic orbits,  
   attractive force
- attractor, 452 (*see also* phase space trajectories)  
   periodic, 425  
   strange. *See* strange attractor
- Atwood machine, double (prob), 31
- axial vector. *See* pseudovector
- axions, 155
- band theory, of solids, 390
- basins of attraction, 453
- bead on wire (prob), 30, 34, 114
- beam stability, 390
- beat frequency. *See* frequency, beat
- Bernoulli, Daniel, 45, 86, 344
- Bernoulli, Jacques, 4
- Bernoulli, Jean, 44–46, 344
- Bertrand's theorem, 154
- Bertrand's theorem (prob), 167
- bicycle (prob), 27
- bifurcation diagrams, 459–460, 484–485, 491  
   pitchfork, 459, 483–484, 486
- Big Bang, 325, 456
- binding energy, 516
- Biot-Savart law, 509
- Birkhoff, 439 (*see also* Poincaré-Birkhoff theorem)
- black body radiation, 325
- black hole M87, 155
- block on inclined plane, example, 1–7
- body cone, 297, 298
- body coordinate system, 259–264, 284, 300
- boldface notation, 262
- boost. *See* Lorentz transformations

- bouncing ball (prob), 475
- boundary conditions, matching. *See* matching boundary conditions
- boundary curve for Poincaré section of double pendulum, 431
- bowling ball, 38–39, 35 (prob)
- box-counting dimension. *See* dimension, box-counting
- brachistochrone, 44–46, 70 (prob)
- Brahe, Tycho, 131
- Britain, dimension of coastline. *See* dimension, of coastline of Britain
- broken symmetry. *See* symmetry breaking
- brown dwarfs, 155
- bug crawling on a phonograph turntable, Hamiltonian and Lagrangian, 190–192
- butterfly effect, 425
- calculus of variations. *See* variational calculus
- cannonball example, 52, 77
- canonical transformations, 207–213, 215–218, 237, 250, 241–244 (prob)
- canonically conjugate momentum, 22, 75, 170, 172, 175, 181, 538, 34–35 (prob)
- Cantor set, 464–465
- capacitor (prob), 116
- capacity dimension. *See* dimension, box-counting
- Cassini, 339–340
- catenary curve, 62
- causal Green's function. *See* Green's function, causal
- cavity, cylindrical. *See* gedanken experiment, cylindrical cavity
- center of mass, 134, 136–137
  - motion, 283, 285, 292, 298, 160–161 (prob)
- center of momentum. *See* center of mass
- central force, 24, 133–141, [161–162, 198, 413] (prob) (*see also* Kepler problem)
  - motion
    - effective potential, 140–141
    - energy diagram, 142
    - Kepler's Laws, 132, 139
    - orbit equation, 142–143
    - stability of circular orbit, 384–388
- centrifugal force, 142, 267
- centripetal acceleration, 40
- Ceres, 148
- cgs units, 507, 540
- chain example, 61
- chain rule, 6
- Chandler wobble, 299–300
- Chandler, S., 300
- chaos, 237, 475 (prob)
  - in conservative systems, 379, 425, 428–452, 472
  - in dissipative systems, 425, 452–468
- chaotic dynamics, 423–474
- characteristic exponent, 393
  - multiplier, 444
  - polynomial, 337
- charge conservation, 188
- circular hoop with 3 point masses connected by massless springs, 365–367
  - motion, relativistic. *See* relativistic circular motion orbits, 144, 385
- classically forbidden, 126
- clockwork universe, 423
- coastline. *See* dimension, of coastline of Britain
- cofactors, 355, 362, 380–382
- comets (prob), 163
- complex numbers, 111
  - solutions, 89
- Compton, A. H., 252, 280
- Compton generator (prob), 280
- Compton scattering (prob), 549
- configuration space, 36–37, 229
- conic section, 144
- conjugate momentum. *See* canonically conjugate momentum
- conservation of angular momentum, 170–172
  - of charge. *See* charge conservation
  - of energy, relativistic (prob), 547
  - of momentum. *See* momentum conservation
- conservative forces, 18, 41–43
- conserved function, 21
  - quantity, 174
- constant of the motion, 21, 22, 138, 170, 172, 196 (prob)
- constraint force, 2, 57
  - generalized, 60–61
- constraints, 12–13
  - holonomic, 13, 57–58, 83, 85, 33 (prob)
  - nonholonomic, 36–40, 62–64, 35 (prob)
  - nonintegrable, 36
  - rheonomic, 13, 22
  - scleronomic, 13, 22, 85
- contact transformation, 208, 211
- continued fraction expansion, 436–437
- continuity equation, 188, 525
- continuous transformations. *See* transformations, continuous
- contravariant components, 529
- control parameter, 481
- coordinate system
  - body. *See* body coordinate system
  - rotating. *See* rotating reference frames
  - space. *See* space coordinate system
  - polar
    - cylindrical, 10, 19, 24–25
    - elliptical, 309–310
    - spherical, 10, 51, 138, 226
- coordinates, generalized. *See* generalized coordinates
- Copernicus, Nicolaus, 130–131
- Coriolis force, 267
- cosinelike, 390
- cosmic rays, 537
- Coulomb potential. *See* hyperbolic orbits, repulsive force
- coupled pendulum. *See* pendulum, two coupled
- covariant components, 529
  - procedure, 538–539
- Cramer's rule, 380
- critical damping (prob), 117, 121
- critically damped. *See* oscillator, damped simple harmonic
- cross section (prob), 165
- cubic polynomials, 315
- curvature, of potential energy, 85–86
- cyclic coordinates. *See* ignorable coordinates
- cyclotron frequency, relativistic, 540
- d'Alembert, 4, 322
- d'Alembert's Principle, 5
- damped driven pendulum, 425, 453–463, 467–468
  - oscillator. *See* oscillator, damped
- dark matter, 154–156

- day, length of in age of dinosaurs (prob), 282  
 degeneracy, 339, 343, 353  
   modes, 365–367  
 degrees of freedom, 2, 8, 10–12, 36, 86, 27 (prob)  
   rotational, 283  
 delta function, 99–100  
 derivative  
   directional. *See* directional derivative  
   Lie. *See* Lie derivative  
 determinant, 203, 352  
 deterministic chaos, 424  
 diagonalization, 392  
   of symmetric matrices, 336–339  
   of **t** and **v** matrices, 364–365  
 diatomic molecule (prob), 377  
 diffeomorphism, 55  
 differential equation  
   linear, inhomogeneous, 95  
   ordinary, second-order, and homogeneous, 88–89  
   superposition, 88–89  
   second order, 24  
 differential equations of motion. *See* equations of motion  
 dimension, 463–468  
   box counting, 463–466  
   fractional, 463–464 (*see also* fractal)  
   Hausdorff, 463  
   Lyapunov, 467  
   magnification, 466  
   of coastline of Britain, 465–466  
   of strange attractor of damped driven pendulum, 468  
 Dirac delta function. *See* delta function  
 Dirac, P. A. M., 44  
 directional derivative, 236  
 discontinuity, in Green's function, 101–102  
 discrete transformations. *See* transformations, discrete  
 displaced axis theorem, 289  
 displacement ratio. *See* mode displacement ratio  
 dissipative flow, 189  
 divergence, 192  
   exponential of trajectories. *See* characteristic exponent  
 Doppler shift, 505, 507, 515, 546 (prob)  
 dot cancellation, 14  
 dot product. *See* scalar product  
 double pendulum  
   exact, 425, 426–428, 430–433, 435, 440–442, 451–452  
   Hamiltonian, 426–427  
   Lagrangian, 349  
   small angle approximation, 348–355, 358–359, 377 (prob)  
 double-well potential (prob), 157  
 driven oscillator. *See* oscillator, driven  
 driven support of pendulum. *See* pendulum, with driven support  
 DSHO. *See* oscillator, damped simple harmonic  
 Duffing oscillator, 384, 398–401, [158, 419] (prob)  
   driven, 401–411  
   period of, 401  
 dumbbell, inertia tensor, 290–291  
 dynamical equilibrium. *See* equilibrium, dynamical  
   instability. *See* instability, dynamical  
   stability. *See* stability, dynamical  
   variable, 7  
 Earth. *See* solar system, stability  
   as noninertial reference frame, 267–275  
   equatorial bulge. *See* equatorial bulge  
   eccentric anomaly, 148–150  
   eccentricity, 323, 470–473  
     ellipse, 144  
   ecliptic, 317  
   effective potential, 140–142, 385  
   eigenvalues, 302–303, 336–339, 392, 444, 449  
     generalized, 353, 359  
   eigenvectors, 302–303, 337–339, 392, 444, 449  
     generalized, 353  
 Einstein, A., 154, 493–495, 508, 514, 516, 519, 533  
 Einstein summation convention, 253, 529  
 electric and magnetic field, antisymmetric four-tensor.  
   *See* antisymmetric four-tensor, electric and magnetic field  
 electric field, 493, 508–510, 522  
   charged particle. *See* particle in electric and magnetic fields  
   transformation law for light pulse. *See* transformation law, electric field for light pulse  
 electric force, transformation law. *See* transformation law, electric and magnetic forces  
 electromagnetic field (prob), 199–200, 550, 551  
 electromagnetic field, relativistic Lagrangian. *See* relativistic Lagrangian, electromagnetic field  
 electron capture, 185  
 electron-positron annihilation, 517  
 electrostatics (prob), 67  
 elevator, 20, 200 (prob)  
 ellipse, 144–145  
   aphelion, 145  
   apsides, 145  
   eccentricity, 144  
   perihelion, 145  
   semimajor axis, 145–146  
   semiminor axis, 145–146  
 ellipsoid  
   equation of, 306  
   inertia, 306  
   inertia tensor (prob), 327  
   momental, 306  
   oblate, 289  
   prolate, 289  
 elliptic fixed points. *See* fixed points, elliptic  
   orbits, 145, 385, 162 (prob)  
 elliptical motion  
   period of, 145–147  
   time dependence, 147–150  
 energy, 21 (*see also* Hamiltonian)  
   of light wave, transformation law. *See* transformation law, energy of light wave  
   binding. *See* binding energy  
   relativistic, 515–517, 533  
   stored in oscillator. *See* oscillator, stored energy  
 energy-momentum four-vector. *See* four-vector, energy-momentum  
 entrainment (prob), 480  
 EOM. *See* equations of motion  
 epicycles, 130–131  
 equant, 130–131  
 equations of motion, 17–19, 23–24, 51, 54  
 equator, 339–340  
 equatorial bulge  
   Earth's, 339–342, 332 (prob)

- equilibrium, 82–87, 114 (prob)
  - dynamical, 384
  - neutral, 85
  - pendulum, 82–83
  - stable, 82, 125
  - unstable, 82, 125
- equinoxes
  - nutaton of (prob), 333
  - precession of, 317–323
- ether, 493
- Euler angles, 284, 300–302
- Euler equation, 46–49, 65
- Euler force, 267
- Euler's equations, 283, 292–293, 297–299, 329–330 (prob)
- Euler, Leonard, 23, 46, 299
- Euler-Lagrange equations, 19, 23–24, 51, 54
  - matrix form, 352
  - normal coordinates, 359
- exotic particle decay (prob). *See* particle decay (prob)
- exponent, characteristic. *See* characteristic exponent
- extended action, 76
- extremum, 46, 49
  
- Falkland Islands battle (prob), 279
- Feigenbaum constant, 458–459, 487, 490
- Feigenbaum, M. J., 457, 485, 486
- Fermat, 55
- Fermat's principle, 55, 75, 229, 68 (prob)
- fictitious force, 25, 253, 267, [279–282, 290] (prob)
- fig tree, 485, 486
- filamentation, 186
- fixed point, 481–482
  - elliptic, 431, 434–435, 440–441, 445
  - hyperbolic, 435, 440–442, 446–448
  - neutral, 428–483, 485
  - stable, 482, 485
  - superstable, 482–486
  - unstable, 482–382, 485
- Fizeau, M., 493
- flip hyperbolic fixed point, 446
- Floquet matrix, 390–392
- Floquet Theory, 390–395, 397, 445
- fluid, incompressible. *See* incompressible fluid
- forbidden, classically. *See* classically forbidden
- force, causing constant acceleration, 535–536
- forced oscillator. *See* oscillator, driven
- Foucault pendulum, 253, 272–275, 324
- Foucault pendulum (prob), 281
- four-acceleration, 555, 543 (prob)
- four-momentum, 527
- four-vector, 522
  - energy-momentum, 502, 526–528
- four-velocity, 527
- Fourier analysis, 86, 403–404
  - decomposition, 390
  - series, 402
- fractal, 425, 453, 463–468
- frame-dragging, 324–325
- frames. *See* reference frames
- free particle, relativistic Lagrangian. *See* relativistic Lagrangian, free particle
- free solution. *See* oscillator, transient solution
- frequency
  - beat, 348
  - cyclotron. *See* cyclotron frequency
  - mode. *See* mode frequency
  - of oscillator, 88
  - resonant, 108
- frequency of light wave, transformation law. *See* transformation law, frequency of light wave
- friction, 38, 90
- full width at half max, 109
- functional, 44, 46
- functional calculus. *See* variational calculus
- fundamental theorem of symmetric real matrices, 336
  
- Galilean Invariance Principle, 54
- Galilean transformation laws, 504
- Galileo, G., 87, 105, 131–132, 494
- Gauss, 148
- Gauss-Jordan elimination, 337
- Gaussian units. *See* cgs units
- gedanken experiment, cylindrical cavity, 519–521
- general relativity, 44, 154, 494, 530, 420–422 (prob)
- generalized coordinates, 10, 350
  - equations of motion, 17–18
  - forces, 14–15, 18–19, 82
  - central force, 24–25
  - kinetic energy, 16–17
  - momentum. *See* canonical momentum
  - velocities, 14
- generating function, 207, 210–217, 240–244 (prob)
- geodesic curve, 51, 66–67 (prob)
- Gibbs, J. W., 253
- global chaos, 442, 451
- golden mean, 437
- governor (prob), 32
- gradient vector, 307
- grandfather's clock. *See* pendulum, nonlinear
- gravitational constant, 339–342
- gravitational field, particle in, Hamiltonian-Jacobi equation, 220–222, 224–228
  - potential energy of, 318
- gravity, 134, 141–142, 159 (prob)
- Gravity Probe B, 317
- Green's function, 96, 102, 399, 120 (prob)
  - causal, 102
  - drive with arbitrary force, 103–105
  - simple harmonic oscillator, 99–102, 103, 105
- Gutzwiller, M. C., 237, 442
- gyroscope, 323, 330 (prob)
  
- hairy ball theorem. *See* Poincaré-Hopf theorem
- Hale-Bopp, 163
- Halley, Edmond, 132–133, 147–148
- Hamilton, 48
- Hamilton's Characteristic Function, 222, 230
  - equations of motion, 180–181, 207, 218, 248–249
- Principal Function, 219
- Principle, 46, 51, 53–55, 75, 178–186, 220, 72 (prob)
  - cannonball example. *See* cannonball example
- Hamilton-Jacobi equation, 207, 218–230, 246–247 (prob)
  - particle in a gravitational field, 220–222, 224–228
- Hamiltonian, 21–22, 175, 178, 180, 211, 234, [29–30, 551] (prob)
  - bug crawling on a phonograph turntable. *See* bug crawling on a phonograph turntable

- chaos. *See* chaos, in conservative systems  
 charged particle in electric and magnetic fields, 192  
 double pendulum, exact. *See* double pendulum, exact Hamiltonian  
 dynamics, 175–184, 197–198 (prob)  
   in accelerated systems, 190–195  
 invariance. *See* invariance, Hamiltonian  
 particle on a parabolic wire. *See* particle on a parabolic wire, Hamiltonian  
 relativistic. *See* relativistic Hamiltonian  
 simple harmonic oscillator, 88, 182  
 spherical pendulum. *See* spherical pendulum, Hamiltonian  
 handedness, 456  
 harmonic analysis, 402–404  
 harmonic oscillations, 383  
 Hausdorff dimension. *See* dimension, Hausdorff  
 heavy symmetric top. *See* symmetric top, heavy  
 heliocentric, 130–132, 317  
 Henon-Heiles Hamiltonian (prob), 378, 478  
 Hermitian matrices, 337  
 herpolhode, 308, 311–312  
 heteroclinic point, 447  
   tangle, 448  
 Hill equation, 383, 389–395, 409, 411  
 Hill, G. W., 389  
 Hipparchus of Rhodes, 317  
 holonomic constraints. *See* constraints, holonomic  
 homoclinic point, 447  
   tangle, 446–448  
 homogenous differential equation. *See* differential equation  
 Hooke, Robert, 132  
 Hooke's Law, 154  
 Hubble telescope, 155  
 hurricanes, 253, 271–272, 281 (prob)  
 Huygens, C., 87, 125, 480  
 Hyakutake, 163  
 hyperbola, 144, 150  
 hyperbolic fixed points. *See* fixed points, hyperbolic  
   orbits, 145, 150–154, 164 (prob)  
     attractive force, 150–151, 153  
     repulsive force, 150–154  
 hyperplane, three-dimensional, 429  
 hysteresis, 402, 408–409  
 ice ages, 323  
 ice cream cone rolling on a table, 257–259  
 identity matrix, 262  
 identity transformation. *See* transformations, identity  
 ignorable coordinates, 22–23, 138, 226  
 impact parameter (prob), 165  
 impulse force, 99  
   arbitrary force as superposition of, 104–105  
   response of oscillator to, 100–101  
 inclination, 472–473  
 inclined plane, example, 1–7  
 incompressible fluid, 188  
 index of refraction (prob). *See* refractive index (prob)  
 inertia ellipsoid. *See* ellipsoid, inertia  
 inertia tensor, 283, 286–291, 339, 327–328 (prob)  
   dumbbell, 290–291  
 inertial reference frame, 20, 252, 323–324, 494, 502, 535  
 infinitesimal rotation. *See* rotation, infinitesimal  
 infinity, orders of, 465  
 inhomogenous differential equation. *See* differential equation  
 initial conditions, 7–8, 89  
 instability, 392  
   dynamical, 383, 386  
 instantaneous angular velocity. *See* angular velocity  
   axis of rotation. *See* rotation axis  
   rest frame, 526–527, 535–536  
 integrable, 425, 447–448, 451–452  
 integrable systems, 207, 235–237  
 intermittency, 457  
 invariable line, 308–309  
 invariable plane, 308  
 invariance, 28–29 (prob)  
   Hamiltonian, 211  
   Lagrangian, 171, 173, 209  
   rotational, 170–172  
   translational, 135–136  
   theorems. *See* Lorentz invariant, invariance theorems  
   transformation. *See* transformation, invariance  
 invariant tori, 237–239, 424, 431–433, 435  
 invariants, adiabatic. *See* adiabatic invariants  
   Lorentz. *See* Lorentz invariant  
 inverse square force, 134  
 invertible mapping, 55  
 involution, 235–236  
 irrational winding number. *See* winding number, irrational  
 irregular motion, 425, 447, 451  
 iteration methods, 384, 405  
 Jacobian, 203, 249–251, 432, 443–444, 452, 454, 241 (prob)  
   of Lorentz transformation, 501  
 Jupiter, perturbation effects. *See* asteroid, perturbed by Jupiter (prob)  
   *See* solar system, stability  
 KAM barriers, 451  
   theorem, 435–439  
   tori, 433–439, 448, 451, 469  
 Kepler ellipses, precession of (prob), 420–422  
 Kepler, J., 131–132  
 Kepler orbit (prob), 413  
   problem, 130–133, 141–150, 196 (prob), 226, 228 (*see also* central force problem)  
   perturbation of, 384–388  
 Kepler's equation, eccentric anomaly, 149  
   Laws, 131–132, 139–140, 147  
 kinematics, 252  
 kinetic energy, [27, 328] (prob)  
   asymmetric top. *See* asymmetric top, kinetic energy  
   block on inclined plane, 4  
   function of both coordinates and velocities, 16–17  
   matrix, Taylor series near equilibrium, 350  
   moving constraints, bead on rotating wire example, 7–9  
   relativistic change, 515–516  
   rigid body, 284–286  
   rotational, 285–287  
   symmetric top. *See* symmetric top, rotational kinetic energy  
   sliding ladder example, 16  
   total, 285  
   translational, 285  
 kinetic momentum, 538–539

- Kirkwood, 469  
 Kirkwood gap, 469–470  
 Kohlrausch, 493  
 Kolmogorov. *See* KAM theorem  
 Kovalevskaya, S. V., 451  
 Kronecker delta, 286, 307
- Lagrange multipliers, 56–65, 73 (prob)  
   chain example, 61  
   for problems with explicit holonomic constraints, 57–58  
   linear pendulum example, 58–59  
   nonintegrable nonholonomic constraints, penny example, 62–64  
 Lagrange, Joseph Louis, 1, 23, 86  
 Lagrangian, 1, 19, 51, 54–55, 83–86, 209, [28, 30–34, 199–200] (prob)  
   bug crawling on a phonograph turntable. *See* bug crawling on a phonograph turntable  
   cannonball. *See* cannonball  
   central force. *See* central force  
   central force, spherical polar coordinates, 138  
   charged particle in electric and magnetic fields, 192  
   equation of motion, 19  
   Foucault pendulum. *See* Foucault pendulum  
   heavy symmetric top. *See* symmetric top, heavy, Lagrangian  
   in center of mass frame, 137  
   invariance. *See* invariance, Lagrangian  
   linear pendulum. *See* pendulum, linear  
   matrix form, 351  
   mechanics, relativistic. *See* relativistic Lagrangian mechanics  
   momentum space. *See* momentum space Lagrangian  
   nonlinear pendulum. *See* pendulum, nonlinear  
   normal coordinates, 359  
   penny. *See* penny  
   simple harmonic oscillator, 88  
 Lao-Tze, 437  
 Laplace, 423, 468  
 Laplace-Runge-Lenz vector (prob), 196  
 Larmor frequency, 193  
 Larmor's Theorem, 192–193  
 Laskar, J., 471–474  
 least action. *See* Hamilton's Principle  
 Legendre transformation, 175–180, 211, 213, 197 (prob)  
 Leibnitz, 45, 75  
 length contraction. *See* Lorentz contraction  
 Lenz vector, 228  
 LHC, 452  
 libration, of pendulum. *See* pendulum, nonlinear, libration  
 Lie derivative, 236  
 light cone, 522  
 light pulse, electric field transformation law. *See* transformation law, electric field for light pulse  
 light wave energy, transformation law. *See* transformation law, energy of light wave  
 light  
   bending (prob), 68–69  
   emitted by atom, 514–517  
   minimal optical path, 55  
   speed of. *See* speed of light  
 Lighthill, Sir James, 474  
 Lindstedt-Poincaré perturbation theory, 384, 398–401, 419–420 (prob)
- linear differential equation. *See* differential equation  
   oscillator. *See* oscillator, simple harmonic  
   pendulum. *See* pendulum, linear  
   system, 343  
 linearizing, 383, 385–386  
 linearly accelerated reference frames. *See* reference frames, linearly accelerated  
 Liouville's theorem, 184–189, 202–204, 250, 391, 444, 449, 452  
 local chaos, 442, 451  
 locomotive (prob), 267  
 logistic map, 425, 481–492, 474 (prob)  
 Lorentz, 494  
   contraction, 500  
   force, 199, 508, 537–539  
   invariant, 521–526, 538  
     action, 530–532  
     charge, 508, 534  
     invariance theorems, 524  
     mass, 519, 527  
     Planck's constant, 512  
     proper time, 527  
   transformation, 498–501, 503–504, 555–556, 544 (prob)  
 Lorentzian line shape, 109  
 Lorenz equations (prob), 477  
 Lyapunov dimension. *See* dimension, Lyapunov exponents  
   conservative systems, 449–450  
   dissipative systems, 458–459, 467, 471–472  
   logistic map, 483, 485–486  
 Lyapunov time, 471
- Mach, E. 324, 513, 528  
 MACHOS, 155  
 Mach's principle, 323–325  
 Maclaurin, 342  
 magnetic field, 493, 509–510, 522, [30, 74, 277, 550–551] (prob)  
   charged particle. *See* particle in electric and magnetic fields  
   relativistic particle. *See* particle in a magnetic field, relativistic  
 magnetic force, transformation law. *See* transformation law, electric and magnetic forces  
 magnification. *See* dimension, magnification  
 manifold  
   stable, 440, 446  
   unstable, 440, 446  
 map  
   area-preserving, 431–432  
   logistic. *See* logistic map  
   Poincaré section, 434, 439–440  
   standard (prob). *See* standard map (prob)  
   tangent. *See* stability matrix  
 marginal stability. *See* stability, marginal  
 Mars. *See* solar system, stability  
 mass  
   definition of, 512–513  
   inertial, 324  
   reduced, 136–137  
   rest, 513–517  
 matching boundary conditions, 96–98  
*Mathematical Principles of Natural Philosophy*, 133  
 Mathieu equation, 383, 395–398  
   functions, 397



- matrix  
   antisymmetric. *See* antisymmetric matrix  
   Hermitian. *See* Hermitian matrix  
   identity. *See* identity matrix  
   monodromy. *See* stability matrix  
   notation, 262  
   orthogonal, 263  
   stability. *See* stability matrix  
   transformation, 265  
   unitary. *See* unitary matrix
- Maupertuis, 55, 339  
   cannonball trajectory, 77
- Maupertuis' Principle, 75–80, [74, 162] (prob)
- Maxwell, J., 493
- Mayer, 514
- m*-cycle, logistic map, 481
- Mechanique Analytique*, 23, 86
- Mercury. *See* solar system, stability  
   precession of, 154
- method of matching boundary conditions, 96–98  
   of successive approximations. *See* successive  
   approximations, method of, 356
- metric tensor, 51, 529
- Michelson-Morley experiment (prob), 551
- Milankovitch, M., 323
- minimal action principle of Maupertuis. *See* Maupertuis' Principle
- minimal optical path for light, 55
- Minkowski, 495, 501
- mixer, 402
- mks units. *See* SI units
- mode. *See* normal mode  
   amplitude ratio. *See* mode displacement ratio  
   displacement ratio, 343, 346, 352, 353–355, 357, 361, 363–367  
   frequency, 343, 353, 357, 362–366, 374  
   vector, 352, 355, 362–367
- mode-locking. *See* phase locking
- molecule  
   diatomic (prob). *See* diatomic molecule (prob)  
   triatomic linear. *See* triatomic molecule, linear
- moment of inertia tensor. *See* inertia tensor
- momental ellipsoid. *See* ellipsoid, momental
- moments, principal. *See* principal moments
- momentum  
   canonically conjugate. *See* canonically conjugate  
   momentum  
   relativistic, 517–519, 547 (prob)  
   transverse, relativistic, 517, 532, 548 (prob)
- momentum conservation, 519
- space, 189–190, 201–202 (prob)  
   Lagrangian, 190
- monodromy matrix. *See* stability matrix
- Moon. *See* solar system, stability
- Moser. *See* KAM theorem
- multiplicative ergodic theorem. *See* Oseledec's  
   multiplicative ergodic theorem
- mylar, aluminized, 517
- neutral equilibrium. *See* equilibrium, neutral
- neutral fixed point. *See* fixed point, neutral
- neutrinos, 155, 528
- Newton, Isaac, 45, 132–133, 284, 299, 324, 339–342, 423, 468, 493
- Newtonian mechanics, review with sliding block example, 1–3
- Newton's Second Law, 2, 5, 17, 512–513  
   Third Law, 3
- Noether, Emmy, 172
- Noether's theorem, 172–175, 245
- nonconservative force, 90  
   example of a rubber band, 42–43
- nonconstraint force, 5
- nondissipative chaos. *See* chaos, in conservative  
   systems
- nonholonomic constraints. *See* constraints, nonholonomic
- noninertial reference frames. *See* reference frames,  
   noninertial
- nonintegrable, 36, 63, 207, 237, 305, 425, 442, 447–448, 451–452
- nonlinear oscillator. *See* oscillator, nonlinear  
   pendulum. *See* pendulum, nonlinear  
   resonance, 425  
   double pendulum, 440–442
- normal coordinates, 343, 359  
   mode, 343, 352–355  
   mode frequency. *See* mode frequency
- normalization, 338, 356–357
- North Pole, 339–340
- N*-torus. *See* torus
- nuclear magnetic resonance, 277
- nutaton, 316, 333 (prob)
- oblate ellipsoid. *See* ellipsoid, oblate
- obliquity, 317  
   chaotic of Earth, 474
- ODE. *See* differential equation, ordinary
- one-dimensional systems, 123–125, 158 (prob)
- orbital period, 147
- orbits, of Kepler problem, 143–151
- orders of infinity. *See* infinity, orders of
- ordinary differential equation. *See* differential equation,  
   ordinary
- orthogonal matrix, 263, 277–278 (prob)  
   modes, 355–356  
   transformation, 288, 302, 336
- oscillations  
   harmonic. *See* harmonic oscillations  
   small. *See* small oscillations  
   subharmonic. *See* subharmonic oscillations
- oscillator  
   anharmonic. *See* anharmonic oscillator  
   damped, 81  
   damped simple harmonic, 90–94, 103, 106–110, 116–120 (prob)  
   complex driving force, steady state, 108  
   critically damped, 92  
   overdamped, 92  
   response to sinusoidal driving force, relative phase, 110–113  
   underdamped, 91  
   driven, 81, 94–113  
   damped simple harmonic (prob), 120–121  
   simple harmonic (prob), 119
- Duffing. *See* Duffing oscillator
- linear. *See* oscillator, simple harmonic
- nonlinear, 125–127, 121–122 (prob)
- simple harmonic, 81, 88–90, 124, 212–213, 218, 237–239, [115, 202, 240, 246, 551] (prob)  
   general solution with Green's function, 99–102, 105
- Hamiltonian. *See* Hamiltonian, oscillator, simple  
   harmonic

- simple harmonic response to sinusoidal driving force, 106
- steady-state solution, 95, 97–98, 107–108
- step function drive force, 96–99
- stored energy, 94, 109
- transient solution, 95, 97–98, 107–108
- Oseledec's multiplicative ergodic theorem, 449
- overdamped. *See* oscillator, damped simple harmonic
- parabola, 144
- parabolic orbits, 145, 164 (prob)
- parallel axis theorem, 289
- parallel plate capacitor, 508–510
- parametric amplification, 384
  - amplifiers, 390
  - resonance, 384, 388–398, 414–419 (prob)
  - unstable, 397
- particle decay, 528, 546 (prob)
  - in a gravitational field, Hamiltonian-Jacobi equation, 220–222, 224–228
  - in a magnetic field, [30, 74] (prob)
    - relativistic, 539–540
  - in electric and magnetic fields
    - Lagrangian and Hamiltonian, 192
  - on a parabolic wire
    - Hamiltonian, 182–183
- particular solution. *See* oscillator, steady-state solution
- pendulum. *See also* oscillator, [33–34, 116–117, 373, 415, 419] (prob)
  - action-angle variables, 231–232
  - damped driven. *See* damped driven pendulum
  - double. *See* double pendulum
  - equilibrium, 82–83
  - linear, 58–59
  - nonlinear, 125–130
    - libration, 126
    - period, 128–130
    - phase portrait, 127–128
    - rotation, 126
  - spherical. *See* spherical pendulum
  - spring. *See* spring pendulum
  - upside-down. *See* upside-down pendulum
  - with driven support, 388–398, 414 (prob)
  - two coupled, 344–348, 376–377 (prob)
- pendulum (prob), physical. *See* physical pendulum (prob)
- pendulum (prob), triple. *See* triple pendulum (prob)
- penny example, 62–64, 73 (prob)
- perihelion, ellipse. *See* ellipse, perihelion
- period
  - anharmonic oscillator. *See* anharmonic oscillator, period of
  - Duffing oscillator. *See* Duffing oscillator, period of
  - nonlinear pendulum. *See* pendulum, nonlinear
  - of elliptical motion. *See* elliptical motion, period of
  - orbital. *See* orbital period
- period doubling, 456–458, 483–485
  - cascade, 457
- perpetual motion machine, 514
- perturbation, 383, 384–388, 433, 439, 442
- perturbation theory, 398, 404–408
  - Lindstedt-Poincaré. *See* Lindstedt-Poincaré perturbation theory
- phase advance, 390, 393
- phase portrait (prob), 156–158
- phase portrait, pendulum. *See* pendulum, nonlinear, phase portrait
- phase space, 127, 203–204, 248
  - density, 186–189
- phase trajectories, 127–128, 424
  - of damped drive pendulum, 454–457, 461–462
- phase velocity, 526
- phase-locking, 425, 461
- phenomenological, 453
- photon disintegration (prob), 546
- physical pendulum (prob), 32, 34, 157, 332
- pitchfork bifurcation. *See* bifurcation, pitchfork
- Planck energy-frequency relation, 512
- planet, perturbed by Jupiter (prob). *See* asteroid, perturbed by Jupiter (prob)
- planetary orbits (prob), 162–164
- Pluto. *See* solar system, stability
- Poincaré, 423–424, 426, 428, 433, 439, 447–448, 468, 494
  - Recurrence Theorem, 204–206
  - section, 393, 428–436, 442–443, 445, 451, 459
    - damped driven pendulum, 454–457, 462–463
    - double pendulum, 430–433, 435, 441, 451
    - section map. *See* map, Poincaré section
- Poincaré-Birkhoff theorem, 439–442
- Poincaré-Hopf theorem, 235
- Poinsot construction, 283, 307–312
- Poinsot, L., 306
- point mass sliding on a bowling ball, 38–39
  - masses
    - $N$  connected by a string, 367–371, 379 (prob)
    - transformation, 208, 216
- Poisson brackets, 207, 217–218, 236–237, 251, 243–245 (prob)
- Polaris, 317
- polhode, 308, 311–312
- positive definite, 288, 337, 351
- positronium acceleration (prob), 550
- postulates, of special relativity. *See* special relativity, two postulates
- potential energy, 18–19, 42, 85–86. (*See also* conservative forces)
  - for the earth in a gravitational field, 318
  - matrix, Taylor series near equilibrium, 350
- potential, effective. *See* effective potential
- Poynting vector, 507, 517
- precessing orbits, 154
- precession, 273, 295–298, 315–316, 321
  - of equinoxes. *See* equinoxes, precession of
  - of Foucault pendulum. *See* Foucault pendulum
  - of Kepler ellipses (prob). *See* Kepler ellipses, precession of (prob)
  - of Mercury, 154
  - of torque free top. *See* symmetric top, torque free, asymmetric top, torque free
  - of symmetric heavy top, 313–316
  - retrograde, 317
- pressure, radiation. *See* radiation pressure
- primed frame, 260
- principal axis, 283, 292, 306, 339
  - transformation, 288
- principal moments, 288
- Principia*, 133, 340, 474
- Principle of Least Action. *See* Hamilton's Principle of Relativity, 493–494



- prolate ellipsoid. *See* ellipsoid, prolate  
 proper time, 527, 531  
   for a particle in a constant force, 536–537  
 proton-proton annihilation, 517–518  
 pseudovector, 257, 277 (prob)  
 Ptolemy, 130, 317  
 pumping a swing (prob), 416  
 Pythagorean theorem, 50
- $Q$ . *See* quality factor  
 quadratic form, 22, 351, 29 (prob)  
 quadrature, 22, 125  
 quality factor, 90, 93–94, 453  
 quantum mechanics, 44, 229–230, 67 (prob)  
 quasiperiodic, 238  
   route to chaos, 428
- radiation pressure, 517  
 radiation reaction force, 533  
 radiofrequency resonant cavity, 185  
 rank, of tensor, 333  
 rapidity (prob), 544  
 rational winding number. *See* winding number, rational  
 reduced echelon form, 337  
 reduced mass, 137  
 reference frames, 495  
   body, 260 (*see also* body coordinate system)  
   inertial. *See* inertial reference frames  
   linearly accelerated, 193–195  
   noninertial, 20  
   noninertial (prob), 200  
   rotated. *See* rotated reference frames  
   rotating. *See* rotating reference frames  
   space, 260. *See also* space coordinate system  
 reflection, 257 (*see also* transformations, discrete)  
   hyperbolic fixed point, 446  
 refractive index (prob), 69  
 regular motion, 425, 447, 451  
 relative phase, 110–113  
 relativistic action, 530–532  
   circular motion, 539–540  
   energy. *See* energy, relativistic  
   Hamiltonian, 533  
   Lagrangian, 550–551 (prob)  
     electromagnetic field, 534–536  
     free particle, 532  
   Lagrangian mechanics, 530–540  
   mechanics, 494 (*see also* special relativity)  
   momentum. *See* momentum, relativistic  
   velocity. *See* velocity transformation rules, relativistic  
 relativity  
   general. *See* general relativity  
   special. *See* special relativity  
   of simultaneity. *See* simultaneity  
 renormalization, 486–490  
 repulsive force, hyperbolic orbits. *See* hyperbolic orbits,  
   repulsive force  
 resonance, 105–110  
   nonlinear. *See* nonlinear resonance  
   parametric. *See* parametric resonance  
 resonant cavity, radiofrequency. *See* radiofrequency  
   resonant cavity  
     frequency. *See* frequency, resonant  
     terms, 400 (*see also* secular terms)  
 rest frame, instantaneous. *See* instantaneous rest frame  
 rest mass, 513–517
- restricted three-body problem (prob). *See* three-body  
   problem, restricted (prob)  
 retrograde precession. *See* precession, retrograde  
 rheonomic constraints. *See* constraints, rheonomic  
 rigid body, 254–255  
   as collection of mass points 11  
   kinetic energy, 284–286  
   motion, 283–325  
   torque free motion. *See* Euler's equations  
 rotated reference frames, 259–263  
 rotating reference frames, 190–192, 263–264, 266  
 rotating turntable (prob), 243  
 rotation matrix, 259–263  
   axis, 255, 257–259  
   infinitesimal, 171, 254–259  
   number. *See* winding number  
   of hurricanes. *See* hurricanes  
   of pendulum. *See* pendulum, nonlinear  
 rotational angular momentum. *See* angular momentum,  
   rotational  
   invariance. *See* invariance, rotational  
   kinetic energy. *See* kinetic energy, rotational  
 rotations, 261–263, 302  
   simultaneous. *See* simultaneous rotations  
   three-dimensional, 239, 261  
 rotator, 289  
 Routhian, 23, [35, 197, 331, 377] (prob)  
 row elimination, 347, 355, 380  
   reduction. *See* Gauss-Jordan elimination  
 rubber band, 42–43  
 Rutherford, 151  
   scattering, 151–152, 165–167, 165 (prob)
- saddle hyperbolic fixed point, 446  
 saddle point, 53, 87  
 satellite (prob), 200  
 scalar, 333–334  
   potential, 525, 534  
   product, 254, 334, 523  
 scaling function, universal. *See* universal scaling  
   function  
 scaling transformation, 487  
 scattering angle, 152  
 Schrodinger equation, 229, 384, 67 (prob)  
 scleronomic constraints. *See* constraints, scleronomic  
 second-order differential equation. *See* differential  
   equation, second-order  
 secular terms, 400, 404–405  
 self-similarity, 487–488  
 semi-axes, 306  
 semimajor axes, 472  
   ellipse, 145–146  
 semiminor axis, ellipse, 145–146  
 separability, 208, 225–226  
 separation constants, 221  
   of variables, 221, 228  
 separatrix, 128, 185, 232, 435, 442  
 sgrad, 236  
 SHO. *See* oscillator, simple harmonic  
 SI units, 507, 540  
 similarity transformation, 487  
 simultaneity, 494, 500, 501–503  
 simultaneous rotations, 258  
 sinelike, 390  
 skew gradient, 236  
 SLAC, 536

- sleeping top, 316
- small oscillations, theory of, 343–371, 373–374 (prob)
  - vibrations. *See* small oscillations
- small-angle approximation, 349
- Snell's Law (prob), 71
- solar system, stability, 424, 468–474
- solenoid lens for electrons (prob), 199
- Southern cross, 317
- space cone, 297, 298
  - coordinate system, 259–264, 284, 300
- spacelike separation, 522
- space-time areas
  - diagrams, 495–498, 501–503
  - event, 521
  - transformation of, 501
- special relativity, 493–540, [542, 546–548, 550, 553] (prob)
  - two postulates, 494
- speed of light, 494
- spherical pendulum, 27 (prob)
  - Hamiltonian, 183–184
- spin, 293, 296–297, 313
  - of electron in magnetic field (prob), 277
- spring pendulum (prob), 27
- square pulse, 100–101, 104
- stability, 392, 413–414 (prob)
  - matrix, 443–446, 449, 458, 485
    - dynamical, 383, 386
    - marginal, 474
    - of many-dimensional linear systems near equilibrium, 359–360
    - solar system. *See* solar system, stability
- stable equilibrium. *See* equilibrium, stable
  - fixed point. *See* fixed point, stable
  - manifold. *See* manifold, stable
- Staeckel conditions, 226
- standard map (prob), 476
- standing waves on a string, 371
- state vector, 350, 355, 357
- stationary action, path for, 53
- steady-state solution. *See* oscillator, steady-state solution
- stellar aberration (prob), 553
- step function, 96–97
- Stoke's theorem, 231
- strange attractor, 425, 453, 461–463
- subharmonic oscillations, 383, 409–411
- successive approximations, method of, 270–271
- summation convention for indices, 253
- supercycle, 484, 486–487
- superposition, 89, 344, 120 (prob)
- superstable fixed point. *See* fixed point, superstable
- surface of section. *See* Poincaré section
- Sussman, G. J., 471–472
- swing. *See* pumping a swing (prob)
- symmetric matrices
  - diagonalization, 336–339
  - top, 289
    - heavy, 284, 313–317 (*see also* gyroscope), 331 (prob)
    - Lagrangian, 313
    - rotational kinetic energy, 305
    - torque free, 293–300, 374 (prob)
- symmetry breaking, 455–456
- symplectic, 248–251, 431–432
- tachyons (prob), 544
- tangent map. *See* stability matrix
- Taylor series, 482
  - expansion, 24, 47–48, 83–84, 128
- tensor, 286, 333–336
  - first-rank, 333–334
  - inertia. *See* inertia tensor
  - second-rank, 286, 319, 333–336
  - zero-rank, 333–334
- tether ball (prob), 162
- three-body problem, 226–235
  - restricted (prob), 478
- three-dimensional rotations. *See* rotations, three-dimensional
- tides, 322, 163 (prob)
- time derivative
  - transformation of coordinate systems, 266
  - vector. *See* vector, time derivative
- time dilation, 499–500, 543 (prob)
- timelike separation, 521–522
- tippe top (prob), 331
- top. *See* symmetric top, asymmetric top
- topology, 235
- tori, KAM. *See* KAM tori
- torus, 235, 429. *See also* invariant tori
- tower of Pisa problem, 253, 267–271
- trace, 204, 303, 392, 445
- transformation law
  - electric and magnetic forces 508–510
  - electric field for light pulse, 510–511
  - energy of light wave, 507–512
  - frequency of light wave, 505–507
  - Galilean. *See* Galilean transformation laws
  - volume, 511–512
- transformation
  - canonical. *See* canonical transformations
  - contact. *See* contact transformation
  - continuous, 171
  - discrete, 171
  - identity, 171, 215
  - invariance, 174
  - Lorentz. *See* Lorentz transformation
  - matrix. *See* matrix transformation
  - of coordinates, 173
  - orthogonal. *See* orthogonal transformation
  - point. *See* point transformation
  - principal axis. *See* principal axis, transformation
  - scaling. *See* scaling transformation
  - similarity. *See* similarity transformation
  - velocity. *See* velocity transformation rules
- transient solution. *See* oscillator, transient solution
- translation invariance. *See* invariance, translation
- translational angular momentum. *See* angular momentum, translational
  - kinetic energy. *See* kinetic energy, translational
- transpose, 249–250, 262
- transverse momentum, relativistic. *See* momentum, transverse, relativistic
- Tremaine, S., 471
- triatomic molecule, linear, 360–363, 377 (prob)
- triple pendulum (prob), 373
- true anomaly, 148
- tune, 445
- turning point, 125

- turntable (prob), 279
- twin paradox, 554–557
- two-body problem, 134
  
- uncountable, 465
- underdamped. *See* oscillator, damped simple
  - harmonic
- unitary matrix, 263
- universal scaling function, 488–490
- unprimed frame, 260
- unstable equilibrium. *See* equilibrium, stable
  - fixed point. *See* fixed point, unstable
  - manifold. *See* manifold, unstable
  - motion. *See* instability
- upside-down pendulum, 397–398, 415 (prob)
  
- Van der Pol equation (prob), 420
- variation  $\delta y(x)$ , 47
- variation in the integral  $I$ , 48
  - principle, 54–55
- variational calculus, 44, 51 (*see also* Euler equation), 66–71 (prob)
  - shortest distance between two points, 49–50
  - derivative, 53
  - principle, 532–533
- varied curve, 47
- vector, 253–254, 333–334
  - field, 235
  - potential, 525, 534, 538
  - time derivative, 253
- vectorial mechanics, 23
  
- velocity
  - generalized. *See* generalized velocity
  - relativistic, 504–505, 542 (prob)
  - transformation of coordinate systems, 264–265
  - transformation rules
- Venus. *See* solar system, stability
- vibrational state, complex. *See* state vector
- vibrations, small. *See* small oscillations
- virtual displacement, 4–5, 14–15
  - work, 4–5, 9, 14–15, 27 (prob)
- Voltaire, 75, 340
- volume, transformation law. *See* transformation law, volume
- voyager, 163
  
- water molecule (prob), 375
- wave equation, 371
  - vector, 526
- Weber, 493
- Whittaker, E. T., 283, 308–309
- width, full at half max, 109
- Wigner, E. P., 44
- winding number, 237–239, 425, 427–432, 434, 461
  - irrational, 238–239, 436–437
  - rational, 238–239
- Wisdom, J., 469–472
- WKB limit, 230
- work, definition of, 4–5
- world line, 496, 531
- Wren, Sir Christopher, 132
- WWI, Falkland Islands battle (prob). *See* Falkland Islands battle (prob)