CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

Index

abundances:
  corona, 222
  large-scale circulation, 331
accretion disk: coupling to star, 335
acoustic cutoff frequency, 62
acoustic energy deposition, 70
  warm stars, 293
acoustic waves:
  dispersion relationship, 62, 63
  effect of temperature inversion, 63
  energy deposition, 69, 268
  evanescent, 63
  limiting shock strength, 68
  mixing-length theory, 61
  power, 60
  propagation in the atmosphere, 65
  radiative damping, 61, 67
  reflection near surface, 62
  shock formation, 69
  source region, 60
  subfundamental filter, 64
  subsonic filter, 62
active-region complex:
  on stars, 306
  on the Sun, 142
active binaries: definition of classes, 249
active longitudes, 349
  misleading term on Sun, 144
  stars, 318
active region, 2, 114
  see also plage
  bipolar, 114
  complex, 142
  emergence, 105
  mean flux density, 131
  perimeter, 131
  plage state, 131
  p-mode absorption, 135
  scaling properties, 131
  X-ray brightness, 219
active regions:
  decay phase, 114, 122
  emergence and growth, 114
  emergence frequency and rate, 150
  emergence in pulses, 153
  fluxes and lifetimes, 115
  Hale's polarity rules, 108
  inclination of field re. vertical, 151
  Joy's rule, 109, 149
  latitude distribution, 150
  lifetimes, 148
  maximum development, 120
  orientations, 149
  rise times, 148
  scaling relationships, 133
  separation of polarities, 117
  size distribution, 148
  stars, 293
activity-rotation relationship: *see* rotation-activity relationship
activity: *see* magnetic activity
activity complex, 4, 142
activity measure:
  effect of binarity, 248
  effect of calibration uncertainties, 248
  effect of inclination of rotation axis, 248
  effect of interstellar extinction, 248
activity parameter, 244, 283
  definition, 250
AC (alternating current) heating:
  definition, 268
adiabatic temperature gradient, 13
Alfvén speed, 89
Algol-type binaries, 342
  definition, 249
angular momentum: loss through wind, 234
arch filament systems, 105

Balmer lines:
  Hα, 36
  M-type dwarf stars, 294
basal emission, 65, 293
  Ca II H and K, 211
  dependence on elemental abundance, 70
  solar and stellar flux densities, 68
  turbulent dyanama action, 182
binary systems:
  activity enhancement factor, 341
  circularization time scale, 338
  detached, semidetached, contact, 336
  effects of angular-momentum loss, 339
  equipotential surfaces, 336

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

binary systems (*cont.*)
synchronization time scale, 338
theory of tidal interaction, 337
tidal bulges, 337
tidal friction, 337
bolometric correction, 34
brightness temperature, 21
brown dwarfs, 295
Brunt-Väisälä frequency, 64
BY Draconis (BY Dra) stars:
definition, 249, 343
long-term photometric variability, 301

cancellation of magnetic flux:
definition, 128
rate, 129, 165
role in dispersal description, 158
tracking flux, 159
Ca II H and K emission:
categories of long-term variability, 299
long-term variability, 299
long-term variability of giants, 302
Ca II H and K lines, 34
Ca II H and K variability, 243
acoustic contribution, 211
as magnetometer, 209
ionization in warm stars, 250
minimum flux level, 244
plage emission profile, 212, 243
Ca II H+K:
calibration of relative/arbitrary units, 36
flux–color diagrams, 65
Mount Wilson photometry, 35
pooled variaance 306
Ca II H+K photometer, 237
emission index *S*, 244
rotation modulation, 244
Ca II K: line-core asymmetry, 280
Ca II K_{2V} grains or bright points, 69, 71
chromosphere, 1, 12
see also solar or stellar chromosphere
definition, 34
temperature inversion, 69
chromospheric heating: *see* heating
circulation: effect on abundances, 331
CME: *see* coronal mass ejection
color index, 33
convection:
driving, 54
interaction with magnetic field, 135
kinetic energy density, 18
numerical models, 52
overshoot in atmosphere, 55
overshoot in radiative interior, 57
pattern, 54
scales in the solar photosphere, 46
Schwarzschild criterion, 14
signature in spectral line profile, 56
sound generation, 60
stars, 52
stellar envelope, 45
subject to rotation, 57
subsurface geometry, 55
upflow positioning, 59
velocity, 60
convective collapse, 107
convective envelope:
coupling to interior, 331
depth, 45
overshoot in radiative interior, 19
solar model, 18
temperature gradients, 15
convective instability, 15
convective turnover time: *see* time scale
convective velocities: magnitude estimate, 18
corona, 9, 12
see also solar corona and stellar corona
anisotropic heat conduction, 188
bound-free extinction, 220
definition, 34
electron density, 219
element abundance, 222
FIP (first ionization potential) effect, 223, 264
gravitational binding, 230
heating, 266
helmet streamer, 191
linear force-free fields, 190
need for high temperature, 222
optical thickness, 219, 264
radiative transfer, 264
solar, 219
stellar, 257
temperatures, 219
coronal arcade, 191, 197
coronal bright point, 192, 203, 226
in coronal hole, 226
coronal cavity, 192
coronal condensation, 9, 187
coronal dark channel, 226
coronal emissions, 26
coronal heating: *see* heating
coronal hole, 9, 187, 226
field extrapolation, 226
formation, 227
lifetime, 227
rotation profile, 227
temperature, 226
visibility as function of temperature, 227
X-ray brightness, 219
coronal jets, 199
coronal loop, 9
cross section, 222–224, 261
dynamics, 190
heating in RTV scaling laws, 225
lengths on stars, 262
quasi-static model, 221, 222
RTV scaling law, 223
volume heating rate, 262
coronal magnetic field:
evolution, 190
helicity, 190
Taylor relaxation, 190
coronal mass ejection (CME), 200, 232
geomagnetic effects, 201
stellar, 316
coronal radiative losses: X-rays, 219

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

coronal spectroscopy, 257
coronal structure: stellar, 257
CO molecular lines, 73
C II:
  basal emission, 291
  formation, 37
  warm stars, 291
C III: formation, 37
C IV:
  as magnetometer, 212
  basal emission, 68
  formation, 37
  stellar profile, 275
  variability, 71

DC (direct current) heating: definition, 268
δ spots, 146, 206
differential emission-measure distribution, definition, 258
  loop cross section, 261
  stellar coronae, 260
differential rotation:
  chromospheric and coronal tracers, 76
  comparison of results, 76
  Doppler shifts, 75
  filaments, 76
  height dependence, 76
  internal, 79, 331
  magnetic field, 75
  near-surface shear, 80
  solar, 74
  stellar surface, 319
  sunspots, 74
  transport of angular momentum, 81
  traveling torsional wave, 77
diffusion:
  central-limit theorem, 157
  superposition of scales, 160
diffusion coefficient:
  granular random walk, 127
  large-scale field dispersal, 160, 161
  rms displacement, 159
  supergranular random walk, 159
dimensionless numbers: definitions, 53
dividing line, 317, 349
Doppler imaging, 320
dynamo, 172, 344
  α-effect, 173
  $\alpha\Omega$, 175
  $\alpha^2\Omega$, 175
  α^2, 175
  activity cycle, 347
  axis of symmetry, 319
  Babcock–Leighton-type models, 177
  boundary-layer, 177
  Cowling's theorem, 172
  critical dynamo number, 284, 290
  definition, 344
  dependence on stellar parameters, 345
  dynamo equation, 174
  dynamo number, 175, 284
  dynamo wave, 175, 180
  efficiency, 291, 345
  efficiency in warm stars, 333
  first-order smoothing approximation, 174
  fully convective stars, 347
  growth rate, 283
  hemispheric coupling, 163
  kinematic, 173
  mean-field theory, 173
  minimally required rotation, 284, 290, 345
  nonlinear problem, 176
  overactivity, 349
  role of convective turnover time, 293
  role of flux emergence, 165
  role of flux retraction, 180
  Rossby number, 284, 345
  saturation, 289, 335, 348
  saturation of magnetic brake, 330
  scenario with flux retraction, 179
  slowest rotators, 290
  spatiotemporal patterns, 346
  strength, 344
  turbulent, 347
  turbulent vs. ordered, 317

Eddington–Barbier approximation, 22
effective temperature: definition, 14, 23
ejecta, 198
Ellerman bombs, 199, 201, 210
emerging active region: separation and drift of faculae, 115
emerging flux loop: asymmetry, 119
emerging flux region (EFR), 105
  downdrafts, 107
  interpretation, 117
emission coefficient: monochromatic, 20
ephemeral (active) region, 114
  evolution, 124
ephemeral active region: turbulent dynamo action, 182
equipartition field strength: definition, 85
excess flux density: definition, 211
extinction coefficient: monochromatic, 20

F-type stars: dynamo action, 291
facula, 1
  chromospheric, 2
  definition, 96
  heat leak, 104
  magnetic, 7
  photospheric, 1
fibril, 1
field line: definition, 91
filament, 9, 124, 196
filament prominence:
  insulation and support, 198
  shape, 197
  sizes, 197
filament-prominence configuration, 196
  magnetic field, 197
filament:
  activated, 198
  chirality, 198
  dextral, 198
  disparition brusque, 198
  prerequisite for formation, 198

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

filament (*cont.*)
reappearance, 198, 199
sinistral, 198
sudden disappearance, 198
filaments:
differential rotation, 197
meridional drift, 197
polar crown, 197
preferred latitude belts, 197
filament channel, 197
filigree, 122
definition, 96
filigree grains: definition, 96
FIP (first ionization potential) effect, 223, 264
FK Comae Berenices (FK Com) stars, 343
definition, 249
flux–color diagram:
Ca II H and K, 66
Mg II h and k, 67
flux–flux relationships:
angular resolution, 212
binary components, 340
corona, 215
dependence on surface field patterns, 322
dynamo, 350
excess flux density, 246
hemispheric averaging, 253
nonlinearity, 250
origin of nonlinearity, 251
power laws, 214
power-law indices, 215, 246, 256
radiative vs. magnetic, 208, 256
range of validity, 246
saturation effects, 289
sensitivity to angular resolution, 251, 253
solar, 208
sources of scatter, 248
stars, 246
transformation, 281
transition region, 212
warm stars, 291
flux concentration: *see* magnetic concentrations
flux density: monochromatic, 22
flux loop:
∪-shaped, 167
Omega-shaped, 105
flux tube:
bright wall, 100
buoyancy, 89, 103
drag force, 89
magnetohydrostatic, 98
magnetopause, 88, 100
radiative time scale, 90
slender or thin, 88
visibility near solar limb, 103
Wilson depression, 99
flux tubes:
heat leak, 136
merging level, 185
fractal dimension:
definition, 126
magnetic field, 126
Fredholm equation, 257
f modes, 66
despersion relationship, 66

gas law, 12
giant convective cells: search for, 79
granulation, 1, 48
abnormal, 132
area distribution, 48
blueshift, 57
evolution, 59
expected size, 56
exploding granules, 50
flow velocity, 49
intensity contrast, 48
laminar character, 50
lifetime, 50
pattern formation, 58
scaling for stars, 56
granule, 1
definition, 48
gray atmosphere in RE, 23

Hα: formation, 36
Hale–Nicholson polarity rule, 139
heating:
acoustic wave, 69
chromosphere, 275
Joule heating rate, 274
maximum outer-atmospheric radiative power, 289
mechanisms, 266
viscous heating rate, 274
heat conduction: conductivity, 222
heliocentric coordinate system, 73
helioseismology, 62
rotational splitting, 79
time-distance, 64
Hertzsprung–Russell diagram, 38, 42, 278, 325
He I 10830: coronal hole, 227
horizontal divergence: definition, 51
hybrid giants, 280, 318
hydrogen column density: effect on observed coronal spectrum, 37
hydrostatic equilibrium, 12, 223

imaging: *see* stellar surface imaging
induction equation: diffusion approximation, 157
intensity:
angle-averaged, 21
monochromatic (specific), 19
transformation to flux density, 38
intergranular lane, 1
internetwork cells, 7
internetwork field, 110
center-to-limb visibility, 112
origin, 181
strength, 113
intrinsically weak field: origin, 181

Joy's rule, 139

Kraft relationship, 326

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

Larmor radius, 188
light-curve modeling, 320
limb darkening, 1
local thermodynamic equilibrium (LTE), 28
loop stability, 317
Lorentz force, 83
luminosity: transformation to flux density, 38
luminosity class, 34
Lundquist number: definition, 53
Lyman α: formation, 37

M-type stars: dynamo action, 295
Mach number: definition, 53
magnetic activity:
  across H–R diagram, 277
  along main sequence, 277
  among evolved stars, 277
  convective turnover time, 285
  dependent on rotation rate, 277
  dividing line, 279, 317, 349
  efficiency function, 292
  evolution in close binaries, 336
  in close binary systems, 336
  in fully convective stars, 295
  in giants, 279
  in stars with convective envelopes, 277
  in subgiants, 278
  in supergiants, 279
  in warm stars, 291
  measures for, 281
  overactivity, 340
  preferred longitudes, 318
  stellar evolution, 280
  stellar wind, 279
magnetic brake and dynamo efficiency, 345
magnetic braking, 330, 348
  core-envelope model, 331
magnetic canopy, 185
magnetic concentrations, 92
  collision frequency, 129
  definition, 92
  displacement velocity, 127, 134
  evolution, 127
  flux distribution, 127
  fragmentation rate, 129
  heat transfer, 136
  height dependence of field, 103
  hierarchic patterns, 97
  hierarchy, 92
  internal vertical flow, 97
  model for flux distribution, 129
  random-walk properties, 159
magnetic diffusivity:
  ohmic, 84
  turbulent, 174
magnetic field measurements:
  from I and V profiles, 30
  line-ratio technique, 32
magnetic field:
  above dipole, 294
  anchoring, 135
  annihilation, 85
  braiding, 269
  characteristic strength, 239
  configurations, 114
  diffusive dispersal, 157
  distribution, 155
  emergence rate, 130
  force-free, 88
  force-free approximation, 225
  fractal dimension of pattern, 126
  frozen-in, 84
  hysteresis in patterns, 165
  interaction with convection, 132, 136
  intermittance, 126
  large-scale dispersal, 161
  large-scale patterns, 154, 350
  lifetime in photosphere, 164
  pattern and percolation theory, 127
  percolation, 161
  poloidal component, 172
  positioning, 127
  potential, 88
  reconnection, 85
  replacement time scale in mixed-polarity network, 130
  self-similar pattern, 126
  small-scale patterns, 125
  strong, 92
  subdiffusive dispersal, 160
  toroidal component, 172
  transequatorial cancellation, 163
  weak, 110
  weak–strong dichotomy, 112
  winding number, 270
magnetic flux arch, subsurface, 152
magnetic flux budget of the photosphere, 164
magnetic flux emergence:
  Parker instability, 119
  theory, 119
magnetic flux loop:
  ∪-shaped, 167, 168
  Omega-shaped, 105, 108
  retraction, 167
magnetic flux retraction: mechanism, 167
magnetic flux storage, 118
magnetic flux tube:
  concept, 87
  convective blowup, 170
  convective collapse, 107
magnetic flux:
  cancellation, 166
  elimination, 168
  in situ disappearance, 168
  removal from photosphere, 166
magnetic free energy, 266
magnetic knots: definition, 97
magnetic network:
  equatorial strength, 182
  mixed-polarity, 153
  unipolar, 153
magnetic plage: *see* plage
magnetic pressure, 87
magnetic Reynolds number: definition, 53, 84
magnetic tension, 87
magnetoconvective configurations: sequence of, 125

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

magnetograph:
filter, 32
vector, 32
magnetohydrostatic equilibrium, 87
mass–luminosity relation, 39
mass loss:
dependence on activity (model), 234
stars, 315
Sun, 233
Maunder Minimum:
see solar activity
equivalent in stars, 300
measures for activity: *see* magnetic activity and activity measure
meridional circulation, 77, 81
meridional flow, 77
from Doppler shifts, 77
from helioseismic measurements, 79
magnetic tracers, 77
sunspots, 78
mesogranulation, 52
metal abundance:
basal emission, 70
Ca, Mg, 36
corona, 264
Mg II h and k, 36
basal flux density, 65
MHD approximation:
Ampère's law, 83
electric field, 83
force balance, 83
induction, 83
no monopoles, 83
Ohm's law, 83
MHD approximations, 83
microflare, 202, 203
microturbulence, 56
mixing length (ML) theory, 17
applicability near surface, 52
value, 58
model atmospheres: applicability of stratified model, 255
moment of inertia:
evolving stars, 324
solar value, 236
mottle, 1
moving magnetic features across moats: interpretation, 168
Mt. Wilson HK photometer, 35

nanoflare, 203
definition, 270
nests of activity, 142
composite, 144
on stars, 306, 318
outer-atmospheric transients, 146
network:
definition, 125
disappearance in the TR, 228
enhanced, 2, 96, 122
enhanced, decay, 124
magnetic, 7
magnetic field, 97
mixed-polarity, 7
oscillations, 71
pattern, 58
quiet, 7, 96
unipolar, 7
width, 164
network grains: heat leaks, 104
network patch, 7, 96
nonradiative heating: theory, 266
nonmagnetic outer atmosphere, 70

Omega-shaped flux loop, 108
opacity: Rosseland mean, 24
optical depth:
monochromatic, 22
monochromatic τ_5, 25
Rosseland τ_R, 25
optical thickness, 20
corona, 220
orbital excentricity: *see* binary systems
orbital synochronization: *see* binary systems
outer-atmospheric heating: *see* heating
outer atmospheres:
radiative loss function, 27
waves, 70
outer corona: filamentary structure, 189
O IV: formation, 37
O VI: formation, 37

percolation theory, 127
photon mean free path, 20, 24
photosphere, 1, 12
extent, 29
plage, 96
cell-size distribution, 122
decay, 124
definition, 2, 122
magnetic, 7
magnetic field, 97
plage state, 131
plagette, 7, 122
plage emission profile: Ca II H and K, 212
plage state, 131
Planck function, 21
plasma β, 87
plasma frequency, 28
polar starspots: *see* starspots
poleward streaks, 131, 162
definition, 154
pore, 1, 96
growth, 116
magnetic field, 96
potential-field model: example for coronal field, 273
Poynting's theorem, 268
Poynting flux density, 268
Prandtl number: definition, 53
pre-main-sequence objects:
evolutionary scenario, 298
rotation, 334
pressure scale height, 13
corona, 223
principal component analysis, 282
prominence, 9, 196

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

see also filament-prominence configuration
stellar, 310
protostars, 40
p modes:
eigenfunctions, 65
order and degree, 65
vertical velocity, 63

radiative diagnostics of magnetic activity, 34
formation temperatures, 34
radiative equilibrium, 13
condition, 22
radiative flux density: at Earth vs. at stellar surface, 38
radiative transfer, 19
equations for polarized radiation, 30
radiative transport: corona, 219
radio bursts, 206
radio waves:
emergent intensity, 28
index of refraction, 28
propagation, 28
radius of gyration:
definition, 324
in evolving stars, 325
Ramsey–Moreton wave, 206
random walk: subdiffusive, 160
Rayleigh–Jeans function, 21
Rayleigh number: definition, 53
reconnection, 91
resistive Prandtl number: definition, 53
Reynolds number, 52
definition, 53
Roche surface, 336
Rossby number:
see also rotation–activity relationship
definition, 53
rotation–activity relationship, 181, 283
binary components, 340
color dependence, 286
F-type stars, 291
fully convective stars, 294
Rossby number, 284
rotation–age relationship: Skumanich law, 330
rotation:
differential, solar, 73
solar, 73
spectral line profiles, 319
stellar, 326
stellar evolution, 326
young cluster stars, 327
RS Canum Venaticorum (RS CVn) binaries:
definition, 249, 342
RS CVn binaries, 340
RTV loop-scaling law, 223

saturation of activity, 250, 289
absence in F stars, 293
outer-atmospheric radiative power, 289
possible cause, 251
scaling laws for coronal loops, 223
Si II: basal emission, 68
Si IV: basal emission, 68
Skumanich law, 330
small-scale field: origin, 181
solar activity indices, 137
10.7-cm radio flux, 137
Ca II K plage area, 137
Ca II K plage index, 137
sunspot number, 137
total absolute magnetic flux, 138
solar activity:
butterfly diagram, 139
connection with torsional wave, 140
differences between hemispheres, 142
Hale's polarity rules, 139
magnetic-activity cycle, 140
Maunder Minimum, 141
polar caps, 140
Spörer's rule, 139
sunspot cycle, 139
synoptic magnetic maps, 139
solar chromosphere:
basal energy deposition, 218
CO molecules, 218
extent in height, 194, 217
fine structure, 192
Hα fibrils and threads, 194
Hα structure, 193
lowest part, 218
one-dimensional models, 216
spicule mechanism, 218
submm and cm waves, 217
temperatures, 217
two-component model, 216
VAL model, 216
weak magnetic field, 218
solar convective envelope: properties, 45
solar corona:
cyclic variation, 192
polar plumes, 192
quiet, 192
solar flare, 203
compact, 205
confined, 205
electromagnetic spectrum, 203
energy release, 203
energy storage, 205
eruptive, 205
flash phase, 205
impulsive phase, 205
main phase, 205
particle acceleration, 203
postflare loops, 205
precursor, 204
trigger, 205
two-ribbon, 204
white-light, 203
solar magnetic field:
flux-tube domain, 186
sector structure, 233
wind domain, 187
solar magnetosphere, 186
solar outer atmosphere: radiative losses, 26
solar radio bursts, 206
definition of types, 207
microwave impulsive, 207

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

solar radio emission: noise storms, 207
solar rotation:
  Carrington number, 73
  Carrington rate, 73
solar wind, 230
  acceleration, 231
  angular-momentum loss, 234
  high-speed flows, 231
  latitude dependence, 233
  low-speed flows, 231
  mass loss, 233
  model, 233
  radiation pressure, 231
  spiral pattern, 233
  Weber–Davis model, 233
sound speed, 10
sound waves: *see* acoustic waves
source function, 20
  in spectral line, 28
spectral lines:
  response function, 29
  Zeeman splitting, 30
spectral types, 34
spicules, 1, 194
  dynamics, 194
spray, 199
Spörer's rule, 139
stars:
  bolometric correction, 34
  color index, 33
  evolutionary tracks, 41
  giants, 38
  luminosity class, 34
  main sequence, 38
  MK classification, 34
  spectral sequence, 34
  spectral types, 34
  variability of the chromosphere, 306
  with convective envelopes, 44
  zero-age main sequence (ZAMS), 41
starspots, 241, 305
  correlation with active regions, 307
  definition, 307
  polar, 309, 350
  properties, 307
  rotational modulation, 308
  temperature, 308
  TiO, 308
starspot coverage: uniqueness of models, 307
stars cluster: α Per, 310
stars individual:
  for Procyon *see* α CMi
  α Boo, 72
  α Cen, 259, 261, 263
  α CMi, 259, 263, 315
  α Ori, 304
  β Hyi, 54
  χ^1 Ori, 259, 261
  λ And, 259
  σ^2 CrB, 261
  σ Gem, 259, 263
  ξ UMa, 262, 263, 312
  ξ Uma, 259
  ξ Uma, 283, 334
  12 Cam, 309
  22 Vul, 310
  31 Com, 259
  32 Cyg, 310
  44 Boo, 259
  AB Dor, 259, 308, 310
  AR Lac, 305, 311
  AU Mic, 259
  BH Vir, 318
  BRI 0021, 296
  Capella, 259, 261, 263
  CG Cyg, 318
  HD 114710, 322
  HD 1835, 319
  HD 82885, 319
  HK Aqr, 310
  HK Lac, 319
  HR 7275, 309
  II Peg, 306, 308
  MM Her, 318
  PC 0025, 296
  RS CVn, 318
  RT And, 318
  SS Boo, 318
  Sun as a star, 253, 306, 320
  SV Cam, 318
  TY Pyx, 311
  UV Cet, 312
  UX Ari, 319
  V410 Tau, 308
  V471 Tau, 315
  VB 10, 296
  VY Ari, 259
  WY Cnc, 318
  XX Tri, 308
star cluster:
  α Per, 287, 327
  Hyades, 287, 327, 334
  IC 2391, 287
  IC 2602, 289
  Pleiades, 287, 309, 327, 334, 335
  stellar rotation rates, 327
star formation, 40
Stefan–Boltzmann function, 21
stellar atmosphere, 12
stellar brightness:
  absolute magnitude, 33
  bolometric magnitude, 33
  magnitude, 33
  UBV photometry, 33
stellar chromospheres: discovery, 237
stellar convective envelope, 12
stellar core, 11
stellar coronae:
  dominant temperatures, 258
  electron density, 263
  element abundances, 264
  extent, 311
  FIP (first ionization potential) effect, 264
  loop geometry, 261
  loop lengths, 262
  surface filling factor, 262

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

stellar evolution:
asymptotic giant branch, 43
giant branch, 43
H fusion in core, 41
H fusion in shell, 42
helium flash, 43
helium fusion, 43
Hertzsprung gap, 44
magnetic brake, 329
moment of inertia, 324
rotation, 326
subgiant stage, 43
tracks, 42, 325, 326
stellar faculae and network patches, 241
stellar flares, 312
broadband photometry, 312
close binaries, 314
dKe and dMe stars, 313
dynamo indication, 314
energy release, 313
occurrence across H–R diagram, 313
pre-main-sequence stars, 314
spectral characteristics, 312
UV Ceti stars, 313
stellar magnetic concentrations:
hierarchy, 240
properties, 239
stellar magnetic field measurements:
interpretation, 241
stellar magnetic fields, strong, 238
measurements, 237
Unno theory, 238
stellar magnitude, 33
stellar plages, 305
stellar radiative interior, 11
stellar radio bursts, 314
stellar rotation: *see* rotation
stellar structure:
boundary conditions, 14
energy flux, 13
force balance, 12
mass distribution, 13
nuclear energy production, 13
temperature gradient, 13
stellar surface imaging:
(Zeeman) Doppler imaging, 304
ambiguity, 307
direct, 303
eclipse mapping, 304
interferometry, 304
rotational modulation, 304
stellar surface: definition, 25
stellar wind, 314
(super)giants, 316
cool, 315
dead zone, 234
driving, 234, 317
effects of active-region size, 317
forces, 235
Linsky–Haisch dividing line, 316
model mass loss rate, 234
radio emission, 315
temperature, 316
turbulent dynamo, 318
velocities, 235
Weber–Davis model, 330
Stokes parameters, 30
subfundamental wave filter, 64
subsonic wave filter, 62
Sun as a star: hysteresis in activity, 157
Sun:
Doppler limb shift, 74
internal and atmospheric structuring, 12
internal structuring, 14
methods of velocity measurements, 73
systematic errors in velocity measurements, 74
variability of the chromosphere, 306
X-ray brightness, 219
sunspot, 1
sunspots, 92
(in)stability, 104
cluster model, 101
decay, 123
development of penumbra, 121
formation, 108
growth, 117
heat blocks, 104
inhomogeneous umbral model, 102
interchange convection, 102
long lived, 124
magnetostatic model, 101
moat cells around, 121
penumbrae, 1, 92
penumbral structure and dynamics, 102
radial similarity, 95
relative brightness, 95
superpenumbrae, 194
umbrae, 1, 92
Wilson depression, 95
sunspot belts, 3, 139
sunspot cycle:
amplitude variations, 141
solar irradiance variation, 141
umbral brightness variation, 141
sunspot groups:
recurrent groups, 142
revivals, 142
sunspot moats: moving magnetic features, 121
sunspot nests, 144
differential rotation and meridional flow, 144
lifetimes, 144
stellar analogs, 309
sunspot penumbrae:
brightness, 95
Evershed flow, 95
magnetic field, 95
sunspot superpenumbra: inverse Evershed effect, 194
sunspot umbrae:
fine structure, 92
magnetic field, 94
temperature stratification, 92
temperatures, 95
sunspot umbral brightness: cycle variation, 92
Sun as a star:
flux–flux relationships, 253
hysteresis in activity, 163

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521582865 - Solar and Stellar Magnetic Activity
C. J. Schrijver and C. Zwaan
Index
More information

supergranulation, 50
  area distribution, 51
  evolution, 51, 59
  extent in depth, 57
  flow velocity, 51
  in magnetic plages, 134
  intensity contrast, 50
  length scale, 51
  lifetime, 51
  pattern formation, 58
surface diffusion model, 157
  stellar implications, 163, 322
surge, 199
synoptic (Carrington) map, 73
synoptic magnetic map: definition, 154

tachocline: definition, 80
Taylor number: definition, 53
temperature minimum, 69, 209
thermal bifurcation, 72
thermal energy density, 18
tidal interaction, 318, 349
time scale:
  angular-momentum coupling, 331
  angular-momentum loss for present Sun, 235
  conductive, for coronal loop, 221
  convective turnover, 19, 285
  core-envelope coupling, 335
  dynamic, for coronal loop, 221
  field dissipation, 266
  free fall, 10
  global field dispersal, 162
  hybrid of shear and diff. rot., 162
  hydrodynamic, 11
  Kelvin–Helmholtz, 11, 41
  loop heating, 273
  magnetic braking, 332
  mass loss from Sun, 235
  meridional flow, 162
  nuclear, 11
  ohmic diffusion, 84
  orbital circularization, 338
  radiative diffusion, 90
  radiative wave damping, 67
  radiative, for coronal loop, 221
  shearing by differential rotation, 162, 321
  spin-orbit synchronization, 338
  star–disk coupling, 335
  thermal, 11
  turbulent diffusion, 284
TiO and starspot coverage, 308
toroidal flux bundle, 109
toroidal flux system: field strength, 119
transients, 198
transient loop brightening, 202
transition region, 12, 228
  definition, 228
  emission height, 229
  explosive events, 229
  heating, 253
  jet, 229
  line profiles, 229
  volume filling factor, 230
turbulent dynamo, 181
  basal emission level, 182
T Tauri objects, 296
  definition, 249
  enhanced ultraviolet emission, 296
  interpretation of emissions, 298
  rotation, 334
  soft X-ray emission, 298
T Tauri stars:
  accretion disks, 296
  classical, 296
  weak-line, 296

unipolar network: model, 130
UV Ceti stars, 343
  definition, 249

VAL model: *see* solar chromosphere
Vaughan–Preston gap, 246, 287
Voronoi tesselation, 58, 129
  flux–flux relationships, 252
  multiplicative weighting, 58

warm stars: definition, 293
Weber–Davis model, 233, 330
Wilson–Bappu effect, 242
  in UV lines, 243
  interpretation, 243
wind:
  angular-momentum loss, 234
  stellar, 314
W Ursae Majoris (W UMa) binaries:
  definition, 249, 343

X-rays: basal flux density, 65
X-ray deficiency: F-type stars, 293
X-ray emission:
  absorption, 37
  as magnetometer, 215
  calibration, 37
  color temperature, 38
  formation, 37
  hardness ratio, 38
  soft X-ray band, 37
X-ray jets, 199
X-ray plasma ejection, 200

Zeeman *I* and *V* profiles: interpretation, 30
ζ Aurigae binaries: definition, 249

© Cambridge University Press www.cambridge.org