

Index

Note: page numbers in *italics* refer to figures and tables.

- abdominal ganglion
 - crustacean cardioactive peptide 347
 - pathway 309
- abdominal perisymphathetic organ
 - innervation 16
- acarines, endocrine regulation of
 - reproduction/development 91
- ACE *see* angiotensin-converting enzyme
- ACE-like protein core sequences 373
- Acer* gene 371
- acetate uptake, adipokinetic hormones 153–4
- acetate uptake assay
 - AKH-III potency 160–1
 - fat body cells 154, 155
 - fat body tissue of locust 161–2
- acetyl-L-lysine chloromethyl ketone (ALCK) 162, 164
- achetakinins 379
 - analogues 381–2
- adenyl cyclase, hormonal activation 184
- adipokinetic hormone (AKH) 74
 - acetate uptake 153–4
 - calcium
 - channels 157, 159
 - efflux from fat body 179–80
 - entry into fat body 179
 - extracellular in phosphorylase stimulation 176–7
 - mobilisation from intracellular stores 181–2
 - response 157, 158
 - cyclic AMP levels in fat body 177
 - differential inactivation 174, 175, 176
 - G-protein-coupled receptors in signalling 184–5
 - glandular cell production 255
 - half-lives 176
 - hydrolysis by ACE 361
 - inositol trisphosphate activation in fat body 156
 - lipid mobilisation 153
 - locust 149
 - receptors 156, 159
 - release induction by LomTK 255
 - residue replacement 159
 - RNA synthesis inhibition 174
 - second messengers 156–7, 158, 159, 183–4
 - signal transduction 157, 172
 - substrate mobilisation 172–4, 175, 176
 - potency 173–4
 - synthesis 172
 - see also* AKH-I; AKH-II; AKH-III
- adipokinetic peptides
 - active conformation at receptor site 151
 - circular dichroism spectroscopy 150–1, 152, 153
 - molecular conformation 149–51, 152, 153
 - β -structure 150, 151
- aggregation–attachment pheromones 101
- AKH *see* adipokinetic hormone
- AKH-I 83, 149
 - acetate uptake inhibition 162
 - C-terminal modification 160–1
 - CD spectrum 150–1, 152
 - N-terminal modification 159–60
- AKH-II, CD spectrum 150–1, 152
- AKH-III
 - acetate uptake assay 160–1
 - C-terminal modification 160–1
 - CD spectrum 151, 152
 - molecular sequence 151
- allatoregulatory factors 4
- allatostatic peptides 24
 - myomodulatory activity 25
- allatostatin-immunoreactive neurones 16

Index

393

- allatostatins 4–5, 229
 brain content 17
 C-terminus 18
 cockroach 4–5
 amino acid substitutions 11
 brain mRNA transcripts 9
 C-terminal identity 7
 cDNA encoding 9
 core pentapeptide conservation 12
 corpora allata sensitivity 14–16
 designation 7, 8
 distribution 16–18
 genes 9, 10, 11
 immunoreactivity in other insects 23–4
 isolation 6–7
 JH inhibition effectiveness 13
 peptide length 12
 peptide potency 12–13
 polypeptide precursors 9, 10
 structure activity studies 11–14
- corpus allatum
 content 17
 sensitivity 14–16
- direct release 18
 endocrine cells 17
 endopeptidase specific for Arg-Leu 20
 fat body vitellogenin production 84
 functions 17
 genes 9, 10, 11
Pseudaletia unipunctata 20–1, 23
 humoral modulation 15
 humoral pathway 17
 insecticide development 25–6
 isoforms 270
 JH production regulation 93
 lepidopteran 20–1, 23
 metabolism 18–20
 non-arthropod 24
 peptide functions 20
 peptide precursors 234
 vitellogenesis 74, 83–4
 vitellogenin glycosylation inhibition 84
- allatotropins
 JH production regulation 93
 Mas-AT stimulation of oviduct of
Manduca 337, 338, 340
- aminoisobutyric acid (Aib) residues 386–8
 aminopeptidase, amastatin-sensitive
 18–19
- ammonium secretion 212
 amnioserosa, *Race* gene expression 369
 amylase, leucomyosuppressin effects 284
Ance gene 365, 367, 369, 371, 373
 angiotensin I, ACE cleavage of C-terminal
 dipeptide 361
 angiotensin II 358
- angiotensin-converting enzyme (ACE)
 amino acid sequence 367, 368
 ancestral gene 371
 biochemical properties 359, 360, 361–2
 C-domain 370
 C-terminal dipeptide cleavage 361
 C-terminally amidated neuropeptides 386
 cellular localisation 363–5
 cleavage sites 361
Drosophila melanogaster gene cloning
 365, 367
 endopeptidase resistant analogues 386–8
 evolution 369–71, 372, 373
 function 359
 gene product analysis 371, 373
 gene tree 372
 gut hormone synthesis 373
 immunoreactive cells 363–4
 insect 357–9
 development 267, 269
 reproduction 374
 isoforms 358, 369–70
 locustamyotropin-like hormone synthesis
 373
 membrane-bound 362
 peptide hormone hydrolysis 361
 physiological role 373–4
 soluble 362
 substrate specificity 358, 359, 360, 361–2,
 373
 tandem duplication 370–1
 tissue distribution 362–3
- annelids, crustacean cardioactive peptides
 323, 325
- anodontatachykinin 252, 270
 antennal heart innervation by allatostatin-
 immunoreactive neurones 16
 anterior ramifications complex 305, 307
 antibacterial peptides 373
 antidiuretic hormones 189
 locust 214
 arachnid CCAPir neurones 319
 arginine vasopressin-like peptide 193
Artemia salina, CCAP-immunoreactive
 (CCAPir) neurones 310–11
 assembly pheromones 101
 astacurans 35, 36
 CHHs 39
- barnacle CCAPir neurones 311
 benzethonium chloride (Bztc) 295–6
 non-peptide ligand 296
Blatta germanica allatostatins 4–5
 blood meal of ixodid ticks 91–3
 bombyxin 111
 brachyruans 35

394 *Index*

- bradykinin 358
 ACE cleavage of C-terminal dipeptide 361
- brain
 ACE localisation 363, 366
 allatostatin
 content 17
 gene expression 244
 CCAPir neurones 317
 Leu-callatostatin 239
 LomTK-LI cell bodies 259, 261
- bursicon 315, 327, 347
- byssus retractor muscle contraction 319
- C-terminal carboxamide 160
- Caenorhabditis elegans* ACE sequencing 371
- calcium
 AKH
 fat body effects 179
 and raising of cyclic AMP 177, 178, 179
 AKH-I acetate uptake inhibition 157
 capacitative entry 182–3
 ecdysteroid biosynthesis 128–31, 132, 133, 134
 efflux regulation 179–80
 influx regulation 179–80, 182
 insect kinin actions on Malpighian tubules 195, 197
 intracellular store
 depletion 183
 mobilisation from 181–2
 phosphorylase stimulation by AKH 176–7
 SchistoFLRFamide binding 288
 trehalose synthesis by fat body 182
- calcium channel blockers
 AKH-induced inhibition of acetate uptake 157
 ecdysteroid synthesis 130, 132, 133, 135
- calcium channels, SchistoFLRFamide oviduct effects 289
- callatostatins 17, 23, 229
see also Leu-callatostatin
- Calliphora vomitoria* (CaV) 22, 23, 229
 CavTKs 263–5, 266, 267–8
 LomTK-LI 264–5, 266, 267
- calmodulin 195
- capacitation 99
- carbohydrate
 metabolism 63
 mobilisation from fat body 172
 reserves in insect flight 172
- Carcinus maenas*
 CCAP 302, 303
 CCAP-immunoreactive neurones 305
- cardioacceleratory peptide 194
 stimulation of Malpighian tubules 197–8
- CavTKs
Calliphora vomitoria 263–5, 266, 267–8
 functions 268
 hindgut 268
 midgut 268
 neurones 265, 266
 phenotype loss during metamorphosis 265
- CCAP *see* crustacean cardioactive peptide
- CCAP-immunoreactive (CCAPir)
 interneurones 315
 leech and snail 319, 325
- CCAP-immunoreactive (CCAPir) neurones 306, 307, 308, 309
- arachnids 319
Artemia salina 310–11
 barnacles 311
Daphnia magna 311
 distribution 325
 insects 312–18
 harvestman 319, 324
 insect brain 317
 malacostracans 310
 myriapods 318
 protocerebral 317
 structure in insects 312–18
 types 313, 314, 315, 316, 325–6
 xiphosurans 319
- CCAP-immunoreactive (CCAPir) terminals 307, 310, 313
- CCAP-immunoreactivity (CCAPir) 320–3
- CCAP-related peptide, molluscan 319
- central nervous system, ACE activity 362
- Chelicerata, crustacean cardioactive peptides 319, 322–3
- CHH *see* crustacean hyperglycemic hormone
- CHH A 55
 mRNA 62
- CHH-encoding mRNA 62
- CHH-like neuropeptides 35, 36
- CHH-like peptide 59
- CHH-precursor-related peptide (CPRP) 55, 57
- CHH-producing cells
 circadian rhythmicity 61
see also crustacean hyperglycemic hormone (CHH)
- chloride, kinin effects on shunt pathway 195–6
- chloride pump, locust hindgut active transport 211

Index

395

- chloride transport 194
 locust 212
 chloride transport-stimulating hormone
 (CTSH) 215–16, 217
 chloroacetyl-L-leucine 162
 chloromethyl ketones 164–5
 cholecystokinin 8 (CCK8), ACE effects 358
 cholera toxin 184
 cholesterol conversion to
 7-dehydrocholesterol 125
 chymotrypsin, fat body cell dispersal 155
 circadian rhythmicity, CHH-producing cells
 61
 circular dichroism (CD) spectroscopy
 150–1, 152, 153
 cnc-neurons 306, 309, 310
 cockroach
 allatostatin genes 9, 10, 11
 allatostatins 4–5, 6, 7
 myoinhibitory/myostimulatory peptides
 248
 reproductive strategies 14–15
 vitellogenic females 15
 Coleoptera vitellogenesis 77
 collagenase, fat body cell dispersal 154–5
 copulatory factors 99
 corpus allatum
 ACE localisation 363
 allatostatin
 content 17
 release 18
 sensitivity 14–16
 biosynthetic activity 3
 neurones 3–4
 oocyte growth 77
 corpus cardiacum 4, 212
 ACE localisation 363
 AKH release 172
 CCAP effects 311
 Leu-callatostatin immunoreactivity 240,
 241
 neuropeptides 214, 216
 corticotropin-releasing factor (CRF) related
 diuretic peptides 191–3, 379, 380
 actions on Malpighian tubules 195
 conserved region 191–2
 potency 192
 primary structure 192
 receptors 192–3
 sodium transport 195
 courtship, ixodid ticks 102
 crab 35
 LomTK-LI activity 268
 crayfish
engrailed gene 310
 plesiomorphic central nervous system 307
 CRF *see* corticotropin-releasing factor
 (CRF) related diuretic peptides
 crustacean cardioactive peptide (CCAP)
 302–4, 305, 306, 307, 308, 309–11,
 320–3
 abdominal ganglion 347
 amino acid sequence 336
 annelids 323, 325
 biological activity 303–4, 311–12
 cardiac performance 303
 cardioacceleration 311–12
 cardioexcitatory effects 303
 Chelicerata 319, 322–3
 crustaceans 303–4, 305, 306, 307, 308,
 309–11, 320–1
 hindgut effects 307
 immunoreactive neurones 304–11
 structure/distribution 312–18
 inotropic effects on heart 311
 insects 311–13, 314, 315, 316, 317–18,
 321–2
 molluscs 319, 323, 325
 moulting behaviour 327
 myoactivity 311
 myriapods 318, 323
 nerve cord extract myotropic factor 341,
 343
 nerves supplying oviduct 347–9
 oviduct
 regulation in insects 349
 stimulation in *Manduca* 337, 341, 343
 primary structure conservation 302
 scaphognathite beat frequency 303–4
 target cells 304
 worms 319, 325
 crustacean hyperglycemic hormone (CHH)
 33, 40–2, 53
 amino acid sequences 54–5
 carbohydrate metabolism 63
 ecdysteroid synthesis inhibition 40, 139
 family 33–4
 glucose regulation 40
 high affinity binding sites 42
 5-HT effects 62
 isoforms 63
 Leu-enkephalin effects 62
 localisation at medulla terminalis X-
 organ 61
 molecular structure 53–5, 56, 57, 58, 59
 moult inhibiting activity 41–2
 mRNA tissue distribution 62
 perikarya 61–2
 physiological roles 63–4, 65
 polymorphism 54, 58
 precursor 33
 prohormone 54, 55

396 *Index*

- crustacean hyperglycemic hormone (*cont.*)
 preprohormone (*cont.*)
 expression 59–60, 62
 mRNAs encoding 57
 structure 55, 56
 production sites 60–1
 receptors on Y-organs 40, 132–3
 sequence identity with ion transport peptide 218, 222
 synergism with MIH 40–1
 vitellogenesis 63
 X-organ sinus gland complex 59
- crustaceans
 cyclic nucleotides 126–7
 developmental hormone systems 93–5
 ecdysteroid synthesis in Y-organ 125–6
 LomTK-L1 68
 malacostrans 53
 moult control 34–5
 neuroendocrine centres 59
 neurohormones 33–4
 phosphorylation pattern 128
 protein kinase activity 127–8
 steroidogenesis 139–41, 142–3, 144
see also gonad-inhibiting hormone (GIH);
 moult-inhibiting hormone (MIH)
- cryptonephric complex 201
 cuticle formation in tick nymphs 112
 cyclic AMP
 AKH-induced production 177, 178, 179, 180
 calcium dependence in phosphorylase activation 183
 ecdysteroid biosynthesis 126–7
 locust fluid and chloride transport 212–13
 production in Malpighian tubules 190
 second messenger role with CRF-related peptides 195
 serotonin stimulation of Malpighian tubules 196–7
 steroidogenesis regulation 138
 Y-organ 129
- cyclic AMP-phosphodiesterase 129
 cyclic AMP-responsive element-binding protein (CREB) 138
 cyclic GMP
 cardioacceleratory peptide stimulation 197–8
 ecdysteroid biosynthesis 126–7, 140, 143
 locust fluid and chloride transport 212
 MIH effects 129, 132
 cyclic GMP-phosphodiesterase 129, 130
 Cyclorhapha vitellogenesis 80
 cytochrome P450 128, 138
 ecdysteroid biosynthesis 139
 transaldolase effect 144
- Daphnia magna*, CCAPir neurones 311
 7-dehydrocholesterol 125
 3-dehydroecdysone 104, 105
 25-deoxyecdysone 94, 125
 developmental hormone systems 93–5
 diacylglycerol 173, 177
 AKH-induced formation in fat body 180
 ecdysteroid release 131, 134
 diapause
 induction activity by pyrokinins 383
 larval tick termination 97
 diazepam binding inhibitor (DBI) 138
 2,6-dichlorophenol 102
 22,25-dideoxyecdysone
 sex pheromone production 102
 supermoult 98
 tick moulting 95
 digestive system, SchistoFLRFamide 283–4, 286
 20,26-dihydroxyecdysone 97
 Dip-AST 2 7
 Dip-AST 5 15, 16
 degradation 19
 resistance to cleavage 20
 Dip-AST 7 15, 16, 19
 Dip-AST 9 18, 19
Diptera punctata, Dip-allatostatins 11
see also Dip-AST
- Diptera
 ecdysteroids 94
 Leu-callatostatins 229
 vitellogenesis 79–80, 85
 diuresis
 dye clearance 191
 post-eclosion 189, 190–1
 termination 201–2
 diuretic activity
 kinin analogues 381, 382
 kinin neuropeptides 379
 peptoids 382
 diuretic factors
 CCAP co-localisation 327
 hormonal function 198–200
 diuretic hormone 189
 hormonal function 198, 199
 locust 214–16
 mesothoracic ganglion mass 200
 Ramsay assay 190–1
 synergism 199, 200–1
see also *Locusta*-DH
 diuretic peptides 379
 insect kinin family 193–4
 dolichol 84
 dopamine stimulation of *Manduca* oviduct 337
 dorsal unpaired median neurones 283, 334

Index

397

- dromyosuppressin 281–2, 296
Drosophila melanogaster 281–2
 dye clearance 191
- ecdysone
 metabolism in ticks 97
 PTTH stimulation 93
 sex pheromone role 102
- ecdysteroid 26-oic acids 106
- ecdysteroid biosynthesis
 calcium role 128–31, 132, 133, 134
 cyclic GMP 140, 143
 cytochrome P450 139
 inhibition 45
 MIH 63, 64
 phosphorylation/dephosphorylation mechanisms 128
 prothoracicotrophic hormone stimulation 139
 repression by CHH 41
- ecdysteroid biosynthetic pathway 125–6
 cyclic nucleotides 126–7
- ecdysteroids 34, 35
- calcium channel blocker effects on synthesis 130, 132, 133, 135
- diacylglycerol effects 131, 134
- esterification at C-22 98, 104
- inactivation 104–5
 tick nymphs 96–8
- metabolism 104–5
- MIH effects 94
 release 130, 131
- receptors in salivary glands 101
- release into haemolymph 82–3
- sex pheromone production 102
- synthesis 37
- tick 95–107
 larval diapause termination 97
 male 99
 moulting 95–6
 nymphal cuticle formation 112
 nymphs 96–8
 synganglial factors 111–12
 vitellogenesis 102–3
- vitellogenesis 73, 74, 80
 fat body 77
 induction 80
 in Lepidoptera 85
 regulation 94
 shift to JH 85–6
 synthesis 78
 termination 82–3
 tick 102–3
 Zygentoma 83
- eclosion, diuretic hormone 189
- eledoisin 250
- embryogenesis, ticks 105–7
- endopeptidase 19
 regulatory peptide degradation 386
 specific for Arg-Leu of allatostatins 20
- engrailed* gene 310
- enkephalinamide, ACE hydrolysis 361
- 3-epiecdysone 104, 105
- epoxide hydrolase 3
- esterases 3
- eyestalk
 decapod crustaceans 34
 X-organ sinus gland complex 59
- FaRP-receptor reaction system 290
see also FMRFamide-related peptides (FaRPs)
- fat body
 acetate uptake 161–2
 AKH signal transduction 172
 allatostatin effects on vitellogenin production 84
 calcium flux 179
 capacitation in previtellogenesis 79
 cells in vitellogenesis 72–3
 signal transduction 176–85
 vitellogenin production 77
- fecundity-enhancing substances 93
- feeding, ticks 102, 109
 mating relationship 93
- flight
 activity in insects 172
 energy 173
- fluid transport, locust 212
- FMRFamide 278
 midgut immunoreactivity 283
 myosuppression in insects 279
 receptors 288
- FMRFamide-like immunoreactivity
 digestive system 283, 284
 heart muscle 285–6
- FMRFamide-related peptides (FaRPs) 278, 296
 skeletal muscle sensitivity 285
- G6PDH, steroidogenesis 139
- G-protein-coupled receptors 193
 AKH signalling 184–5
 kinin 193
- GIH *see* gonad-inhibiting hormone
- L-glutamate stimulation of *Manduca* oviduct 337
- glycogen phosphorylase 173
- gonad-inhibiting hormone (GIH) 33–4, 38–40, 53
 amino acid sequence 54–5

398 *Index*

- gonad-inhibiting hormone (GIH) (*cont.*)
 localisation at medulla terminalis X-organ 61
 mode of action 64
 oocyte growth 63
 perikarya 61
 physiological roles 63–4, 65
 polymorphism 55
 preprohormone 55, 56
 expression 59–60
 species specificity 64
 vitellin synthesis 63, 64
 X-organ sinus gland complex 59
 gonad-stimulating hormone (GSH) 42, 62
 gonadotrophic cycle, ixodid ticks 103
 gonadotropin, ticks 108
Gryllus bimaculatus 22, 23
 peptides 23
 gut hormone synthesis, ACE role 373
- haemolymph 4
 ACE activity 362, 363
 allatostatin content 17
 amastatin-sensitive aminopeptidase 18–19
 endopeptidase 19
 flow redirection with CCAP 304
 FMRamide-like immunoreactivity 284
 harvestman, CCAPir neurones 319, 324
 heart, inotropic effects of crustacean cardioactive peptides 311
 heart muscle, SchistoFLRFamide 284–5
Helix pomatia 319
 Heteroptera vitellogenesis 77
 hindgut
 CavTKs 268
 CCAP effects 307, 311
 contraction inhibition by leucomyosuppressin 283
 innervation by allatostatin-immunoreactive neurones 16
 kinin neuropeptide actions 379
 LemTRPs 263, 264
 Leu-callatostatin neurones 240, 241
 motility regulation by Leu-callatostatin 242, 243, 244
 HMG-CoA reductase cyclicality 81–2
 HMG-CoA synthase cyclicality 81–2
 5-HT *see* 5-hydroxytryptamine
 HVFLRFamide 290, 291, 294
 His residue 293, 294
 inhibitory biological activity 295
 7-S-hydroprene 17–18
 hydroxyecdysone 100–1
 20-hydroxyecdysone 74
 insects 93
 metabolism in ticks 97
 sex pheromone role 102
 structure 94
 tick moulting 95, 96
 vitellogenin production inhibition 83
 stimulation 78, 79–80
 yolk protein gene expression modulation 80
 3-hydroxykynurenine 37, 38, 39
 20-hydroxylation 107
 hydroxyphenyl propionate (HPP), AKH-I modification 159
 5-hydroxytryptamine (5-HT) 61–2
 diuretic function 191
 feeding cessation 201
see also serotonin
 hyperglycemia, CHH release 62
 hypertrehalosaemic hormone 83, 156, 157, 182
 message transduction 183
 signal transduction cascade 181
see also AKH-I; AKH-II; AKH-III
 hypertrehalosaemic peptides 176
 hypocerebral ganglion 257
- ileum myoinhibition by Leu-callatostatin 242, 243, 244
 inositol lipid cycle 181
 inositol phosphates
 calcium mobilisation 181–2
 concentration effects of AKH 183
 inositol trisphosphate 131, 134, 156
 insects
 angiotensin-converting enzyme (ACE) 357–9
 crustacean cardioactive peptide 311–13, 314, 315, 316, 317–18, 321–2
 oviduct regulation 349
 developmental hormone systems 93–5
 flight activity 172
 kinin neuropeptide family 379–80
 LomTK-like immunoreactivity in cerebral structures 269
 moulting 326
 signalling pathways 357
 urine production regulation 189
 insulin, locust 162
 insulin-like compounds 161–2
 inulin 191
 ion transport peptide (ITP) 59, 213
 actions 217
 amino acid sequence 217–19
 biological actions 220–1
 cDNA expression 219–20
 distribution among insects 219

Index

399

- disulphide bridges 220
 ileum effects 220
 locust receptor specificity 219
 partial sequencing 216
 prepropeptide 218, 219, 220
 purification 216
 rectal effects 220
 synthetic 220–1
 ITP *see* ion transport peptide
 ITP-like cDNA 221–2
 action 222
 amino acid sequences 221, 222
- JH-binding proteins (JHPs) 109
 juvenile hormone (JH) 3, 73–4
 biosynthesis 3
 allatostatin effects 17
 assay 4
Calliphora vomitoria 23
Gryllus bimaculatus 23
 inhibition 21, 23
 oviparity 15
 regulation 93
 viviparity 15
 functions 3
 increase with age 21
 metabolizing enzymes in ticks 109
 migratory flight 21
 oocyte growth 77
 oviposition in ticks 108
 reproduction regulation 94
 ticks 107
 vitellogenesis 20, 75
 direction 75–7
 shift to ecdysteroids 85–6
 ticks 108
 Zygentoma 85
 vitellogenin
 production by fat body 77
 synthesis stimulation in fat body 77
 juvenile hormone I (JH I) 107, 108
 juvenile hormone III (JH III) 42, 43, 74
 ticks 107–8, 109
 juvenile hormone-degrading enzymes 3
 juvenoids, ticks 107–13
- kassinin 252
 5 β -ketodiol 125
 kinin neuropeptide family, insect 379–80
 kinin-binding sites 193
 kinin-like immunoreactive material 200
 kinins 193–4
 active conformation 385–6
 aminoisobutyric acid (Aib) residues
 386–8
 C-terminal pentapeptide sequence 380
 calmodulin 195
 carboranyl analogues 382–3
 heterodimer 384
 hormonal function 200
 inactivation by ACE 386, 387
 insect 379–80
 Malpighian tubule actions 195–6
 mimetic analogues 380–5, 388–9
 non-peptide mimetics 384
 pseudodipeptide analogues 385
 pseudopeptides 384, 385
 pseudotripeptide analogues 385
 pyrokinin analogues 383
 structure–activity studies 380–5
- Lacania oleracea* 25
 lateral segmental organs, tick 112–13
 leech CCAPir interneurons 319, 325
 Lem *see* *Leucophaea maderae*
 Lem tachykinin-related peptides
 (LemTRPs) 251–2
 hindgut 263, 264
 midgut release site 263
 pharynx dilator muscle action 272
 potency 271
 primary structure variation 271
 tissue-specific 271
- Lepidoptera vitellogenesis 77–8, 85
 Leu-callatostatin 229
 cleavage at internal basic sites 236–7
 functions 245
 gene 230, 231, 232, 233
 heneicosapeptide 233, 236–7
 hexadecapeptide 233, 234
 interneurons 239
 N-terminal trimming 237–8, 245
 neuroendocrine pathways 238
 neuronal pathways 238
 neurones 238–9, 241
 octapeptides 237
 putative 235
 open reading frame 230, 233
 peptides 233
 isolation/identification 234–6
 sequences 230, 234
 prohormone 237
 gene 230, 231, 232, 233–4
 precursor 231, 233
 processing 236–8
 regulation of hindgut motility 242, 243,
 244
 sequence conservation 233–4
 tissue expression 238–9, 240, 241–2
 Leu-callatostatin 1 234, 235
 Leu-callatostatin 4 235
 Leu-enkephalin 61–2

400 *Index*

- leucine chloromethyl ketone (LeuCK) 163, 164
- leucokinin 379
 analogues 380–1
 hydrolysis by ACE 361
- leucomyosuppressin 280, 296
 cardioinhibitory effects 284
 gene 280
 expression in midgut 284
 hindgut contraction inhibition 283
 precursor 280
 skeletal muscle effects 285–6
- Leucophaea maderae* (LEM) 259, 261, 263, 264, 265
see also Lem tachykinin-related peptides
- light-flash-evoked electroretinogram 310
- lipid mobilisation
 adipokinetic hormones 153
 AKH-I C-terminal modification 160
 AKH-III potency 160, 161
 calcium dependence 177
 from fat body 172
- lipid reserves, insect flight 172
- lipoxigenase inhibitor 289
- locust
 ACE cellular localisation in CNS 363–5
 adipokinetic hormones (AKHs) 149
 CCAPir innervation 317
 chloride transport 212
 hindgut
 fluid transport 211
 mechanisms 210–12
 transport control 212–13
 ileum 212, 213
 insulin 162
 ion transport peptide 210
- Locusta migratoria* (Lom) 253, 254, 255, 256, 257, 258, 259
see also locustatachykinins
- Locusta migratoria* accessory gland
 myotropin (Lom-AG-MT) 336, 340
- Locusta*-DH 198, 199, 200, 201, 202
 neurohormone function 248
- locustakinin 199, 200, 201, 379
- locustamyotropin 363, 365, 366
- locustamyotropin-like hormones 373
- locustapyrokinin 363
- locustatachykinin I 311
- locustatachykinins (LomTK) 202, 250, 252
 cell bodies 255, 257
 co-localisation 271
 fibres 271
 hydrolysis by ACE 361
 interneurons 255
Locusta migratoria 253, 254, 255, 256, 257, 258, 259
- neuronal cell bodies 253
 neurones 253, 254, 255, 256, 258, 260
 retrocerebral glandular complex 257, 260
see also LomTK-LI
- LomTK-LI
C. vomitoria 264–5, 266, 267
 cell bodies 257, 259, 261
 in crab 268
 Crustacea 68
 distribution in brain 261
 endocrine cells 262, 263
 fibres 260, 261, 262, 263
 lateral neurosecretory cells 271
 in molluscs 268, 269–70
 neurones 259, 260, 261
 peripheral nervous system 260, 261, 262, 263
 stomatogastric nervous system of
 Crustacea 268
- Lucilia cuprina* 229, 230
 luteinising hormone-releasing hormone (LH-RH) 358
 ACE hydrolysis 361
- magnesium, SchistoFLRFamide binding 288
- malacostrans 53
- male accessory gland innervation 16
- Malpighian tubules 189
 CRF-related peptide actions 195
 cryptonephric complex 201
 diuretic factor actions 194–8
 function regulation 202
 insect kinin actions 195–6
 secretion
 control by two hormones 200–1
 stimulation 189, 191–4
 writhing stimulation 202
- mandibular organ-inhibiting hormone (MOIH) 42–3, 53, 64, 94
 biosynthesis site 44
 neuroendocrine regulation 65
 sequence 44
- mandibular organs, methyl farnesoate secretion 57
- Manduca* diuretic hormone (*Manduca*-DH) 191, 192, 315
 receptor 193
- Manduca sexta*
 allatostatins 5
 non-amidated peptide 20
 oviduct spontaneous muscular activity 336–7
 proctolin absence 336
- Manduca sexta* allatostatins (Mas-AST)
 allostatic function 24

Index

401

- final instar Lepidoptera 25
- Pseudaletia unipunctata* 21, 23
- Mas-AST-like gene 5
- Mas-AT, oviduct effects 341, 343
 - regulation 349
 - stimulation 337, 338, 340
- mating in ticks 102, 109
 - feeding relationship 93
 - non-steroidal factors 99–100
- medulla terminalis X-organ (MTGX₂) 61
- mesothoracic ganglion mass, diuretic hormone 200
- Met-callatostatin 229
- methyl farnesoate (MF) 42–3, 57
 - crustaceans 94
 - ecdysiotropin activity 43
 - inhibition by CHH isoforms 63
 - synthesis inhibition 44, 57, 64
- mevalonic acid pathway 82
 - inhibition by allatostatins 84
- mevalonolactone 84
- midgut
 - ACE activity 362
 - allatostatin gene expression 244
 - Calliphora vomitoria* tachykinins (CavTKs) 268
 - FMRFamide-like immunoreactivity 284
 - innervation by allatostatin-immunoreactive neurones 16, 17
 - LemTRPs 263
 - leucomyosuppressin gene expression 284
 - LomTK-LI endocrine cells 262, 263
 - Race* gene expression 369
 - SchistoFLRFamide effects 284, 286
- migratory behaviour, Mas-AST peptide 25
- migratory flight 21
- MIH *see* moult-inhibiting hormone
- MIH-like neuropeptides 35, 36
- MIH-receptors, Y-organs 132–3
- MOIH *see* mandibular organ-inhibiting hormone
- MOIH-1 38
- MOIH-2 38
- molluscs
 - CCAP-related peptide 319
 - crustacean cardioactive peptides 319, 323, 325
 - LomTK-LI activity 268, 269–70
- moult control in Crustacea 34–5
- moult-inhibiting hormone (MIH) 33–5, 36, 37–8, 53
 - actions 125–6
 - cyclic GMP effects 129, 132
 - cyclic nucleotide affects 127
 - ecdysteroid
 - biosynthesis inhibition 63, 64, 139
 - biosynthesis regulation 126
 - production 94
 - release effects 130, 131
 - 5-HT effects 62
 - MOIH relationship 44
 - moulting process 64
 - physiological roles 63–4, 65
 - preprohormones 55, 56
 - expression 59–60
 - primary structure 55
 - sequence identity with ion transport peptide 218, 222
 - sequencing 35
 - signal transduction 139–40
 - structure 55
 - synergism with CHH 40–1
 - transaldolase
 - activity 128
 - synthesis effects 140–1, 143
 - Y-organ secretory activity 125
- moult
 - co-ordination with vitellogenesis 81
 - crustacean cardioactive peptides 327
 - insects 326
 - juvenoids 107–8
 - MIH 64
 - regulation in tick nymphs 95–6
 - Zygentoma 75
- mushroom bodies
 - LomTK-LI 259, 261
 - neurones 317
- myomodulins 270–1
- myosuppressins, FMRFamide-related 296
- myotropic factors, nerve cord extracts 341
- myotropic peptides 248
- myotropins 335
- myriapods 318
 - crustacean cardioactive peptides 318, 323
- N-terminal trimming 237–8, 245
- Na⁺/K⁺/2Cl⁻ cotransporter 194
 - CRF-related peptide stimulation 195
 - serotonin stimulation of Cl⁻ 197
- Na/K-ATPase pump, locust hindgut 211
- NADPH 144
- neomyosuppressin 283
- nerve cord extract, oviduct of *Manduca*
 - effects 340–1, 342, 343
- nervi corporis
 - allati 363, 364
 - cardiaci 16, 363, 364
- nervous system of ticks 109–10
- neurilemma, tick 110, 111
- neuroendocrine system, ticks 110–13
- neurohaemal sinus gland 310
- neurohormones, crustacean 33–4

402 *Index*

- neurokinin A 252
 neurones, crustacean cardioactive peptide 304–11
 neuroparsins 214–15, 216
 neuropeptides
 functions 248–9
 N-terminal trimming 237–8
 oviduct
Manduca 339, 340
 regulation 335
 neuropils
 ganglionic 261
 glomerular 253
 sensory 253
 neurotransmitters
 oviduct of *Manduca* 337, 339
 oviduct regulation 335
 nimodipine 130
 nitric oxide 197, 198
 nitric oxide synthase 198
Noebellieria cyclic AMP generating peptide (Neb-cGP) 192, 194
 NS-L₁ neurosecretory type cell 315
- octopamine 335
 oesophageal ganglion neurones 239
 ommochrome biosynthesis 38
 ommochrome xanthommatin 38
 oocyte growth
 corpora allata 77
 GIH 63
 juvenile hormone 77
 oogenesis, ticks 102–5
 optic lobe, LomTK-LI cell bodies 259
 orthopteroid vitellogenesis 75–7
 termination 82
 Orthorrhapha 79–80
 ovaries
 CHH effects on maturation 42
 vitellogenesis 73
 cycle termination 82
 yolk protein synthesis 73
 oviduct
 CCAP effects 311
 contractile activity with pyrokinins 383
 dorsal unpaired median neurones 283
 innervation 334
 insect 334
 LomTK response 259
 neural control 334
 neurohormonal controls 335
 neuropeptides 335
 neurotransmitters 335
 peptide response 336
 physiological regulation 335
 SchistoFLRFamide
 effects 291
 membrane-bound receptors 288–9
 muscle effects 282–3
 receptors 287
 VFLRFamide receptors 294
 oviduct of *Manduca*
 allatotropin Mas-AT 337, 338, 340
 CCAP
 effects 337
 in nerves supplying 347–9
 innervation 343, 344, 345, 346, 347
 myotropic activity in nerves supplying 347, 348, 349
 myotropic factor effects 337, 338–9, 340
 nerve cord extract effects 340–1, 342, 343
 neuropeptides 339, 340
 neurotransmitters 337, 339
 proctodeal nerve 345
 spontaneous muscular activity 336–7
 oviparity 14, 15
 oviposition
 JH induction in ticks 108
 salivary gland degeneration 101
 stimulation factor 99, 100
 ticks 102–5
 ovovipary, vitellogenesis 76
 ovoviviparity 14
- papain, fat body cell dispersal 155
 pars intercerebralis, Leu-callatostatin gene expression 241
 penaeid shrimps/prawns 35, 36, 37
 vitellogenic cycle 39
 peptidase
 allatostatin metabolism 18
 insect homologues 357
 peptide hormones
 C-terminal α -amide group 361
 hydrolysis by ACE 361
 peptides
 allatotropic activity 6
 α -amidated 361
 antibacterial 373
 pericardial cells, *Race* gene expression 369
 pericardial organs 302
Periplaneta americana allatostatin (Pea-AST) 10, 11
 inhibitory response 15
 synthetic 13–14
 perivisceral organ 345
 pertussis toxin 184
 pest management 25–6
 pharynx dilator muscles 272
 phenylalanine chloromethyl ketone (PheCK) 162, 163, 164

Index

403

- pheromone biosynthesis-activating neuropeptide (PBAN) 315, 317
see also pyrokinin/PBAN
- pheromones
 aggregation–attachment 101
 tick 101–2
 trophism by pyrokinins 383
- phosphodiesterase, calmodulin-dependent 129
- phospholipase C
 AKH-induced activation 185
 hormonal activation 184
 inhibitors 156
- phosphoramidon 161
- phosphorylase, AKH-induced activation 183–14
- phosphorylase kinase
 calcium in stimulation 176
 calcium–calmodulin-dependent activity 176
 calcium-independent 177
- phytoecdysteroids 97
- pigment-dispersing hormone (PDH) 43, 53
- potassium transport
 kinin effects 196
 locust hindgut 211
- PP30 family 138
- previtellogenesis 79
- proctodeal nerve 345
- proctolin 284, 286
 inotropic cardiac effects 303
 oviduct sensitivity 335–6
- proline, high capacity pump 211–12
- proteases 357
- protein kinase
 activity in crustaceans 127–8
 inhibition 164
- protein kinase C (PKC) inhibitors 156
- prothoracic gland innervation 16
- prothoracicotropic hormone (PTTH) 93, 139
- protocerebrum
 CavTK neurones 265
 CCAPir neurones 317
- Pseudaletia unipunctata*
 allatostatin gene 20–1, 23, 25–6
 expression 21
 allatostatin precursor 21
- pseudotetrapeptide 382, 383
- pseudovivipary 76
- pupariation acceleration by pyrokinins 383
- pyrokinin/pheromone biosynthesis-activating neuropeptide (PBAN)
 363, 383, 384
 peptides 384
 pyrokinins 383
- Race* gene 369
- receptivity-inhibiting substances 93
- rectal myoinhibition by Leu-callatostatin 243, 244
- red pigment-concentrating hormone (RPCH) 43, 53, 149
 hydrolysis by ACE 361
- renin–angiotensin system 357–8
- reproduction, ACE role 374
- reproductive cycle, moult cycle coordination 75
- reproductive strategies, insect 71
- retrocerebral organ complex 257, 260
 ticks 111, 112
- salivary gland
 degenerating factor 99, 100
 degeneration in ticks 99, 101, 103, 104
 ecdysteroid receptors 101
 innervation by allatostatin-immunoreactive neurones 16
 regulation in ticks 100–1
 secretory function development 100
- scaphognathite beat frequency, CCAP 303–4
- SchistoFLRFamide
 agonists 294–6
 antagonists 294–6
 benzethonium chloride 295–6
 binding affinity 292–3
 biological activity 282–5, 286, 287
 cardioinhibitory effects 284–5
 digestive system 283–4, 286
 distribution 281–2
 gene characterisation 280–1
 heart muscle 284–5
in situ hybridisation 282
 ligand-gated channel blocking 289
 midgut effects 284, 286
 mode of action 288–9
 oviduct 288–9
 muscle 282–3
 physiological activity 292–3
 receptors 287–8
 antagonists 295
 membrane-bound 288
 skeletal muscle 285, 287
 structure–activity relationships 289, 290, 291, 292–3, 294
 transduction 288–9
 voltage-gated channel blocking 289
- SchistoFLRFamide-like material, oviduct 282–3
- serine protease inhibition 164
- serotonin
 diuresis termination 201
 hormonal function 198, 199–200

404 *Index*

- serotonin (*cont.*)
 Malpighian tubule actions 196–7
 oviduct of *Manduca* stimulation 337
 release from neurohaemal areas 199
 synergism with mesothoracic ganglion
 mass peptide hormone 200
see also 5-hydroxytryptamine (5-HT)
- sex pheromones 101, 102
 signalling pathways, insect 357
 sinus gland, crustacean 34
 skeletal muscle, SchistoFLRFamide 285,
 287
 slow excitatory motoneurone (SETi) 285
 snail, CCAPir interneurons 319, 325
 sodium reabsorption site 212
 sodium transport 194, 195
 kinin effects 196
 locust hindgut 211
- sperm, tick
 development 99
 maturation 98–100
- spermatocyte accumulation in tick nymphs
 99
- spermiogenesis, tick 99
- steroid hydroxylase-inducing proteins
 (SHIPs) 138
- steroidogenesis
 crustaceans 139–41, 142–3, 144
 G6PDH 139
 regulation 138–9
 transaldolase role 144
- steroidogenic activator peptide (SAP) 138
- steroidogenic acute regulatory protein
 (StAR) 138
- sterol carrier protein 2 (SCP2) 138
- stomatogastric ganglion 307
- stomatogastric nervous system 257, 259
 LomTK-LI 268
- suboesophageal ganglion 4
 ACE localisation 363, 366
 crustacean cardioactive peptide pathway
 309
 SchistoFLRFamide 281
- substance P 250, 252
 ACE effects 358
 ACE hydrolysis 361
- supermoulting, tick 96
 22,25-dideoxyecdysone 98
- synergism, MIH and CHH 40–1
- synganglial peptide, tick 111
- synganglion, perioesophageal in ticks 110
- tachykinin-like peptide 202
- tachykinin-related peptides 248–9
 actions 268–70
 amino acid sequences 251
- C-terminal pentapeptide 250
 co-transmitter role 272
 distribution 268–70
 forms 270
 functions 270, 272
 invertebrate 250–2
 vertebrate 249–50
- tanning hormone *see* bursicon
- terminal nerve 8 (TN8) 345
- thapsigargin 182
 acetate uptake effects 157
 calcium effects 131, 133
- thimerosal 182–3
- thoracic ganglion 309
- thoraco-abdominal ganglion 240, 241
- thyroglobulin 281
- tick salivary gland degeneration factor
 (TSGDF) 100
- ticks
 adult female 100–5
 adult male 98–100
 ametabolous development 91
 apolar pathway of ecdysone metabolism
 97–8
 argasid 91, 92
 critical weight 103
 ecdysteroids 95–107, 103–4
 metabolism 104–5
 embryogenesis 105–7
 embryonic cuticles/envelopes 106–7
 endocrine regulation of
 reproduction/development 91–3
 feeding 102, 109
 gonadotropin 108
 hormone synthesis sites 109–13
 immature stages 95–8
 ixodid 91–3
 critical weight 93
 gonadotrophic cycle 103
 mating 93
 rapid engorgement phase 92–3
 slow feeding phase 92–3
 JH-binding proteins 109
 JH-metabolising enzymes 109
 juvenoids 107–13
 larval diapause termination 97
 lateral segmental organs 112–13
 mating 93, 99–100, 102, 109
 moulting regulation 95–6
 nervous system 109–10
 neurilemma 110, 111
 neuroendocrine system 110–13
 neurohaemal centres 110–12
 neurosecretory centres 110–12
 non-steroidal mating factors 99–100
 nymphal cuticle formation 112

Index

405

- oogenesis 102–5
- oviposition 102–5
- perioesophageal synganglion 110
- peripheral nerves 110
- pheromones 101–2
- precocene-induced sterility 108
- retrocerebral organ complex 111, 112
- salivary gland
 - degeneration 103, 104
 - regulation 100–1
- secretory product accumulation 111
- sex pheromone production regulation 101–2
- sperm maturation 98–100
- supermoult 96, 98
- synganglial peptide 111
- vitellogenesis 102–3
- N*α-*p*-tosyl-L-lysine (TLCK) 162, 163, 164
- N*-tosyl-L-phenylalanine chloromethyl ketone (TPCK) 163, 164
- transaldolase
 - characteristics 142
 - cytochrome P450 effect 144
 - ecdysteroid biosynthesis inhibition by MIH 140–1, 143
 - expression 128
 - MIH effects 140–1, 143
 - steroidogenesis 140–1, 142–3, 144
 - synthesis inhibition 140–1
- transepithelial potential measurement 190
- trehalose
 - biosynthesis 181
 - calcium requirement 176
 - release from fat body 173
 - synthesis
 - by fat body 182
 - stimulation 156
- triacylglycerol lipase 173
- tryptophan metabolites 37
- tyrosine kinase inhibition 164
- Urechis* excitatory peptide C 302
- urechistachykinins 252
- urine production regulation in insects 189
- VFLRFamide 291, 294
 - minimum sequence for binding 295
- vitellin synthesis, GIH 63, 64
- vitellogenesis
 - adipokinetic hormones 74
 - after adult emergence 77
 - allatostatins 74, 83–4
 - CHH isoforms 63
 - co-ordination with moulting 81
 - cyclicality 81–2
 - Diptera 79–80
 - ecdysteroids in termination 83
 - fat body cells 72–3
 - hormonal control of initiation/maintenance 74–80
 - hormones 73–4
 - insect 71
 - juvenile hormone 20, 75
 - induction in ticks 108–9
 - larval 78
 - late pharate adult stage 77
 - Lepidoptera 77–8, 85
 - ovaries 73
 - termination of cycle 82
 - ovovipary 76
 - peptides 83–4
 - prepupal 77–8
 - pseudovivipary 76
 - regulation by short-loop feedback 82
 - shift from JH to ecdysteroids 85–6
 - termination 82–3
 - ticks 102–3
 - vivipary 76
 - Zygentoma* 74–5
- vitellogenesis-inhibiting hormone (VIH) 38–40
 - sequence identity with ion transport peptide 218, 222
- vitellogenic cycles 39
- vitellogenic hormones 72, 73–4
- vitellogenic proteins 72, 73
 - evolutionary relationships 72
- vitellogenic tissues 72–3
- vitellogenin 38–9, 72, 73
 - cyclicality in production 81–2
 - edysteroid effects 80
 - gene
 - product 72
 - transcription in fat body 76
 - production stimulation by 20-hydroxyecdysone 78, 79–80
 - synthesis in ticks 107
 - Zygentoma* 75
- vitellogenin-inhibiting hormone (VIH) *see* gonad-inhibiting hormone (GIH)
- viviparity 14, 15, 76
- worms, crustacean cardioactive peptides 319, 325
- X-organ, medulla terminalis 61
- X-organ sinus gland 44, 54
 - complex 59
- xanthurenic acid 37, 38, 39
- xiphosuran CCAPir neurones 319

406 *Index*

- Y-organ 34, 35
 - calcium role 128–31, 132, 133, 134
 - CHH-receptors 40, 127, 132–3
 - cyclic AMP 126–7, 129
 - cyclic GMP levels 127
 - ecdysteroid
 - inhibition 55
 - synthesis 94
 - ecdysteroid synthesis in crustaceans 125–6
 - MIH-receptors 127, 132–3
 - protein kinase 127–8
 - protein synthesis 126
- transaldolase
 - expression 128
 - steroidogenesis regulation 140–1, 142–3, 144
- yolk proteins 72, 73
 - gene expression 80
 - ovarian production 80
 - synthesis 73
- Zygentoma
 - ecdysteroids 83
 - vitellogenesis 74–5, 85
 - co-ordination with moulting 81