
 CONTENTS

| | |
|--|----------------|
| <i>Preface</i> | <i>page xi</i> |
| 1 Large deviations: basic results | 1 |
| Introduction | 1 |
| 1.1 Cramér–Chernoff theorem on \mathbb{R} | 3 |
| 1.2 Abstract formulation | 20 |
| 1.3 Sanov theorem for finite ‘alphabets’ | 28 |
| 1.4 Cramér theorem on \mathbb{R}^d | 39 |
| 1.5 Cramér theorem in infinite dimensional spaces | 44 |
| 1.6 Empirical measures. Sanov theorem | 56 |
| 2 Small random perturbations of dynamical systems. Basic estimates of Freidlin and Wentzell | 64 |
| 2.1 Brownian motion | 65 |
| 2.2 Itô’s integral | 77 |
| 2.3 Itô’s equations | 87 |
| 2.4 Basic Freidlin and Wentzell estimates | 90 |
| 2.5 Freidlin and Wentzell basic estimates. Variable diffusion coefficients | 98 |
| 2.6 Exit from a domain | 104 |
| 3 Large deviations and statistical mechanics | 118 |
| 3.1 Large deviations for dependent variables. Gärtner–Ellis theorem | 118 |
| 3.2 Large deviations for Markov chains | 125 |
| 3.3 A brief introduction to equilibrium statistical mechanics | 134 |
| 3.4 Large deviations for Gibbs measures | 176 |

| | | |
|----------|--|-----|
| 4 | Metastability. General description. Curie–Weiss model. | |
| | Contact process | 198 |
| 4.1 | The van der Waals–Maxwell theory | 198 |
| 4.2 | The pathwise approach: basic description | 225 |
| 4.3 | The Curie–Weiss Markov chain | 226 |
| 4.4 | The Harris contact process | 242 |
| 4.5 | Notes and comments | 277 |
| 5 | Metastability. Models of Freidlin and Wentzell | 287 |
| 5.1 | The coupling method of Lindvall and Rogers | 289 |
| 5.2 | The case of a double well potential | 294 |
| 5.3 | General case. Asymptotic magnitude of the escape time | 302 |
| 5.4 | Cycles and asymptotic unpredictability of the escape time | 319 |
| 5.5 | Notes and comments | 329 |
| 6 | Reversible Markov chains in the Freidlin–Wentzell regime | 335 |
| | Introduction | 337 |
| 6.1 | Definitions and notation | 338 |
| 6.2 | Main results | 348 |
| 6.3 | Restricted dynamics | 367 |
| 6.4 | Conditional ergodic properties | 370 |
| 6.5 | Escape from the boundary of a transient cycle | 372 |
| 6.6 | Asymptotic exponentiality of the exit time | 375 |
| 6.7 | The exit tube | 378 |
| 6.8 | Decomposition into maximal cycles | 385 |
| 6.9 | Renormalization | 388 |
| 6.10 | Reduction and recurrence | 395 |
| 6.11 | Asymptotics in probability of tunnelling times | 397 |
| 7 | Metastable behaviour for lattice spin models at low temperature | 399 |
| | Introduction | 399 |
| 7.1 | The standard stochastic Ising model in two dimensions | 401 |
| 7.2 | The local minima | 406 |
| 7.3 | Subcritical and supercritical rectangles | 410 |
| 7.4 | Subcritical configurations and global saddles | 412 |
| 7.5 | Alternative method to determine $\Phi(-\underline{1}, +\underline{1})$ | 424 |
| 7.6 | Extensions and generalizations | 427 |
| 7.7 | The anisotropic ferromagnetic Ising model in two dimensions | 428 |
| 7.8 | Alternative approach to study of the $J_1 J_2$ model | 433 |
| 7.9 | The ferromagnetic Ising model with nearest and next nearest neighbour interactions in two dimensions | 438 |
| 7.10 | The ferromagnetic Ising model with alternating field | 443 |

| | | |
|------|--|-----|
| 7.11 | The dynamic Blume–Capel model. Competing metastable states and different mechanisms of transition | 447 |
| 7.12 | Metastability in the two-dimensional Ising model with free boundary conditions | 454 |
| 7.13 | Standard Ising model under Kawasaki dynamics | 456 |
| 7.14 | Metastability for reversible probabilistic cellular automata | 476 |
| 7.15 | Discussion of the results of Bovier and Manzo | 480 |
| 7.16 | Metastability at infinite volume and very low temperature for the stochastic Ising model | 483 |
| 7.17 | Metastability at infinite volume and very low temperature for the dynamic Blume–Capel model | 486 |
| 7.18 | Metastability for the infinite volume stochastic Ising model at $T < T_c$ in the limit $h \rightarrow 0$ | 488 |
| 7.19 | Applications | 490 |
| 7.20 | Related fields | 491 |
| | <i>References</i> | 493 |
| | <i>Index</i> | 507 |