

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)

Subject index

- acceleration
 - fluid particle, 47
- action, 98
- adiabatic law, 148
- Airy, G. B., 399
- amplitude parameter, 27
- asymptotic expansion, 35
 - breakdown/non-uniformity, 37, 57
 - gauge function, 36
 - matching principle, 38, 57
 - multiple scales, 43
 - near-field/far-field, 41, 57, 58
 - order notation, 36
 - stationary phase, 76, 181, 186
 - strained coordinates, 42
- attenuation
 - of solitary wave, 365, 374
- averaged Lagrangian, 114, 181

- barotropic fluid, 51
- Benjamin-Feir instability
 - of Stokes wave, 336
- Bernoulli, D., 399
- Bernoulli's equation, 11
- Bessel equation, 82
- Bessel, F. W., 399
- Bessel function, 67, 75, 76
- bi- (bound) soliton
 - of NLS equation, 321, 322, 350, 351
- bilinear form of
 - 2D KdV equation, 240
 - Boussinesq equation, 243
 - cKdV equation, 243, 291
 - DS equations for long waves, 325, 350
 - KdV equation, 236
 - N -soliton of KdV equation, 240
 - NLS equation, 318, 349
 - solitary wave of KdV equation, 237
 - two-soliton of KdV equation, 239
 - two-soliton of NLS equation, 320
- bilinear method, 234
 - for KdV equation, 235
 - for NLS equation, 318
- bilinear operator 236
 - properties, 237, 290
- body force, 5
- bore, 156
 - energy loss, 161, 375, 376, 384
 - Froude number, 196, 384
 - jump condition, 157, 159, 160
 - Rankine-Hugoniot conditions, 159, 160
 - reflection at a wall, 197
 - undular, 162, 374, 378
- bottom boundary condition, 14, 18
 - viscous, 357, 397
- bound (bi-) soliton
 - of NLS equation, 321, 322, 350, 351
- boundary conditions
 - bottom, 14, 18
 - dynamic, 14, 15
 - kinematic, 14
 - surface tension, 16
 - viscous fluid, 357, 397
 - water waves, general, 13
- boundary layer
 - model equation, 387, 388
- boundary layer (viscous)
 - and KdV equation, 372
 - under solitary wave, 367, 370, 373
- bounded (compact) support, 32
- Boussinesq equation, 216, 219
 - bilinear form, 243
 - conservation laws, 250, 293
 - conserved quantities, 293
 - solitary-wave solution, 286
 - standard form, 287
 - two-soliton solution, 291
- Boussinesq, J., 399
- breaking of waves, 35, 85, 157, 170, 196

- Bretherton's equation, 59
 bubble model, 53
 Burgers equation, 60, 378
 Burns condition (integral), 257, 261, 294, 295, 380
 generalised, 266, 339
- capillary wave
 group speed, 75
 ship-wave pattern, 195
 speed, 64
- Cartesian (rectangular) coordinates, 3
 Cauchy, A-L., 399
 Cauchy principal value, 262
 Cauchy problem (wave equations), 32, 39
 Cauchy-Riemann relations, 52
 caustic, 104, 116
 characteristic
 variables, 32
 characteristics
 method of, 34
 shallow water equations, 149
 variable depth, 191
 circular hydraulic jump, 197
 circulation
 solitary wave, 177, 199
 cKdV equation
 see concentric KdV equation
 cnoidal wave, 176, 199
 compact (bounded) support, 32
 completely integrable equations
 see also soliton theory, 201, 223
 completely integrable system, 249
 complex potential, 52
 complex velocity, 52
 concentric (c)KdV equation, 211
 bilinear form, 243, 291
 conservation laws, 250, 293
 conserved densities, 293
 general solution, 233
 solitary-wave solution, 290
 concentric wave, 66, 187
 deep water, 75, 187
 conservation laws
 an infinity of, 249
 energy, 20, 245, 292
 for 2D KdV equation, 251
 for Boussinesq equation, 250, 293
 for cKdV equation, 250, 293
 for DS equations, 329, 352
 for KdV equation, 247, 292, 293
 for NLS equation, 325, 351
 for shallow water equations, 252, 294
 Hamiltonian system, 249
 in soliton theory, 243
 mass, 3, 4, 19, 244, 327
 momentum, 7, 246
 two-dimensional NLS equation, 352
 variable-depth KdV equation, 296
 conservative force field, 10
 conserved density/quantity, 245, 246
 for Boussinesq equation, 293
 for cKdV equation, 293
 for KdV equation, 292
 constant of the motion, 246
 continuity equation, 4
 continuum hypothesis, 3
 convective derivative, 5
 coordinates
 cylindrical, 8, 13
 rectangular Cartesian, 3, 8, 13
 critical level (layer), 257, 295
 crossing waves
 see oblique waves
 cubic Schrödinger equation
 see Nonlinear Schrödinger equation
 curl of a vector field, 9
 cylindrical coordinates, 8, 13
 cylindrical KdV equation
 see concentric (c)KdV
 cylindrical tank
 waves in, 187
 cylindrical wave
 see concentric wave, 66
- D'Alembert, J., 400
 D'Alembert's solution (wave equation), 32, 56
 dam-break problem, 151
 damping
 of gravity waves, 360
 Davey–Stewartson (DS) equations, 305, 307
 and stability of Stokes wave, 336
 bilinear form for long waves, 325, 350
 conservation laws, 329, 352
 for long waves, 323
 into NLS equation, 350
 long/short wave limits, 346
 matching to 2D KdV equation, 347
 solitary-wave solution, 350
 del operator, 4
 density
 conserved, 245
 fluid, 3
 derivative
 convective, 5
 material, 5
 Descartes, R., 400
 differentiation under the integral, 4, 53, 54
 dispersion, 33
 dispersion relation, 33, 56
 gravity waves with viscosity, 362, 387

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)*Subject index*

439

- dispersion relation (*cont.*)
 plane waves, constant depth, 64
 with viscosity and surface tension, 387
- dissipation (damping), 34, 363, 364
- divergence of a vector field, 4
- divergence theorem, 4
- diverging wave system (ship waves), 130, 132
- DS equations
see Davey–Stewartson equations
- DS equations (long waves), 323
 bilinear form, 325, 350
 solitary-wave solution, 325, 351
- Duhamel's method, 371, 389
- dynamic boundary condition, 14, 15, 55
- dynamic wave, 381
- edge waves, 90
 with oblique waves, 192
- eigenvalue, 86
- eikonal equation, 99, 192
- elliptic functions, 198
- elliptic integrals, 198
- energy, 23, 190, 191
 conservation law, 20, 245, 292
 propagation, 73
 solitary wave, 177
 speed of propagation, 73
- energy equation, 20, 54, 98, 113, 160
- energy flux, 23, 190, 191
- energy loss
 bore/hydraulic jump, 161
- envelope (caustic), 104, 116
- equation
 Bernoulli, 11
 Bessel, 82
 Boussinesq, 216, 219
 Bretherton's, 59
 Burgers, 60
 classical wave, 31, 56
 completely integrable, 201
 concentric KdV, 211, 214
 continuity, 4
 eikonal, 99, 192
 energy, 20, 54, 98, 113, 160
 Euler, 5, 8, 49
 Gel'fand–Levitan, 225, 226
 Helmholtz's, 50
 Johnson's *see* ncKdV
 Korteweg–de Vries, 42, 58, 174, 204, 208
 KP *see* two-dimensional KdV
 Laplace, 12, 13
 linearised, 30
 linearised shallow water, 80
 long wave, 30
 Marchenko, 225, 226
- mass conservation, 3, 4
- mass conservation integral, 19
- Navier–Stokes, 5, 393
- nearly-concentric (nc)KdV, 214, 216
- Newton's second law, 7
- Nonlinear Schrödinger, 45, 58, 298, 304
- Painlevé, 224, 286
- pressure (unsteady Bernoulli), 12
- ray, 193
- shallow water, 147
- two-dimensional KdV, 209, 211
- Euler, L., 400
- Euler's equation, 5, 8, 49
- Eulerian description, 48
- expansion fan, 152
- Faddeev condition, 226
- far-field/near-field, 41, 57, 58, 206
- Fermat, P. de, 400
- Fermat's principle, 193
- flow
 incompressible, 5, 48, 49
 inviscid, 5
 irrotational, 9, 52, 56
 steady, 11
 viscous, 5, 393
- fluid
 barotropic, 51
 inviscid, 5
 particle acceleration, 47
 viscous, 5, 393
- flux
 conservation law, 245
- force
 body, 5
 conservative, 10
 gravity, 6
 local (short-range), 5
 normal, 6
 pressure, 6
- Fourier representation
 modulated wave, 345
- Fredholm alternative, 96
- Fredholm, E. I., 400
- Froude number, 162, 379, 384
 bore/hydraulic jump, 196
- Froude, W., 400
- fully developed flow, 378
- Gauss, K. F., 400
- Gauss' theorem, 4
- Gaussian curvature, 17
- Gel'fand–Levitan equation
also see Marchenko equation, 225, 226
- generalised Burns condition, 266, 295, 339

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)

440

generalised NLS equation, 349
 geometrical optics, theory of, 93
 gradient vector, 11
 gravity, 10
 gravity wave
 group speed/velocity, 64, 65
 linearised on constant slope, 85
 nonlinear on constant slope, 162
 speed (phase), 64, 65
 with viscosity, 360
 Green, G., 401
 Green's formula, 96
 Green's law, 84, 104, 191, 272
 group speed velocity, 33, 44, 189
 capillary wave, 75
 for shear flow, 339, 354
 gravity wave, 74, 75
 harmonic wave, 69, 72
 in NLS equation, 302
 group velocity vector, 98, 192

 Hamilton, W. R., 401
 Hamiltonian flow, 249
 Hamiltonian mechanics, 224
 Hamiltonian system, 249
 Hankel, H., 401
 Hankel transform, 67
 harmonic solution, 33
 plane waves, constant depth, 62
 harmonic terms, 44
 harmonic wave, 33
 group speed velocity, 69, 72
 particle path, 67
 phase speed, 64
 Heaviside, O., 401
 Helmholtz, H. von, 401
 Helmholtz's equation, 50
 higher harmonics, 301
 highest wave
 Stokes, 169, 197
 Hirota's bilinear method
 see under bilinear, 234
 historical notes, 399
 hodograph transformation, 153, 182
 Jacobian, 154
 Hugoniot, P. H., 401
 hydraulic jump, 156
 circular, 197
 energy loss, 161
 Froude number, 162, 196
 jump condition, 157, 159, 160
 Rankine–Hugoniot condition, 159, 160
 shooting flow, 162
 subcritical flow, 162
 supercritical flow, 162
 tranquil flow, 162

Subject index

hydrostatic pressure, 49

 implicit solution
 nonlinear waves, 56
 impulse, 118, 123
 impulsive pressure, 124
 incompressible flow, 5, 48, 49
 influence points, 128, 194
 instability
 Benjamin–Feir (Stokes wave), 336
 integral equation
 see Marchenko equation
 invariant
 Riemann, 149
 inverse scattering transform theory
 see soliton theory
 inviscid flow, 5
 irrotational flow, 9, 52, 56

 Jacobi, K. G. J., 401
 Jacobian, 154
 Jacobian elliptic functions, 198
 Johnson's equation
 see nearly concentric (nc)KdV
 jump condition
 bore/hydraulic jump, 157, 159, 160

 Kadomtsev–Petviashvili (KP) equation
 see two-dimensional KdV
 Kelvin, Lord, 402
 Kelvin's method of stationary phase, 186
 Kelvin–Helmholtz instability, 185
 kinematic boundary condition, 14
 kinematic condition, 52
 kinematic wave, 381
 Korteweg–de Vries (KdV) equation
 bilinear form, 236
 bilinear method, 235
 centre of mass property, 292
 cnoidal wave, 176
 concentric, 211, 214
 conservation laws, 247
 conserved densities, 292
 derivation, 204
 derivation/far-field, 206
 for shear flow, 255, 261
 for variable depth, 268, 272
 for variable depth, fast, 274
 for variable depth, slow, 274
 for water waves, 208
 general solution, 225
 introduction, 42, 57, 58
 matching to NLS equation, 308
 N-soliton solution, 231

- Korteweg–de Vries (KdV) equation (*cont.*)
 nearly-concentric, 214, 216
 rational solution, 286
 scaling transformation, 285
 sech^2 solution, 174
 similarity solution, 286
 solitary-wave solution, 226
 three-soliton solution, 241, 288
 two-dimensional, 209, 211
 two-soliton solution, 228, 230, 231
 water-wave introduction, 172, 174
 with boundary-layer term, 372, 390
 with surface tension, 285
- Korteweg–de Vries family of equations
 matching to near-field, 221
 transformations between, 219
- Korteweg–de Vries–Burgers equation, 383
 steady solution, 384, 391
- Kronecker, L., 402
- Lagrange, J. L., 402
- Lagrangian
 averaged, 114, 181
 Lagrangian description, 48
 Lagrangian function, 199
 Laguerre, E., 402
 Laguerre polynomials, 92
- Lamb, H., 402
- Laplace, P. S., 402
- Laplace's equation, 12, 13, 183, 192
- Laplace's formula (surface tension), 17
- linear integral equation, 225
- linear momentum, 5, 7
- linear scattering problem, 224
- linearised equation, 30
- linearised shallow water equations, 80
- local (short-range) force, 5
- long wave equation, 30
- long wavelength parameter, 26
- Ma solitary wave
 into rational-cum-oscillatory solution, 348
 of NLS equation, 315, 317, 348
- Mach angle, 122
- Mach, E., 402
- Mach number, 162
- Marchenko equation, 225, 226
 separable, 228
- mass
 solitary wave, 177
- mass conservation equation, 3, 4, 19, 244, 327
 integral form, 19
- mass flux
- Stokes wave, 146, 191
- matching
 between DS and 2D KdV equations, 347
 between NLS and KdV equations, 308
 to near-field, 221
- matching principle, 38, 57
- material derivative, 5, 47, 48
- mean drift, 191, 332, 346, 354
- method of characteristics, 34, 56
- method of steepest descent, 77
- modulated wave
 Fourier representation, 345
- momentum, 5, 7
- multiple scales, 43
 ray theory (varying current), 108
 ray theory (varying depth), 94
- N -soliton solution
 of KdV equation, 231
 of KdV equation, bilinear form, 240
 of NLS equation, 317
- Navier, C. L. M. H., 402
- Navier–Stokes equation, 5, 393
- ncKdV equation
see nearly-concentric KdV equation
- near-field
 matching for KdV equations, 221
 near-field/far-field, 41, 57, 58
 nearly-concentric (nc)KdV equation, 214, 216
- Newton, I., 403
- Newton's second law, 5, 7
- NLS equation
see Nonlinear Schrödinger equation
- NLS+/- equations, 312
- NLS- equation
 solitary-wave solution, 348
- nondimensionalisation, 24, 55
- Nonlinear Schrödinger (NLS) equation, 45, 58, 298, 304
 bi- (bound) soliton solution, 321, 322, 350, 351
 bilinear form, 318, 349
 bilinear method, 318
 conservation laws, 325, 351
 derivation for water waves, 298
 for shear flow, 337
 for variable depth, 341, 355
 for variable depth, fast, 343
 for variable depth, slow, 355
 general solution, 312, 349
 generalised, 349
 introduction, 58
 long/short wave limits, 346
 Ma solitary wave, 315, 317, 348
 matching to KdV equation, 308

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)

442

Subject index

- Nonlinear Schrödinger (NLS) equation
(*cont.*)
- moment of inertia, 353
 - N -soliton solution, 317
 - rational-cum-oscillatory solution, 316, 317, 348
 - similarity solution, 349
 - solitary-wave solution, 313, 316, 347
 - stability of Stokes wave, 332
 - two-soliton solution, 320, 321, 351
- nonlinear superposition principle, 240
- nonlinear wave equation, 34, 56, 59
- normal force, 6
- oblique waves, 183, 185, 211
- nonlinear interaction, 277
 - strong interaction, 281
 - two-dimensional KdV equation, 211, 242, 283
 - variable depth, 100
 - weak interaction, 277, 279, 282
 - with edge waves, 192
- Painlevé equation, 224, 286
- parameter
- amplitude, 27
 - Froude number, 162, 196, 379, 384
 - long wavelength, 26
 - Reynolds number, 55, 358
 - shallowness, 26
 - Weber number, 27
- particle path, 10, 51
- harmonic wave, 67, 183
- periodic terms, 44
- phase shift
- for KdV soliton solution, 232
- phase speed, 33
- capillary waves, 64
 - deep water, 64
 - gravity waves, 64, 65
 - long waves, 64
 - plane waves, constant depth, 64
 - ripples, 64
 - shallow water, 64
 - short waves, 64
- plane waves, constant depth, 62
- dispersion relation, 64
 - phase speed, 64
- Poincaré, J. H., 403
- Poiseuille channel flow, 378
- position vector, 2
- potential
- complex, 52
 - vector, 52
- potential function, 10
- velocity, 11
- pressure, 2, 6
 - hydrostatic, 49
 - impulsive, 124
- pressure equation (unsteady Bernoulli), 12
- Rankine, W. J. M., 403
- Rankine's vortex, 51
- Rankine–Hugoniot conditions
- bore/hydraulic jump, 159, 160
- rational solution
- of KdV equation, 286
- rational-cum-oscillatory solution
- of NLS equation, 316, 317, 348
- ray equation, 193
- ray theory, 93, 181
- caustic, 104, 116
 - cylindrical geometry, 105
 - ship waves, 134
 - slowly varying current, 108
 - slowly varying depth, 94, 193, 194
- Rayleigh, Lord, 403
- Rayleigh–Taylor instability, 186
- rectangular Cartesian coordinates, 8, 13
- rectangular channel, waves in, 183
- reflected wave, 83, 274
- reflection at wall
- by bore, 197
- resonant waves, 211, 242, 291
- resonant-wave solution
- of 2D KdV equation, 291
- Reynolds number, 55, 358
- Reynolds, O., 403
- Riemann, G. F. B., 403
- Riemann invariants, 149, 182
- shallow water equations, 149
- ring waves
- with shear flow, 263
- ripples
- see* capillary waves
- roll waves, 384
- run-up, 93, 196
- Russell, J. S., 404
- observations, 201
- scaling, 24, 28
- Schrödinger, E., 404
- secular terms, 44
- set-down
- Stokes wave, 142, 332, 354
- shallow water equations, 147, 252
- bore/hydraulic jump, 156
 - characteristics, 149
 - conservation laws, 252, 294
 - dam-break problem, 151

Subject index

443

- shallow water equations (*cont.*)
 hodograph transformation, 153
 linearised, 80
 Riemann invariants, 149
- shallowness parameter, 26
- shear flow
 group speed/velocity, 339, 354
 KdV equation, 255, 261
 NLS equation, 337
 ring waves, 263
 stability of Stokes wave, 341
- ship waves, 117, 181
 capillary, 195
 circular path, 195
 decreasing depth, 194
 deep water, 117
 diverging system, 130, 132
 influence points, 128, 194
 point impulse, 118, 123
 ray theory, 134
 transverse system, 130, 132
 wedge angle, 122, 194
- shooting flow
 hydraulic jump, 162
- short-crested waves, 184
- short-range force, 5
- side-band instability
 of Stokes wave, 336
- similarity solution
 of KdV equation, 286
 of NLS equation, 349
- simple waves, 149, 195
 with shear, 195
- singular solution
 of ordinary differential equation, 267, 295
- sloshing waves, 184, 187
- slowly varying current
 ray theory, 108
 upwelling/down current, 110
- slowly varying depth
 KdV equation, 274
 NLS equation, 355
 ray theory, 94
- Snell's law, 193
- solenoidal vector, 5
- solitary wave, 165
 attenuation due to viscosity, 365, 374
 circulation, 177, 199
 for variable depth, 274, 296
 impulse (momentum), 177
 integral relations, 176, 199
 introduction, 60
 kinetic energy, 177
 mass, 177
 momentum (impulse), 177
 of 2D KdV equation, 287, 289
 of Boussinesq equation, 286
 of cKdV equation, 290
 of DS equations, 350
 of DS equations for long waves, 325, 351
 of KdV equation, 226
 of KdV equation, bilinear form, 237
 of NLS equation, 313, 316, 347
 of NLS— equation, 348
 potential energy, 177
 sech^2 , 171, 182, 198
 speed, 166
 with viscous boundary layer, 367, 370, 373
- soliton
 the word, 224
- soliton theory
 conservation laws, 243
 for 2D KdV equation, 233
 for cKdV equation, 233
 for DS equations, 323
 for KdV equation, 225
 for NLS equation, 312, 349
 general, 223
- speed
 capillary wave, 64
 group, 33, 44
 phase, 33
- standing waves, 183
- stationary phase, method of, 181, 186
 application, 76
- steady flow
 definition, 11
- steepest descent, method of, 77, 181
- step
 waves over, 185
- Stokes mean drift, 191, 332, 346, 354
- Stokes wave, 139, 181
 Benjamin–Feir instability, 336
 mass flux, 146, 191
 mean drift, 191, 332, 346, 354
 set-down, 142, 332
 side-band instability, 336
 stability, 332, 337
 stability over shear flow, 341
- Stokes, G. G., 404
- Stokes' highest wave, 169, 197
- stream function, 51, 52
- streamline, 9, 51
- stress tensor, 351
- strong interaction
 oblique waves, 281
- subcritical flow
 hydraulic jump, 162
- supercritical flow
 hydraulic jump, 162
- surface shear stress, 367, 368, 388, 397
- surface tension
 boundary condition, 16

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)

444

Subject index

- surface tension (*cont.*)
 Gaussian curvature, 17
 in KdV equation, 285
 Laplace's formula, 17
- Taylor, G. I., 404
 Taylor shock profile, 60
 tensor, 352
 stress, 2, 393
 tensor calculus, 352
 three-soliton solution
 of KdV equation, 241, 288
 tranquil flow
 hydraulic jump, 162
 transformation
 2D KdV \rightarrow cKdV, 220
 between KdV equations, 219
 Boussinesq \rightarrow KdV, 287
 ncKdV \rightarrow 2D KdV, 287
 ncKdV \rightarrow KdV, 220
 transverse wave system (ship waves), 130, 132
 trapped waves, 90, 104
 travelling wave, 60
 solitary, 60
 Taylor profile, 60
 two-dimensional (2D) KdV equation, 209, 211
 bilinear form, 240
 conservation laws, 251
 general solution, 233
 matching to DS equations, 347
 resonant-wave solution, 291
 solitary-wave solution, 287, 289
 two-soliton solution, 289, 291
 two-dimensional Boussinesq equation, 289
 solitary-wave solution, 289
 two-dimensional NLS equation, 352
 conservation laws, 352
 two-soliton solution
 from bilinear form: KdV equation, 239
 of 2D KdV equation, 289, 291
 of Boussinesq equation, 291
 of KdV equation, 228, 230, 231
 phase shift for KdV solution, 232
- undular bore, 162, 374, 378
 energy loss, 375, 376, 384
 Froude number, 384
 steady model for, 376, 384
 uniform stream
 waves on, 184, 185
 uniqueness theorem, 54
 upwelling/down current, 110
- variable depth
 characteristics, 191
 conservation law, 296
 fast, for KdV equation, 274
 fast, for NLS equation, 343
 KdV equation, 268, 272
 NLS equation, 341, 355
 oblique waves, 100
 slow, for KdV equation, 274
 slow, for NLS equation, 355
 solitary wave, 296
 wave propagation, 80
 variational principle, 199
 vector
 position, 2
 potential, 52
 solenoidal, 5
 velocity, 2
 vorticity, 9, 11
 vector calculus, 2
 vector field
 curl, 9
 del operator, 4
 differential identities, 47
 divergence, 4
 divergence theorem, 4
 gradient vector, 11
 integral identities, 47
 velocity
 complex, 52
 group, 98, 192
 in fluid, 2
 potential, 11, 52
 viscous boundary layer
 and KdV equation, 372
 under solitary wave, 367, 370, 373
 viscous flow, 5, 357, 393
 vortex, 9
 Rankine's, 51
 vorticity, 49, 50
 vorticity vector, 9, 11
- wave action, 98
 wave breaking, 35, 85, 157, 170, 196
 wave, dynamic, 381
 wave equation, 31, 56
 Cauchy problem, 32, 39, 56
 d'Alembert's solution, 32, 56
 hierarchies, 58, 59
 nonlinear, 34, 56, 59
 wave hierarchies, 58, 59, 380
 wave, kinematic, 381
 wave number, 33
 wave, reflected, 83
 waves, linear
 capillary, 64

Cambridge University Press

0521591724 - A Modern Introduction to the Mathematical Theory of Water Waves

R. S. Johnson

Index

[More information](#)*Subject index*

445

- waves, linear (*cont.*)
 - cylindrical tank, 187
 - cylindrical/concentric, 66
 - dynamic, 381
 - edge waves on constant slope, 90
 - gravity, 64, 65
 - harmonic, 33, 63, 67
 - in rectangular channel, 183
 - oblique, 183, 185
 - oblique, variable depth, 100
 - on constant slope, 85, 192
 - on uniform stream, 184, 185
 - over step, 185
 - plane, constant depth, 62
 - ripples, 64
 - run-up, 93
 - ship, 117
 - short-crested, 184
 - sloshing, 184
 - standing, 183
 - trapped, 90, 104
 - travelling, 60
 - variable depth, 80
- waves, nonlinear
 - bore, 156
 - cnoidal, 176
 - dam-break problem, 151
 - expansion fan, 152
 - harmonic, 141
 - hodograph transformation, 153
 - hydraulic jump, 156
 - implicit solution, 56
 - long, 146
 - mass flux, 146, 191
 - oblique, 209
 - resonant, 211, 242, 291
 - run-up, 196
 - Russell's solitary wave, 166
 - sech^2 solitary wave, 171
 - set-down, 142
 - simple, 149
 - sloping beach, 162
 - Stokes, 139
 - Stokes' highest, 169
 - two-dimensional, 209
- weak interaction
 - oblique waves, 277, 279, 282
- Weber number, 27
- Weber, W. E., 404
- wedge angle
 - ship waves, 122, 194