

Index

Numbers in italics refer to *tables* and *figures*; f indicates footnote.

- ablative surgery 179, 198–9, 200
- acetylcholine 22f, 234
- acetylsalicylic acid *see* aspirin
- acoustical masking *see* masking of sounds
- acoustic impedance tests 73–4
- acoustic neuroma *see* vestibular schwannoma
- activities affected by tinnitus 70, 147–8
- acupuncture 219
- acute cochlear deafness 183
- adaptation 34
- Addison’s disease 233
- agonists 233
- alcohol and tinnitus 188
- alprazolam 185, 187
- alternative therapies 218–22
 - acupuncture 219
 - herbal remedies 221
 - homeopathy 219
 - for hyperacusis 221–2
 - hyperbaric oxygen 220, 237
 - lasers 220
 - magnetic stimulation 220
 - music-based 221
 - others 221
 - practitioners 218
 - transcutaneous black boxes 219
 - ultrasonic stimulation 220
 - use of the term 218
- aminoglycosides 195
- amylobarbitol 189
- anemia 207
- angiography 233
- annoyance induced by tinnitus, evaluation of 148
- anodal blocks 214
- antagonists 233
- antibiotics 195–6
- anticonvulsants 189–90
- antidepressants 188–9
- anxiety and tinnitus 96
 - behavioral management techniques 185, 213–14
 - medication 185–8
- aromatherapy 221
- aspirin
 - tinnitus evocation 25, 195
 - treatment of spontaneous otoacoustic emissions 11, 190
- Atlanta study results 156–62
- attention
 - distraction of 103, 214
 - limitation of 91–3
- audiograms 233
- audiological evaluation 72–6
 - crucial tests 72
 - explanation of results to patients 87
 - follow-up 135
 - protocol 74–6
 - traditionally used/superfluous tests 73–4
 - useful tests 73
- auditory brainstem responses 74
- auditory (cochlear) nerve 233
- auditory hallucinations 1, 3, 7–8
- auditory imagery 7, 233
- auditory integration 222
- auditory nerve compression 204
- auditory nerve section 179, 198–9, 200
- auditory pathways 89, 233
- auditory system
 - anatomy 87, 109, 199
 - control of gain 23, 90
 - desensitization 130
 - electrical activity of single neurons 23
 - functions 18–19, 87–90
 - pattern recognition 89, 90–1, 239
 - reduced sound environment 25
 - tinnitus as by-product of compensatory action 23–6
- automatic gain control 23
- autonomic nervous system
 - activation 21–2
 - control over 94
 - effects of sound therapy 60
 - effects of TRT counseling 56
 - familiar, significant sounds 37, 42
 - new sounds 35, 37
 - prolonged 94–5
 - and tinnitus 95, 98

269 Index

- overviews 21–2f, 94f, 234
- and sleep impairment 39–40, 40f
- see also* feedback loops
- avoidance strategies 103, 169, 180, 212–13
- axons 234
- background noise and sound perception 23–5
- barbiturates 189
- baclofen 189–90
- Baltimore study results 151–6
- basilar membrane 235
- beating of tones 6
- behavioral techniques for anxiety management 185, 213–14
- Bell’s palsy 208, 235
- benzodiazepines 185, 186–7
- betahistine 183
- BICROS 126, 235
- binaural amplification 125
- blending (mixing) point 116, 117
- borreliosis *see* Lyme disease
- brain
 - effects of sleep deprivation 40
 - plasticity *see* plasticity of the brain
 - responses to sensory overload 91–3
 - responses to sounds
 - familiar, non-significant 36, 37–8
 - familiar, significant 37, 42
 - new 34–7, 99–100
 - sound processing 9–10
 - subconscious selection 37–8
 - see also* autonomic nervous system; limbic system
- bruits 235
- caffeine 196
- calcium channel blockers 191
- cancer chemotherapy 196
- carbamazepine 189
- caroverine 192
- categories in tinnitus classification
 - allocation 84
 - basis of 80–1
 - category 0 121–2
 - category 1 122–3
 - category 2 124–7
 - category 3 128–30
 - category 4 131–3, 139–40
 - features of TRT for 82–4
- central processing disorder 74
- cerebral cortex 235
- CHABA report 1, 2
- cinnarizine 190
- classification of tinnitus 2, 3
- clonazepam 186
- cochlea
 - anatomy 235
 - discordant hair cell damage 27–8
 - function explained to patients 88–9
 - over-amplification by 131
 - surgical destruction of 198
 - and tinnitus interaction with external sounds 6
- cochlear implants 126, 127, 202, 214, 215–16, 235
- coffee/tea 196
- cognitive behavioral therapy 212–13
- cognitive reclassification of tinnitus 102
- cognitive reconstruction 213
- computed tomography (CT) 235
- conditioned reflexes 38, 41–4, 54f, 236
 - active extinction 51
 - automation of repetitive activity 92
 - mechanism hindering spontaneous extinction 46, 49
- passive extinction 44, 101
- see also* habituation of tinnitus
- superstitious 44f
- conscious feedback loops 45, 98
- contralateral suppression 5, 9, 127, 235, 236
- contrast and loudness perception 91
- coping strategies 180, 212–13
- counseling
 - negative 79–80, 109–10, 121, 173–4, 175
 - pre-MRI 199–200
 - preventive 174–6
- counseling (retraining) 55, 56–8, 85–115
 - about sound therapy 111–14
 - approach 86
 - concepts to be conveyed 81–2, 106
 - decreased sound tolerance 106–8
 - discussion of options 105
 - elements discussed in sessions 86
 - audiological test results 87
 - brain plasticity 93
 - effect of contrast on perception 91
 - functions of the auditory system 87–90
 - habituation of tinnitus 99–105
 - how tinnitus becomes a problem 95–9
 - limbic/autonomic nervous system activation 93–5
 - limitation of attention 91–3
 - pattern recognition 90–1
 - examples/parables used in 86
 - factors affecting implementation
 - beliefs about evolution 110
 - culture and background 108–9
 - musicians/patients with auditory training 110
 - participation of family/friends 109
 - patient’s scientific knowledge 109–10
 - strength of inappropriate beliefs 108
 - general considerations 79–86
 - inadequate 137–8, 143
 - in groups 143
 - minimal requirements ind0190i
 - modifications for treatment categories
 - category 0 121
 - category 1 122–3
 - category 2 124–5
 - category 3 128–9
 - category 4 132
 - outlined 64
 - provision of supplementary information 106
 - terminology 85–6
- craniosacral therapy 221
- critical band 4–5, 236

270 Index

- CROS 126, 236
- culture and tinnitus 108–9
- cure for tinnitus 226
- deafness *see* hearing loss
- decibels (dB) 236
- decreased sound tolerance
 - associated medical conditions 14
 - combined components 14, 51
 - counseling for 106–8
 - effects on quality of life 69–70
 - evaluation 14
 - hearing protection for MRI 79
 - impact on life 51
 - patient interview 69
 - prediction by neurophysiological model 32
 - prevalence 13, 32
 - recruitment 48, 241
 - scoring of 71–2
- deep brain stimulation 217–18
- definitions of tinnitus
 - commonly used 1–3
 - phantom auditory perception 3–4
 - justification 4–7
 - summary 15
 - traditional 1
- demystification of tinnitus 56–7, 236
- depression and tinnitus 39, 39f
 - medication 188–9
 - TRT 138–9
- desensitization 128
- diabetes and tinnitus 207
- diazepam 186
- dietary restriction, self-imposed 180, 194
- dietary supplements 193–4
- dihydropyrimidines 236
- discordant dysfunction (damage) theory of tinnitus production 26–8, 30–1, 33, 89
- distortion of sound 129
- distortion product otoacoustic emission (DPOAE) 73, 76, 236
- distraction techniques 103, 214
- dorsal cochlear nuclei 27, 28
- double-blind studies 236
- drugs *see* medications
- duration of tinnitus 10
- ear-plugs 79, 173, 212, 221
- ears, destructive surgery 198–9, 200
- electrical stimulation 214–18
 - anodal suppression of tinnitus 215
 - deep brain 217–18
 - early work 215
 - external cochlear stimulation 216
 - high frequency 217
 - potential of 214
 - transcutaneous 217
- emergency help lines 174
- Emory Tinnitus and Hyperacusis Centre study results 156–62
- endolymph 236
- endolymphatic hydrops *see* Ménière’s syndrome
- endolymphatic sac surgery 201
- environmental sound 7, 12, 16, 32, 33, 58, 59, 69, 111–14, 117, 118–19, 126, 128, 131, 140, 144, 197
- eperisone 192
- epidemiology of tinnitus 10, 17
- ethanol *see* alcohol
- eustacian tube 236
- evaluation of TRT 145–70
 - approaches used by other investigators 168–9
 - comparison group 162, 165
 - criteria for case inclusion 147
 - criteria for improvement 147
 - individual patients 148–50
 - goal of treatment 145
 - methods of data collection 146–7
 - minimal requirements 143
 - modification of patients’ expectations 146
 - placebo effect 150, 177–8
 - questions asked 135, 147–8
 - results from centers
 - Atlanta 156–62
 - Baltimore 151–6
 - London 162–8
 - others 168
 - spontaneous recovery 151
 - time frame 150
- failure of TRT 84, 136
 - category 4 patients 139–40
 - effects of litigation 138
 - effects of medications 139
 - focus on cure 140
 - inadequate counseling and follow-up 137–8
 - psychological problems 138–9
 - temporary worsening of symptoms 136–7
 - tinnitus suppression by hearing aids 140
- feedback loops 45–6, 98
- fight or flight response 94–5, 96
- flecainide 184
- flunarizine 191
- fluoxetine (Prozac) 188–9
- furosemide 191–2
- generalization principle 117f
- gentamycin 195
- Ginkgo biloba* 192–3
- glutamate 192
- global hypersensitivity 96, 208
- glutamic acid diethylester 192
- habituation of tinnitus 16
 - as basis of TRT 54–5, 100–1
 - clinical approach 55, 56
 - combined therapies 61
 - continuous promotion of habituation 19, 60
 - follow-up questions 134–5
 - stress management 103
 - time frame 105
 - TRT counseling *see* counseling (retraining)

271 Index

- clinical goals 54, 101
- effects of medication 104–5
- explanation in counseling sessions 99–105
- habituation of perception 37, 52–3, 55, 57, 56–8, 101, 148
- habituation of reaction 52, 55, 56, 57, 101
- mechanisms 52–4, 102–3
- natural 33–4
- passive extinction of conditioned reflexes 44, 101
- spontaneous 96
- time frame 105
- hair cells
 - regeneration of 226
 - see also* inner hair cells; outer hair cells
- hallucinations, auditory 3, 7–8
- hearing
 - restoration, future for 226
 - selective 35
 - thresholds 237
 - see also* auditory system
- hearing aids
 - BICROS 126, 235
 - category 2 (tinnitus and hearing loss) patients 83, 124, 125–7
 - combined with sound generators 83–4, 127
 - CROS 126, 236
 - deep canal types 114
 - in hyperacusis treatment 212
 - noise cancellation programs 125
 - tinnitus suppression by 125, 140
 - use in tinnitus patients 211–12
- hearing level 237
- hearing loss
 - discussion with patients 87
 - evaluation before TRT 79
 - hearing aids, criterion for use 124
 - not predictor of tinnitus 180
 - profound, challenge to TRT 226
 - scoring of subjective effects 72
 - sound enrichment in 114–15
 - and tinnitus 14–15, 32–3, 70–1, 124–5
 - unilateral 126
 - see also* audiological evaluation
- help lines 174
- herbal remedies 221
- high-frequency sounds 75–6
- histamine and dextran infusions 183
- homeopathy 219
- homeostasis 31f
- hummers 100f
- hydrops 237
- hyperacusis
 - alternative therapies 221–2
 - associated medical conditions 207–8
 - counseling for 106–7
 - defense mechanism 129
 - defined 11, 237
 - easier to treat 155
 - effect on TRT outcome, Baltimore study 154, 153–4, 155
 - emergence with tinnitus 129
 - features 12, 48, 50
 - hearing aids in treatment of 212
 - high-frequency sounds 75–6
 - in medical disorders 207–8
 - mechanism 53
 - over-protection of hearing 68
 - prevalence 13
 - sound distortion 129
 - symptom worsening after sound exposure 129, 131–3
 - treatment approaches 51, 128–30, 131–3
 - wearable sound generators 83–84, 120, 130
- hyperbaric oxygen therapy 220, 237
- hypertension and tinnitus 207
- hypnosis 221
- hypnotics 185
- IHC *see* inner hair cells
- imipramine 188–209
- impedance audiometry 76
- inferior colliculus 28
- inner hair cells (IHCs) 9, 14, 27, 28, 31, 32, 88, 89, 192, 198, 226, 237, 242
 - damage to 9, 27, 32, 68, 88, 129, 202, 204, 207, 215, 240
 - function 27, 32, 87, 88, 89, 124, 131
- insomnia *see* sleep impairment
- intensity of sound 237
- iontophoresis of local anesthetics 184–5
- kindling 131, 237
- labyrinthectomy 199, 201, 238
- lamotrigine 190
- lasers 220
- lateral inhibition 25–6
- lidocaine 184–5
- limbic system
 - activation 22
 - effects of high levels of 39f
 - effects of sound therapy 60
 - effects of TRT counseling 56
 - familiar, significant sounds 37, 42
 - new sounds 35, 37
 - anatomy 20
 - features 21f, 238
 - functions 21, 39f, 94
- litigation effects on TRT 138
- local anesthetics 184–5
- London study results 162–8
- lorazepam 186
- loudness
 - effect of contrast on perception 91
 - matching 73
- loudness discomfort levels (LDLs) 14, 238
 - explanation of reduction to patients 87
 - importance of testing 75
 - testing protocol 75
- Lyme disease 139, 208, 238

272 Index

- magnetic resonance imaging (MRI) 238
 - auditory nerve compression 204
 - hearing protection 79
 - vestibular schwannoma 199–200
- magnetic stimulation 220
- masking of sounds
 - critical band 4–5
 - defined 4, 238
 - mechanism 127
 - partial 117
 - tinnitus *see* tinnitus masking
 - use in somatosounds 1, 2, 5, 11, 15, 16, 77, 78, 79, 100, 170, 190, 205, 207
- Ménière's syndrome
 - betahistine treatment 183
 - features 203, 238
 - tinnitus 203–4
 - treatment 199, 203, 204
- medical conditions associated with hyperacusis 207–8
- medical conditions associated with tinnitus 205–7
 - anemia 207
 - hypertension 207
 - low blood sugar on waking 207
 - migraine 207
 - syphilis 207
 - temporomandibular joint dysfunction 206
 - tensor tympani syndrome 206
 - thyroid dysfunctions 207
- medical evaluation for TRT 76–80
 - avoidance of negative counseling *see* negative counseling
 - head and neck examination 77–8
 - hearing loss 79
 - history 76–7
 - importance 76
 - medications taken 78
 - prior treatments 77
 - psychiatric problems 78
 - somatosounds 78–9
 - tinnitus modulation by somatosensory stimulation 77
 - verbal description of tinnitus 77
- medications 181–97
 - dietary supplements 193–4
 - drugs/substances implicated in tinnitus 194–6
 - antibiotics 195–6
 - aspirin 25, 195
 - caffeine 196
 - cancer drugs 196
 - elderly patients 195
 - psychotropic drugs 194
 - quinine 195
 - recreational drugs 196
 - unfair blame 78, 194
 - withdrawal 78, 104, 139, 182, 185, 186
 - effects on TRT 139
 - general considerations
 - assumption of cochlear damage 182
 - effects on habituation 104–5, 139
 - future developments 182
 - selection based on anecdotal reports 181
 - syndromic tinnitus 181
- neural networks 89
- tinnitus treatment
 - applicability summarized 196–7
 - antiallergenic, anti-inflammatory agents 190–1
 - anticonvulsants 189–90
 - antidepressants 188–9
 - calcium channel blockers 191
 - local anesthetics 184–5
 - sedatives and tranquilizers 185–8
 - vasodilators 183
 - others 191–3
- mexilitene 184
- microvascular decompression 204
- migraine and tinnitus 207
- minimal suppression levels (MSLs) 73, 164–5, 166
- misophonia
 - counseling for 107–8, 122
 - defined 239
 - examples of beliefs 48f
 - features 12–13, 48, 50–1
 - mechanism 53
 - patient interview 69
 - prolonged symptoms after sound exposure 131
 - treatment approach 51
- mixing (blending) point 116, 117
- molecular orthogonal medicine 193
- monotonic sequences 239
- MRI *see* magnetic resonance imaging
- music therapies 221
- musicians 110
- myringoplasty 201, 239
- natural habituation of tinnitus 33–4
- negative counseling 79–80, 109–10, 121, 173–4, 175
- negative emotions/beliefs 38–9, 67, 213
- negative reinforcement 44–5, 101
- neuronal activity, tinnitus-related 9, 227
- neurophysiological basis for TRT
 - brain plasticity 54
 - dissociation of tinnitus from reflex responses 54–5
- neurophysiological model of tinnitus 16–62
 - clinical implications *see* habituation of tinnitus, clinical approach
 - components
 - conditioned reflexes 41–4
 - feedback loops 45–6, 98
 - irrelevance of signal strength 47–8
 - main systems involved 41
 - negative reinforcement 44–5, 101
 - decreased sound tolerance 32, 48–52
 - development 16–22
 - autonomic nervous system involvement 21–2
 - clinical findings 17
 - crucial concept 18
 - limbic system involvement 20–1, 22

273 Index

- psychoacoustical characterization, lack of
 - clinical importance 18
 - research findings 17–18
 - role of non-auditory centers 18–19
- explanation in counseling sessions
 - habituation of tinnitus 99–105
 - how tinnitus becomes a problem 95–9
 - mechanisms of tinnitus signal generation 23–31
 - by-product of auditory system compensatory actions 23–6
 - combined 30
 - discordant dysfunction theory 26–8, 30–1, 33, 89
 - summarized 29–30
 - relationship of tinnitus to hearing loss 32–3
 - summarized 60–2
 - vicious cycle development 41, 43, 47–8
- nicotinic acid (niacin) 193
- nifedipine 191
- night cramps 195
- nimodipine 191
- noise, avoidance of excessive 173
- norepinephrine 22f
- nortriptyline 188
- objective/subjective tinnitus 2
- OHC *see* outer hair cells
- organ of Conti 88
- otosclerosis 239
 - surgery 202–3
- outer hair cells (OHCs)
 - damage to 27, 88–9, 173
 - function 27, 88, 239
 - redundancy of 89
 - in tinnitus 89, 239
- palatal myoclonus 77, 239
- parasympathetic nervous system 21–2f
 - see also* autonomic nervous system
- partial masking/suppression 117, 210
- passive extinction of conditioned reflexes 44, 101
- patch test, pre-myringoplasty 201
- patients
 - beliefs about ear pain 88
 - beliefs about tinnitus and hearing loss 70–1, 108
 - culture/background and TRT counseling 108–9
 - development of negative associations about tinnitus 63–4, 109–10
 - expectations of treatment 146–7
 - focus on cure 140
 - introductory contact with 65–6
 - obsessive searches for cures 20
 - partners of 109
 - quality of life with tinnitus 69–70
 - rules for sound use 225–6
 - scientific knowledge 109–10
 - scoring of tinnitus, decreased sound tolerance and hearing loss 71–2
 - self-imposed dietary restriction 180, 194
 - tinnitus-related complaints 19–20
 - treatment categories *see* categories for tinnitus classification
- pattern recognition 89, 90–1, 239
- perception
 - effect of contrast 91
 - pattern recognition 89, 90–1, 239
 - selective 36, 37–8
- perception of tinnitus
 - auditory imagery 7, 233
 - beating of tones 6
 - experiencing versus suffering 17, 97
 - formless sound 7, 8
 - neuronal activity and 9
 - understandable speech 7–8
 - versus perception of external sounds 4
 - see also* masking of sounds; suppression of tinnitus
- perilymph 239
- perilymphatic fistulae 201–2
- phantom auditory perceptions 33
 - categories 7–8
 - definition of tinnitus 3–4
 - justification 4–7
- phantom (non-auditory) perceptions 8
- phenobarbital 189
- phobic reactions to tinnitus 98–9
- phonophobia
 - examples of beliefs 48f
 - features 12, 13, 48
 - patient interview 69
 - prolonged symptoms after sound exposure 131
 - treatment approach 51
 - use of term 12
- physiological homeostasis 31f
- pink noise therapy 132–3, 221
- pitch matching 73
- placebo effect 150, 177–8
- plasticity of the brain 10, 54, 93
 - benzodiazepines and 186, 187
- positive associations with tinnitus 102–3
- positive emotions, suppression 38–9
- presbycusis 240
- prevention of tinnitus 171–6
 - avoidance of excessive noise 173
 - avoidance of negative counseling *see* negative counseling
 - avoidance of silence 84, 111, 171–2
 - education 175–6
 - emergency help lines 174
 - identification of predisposed subjects 174–5
 - provision of sound enrichment 172
- primidone 190
- promontory of tympanic cavity 240
- Prozac (fluoxetine) 188–9
- psychoacoustical masking *see* masking of sound
- psychoacoustics 240
- psychological problems
 - effects on TRT 138–9
 - medical evaluation for TRT 78
- psychological treatments 212–14
- psychotropic drugs 139, 180–2, 185–9, 194
- pure tone audiometry 74, 240

274 Index

- quality of life with tinnitus 69–70
- questionnaires for tinnitus evaluation 146
- quinine 195
- Ramsay Hunt syndrome 208, 240
- randomized, double-blind studies 177, 179
- rapid eye movement (REM) sleep 40
- rebound phenomenon 6, 211
- reclassification of tinnitus 102
- recruitment 48, 241
- reflexes, conditioned *see* conditioned reflexes
- reflexology 221
- reinforcement 44
 - negative 44–5
- relapse 142, 150–1
- relaxation 214
- residual inhibition of tinnitus 6, 74, 210–11, 241
- results of TRT *see* evaluation of TRT
- retraining counseling *see* counseling (retraining)
- schizophrenia 7, 8
- scoring of tinnitus, decreased sound tolerance and
 - hearing loss 71–2
- sedatives 185
- selective perception 36, 37–8
- sensation level 241
- severity, subjective scores of 71–2
- signal strength of tinnitus, irrelevance to clinical effects 47–8
- silence
 - avoidance of 84, 111, 171–2
 - random auditory neuronal activity 23, 198–9
 - seeking by patients 113
 - see also* sound deprivation
- sleep impairment
 - cat naps 70
 - management 97, 113–14, 185–6
 - and tinnitus 39f, 39, 40f, 41, 70, 96–7
- sleeping pills 97
- sodium amytal 189
- somatosensory input and tinnitus 206
- somatosounds
 - categories 205
 - evaluation before TRT 78–9
 - exclusion from tinnitus definition 11
 - treatment 205
- sound deprivation 58–9
 - see also* sound-proofed room experiment
- sound enrichment 172
 - approaches 111
 - devices 111–12
 - see also* sound generators
 - in hearing loss 114–15, 125
 - need for 111
 - night-time 113–14, 185
 - suitable sounds 111, 112
- sound exposure, worsening symptoms 132
- sound generators 84
 - combined with hearing aids 83–4, 127
 - unnecessary use 121–2
 - wearable *see* sound therapy: wearable sound generators
- sound pressure level 241
- sound-proofed room experiment 25, 90, 114, 124, 129, 172
- sounds
 - brain responses to
 - familiar, nonsignificant 36, 37–8
 - familiar, significant 37, 42
 - new 34–7, 99–100
 - calming 172
 - categories of 35
 - formless 7, 8
 - high frequency 75–6
 - processing within the brain 9–10
 - subconscious selection 37–8
 - worsening tinnitus symptoms 131–3
- sound therapy 115–20
 - approaches 111
 - combined with counseling 120
 - counseling about 111–14, 122–3
 - distortion 129
 - good for everyone 114, 141
 - in habituation of tinnitus 103–4
 - with hearing loss 125–7
 - with hyperacusis 130
 - London study results 164
 - minimal requirements 143–4
 - modifications for treatment categories
 - category 0 121–2
 - category 1 122–3
 - category 2 125–7
 - category 3 130
 - category 4 131–3
 - optimal sound selection
 - avoidance of “masking” 116–17
 - avoidance of negative reactions 115, 132
 - effects on habituation 115
 - preservation of tinnitus signal 115–17
 - symmetrical stimulation 119
 - unintrusiveness 117–18
 - weakening of the tinnitus signal 115
 - outlined 58–60, 64–5
 - using TV or radio 111, 112
- wearable sound generators
 - advantages 118–19
 - bilateral 119
 - category 4 patients 132
 - counseling patients about 122–3
 - daily use 120
 - fitting and adjustment 123
 - hyperacusis treatment 83–4, 120, 130
 - open ear-molds 119
 - see also* sound enrichment
- sound use, rules for patients 225–6
- speech discrimination testing 74–5
- spontaneous otoacoustic emissions (SOAE) 2, 11, 190–1
- stapedectomy 202, 241
- stapedotomy 202, 241
- startle reflex 35f

275 Index

- steroids 190
- streptomycin 195
- stress
 - management 103
 - and tinnitus 213
- structured interviews 66, 134–5, 146–7
- stump neuromas 198
- subconscious feedback loops 45, 98
- subjective/objective tinnitus 2
- superstitious reflexes 44f
- suppression of positive emotions 38–9
- suppression of tinnitus
 - as avoidance strategy 104
 - contralateral ear 5
 - partial 117
 - terminology 5–6
 - see also* tinnitus masking
- surgery 197–205
 - ablative 179, 198–9, 200
 - approaches summarized 205
 - auditory nerve compression 204
 - cochlear implants 202
 - general considerations 197–8
 - importance of hearing preservation 200–1
 - Ménière’s disease 199, 203
 - otosclerosis 202–3
 - perilymphatic fistulae 201–2
 - somatosounds 205
 - tympanic membrane perforations 201
 - vestibular schwannoma 200–1
- sympathetic nervous system
 - activation by tinnitus 39f, 95
 - effects of prolonged activation 95
 - fight or flight response 94–5, 96
 - overview 21–2f
 - see also* autonomic nervous system
- symptoms in tinnitus, *see* categories in tinnitus
 - classification
- syphilis and tinnitus 207
- table-top sound machines 112
- tea/coffee 196
- temporomandibular joint dysfunction (TMD) 206
- ten second exercise 104
- tensor tympani syndrome 206
- Therapak 219
- thyroid dysfunctions and tinnitus 207
- tinnitophobia 98–9
- tinnitus
 - at risk population 171, 174–5
 - cure for 226
 - definitions *see* definitions of tinnitus
 - development as a problem 34–41, 95–9
 - duration 10
 - epidemiology 10, 17
 - with normal hearing 31
 - objective 2
 - phobic reactions to 98–9
 - prevention *see* prevention of tinnitus
 - subjective 2
 - tonal 241
 - on waking 206–7
- Tinnitus Handicap Inventory (THI) 159–61
- Tinnitus Instrument 127
- tinnitus masking 104, 139, 208–11
 - cochlear damage from 209
 - frequency-independence 5, 208–9
 - habituation of suppressing sound 209–10
 - partial 117, 210
 - problem of high levels of sound 209
 - rationale 208, 209
 - residual inhibition and 210–11
 - TRT effective after 116, 140
 - see also* masking of sounds; suppression of tinnitus
- tinnitus-related neuronal activity 9
- tinnitus retraining therapy (TRT)
 - advantages 170, 223–4
 - disadvantages 170, 224–5
 - group therapy 143
 - failure *see* failure of TRT
 - future directions 225, 226–7
 - minimal requirements 142–3
 - evaluation 143
 - follow-up 144
 - treatment 143–4
 - outlined 63–5, 223–6
- tinnitus retraining therapy (TRT) protocol 65–142
 - categorization of patients
 - basis outlined 80–1
 - category allocation 84
 - features of TRT for categories 82–4
 - a comparison group 162
 - components 65
 - counseling *see* counseling (retraining)
 - follow-up contacts
 - aim of measurements 135–6
 - audiological evaluation 135
 - compliance-checking 134
 - counseling approach 133–4
 - intervals between 133
 - introductory contact 65–6
 - initial visit, interview
 - assessment of patient’s concerns 67
 - discussion of patient’s subjective experience 68–9
 - effects on individual’s life 69–70
 - family information 67
 - importance of detailed history 68
 - patient’s assessment of tinnitus and hearing loss 70–1
 - psychological profile 72–6
 - scoring of tinnitus, decreased sound tolerance and hearing loss 71–2
 - structured interview forms 66
 - tape recording interviews 106
 - tinnitus questionnaire review 66
 - triggering factors 67–8
 - medical evaluation *see* medical evaluation for TRT

276 Index

- tinnitus retraining therapy (TRT) protocol (*cont.*)
 - modifications for treatment categories 121–33
 - category 0 (mild/recent symptoms) 121–2
 - category 1 (high impact tinnitus) 122–3
 - category 2 (tinnitus and hearing loss) 124–7
 - category 3 (hyperacusis) 128–30
 - category 4 (prolonged worsening on sound exposure) 131–3, 139–40
 - relapse of symptoms 142
 - study, need for 106
 - minimal requirements 144
 - structured interview 134–5
 - termination of treatment 140–1
 - how 141
 - when 141
 - see also* evaluation of TRT
- TMD *see* temporomandibular dysfunction
- tocainide 184
- tonal tinnitus 241
- tranquilizers 185–8
- transcutaneous black boxes 219
- transcutaneous electrical nerve stimulation (TENS) 217
- treatment categories
 - allocation 84
 - basis outlined 80–1
 - features of TRT for 82–4
 - see also* tinnitus retraining therapy (TRT)
 - protocol: modifications for treatment categories
- treatments for tinnitus
 - coping strategies 180, 212–13
 - inner ear-based 179
 - open trials 177
 - placebo effect 150, 177–8
 - randomized, double-blind studies 177, 179
 - see also* alternative therapies; *specific treatments*
- tricyclic antidepressants 188
- TRT *see* tinnitus retraining therapy
- tympenic membrane perforations 201
- ultrasonic stimulation 220
- valproate 190
- vasodilators 183
- vestibular nerve section 199, 201
- vestibular schwannoma
 - MRI 199–200
 - prevalence of tinnitus 199
 - surgery 200–1
- vicious cycle of tinnitus development 41, 43, 47–8
- vitamin supplements 193–4
- waking tinnitus 206–7
- wax removal 79
- wearable sound generators *see* sound therapy:
 - wearable sound generators
- Wilcoxon test 157
- Williams syndrome 208, 241
- winding-up effect 131, 132, 242
- work, tinnitus effects on 70
- Xanax *see* alprazolam
- zinc 193