

PROBABILITY THEORY
THE LOGIC OF SCIENCE

This book goes beyond the conventional mathematics of probability theory, viewing the subject in a wider context. Now results are discussed, along with the application of probability theory to a wide variety of problems in physics, mathematics, economics, chemistry and biology. It contains many exercises and problems, and is suitable for use as a textbook on graduate level courses involving data analysis.

The material is aimed at readers who are already familiar with applied mathematics at an advanced undergraduate level or higher. The book is not restricted to one particular discipline but rather will be of interest to scientists working in any area where inference from incomplete information is necessary.

Edwin T Jaynes obtained his Ph.D in physics from Princeton University in 1950. He then went to Stanford University, where he stayed until 1960. He wrote extensively during this time and his papers reformulating statistical mechanics as a problem in inference were published while he was at Stanford.

In 1960 Jaynes moved to the University of Washington, St Louis where he became the Wayman Crow Professor of Physics. He retired in 1992, and died on April 30 1998.

Cambridge University Press
978-0-521-59271-0 - Probability Theory: The Logic of Science
E. T. Jaynes
Frontmatter
[More information](#)

Cambridge University Press
978-0-521-59271-0 - Probability Theory: The Logic of Science
E. T. Jaynes
Frontmatter
[More information](#)

PROBABILITY THEORY THE LOGIC OF SCIENCE

E. T. Jaynes

edited by G. Larry Bretthorst



Cambridge University Press
 978-0-521-59271-0 - Probability Theory: The Logic of Science
 E. T. Jaynes
 Frontmatter
[More information](#)

CAMBRIDGE
 UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org

© E. T. Jaynes 2003

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2003
 Reprinted with corrections 2004
 15th printing 2015

Printed in the United Kingdom by TJ International Ltd, Padstow, Cornwall

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data

Jaynes, E. T. (Edwin T.)

Probability theory: the logic of science / by E.T. Jaynes; edited by G. Larry Bretthorst.
 p. cm.

Includes bibliographical references and index.

ISBN 0 521 59271 2

1. Probabilities. I. Bretthorst, G. Larry. II. Title.

QA273 .J36 2003

519.2 – dc21 2002071486

ISBN 978-0-521-59271-0 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate. Information regarding prices, travel timetables and other factual information given in this work are correct at the time of first printing but Cambridge University Press does not guarantee the accuracy of such information thereafter.

Cambridge University Press
978-0-521-59271-0 - Probability Theory: The Logic of Science
E. T. Jaynes
Frontmatter
[More information](#)

Dedicated to the memory of
Sir Harold Jeffreys, who
saw the truth and preserved it.

Cambridge University Press
978-0-521-59271-0 - Probability Theory: The Logic of Science
E. T. Jaynes
Frontmatter
[More information](#)

Contents

	<i>Editor's foreword</i>	page xvii
	<i>Preface</i>	xix
Part I	Principles and elementary applications	
	1 Plausible reasoning	3
	1.1 Deductive and plausible reasoning	3
	1.2 Analogies with physical theories	6
	1.3 The thinking computer	7
	1.4 Introducing the robot	8
	1.5 Boolean algebra	9
	1.6 Adequate sets of operations	12
	1.7 The basic desiderata	17
	1.8 Comments	19
	1.8.1 Common language vs. formal logic	21
	1.8.2 Nitpicking	23
	2 The quantitative rules	24
	2.1 The product rule	24
	2.2 The sum rule	30
	2.3 Qualitative properties	35
	2.4 Numerical values	37
	2.5 Notation and finite-sets policy	43
	2.6 Comments	44
	2.6.1 'Subjective' vs. 'objective'	44
	2.6.2 Gödel's theorem	45
	2.6.3 Venn diagrams	47
	2.6.4 The 'Kolmogorov axioms'	49
	3 Elementary sampling theory	51
	3.1 Sampling without replacement	52
	3.2 Logic vs. propensity	60
	3.3 Reasoning from less precise information	64
	3.4 Expectations	66
	3.5 Other forms and extensions	68

3.6	Probability as a mathematical tool	68
3.7	The binomial distribution	69
3.8	Sampling with replacement	72
3.8.1	Digression: a sermon on reality vs. models	73
3.9	Correction for correlations	75
3.10	Simplification	81
3.11	Comments	82
3.11.1	A look ahead	84
4	Elementary hypothesis testing	86
4.1	Prior probabilities	87
4.2	Testing binary hypotheses with binary data	90
4.3	Nonextensibility beyond the binary case	97
4.4	Multiple hypothesis testing	98
4.4.1	Digression on another derivation	101
4.5	Continuous probability distribution functions	107
4.6	Testing an infinite number of hypotheses	109
4.6.1	Historical digression	112
4.7	Simple and compound (or composite) hypotheses	115
4.8	Comments	116
4.8.1	Etymology	116
4.8.2	What have we accomplished?	117
5	Queer uses for probability theory	119
5.1	Extrasensory perception	119
5.2	Mrs Stewart's telepathic powers	120
5.2.1	Digression on the normal approximation	122
5.2.2	Back to Mrs Stewart	122
5.3	Converging and diverging views	126
5.4	Visual perception – evolution into Bayesianity?	132
5.5	The discovery of Neptune	133
5.5.1	Digression on alternative hypotheses	135
5.5.2	Back to Newton	137
5.6	Horse racing and weather forecasting	140
5.6.1	Discussion	142
5.7	Paradoxes of intuition	143
5.8	Bayesian jurisprudence	144
5.9	Comments	146
5.9.1	What is queer?	148
6	Elementary parameter estimation	149
6.1	Inversion of the urn distributions	149
6.2	Both N and R unknown	150
6.3	Uniform prior	152
6.4	Predictive distributions	154

Contents

ix

6.5	Truncated uniform priors	157
6.6	A concave prior	158
6.7	The binomial monkey prior	160
6.8	Metamorphosis into continuous parameter estimation	163
6.9	Estimation with a binomial sampling distribution	163
6.9.1	Digression on optional stopping	166
6.10	Compound estimation problems	167
6.11	A simple Bayesian estimate: quantitative prior information	168
6.11.1	From posterior distribution function to estimate	172
6.12	Effects of qualitative prior information	177
6.13	Choice of a prior	178
6.14	On with the calculation!	179
6.15	The Jeffreys prior	181
6.16	The point of it all	183
6.17	Interval estimation	186
6.18	Calculation of variance	186
6.19	Generalization and asymptotic forms	188
6.20	Rectangular sampling distribution	190
6.21	Small samples	192
6.22	Mathematical trickery	193
6.23	Comments	195
7	The central, Gaussian or normal distribution	198
7.1	The gravitating phenomenon	199
7.2	The Herschel–Maxwell derivation	200
7.3	The Gauss derivation	202
7.4	Historical importance of Gauss’s result	203
7.5	The Landon derivation	205
7.6	Why the ubiquitous use of Gaussian distributions?	207
7.7	Why the ubiquitous success?	210
7.8	What estimator should we use?	211
7.9	Error cancellation	213
7.10	The near irrelevance of sampling frequency distributions	215
7.11	The remarkable efficiency of information transfer	216
7.12	Other sampling distributions	218
7.13	Nuisance parameters as safety devices	219
7.14	More general properties	220
7.15	Convolution of Gaussians	221
7.16	The central limit theorem	222
7.17	Accuracy of computations	224
7.18	Galton’s discovery	227
7.19	Population dynamics and Darwinian evolution	229
7.20	Evolution of humming-birds and flowers	231

7.21	Application to economics	233
7.22	The great inequality of Jupiter and Saturn	234
7.23	Resolution of distributions into Gaussians	235
7.24	Hermite polynomial solutions	236
7.25	Fourier transform relations	238
7.26	There is hope after all	239
7.27	Comments	240
	7.27.1 Terminology again	240
8	Sufficiency, ancillarity, and all that	243
8.1	Sufficiency	243
8.2	Fisher sufficiency	245
	8.2.1 Examples	246
	8.2.2 The Blackwell–Rao theorem	247
8.3	Generalized sufficiency	248
8.4	Sufficiency plus nuisance parameters	249
8.5	The likelihood principle	250
8.6	Ancillarity	253
8.7	Generalized ancillary information	254
8.8	Asymptotic likelihood: Fisher information	256
8.9	Combining evidence from different sources	257
8.10	Pooling the data	260
	8.10.1 Fine-grained propositions	261
8.11	Sam’s broken thermometer	262
8.12	Comments	264
	8.12.1 The fallacy of sample re-use	264
	8.12.2 A folk theorem	266
	8.12.3 Effect of prior information	267
	8.12.4 Clever tricks and gamesmanship	267
9	Repetitive experiments: probability and frequency	270
9.1	Physical experiments	271
9.2	The poorly informed robot	274
9.3	Induction	276
9.4	Are there general inductive rules?	277
9.5	Multiplicity factors	280
9.6	Partition function algorithms	281
	9.6.1 Solution by inspection	282
9.7	Entropy algorithms	285
9.8	Another way of looking at it	289
9.9	Entropy maximization	290
9.10	Probability and frequency	292
9.11	Significance tests	293
	9.11.1 Implied alternatives	296

Contents

xi

9.12	Comparison of psi and chi-squared	300
9.13	The chi-squared test	302
9.14	Generalization	304
9.15	Halley's mortality table	305
9.16	Comments	310
	9.16.1 The irrationalists	310
	9.16.2 Superstitions	312
10	Physics of 'random experiments'	314
10.1	An interesting correlation	314
10.2	Historical background	315
10.3	How to cheat at coin and die tossing	317
	10.3.1 Experimental evidence	320
10.4	Bridge hands	321
10.5	General random experiments	324
10.6	Induction revisited	326
10.7	But what about quantum theory?	327
10.8	Mechanics under the clouds	329
10.9	More on coins and symmetry	331
10.10	Independence of tosses	335
10.11	The arrogance of the uninformed	338
Part II Advanced applications		
11	Discrete prior probabilities: the entropy principle	343
11.1	A new kind of prior information	343
11.2	Minimum $\sum p_i^2$	345
11.3	Entropy: Shannon's theorem	346
11.4	The Wallis derivation	351
11.5	An example	354
11.6	Generalization: a more rigorous proof	355
11.7	Formal properties of maximum entropy distributions	358
11.8	Conceptual problems – frequency correspondence	365
11.9	Comments	370
12	Ignorance priors and transformation groups	372
12.1	What are we trying to do?	372
12.2	Ignorance priors	374
12.3	Continuous distributions	374
12.4	Transformation groups	378
	12.4.1 Location and scale parameters	378
	12.4.2 A Poisson rate	382
	12.4.3 Unknown probability for success	382
	12.4.4 Bertrand's problem	386
12.5	Comments	394

13	Decision theory, historical background	397
13.1	Inference vs. decision	397
13.2	Daniel Bernoulli's suggestion	398
13.3	The rationale of insurance	400
13.4	Entropy and utility	402
13.5	The honest weatherman	402
13.6	Reactions to Daniel Bernoulli and Laplace	404
13.7	Wald's decision theory	406
13.8	Parameter estimation for minimum loss	410
13.9	Reformulation of the problem	412
13.10	Effect of varying loss functions	415
13.11	General decision theory	417
13.12	Comments	418
13.12.1	'Objectivity' of decision theory	418
13.12.2	Loss functions in human society	421
13.12.3	A new look at the Jeffreys prior	423
13.12.4	Decision theory is not fundamental	423
13.12.5	Another dimension?	424
14	Simple applications of decision theory	426
14.1	Definitions and preliminaries	426
14.2	Sufficiency and information	428
14.3	Loss functions and criteria of optimum performance	430
14.4	A discrete example	432
14.5	How would our robot do it?	437
14.6	Historical remarks	438
14.6.1	The classical matched filter	439
14.7	The widget problem	440
14.7.1	Solution for Stage 2	443
14.7.2	Solution for Stage 3	445
14.7.3	Solution for Stage 4	449
14.8	Comments	450
15	Paradoxes of probability theory	451
15.1	How do paradoxes survive and grow?	451
15.2	Summing a series the easy way	452
15.3	Nonconglomerability	453
15.4	The tumbling tetrahedra	456
15.5	Solution for a finite number of tosses	459
15.6	Finite vs. countable additivity	464
15.7	The Borel–Kolmogorov paradox	467
15.8	The marginalization paradox	470
15.8.1	On to greater disasters	474

<i>Contents</i>		xiii
15.9	Discussion	478
	15.9.1 The DSZ Example #5	480
	15.9.2 Summary	483
15.10	A useful result after all?	484
15.11	How to mass-produce paradoxes	485
15.12	Comments	486
16	Orthodox methods: historical background	490
16.1	The early problems	490
16.2	Sociology of orthodox statistics	492
16.3	Ronald Fisher, Harold Jeffreys, and Jerzy Neyman	493
16.4	Pre-data and post-data considerations	499
16.5	The sampling distribution for an estimator	500
16.6	Pro-causal and anti-causal bias	503
16.7	What is real, the probability or the phenomenon?	505
16.8	Comments	506
	16.8.1 Communication difficulties	507
17	Principles and pathology of orthodox statistics	509
17.1	Information loss	510
17.2	Unbiased estimators	511
17.3	Pathology of an unbiased estimate	516
17.4	The fundamental inequality of the sampling variance	518
17.5	Periodicity: the weather in Central Park	520
	17.5.1 The folly of pre-filtering data	521
17.6	A Bayesian analysis	527
17.7	The folly of randomization	531
17.8	Fisher: common sense at Rothamsted	532
	17.8.1 The Bayesian safety device	532
17.9	Missing data	533
17.10	Trend and seasonality in time series	534
	17.10.1 Orthodox methods	535
	17.10.2 The Bayesian method	536
	17.10.3 Comparison of Bayesian and orthodox estimates	540
	17.10.4 An improved orthodox estimate	541
	17.10.5 The orthodox criterion of performance	544
17.11	The general case	545
17.12	Comments	550
18	The A_p distribution and rule of succession	553
18.1	Memory storage for old robots	553
18.2	Relevance	555
18.3	A surprising consequence	557
18.4	Outer and inner robots	559

18.5	An application	561
18.6	Laplace's rule of succession	563
18.7	Jeffreys' objection	566
18.8	Bass or carp?	567
18.9	So where does this leave the rule?	568
18.10	Generalization	568
18.11	Confirmation and weight of evidence	571
	18.11.1 Is indifference based on knowledge or ignorance?	573
18.12	Carnap's inductive methods	574
18.13	Probability and frequency in exchangeable sequences	576
18.14	Prediction of frequencies	576
18.15	One-dimensional neutron multiplication	579
	18.15.1 The frequentist solution	579
	18.15.2 The Laplace solution	581
18.16	The de Finetti theorem	586
18.17	Comments	588
19	Physical measurements	589
	19.1 Reduction of equations of condition	589
	19.2 Reformulation as a decision problem	592
	19.2.1 Sermon on Gaussian error distributions	592
	19.3 The underdetermined case: K is singular	594
	19.4 The overdetermined case: K can be made nonsingular	595
	19.5 Numerical evaluation of the result	596
	19.6 Accuracy of the estimates	597
	19.7 Comments	599
	19.7.1 A paradox	599
20	Model comparison	601
	20.1 Formulation of the problem	602
	20.2 The fair judge and the cruel realist	603
	20.2.1 Parameters known in advance	604
	20.2.2 Parameters unknown	604
	20.3 But where is the idea of simplicity?	605
	20.4 An example: linear response models	607
	20.4.1 Digression: the old sermon still another time	608
	20.5 Comments	613
	20.5.1 Final causes	614
21	Outliers and robustness	615
	21.1 The experimenter's dilemma	615
	21.2 Robustness	617
	21.3 The two-model model	619
	21.4 Exchangeable selection	620
	21.5 The general Bayesian solution	622

Contents

xv

21.6	Pure outliers	624
21.7	One receding datum	625
22	Introduction to communication theory	627
22.1	Origins of the theory	627
22.2	The noiseless channel	628
22.3	The information source	634
22.4	Does the English language have statistical properties?	636
22.5	Optimum encoding: letter frequencies known	638
22.6	Better encoding from knowledge of digram frequencies	641
22.7	Relation to a stochastic model	644
22.8	The noisy channel	648
Appendix A	Other approaches to probability theory	651
A.1	The Kolmogorov system of probability	651
A.2	The de Finetti system of probability	655
A.3	Comparative probability	656
A.4	Holdouts against universal comparability	658
A.5	Speculations about lattice theories	659
Appendix B	Mathematical formalities and style	661
B.1	Notation and logical hierarchy	661
B.2	Our 'cautious approach' policy	662
B.3	Willy Feller on measure theory	663
B.4	Kronecker vs. Weierstrasz	665
B.5	What is a legitimate mathematical function?	666
B.5.1	Delta-functions	668
B.5.2	Nondifferentiable functions	668
B.5.3	Bogus nondifferentiable functions	669
B.6	Counting infinite sets?	671
B.7	The Hausdorff sphere paradox and mathematical diseases	672
B.8	What am I supposed to publish?	674
B.9	Mathematical courtesies	675
Appendix C	Convolutions and cumulants	677
C.1	Relation of cumulants and moments	679
C.2	Examples	680
	<i>References</i>	683
	<i>Bibliography</i>	705
	<i>Author index</i>	721
	<i>Subject index</i>	724

Cambridge University Press
978-0-521-59271-0 - Probability Theory: The Logic of Science
E. T. Jaynes
Frontmatter
[More information](#)

Editor's foreword

E. T. Jaynes died April 30, 1998. Before his death he asked me to finish and publish his book on probability theory. I struggled with this for some time, because there is no doubt in my mind that Jaynes wanted this book finished. Unfortunately, most of the later chapters, Jaynes' intended volume 2 on applications, were either missing or incomplete, and some of the early chapters also had missing pieces. I could have written these latter chapters and filled in the missing pieces, but if I did so, the work would no longer be Jaynes'; rather, it would be a Jaynes–Bretthorst hybrid with no way to tell which material came from which author. In the end, I decided the missing chapters would have to stay missing – the work would remain Jaynes'.

There were a number of missing pieces of varying length that Jaynes had marked by inserting the phrase 'MUCH MORE COMING'. I could have left these comments in the text, but they were ugly and they made the book look very incomplete. Jaynes intended this book to serve as both a reference and a text book. Consequently, there are question boxes (Exercises) scattered throughout most chapters. In the end, I decided to replace the 'MUCH MORE COMING' comments by introducing 'Editor's' Exercises. If you answer these questions, you will have filled in the missing material.

Jaynes wanted to include a series of computer programs that implemented some of the calculations in the book. I had originally intended to include these programs. But, as time went on, it became increasingly obvious that many of the programs were not available, and the ones that were were written in a particularly obscure form of BASIC (it was the programs that were obscure, not the BASIC). Consequently, I removed the references to these programs and, where necessary, inserted a few sentences to direct people to the necessary software tools to implement the calculations.

Numerous references were missing and had to be supplied. Usually the information available, a last name and date, was sufficient to find one or more probable references. When there were several good candidates, and I was unable to determine which Jaynes intended, I included multiple references and modified the citation. Sometimes the information was so vague that no good candidates were available. Fortunately, I was able to remove the citation with no detrimental effect. To enable readers to distinguish between cited works and other published sources, Jaynes' original annotated bibliography has been split into two sections: a Reference list and a Bibliography.

Finally, while I am the most obvious person who has worked on getting this book into publication, I am not the only person to do so. Some of Jaynes' closest friends have assisted me in completing this work. These include Tom Grandy, Ray Smith, Tom Lored, Myron Tribus and John Skilling, and I would like to thank them for their assistance. I would also like to thank Joe Ackerman for allowing me to take the time necessary to get this work published.

G. Larry Bretthorst

Preface

The following material is addressed to readers who are already familiar with applied mathematics, at the advanced undergraduate level or preferably higher, and with some field, such as physics, chemistry, biology, geology, medicine, economics, sociology, engineering, operations research, etc., where inference is needed.¹ A previous acquaintance with probability and statistics is not necessary; indeed, a certain amount of innocence in this area may be desirable, because there will be less to unlearn.

We are concerned with probability theory and all of its conventional mathematics, but now viewed in a wider context than that of the standard textbooks. Every chapter after the first has ‘new’ (i.e. not previously published) results that we think will be found interesting and useful. Many of our applications lie outside the scope of conventional probability theory as currently taught. But we think that the results will speak for themselves, and that something like the theory expounded here will become the conventional probability theory of the future.

History

The present form of this work is the result of an evolutionary growth over many years. My interest in probability theory was stimulated first by reading the work of Harold Jeffreys (1939) and realizing that his viewpoint makes all the problems of theoretical physics appear in a very different light. But then, in quick succession, discovery of the work of R. T. Cox (1946), Shannon (1948) and Pólya (1954) opened up new worlds of thought, whose exploration has occupied my mind for some 40 years. In this much larger and permanent world of rational thinking in general, the current problems of theoretical physics appeared as only details of temporary interest.

The actual writing started as notes for a series of lectures given at Stanford University in 1956, expounding the then new and exciting work of George Pólya on ‘Mathematics and Plausible Reasoning’. He dissected our intuitive ‘common sense’ into a set of elementary qualitative desiderata and showed that mathematicians had been using them all along to

¹ By ‘inference’ we mean simply: deductive reasoning whenever enough information is at hand to permit it; inductive or plausible reasoning when – as is almost invariably the case in real problems – the necessary information is not available. But if a problem can be solved by deductive reasoning, probability theory is not needed for it; thus our topic is the optimal processing of incomplete information.

guide the early stages of discovery, which necessarily precede the finding of a rigorous proof. The results were much like those of James Bernoulli's *Art of Conjecture* (1713), developed analytically by Laplace in the late 18th century; but Pólya thought the resemblance to be only qualitative.

However, Pólya demonstrated this qualitative agreement in such complete, exhaustive detail as to suggest that there must be more to it. Fortunately, the consistency theorems of R. T. Cox were enough to clinch matters; when one added Pólya's qualitative conditions to them the result was a proof that, if degrees of plausibility are represented by real numbers, then there is a uniquely determined set of quantitative rules for conducting inference. That is, any other rules whose results conflict with them will necessarily violate an elementary – and nearly inescapable – desideratum of rationality or consistency.

But the final result was just the standard rules of probability theory, given already by Daniel Bernoulli and Laplace; so why all the fuss? The important new feature was that these rules were now seen as uniquely valid principles of logic in general, making no reference to 'chance' or 'random variables'; so their range of application is vastly greater than had been supposed in the conventional probability theory that was developed in the early 20th century. As a result, the imaginary distinction between 'probability theory' and 'statistical inference' disappears, and the field achieves not only logical unity and simplicity, but far greater technical power and flexibility in applications.

In the writer's lectures, the emphasis was therefore on the quantitative formulation of Pólya's viewpoint, so it could be used for general problems of scientific inference, almost all of which arise out of incomplete information rather than 'randomness'. Some personal reminiscences about George Pólya and this start of the work are in Chapter 5.

Once the development of applications started, the work of Harold Jeffreys, who had seen so much of it intuitively and seemed to anticipate every problem I would encounter, became again the central focus of attention. My debt to him is only partially indicated by the dedication of this book to his memory. Further comments about his work and its influence on mine are scattered about in several chapters.

In the years 1957–1970 the lectures were repeated, with steadily increasing content, at many other universities and research laboratories.² In this growth it became clear gradually that the outstanding difficulties of conventional 'statistical inference' are easily understood and overcome. But the rules which now took their place were quite subtle conceptually, and it required some deep thinking to see how to apply them correctly. Past difficulties, which had led to rejection of Laplace's work, were seen finally as only misapplications, arising usually from failure to define the problem unambiguously or to appreciate the cogency of seemingly trivial side information, and easy to correct once this is recognized. The various relations between our 'extended logic' approach and the usual 'random variable' one appear in almost every chapter, in many different forms.

² Some of the material in the early chapters was issued in 1958 by the Socony-Mobil Oil Company as Number 4 in their series 'Colloquium Lectures in Pure and Applied Science'.

Eventually, the material grew to far more than could be presented in a short series of lectures, and the work evolved out of the pedagogical phase; with the clearing up of old difficulties accomplished, we found ourselves in possession of a powerful tool for dealing with new problems. Since about 1970 the accretion has continued at the same pace, but fed instead by the research activity of the writer and his colleagues. We hope that the final result has retained enough of its hybrid origins to be usable either as a textbook or as a reference work; indeed, several generations of students have carried away earlier versions of our notes, and in turn taught it to their students.

In view of the above, we repeat the sentence that Charles Darwin wrote in the Introduction to his *Origin of Species*: 'I hope that I may be excused for entering on these personal details, as I give them to show that I have not been hasty in coming to a decision.' But it might be thought that work done 30 years ago would be obsolete today. Fortunately, the work of Jeffreys, Pólya and Cox was of a fundamental, timeless character whose truth does not change and whose importance grows with time. Their perception about the nature of inference, which was merely curious 30 years ago, is very important in a half-dozen different areas of science today; and it will be crucially important in all areas 100 years hence.

Foundations

From many years of experience with its applications in hundreds of real problems, our views on the foundations of probability theory have evolved into something quite complex, which cannot be described in any such simplistic terms as 'pro-this' or 'anti-that'. For example, our system of probability could hardly be more different from that of Kolmogorov, in style, philosophy, and purpose. What we consider to be fully half of probability theory as it is needed in current applications – the principles for assigning probabilities by logical analysis of incomplete information – is not present at all in the Kolmogorov system.

Yet, when all is said and done, we find ourselves, to our own surprise, in agreement with Kolmogorov and in disagreement with his critics, on nearly all technical issues. As noted in Appendix A, each of his axioms turns out to be, for all practical purposes, derivable from the Pólya–Cox desiderata of rationality and consistency. In short, we regard our system of probability as not contradicting Kolmogorov's; but rather seeking a deeper logical foundation that permits its extension in the directions that are needed for modern applications. In this endeavor, many problems have been solved, and those still unsolved appear where we should naturally expect them: in breaking into new ground.

As another example, it appears at first glance to everyone that we are in very close agreement with the de Finetti system of probability. Indeed, the writer believed this for some time. Yet when all is said and done we find, to our own surprise, that little more than a loose philosophical agreement remains; on many technical issues we disagree strongly with de Finetti. It appears to us that his way of treating infinite sets has opened up a Pandora's box of useless and unnecessary paradoxes; nonconglomerability and finite additivity are examples discussed in Chapter 15.

Infinite-set paradoxing has become a morbid infection that is today spreading in a way that threatens the very life of probability theory, and it requires immediate surgical removal. In our system, after this surgery, such paradoxes are avoided automatically; they cannot arise from correct application of our basic rules, because those rules admit only finite sets and infinite sets that arise as well-defined and well-behaved limits of finite sets. The paradoxing was caused by (1) jumping directly into an infinite set without specifying any limiting process to define its properties; and then (2) asking questions whose answers depend on how the limit was approached.

For example, the question: ‘What is the probability that an integer is even?’ can have any answer we please in $(0, 1)$, depending on what limiting process is used to define the ‘set of all integers’ (just as a conditionally convergent series can be made to converge to any number we please, depending on the order in which we arrange the terms).

In our view, an infinite set cannot be said to possess any ‘existence’ and mathematical properties at all – at least, in probability theory – until we have specified the limiting process that is to generate it from a finite set. In other words, we sail under the banner of Gauss, Kronecker, and Poincaré rather than Cantor, Hilbert, and Bourbaki. We hope that readers who are shocked by this will study the indictment of Bourbakism by the mathematician Morris Kline (1980), and then bear with us long enough to see the advantages of our approach. Examples appear in almost every chapter.

Comparisons

For many years, there has been controversy over ‘frequentist’ versus ‘Bayesian’ methods of inference, in which the writer has been an outspoken partisan on the Bayesian side. The record of this up to 1981 is given in an earlier book (Jaynes, 1983). In these old works there was a strong tendency, on both sides, to argue on the level of philosophy or ideology. We can now hold ourselves somewhat aloof from this, because, thanks to recent work, there is no longer any need to appeal to such arguments. We are now in possession of proven theorems and masses of worked-out numerical examples. As a result, the superiority of Bayesian methods is now a thoroughly demonstrated fact in a hundred different areas. One can argue with a philosophy; it is not so easy to argue with a computer printout, which says to us: ‘Independently of all your philosophy, here are the facts of actual performance.’ We point this out in some detail whenever there is a substantial difference in the final results. Thus we continue to argue vigorously for the Bayesian methods; but we ask the reader to note that our arguments now proceed by citing facts rather than proclaiming a philosophical or ideological position.

However, neither the Bayesian nor the frequentist approach is universally applicable, so in the present, more general, work we take a broader view of things. Our theme is simply: *probability theory as extended logic*. The ‘new’ perception amounts to the recognition that the mathematical rules of probability theory are not merely rules for calculating frequencies of ‘random variables’; they are also the unique consistent rules for conducting inference (i.e. plausible reasoning) of any kind, and we shall apply them in full generality to that end.

It is true that all ‘Bayesian’ calculations are included automatically as particular cases of our rules; but so are all ‘frequentist’ calculations. Nevertheless, our basic rules are broader than either of these, and in many applications our calculations do not fit into either category.

To explain the situation as we see it presently: The traditional ‘frequentist’ methods which use only sampling distributions are usable and useful in many particularly simple, idealized problems; however, they represent the most proscribed special cases of probability theory, because they presuppose conditions (independent repetitions of a ‘random experiment’ but no relevant prior information) that are hardly ever met in real problems. This approach is quite inadequate for the current needs of science.

In addition, frequentist methods provide no technical means to eliminate nuisance parameters or to take prior information into account, no way even to use all the information in the data when sufficient or ancillary statistics do not exist. Lacking the necessary theoretical principles, they force one to ‘choose a statistic’ from intuition rather than from probability theory, and then to invent *ad hoc* devices (such as unbiased estimators, confidence intervals, tail-area significance tests) not contained in the rules of probability theory. Each of these is usable within the small domain for which it was invented but, as Cox’s theorems guarantee, such arbitrary devices always generate inconsistencies or absurd results when applied to extreme cases; we shall see dozens of examples.

All of these defects are corrected by use of Bayesian methods, which are adequate for what we might call ‘well-developed’ problems of inference. As Harold Jeffreys demonstrated, they have a superb analytical apparatus, able to deal effortlessly with the technical problems on which frequentist methods fail. They determine the optimal estimators and algorithms automatically, while taking into account prior information and making proper allowance for nuisance parameters, and, being exact, they do not break down – but continue to yield reasonable results – in extreme cases. Therefore they enable us to solve problems of far greater complexity than can be discussed at all in frequentist terms. One of our main purposes is to show how all this capability was contained already in the simple product and sum rules of probability theory interpreted as extended logic, with no need for – indeed, no room for – any *ad hoc* devices.

Before Bayesian methods can be used, a problem must be developed beyond the ‘exploratory phase’ to the point where it has enough structure to determine all the needed apparatus (a model, sample space, hypothesis space, prior probabilities, sampling distribution). Almost all scientific problems pass through an initial exploratory phase in which we have need for inference, but the frequentist assumptions are invalid and the Bayesian apparatus is not yet available. Indeed, some of them never evolve out of the exploratory phase. Problems at this level call for more primitive means of assigning probabilities directly out of our incomplete information.

For this purpose, the Principle of maximum entropy has at present the clearest theoretical justification and is the most highly developed computationally, with an analytical apparatus as powerful and versatile as the Bayesian one. To apply it we must define a sample space, but do not need any model or sampling distribution. In effect, entropy maximization creates a model for us out of our data, which proves to be optimal by so many different

criteria³ that it is hard to imagine circumstances where one would not want to use it in a problem where we have a sample space but no model.

Bayesian and maximum entropy methods differ in another respect. Both procedures yield the optimal inferences from the information that went into them, but we may choose a model for Bayesian analysis; this amounts to expressing some prior knowledge – or some working hypothesis – about the phenomenon being observed. Usually, such hypotheses extend beyond what is directly observable in the data, and in that sense we might say that Bayesian methods are – or at least may be – speculative. If the extra hypotheses are true, then we expect that the Bayesian results will improve on maximum entropy; if they are false, the Bayesian inferences will likely be worse.

On the other hand, maximum entropy is a nonspeculative procedure, in the sense that it invokes no hypotheses beyond the sample space and the evidence that is in the available data. Thus it predicts only observable facts (functions of future or past observations) rather than values of parameters which may exist only in our imagination. It is just for that reason that maximum entropy is the appropriate (safest) tool when we have very little knowledge beyond the raw data; it protects us against drawing conclusions not warranted by the data. But when the information is extremely vague, it may be difficult to define any appropriate sample space, and one may wonder whether still more primitive principles than maximum entropy can be found. There is room for much new creative thought here.

For the present, there are many important and highly nontrivial applications where Maximum Entropy is the only tool we need. Part 2 of this work considers them in detail; usually, they require more technical knowledge of the subject-matter area than do the more general applications studied in Part 1. All of presently known statistical mechanics, for example, is included in this, as are the highly successful Maximum Entropy spectrum analysis and image reconstruction algorithms in current use. However, we think that in the future the latter two applications will evolve into the Bayesian phase, as we become more aware of the appropriate models and hypothesis spaces which enable us to incorporate more prior information.

We are conscious of having so many theoretical points to explain that we fail to present as many practical worked-out numerical examples as we should. Fortunately, three recent books largely make up this deficiency, and should be considered as adjuncts to the present work: *Bayesian Spectrum Analysis and Parameter Estimation* (Bretthorst, 1988), *Maximum Entropy in Action* (Buck and Macaulay, 1991), and *Data Analysis – A Bayesian Tutorial* (Sivia, 1996), are written from a viewpoint essentially identical to ours and present a wealth of real problems carried through to numerical solutions. Of course, these works do not contain nearly as much theoretical explanation as does the present one. Also, the Proceedings

³ These concern efficient information handling; for example, (1) the model created is the simplest one that captures all the information in the constraints (Chapter 11); (2) it is the unique model for which the constraints would have been sufficient statistics (Chapter 8); (3) if viewed as constructing a sampling distribution for subsequent Bayesian inference from new data D , the only property of the measurement errors in D that are used in that subsequent inference are the ones about which that sampling distribution contained some definite prior information (Chapter 7). Thus the formalism automatically takes into account all the information we have, but avoids assuming information that we do not have. This contrasts sharply with orthodox methods, where one does not think in terms of information at all, and in general violates both of these desiderata.

volumes of the various annual MAXENT workshops since 1981 consider a great variety of useful applications.

Mental activity

As one would expect already from Pólya's examples, probability theory as extended logic reproduces many aspects of human mental activity, sometimes in surprising and even disturbing detail. In Chapter 5 we find our equations exhibiting the phenomenon of a person who tells the truth and is not believed, even though the disbelievers are reasoning consistently. The theory explains why and under what circumstances this will happen.

The equations also reproduce a more complicated phenomenon, divergence of opinions. One might expect that open discussion of public issues would tend to bring about a general consensus. On the contrary, we observe repeatedly that when some controversial issue has been discussed vigorously for a few years, society becomes polarized into two opposite extreme camps; it is almost impossible to find anyone who retains a moderate view. Probability theory as logic shows how two persons, given the same information, may have their opinions driven in opposite directions by it, and what must be done to avoid this.

In such respects, it is clear that probability theory is telling us something about the way our own minds operate when we form intuitive judgments, of which we may not have been consciously aware. Some may feel uncomfortable at these revelations; others may see in them useful tools for psychological, sociological, or legal research.

What is 'safe'?

We are not concerned here only with abstract issues of mathematics and logic. One of the main practical messages of this work is the great effect of prior information on the conclusions that one should draw from a given data set. Currently, much discussed issues, such as environmental hazards or the toxicity of a food additive, cannot be judged rationally if one looks only at the current data and ignores the prior information that scientists have about the phenomenon. This can lead one to overestimate or underestimate the danger.

A common error, when judging the effects of radioactivity or the toxicity of some substance, is to assume a linear response model without threshold (i.e. without a dose rate below which there is no ill effect). Presumably there is no threshold effect for cumulative poisons like heavy metal ions (mercury, lead), which are eliminated only very slowly, if at all. But for virtually every organic substance (such as saccharin or cyclamates), the existence of a finite metabolic rate means that there must exist a finite threshold dose rate, below which the substance is decomposed, eliminated, or chemically altered so rapidly that it causes no ill effects. If this were not true, the human race could never have survived to the present time, in view of all the things we have been eating.

Indeed, every mouthful of food you and I have ever taken contained many billions of kinds of complex molecules whose structure and physiological effects have never been determined – and many millions of which would be toxic or fatal in large doses. We cannot

doubt that we are daily ingesting thousands of substances that are far more dangerous than saccharin – but in amounts that are safe, because they are far below the various thresholds of toxicity. At present, there are hardly any substances, except some common drugs, for which we actually know the threshold.

Therefore, the goal of inference in this field should be to estimate not only the slope of the response curve, but, *far more importantly*, to decide whether there is evidence for a threshold; and, if there is, to estimate its magnitude (the ‘maximum safe dose’). For example, to tell us that a sugar substitute can produce a barely detectable incidence of cancer in doses 1000 times greater than would ever be encountered in practice, is hardly an argument against using the substitute; indeed, the fact that it is necessary to go to kilodoses in order to detect any ill effects at all, is rather conclusive evidence, not of the danger, but of the *safety*, of a tested substance. A similar overdose of sugar would be far more dangerous, leading not to barely detectable harmful effects, but to sure, immediate death by diabetic coma; yet nobody has proposed to ban the use of sugar in food.

Kilodose effects are irrelevant because we do not take kilodoses; in the case of a sugar substitute the important question is: What are the threshold doses for toxicity of a sugar substitute and for sugar, compared with the normal doses? If that of a sugar substitute is higher, then the rational conclusion would be that the substitute is actually safer than sugar, as a food ingredient. To analyze one’s data in terms of a model which does not allow even the possibility of a threshold effect is to prejudge the issue in a way that can lead to false conclusions, however good the data. If we hope to detect any phenomenon, we must use a model that at least allows the *possibility* that it may exist.

We emphasize this in the Preface because false conclusions of just this kind are now not only causing major economic waste, but also creating unnecessary dangers to public health and safety. Society has only finite resources to deal with such problems, so any effort expended on imaginary dangers means that real dangers are going unattended. Even worse, the error is incorrigible by the currently most used data analysis procedures; a false premise built into a model which is never questioned cannot be removed by any amount of new data. Use of models which correctly represent the prior information that scientists have about the mechanism at work can prevent such folly in the future.

Such considerations are not the only reasons why prior information is essential in inference; the progress of science itself is at stake. To see this, note a corollary to the preceding paragraph: that new data that we insist on analyzing in terms of old ideas (that is, old models which are not questioned) *cannot lead us out of the old ideas*. However many data we record and analyze, we may just keep repeating the same old errors, missing the same crucially important things that the experiment was competent to find. That is what ignoring prior information can do to us; no amount of analyzing coin tossing data by a stochastic model could have led us to the discovery of Newtonian mechanics, which alone determines those data.

Old data, when seen in the light of new ideas, can give us an entirely new insight into a phenomenon; we have an impressive recent example of this in the Bayesian spectrum analysis of nuclear magnetic resonance data, which enables us to make accurate quantitative determinations of phenomena which were not accessible to observation at all with the

previously used data analysis by Fourier transforms. When a data set is mutilated (or, to use the common euphemism, ‘filtered’) by processing according to false assumptions, important information in it may be destroyed irreversibly. As some have recognized, this is happening constantly from orthodox methods of detrending or seasonal adjustment in econometrics. However, old data sets, if preserved unmutated by old assumptions, may have a new lease on life when our prior information advances.

Style of presentation

In Part 1, expounding principles and elementary applications, most chapters start with several pages of verbal discussion of the nature of the problem. Here we try to explain the constructive ways of looking at it, and the logical pitfalls responsible for past errors. Only then do we turn to the mathematics, solving a few of the problems of the genre to the point where the reader may carry it on by straightforward mathematical generalization. In Part 2, expounding more advanced applications, we can concentrate from the start on the mathematics.

The writer has learned from much experience that this primary emphasis on the logic of the problem, rather than the mathematics, is necessary in the early stages. For modern students, the mathematics is the easy part; once a problem has been reduced to a definite mathematical exercise, most students can solve it effortlessly and extend it endlessly, without further help from any book or teacher. It is in the conceptual matters (how to make the initial connection between the real-world problem and the abstract mathematics) that they are perplexed and unsure how to proceed.

Recent history demonstrates that anyone foolhardy enough to describe his own work as ‘rigorous’ is headed for a fall. Therefore, we shall claim only that we do not knowingly give erroneous arguments. We are conscious also of writing for a large and varied audience, for most of whom clarity of meaning is more important than ‘rigor’ in the narrow mathematical sense.

There are two more, even stronger, reasons for placing our primary emphasis on logic and clarity. Firstly, no argument is stronger than the premises that go into it, and, as Harold Jeffreys noted, those who lay the greatest stress on mathematical rigor are just the ones who, lacking a sure sense of the real world, tie their arguments to unrealistic premises and thus destroy their relevance. Jeffreys likened this to trying to strengthen a building by anchoring steel beams into plaster. An argument which makes it clear intuitively *why* a result is correct is actually more trustworthy, and more likely of a permanent place in science, than is one that makes a great overt show of mathematical rigor unaccompanied by understanding.

Secondly, we have to recognize that there are no really trustworthy standards of rigor in a mathematics that has embraced the theory of infinite sets. Morris Kline (1980, p. 351) came close to the Jeffreys simile: ‘Should one design a bridge using theory involving infinite sets or the axiom of choice? Might not the bridge collapse?’ The only real rigor we have today is in the operations of elementary arithmetic on finite sets of finite integers, and our own bridge will be safest from collapse if we keep this in mind.

Of course, it is essential that we follow this ‘finite sets’ policy whenever it matters for our results; but we do not propose to become fanatical about it. In particular, the arts of computation and approximation are on a different level than that of basic principle; and so once a result is derived from strict application of the rules, we allow ourselves to use any convenient analytical methods for evaluation or approximation (such as replacing a sum by an integral) without feeling obliged to show how to generate an uncountable set as the limit of a finite one.

We impose on ourselves a far stricter adherence to the mathematical rules of probability theory than was ever exhibited in the ‘orthodox’ statistical literature, in which authors repeatedly invoke the aforementioned intuitive *ad hoc* devices to do, arbitrarily and imperfectly, what the rules of probability theory would have done for them uniquely and optimally. It is just this strict adherence that enables us to avoid the artificial paradoxes and contradictions of orthodox statistics, as described in Chapters 15 and 17.

Equally important, this policy often simplifies the computations in two ways: (i) the problem of determining the sampling distribution of a ‘statistic’ is eliminated, and the evidence of the data is displayed fully in the likelihood function, which can be written down immediately; and (ii) one can eliminate nuisance parameters at the beginning of a calculation, thus reducing the dimensionality of a search algorithm. If there are several parameters in a problem, this can mean orders of magnitude reduction in computation over what would be needed with a least squares or maximum likelihood algorithm. The Bayesian computer programs of Bretthorst (1988) demonstrate these advantages impressively, leading in some cases to major improvements in the ability to extract information from data, over previously used methods. But this has barely scratched the surface of what can be done with sophisticated Bayesian models. We expect a great proliferation of this field in the near future.

A scientist who has learned how to use probability theory directly as extended logic has a great advantage in power and versatility over one who has learned only a collection of unrelated *ad hoc* devices. As the complexity of our problems increases, so does this relative advantage. Therefore we think that, in the future, workers in all the quantitative sciences will be obliged, as a matter of practical necessity, to use probability theory in the manner expounded here. This trend is already well under way in several fields, ranging from econometrics to astronomy to magnetic resonance spectroscopy; but, to make progress in a new area, it is necessary to develop a healthy disrespect for tradition and authority, which have retarded progress throughout the 20th century.

Finally, some readers should be warned not to look for hidden subtleties of meaning which are not present. We shall, of course, explain and use all the standard technical jargon of probability and statistics – because that is our topic. But, although our concern with the nature of logical inference leads us to discuss many of the same issues, our language differs greatly from the stilted jargon of logicians and philosophers. There are no linguistic tricks, and there is no ‘meta-language’ gobbledygook; only plain English. We think that this will convey our message clearly enough to anyone who seriously wants to understand it. In any event, we feel sure that no further clarity would be achieved by taking the first few steps down that infinite regress that starts with: ‘What do you mean by “exists”?’

Acknowledgments

In addition to the inspiration received from the writings of Jeffreys, Cox, Pólya, and Shannon, I have profited by interaction with some 300 former students, who have diligently caught my errors and forced me to think more carefully about many issues. Also, over the years, my thinking has been influenced by discussions with many colleagues; to list a few (in the reverse alphabetical order preferred by some): Arnold Zellner, Eugene Wigner, George Uhlenbeck, John Tukey, William Sudderth, Stephen Stigler, Ray Smith, John Skilling, Jimmie Savage, Carlos Rodriguez, Lincoln Moses, Elliott Montroll, Paul Meier, Dennis Lindley, David Lane, Mark Kac, Harold Jeffreys, Bruce Hill, Mike Hardy, Stephen Gull, Tom Grandy, Jack Good, Seymour Geisser, Anthony Garrett, Fritz Fröhner, Willy Feller, Anthony Edwards, Morrie de Groot, Phil Dawid, Jerome Cornfield, John Parker Burg, David Blackwell, and George Barnard. While I have not agreed with all of the great variety of things they told me, it has all been taken into account in one way or another in the following pages. Even when we ended in disagreement on some issue, I believe that our frank private discussions have enabled me to avoid misrepresenting their positions, while clarifying my own thinking; I thank them for their patience.

E. T. Jaynes

July, 1996