

## Index

- A*-homomorphism, 2
- algebra, 1
  - group algebra, 1
  - local, 4
  - semisimple, 5
  - simple, 5
- algebra homomorphism, 2
- Alperin, J., 87, 219
  - argument, 130
  - weight conjecture, 90
- Alperin-Broué theorem, 219
- Alperin-McKay conjecture, 90
- annihilator, 3
- augmentation map, 15
  
- B*-part, 72, 105
- B*-subgroup, 219
- Baer, R., 39
- basic set, 133
- Blau, H., 79, 125
- block, 49, 57, 63
  - admissible, 213
  - defined, 87
  - dual, 75
  - idempotent, 55
  - induced, 87
  - orthogonality, 106
  - principal, 49, 125
  - regular, 210
  - selfdual, 75
  - weak orthogonality, 53
  - weakly regular, 210
- Brauer, R., 70, 71, 79, 99, 130, 221, 248, 277
  - character, 17
  - correspondence, 86
  - first main theorem, 86, 89
  - graph, 51
  - homomorphism, 85
  - irreducible character, 18
  - linear character, 46
  - second main theorem, 100, 104
  - third main theorem, 125
  - tree, 271
- Brauer-Feit theorem, 70
- Brauer-Nesbitt, 36, 151
- Brauer-Suzuki theorem, 131, 139
- Broué, M., 70, 219, 220
- Broué-Puig, 115, 220
- Burry, D., 87
  
- Cartan matrix, 25, 29
  - of a block, 51, 68, 78
- character
  - canonical, 204
  - conjugate, 157
  - exceptional, 243, 259
  - faithful, 39
  - nonexceptional, 243, 259
- Cliff, G. H., 79

- Clifford, A. H., 157, 167  
   correspondence, 160  
   correspondent, 161  
 composition series, 13  
 conjecture  
   Brauer's height zero, 212  
    $k(B)$ , 70  
    $k(GV)$ , 240  
 connected, 51  
 covers, 193  
 Curtis, C., 277
- Dade, E. C., 90, 164, 169, 184, 243  
 decomposition matrix, 23, 42  
 decomposition numbers, 23  
   generalized, 100, 107, 135  
 defect  
   of a block, 60, 61, 83  
   one, 247, 248, 271  
   zero character, 62, 79, 191, 221, 240  
 defect class of a block, 82  
 defect group  
   of a block, 82, 94  
   of a conjugacy class, 80  
 degree, 18  
   of projective representation, 164  
 Dickson's theorem, 27  
 dominates, 198, 199  
 double centralizer theorem, 8
- extended first main theorem, 197
- factor set, 164  
 Feit, W., 70, 277  
 Fong, P., 37, 208, 209, 235, 254, 277  
   dimensional formula, 230  
 Fong-Reynolds theorem, 206  
 Fong-Swan theorem, 222, 224, 240  
 Frobenius conjecture, 35  
 Frobenius reciprocity, 155
- Gagola, S., 215  
 Gallagher, P. X., 169  
 Glauberman, G., 130, 131  
    $Z^*$ -theorem, 146  
   for odd primes, 149  
 Gluck, D., 212  
 Gow, R., 164, 169  
 Gow-Willems theorem, 75  
 Green, J. A., 94, 162, 243, 277  
 Guralnick-Robinson, 149
- Harada, K., 53, 238  
 Harris-Knörr theorem, 216  
 Higman, D. G., 15  
 height, 60, 61  
   zero, 66, 68, 79, 111, 210, 212  
 Huppert B., 230
- idempotent, 9, 51, 55  
   orthogonal, 9  
   primitive, 9  
 indecomposable, 15  
 induced module, 150  
 inertia group, 159  
 inertial index, 212  
 invariant character, 157  
 invariant representation, 165  
 irreducible  
   constituent, 13  
   projective representation, 172  
 Isaacs, M., 46, 102, 112, 225, 230, 234  
 Isaacs-Scott, 129
- Jacobson density lemma, 170  
 Jacobson radical, 3, 5  
 Jordan-Hölder theorem, 13  
 Juhász, A., 277

286

kernel  
 of a block, 125  
 of a Brauer character, 39  
 of an algebra homomorphism, 12

Kiyota-Okuyama, 238

Knörr, R., 112, 215

Külshammer, B., 96, 127, 128, 129

Laradji, A., 204

lies over, lies under, 155

lifts, 41

linked, 51, 78

Mackey's theorem, 189

Masckhe's theorem, 14

McKay, J., 90

Michler, G., 39, 277

min-max theorem, 82

– type character, 244

modular character triple, 179  
 isomorphism, 180  
 ordinary-modular, 190

module, 1, 2  
 completely reducible, 5, 6  
 dual, 19  
 external direct sum, 6  
 finitely generated, 4  
 left, right  $R$ -module, 1  
 irreducible, 2  
 regular  $A$ -module, 2  
 semisimple, 5  
 simple, 2  
 trivial, 18

modular character, 18

multiplicity, 21

Nakayama T., 156  
 lemma, 4

Nagao, H., 240

*Index*

nilpotent  
 block, 220  
 element, 15  
 ideal, 4

Okuyama, T., 40, 124, 277, 278

Olsson, J., 277

Osima, M., 52, 53, 80

$p$ -complement, 35

$p$ -conjugate characters, 248

$p$ -radical, 84

$p$ -rational, 225

$p$ -regular elements, 17

$p$ -section, 105

$p$ -singular, 52

$p$ -weight, 90  
 belongs to  $B$ , 90

$p'$ -section, 30

Passman, D., 79, 164, 185, 186, 196

Plesken, W., 79

+ type character, 244

principal Brauer character, 18

principal block, 49, 125

product  
 of Brauer characters, 33  
 tensor of modules, 32  
 tensor of representations, 33

projective indecomposable, 25

projective representation, 164

Puig, L., 220

quasiprimitive, 234

$R$ -linear, 1

Reiner, I., 277

representation, 12  
 irreducible, 12  
 similar, 12  
 trivial, 18

- restriction, 150
- Reynolds, W., 212
- Rieffel, M., 8
- Robinson, G. R., 70, 90, 93, 94, 98
  - map, 91, 96
- Rosenberg's lemma, 81
  
- Schur's lemma, 3
- Schur relations, 255
- Solomon, L., 240
- Solomon, R., 277
- similar (projective), 172
- simple constituent, 13
- stabilizer (of a block), 193
- subpair, 219
- subsection, 114
  - major subsection, 220
- support, 91
- Swan, R. G., 177
- Sylow  $b$ -subgroup, 219
  
- Thompson, J., 70, 191, 243
- Tsushima, Y., 98, 277
- twisted group algebra, 171
  
- valuation, 64
- vertex, 241
  
- Wedderburn's theorem, 9
- Weiss, A., 79
- Willems, W., 77, 155, 240, 277
- Wolf, T., 212, 224
- Wong, W., 277