

Contents

<i>Preface</i>	xv
<i>Introduction</i>	xvii
I Jensen's formula	1
Problem 1	5
II Szegő's theorem	7
A The theorem	7
B The pointwise approximate identity property of the Poisson kernel	10
Problem 2	13
III Entire functions of exponential type	15
A Hadamard factorization	15
B Characterization of the set of zeros of an entire function of exponential type. Lindelöf's theorems	19
Problem 3	22
C Phragmén–Lindelöf theorems	23
D The Paley–Wiener theorem	30
E Introduction to the condition	37
$\int_{-\infty}^{\infty} \frac{\log^+ f(x) }{1+x^2} dx < \infty$	
F Representation of positive harmonic functions as Poisson integrals	39
1. The representation	39
2. Digression on the a.e. existence of boundary values	43
G Return to the subject of §E	47
1 Functions without zeros in $\Im z > 0$	47
2 Convergence of $\int_{-\infty}^{\infty} (\log^- f(x) /(1+x^2)) dx$	49
3 Taking the zeros in $\Im z > 0$ into account. Use of Blaschke products	52
Problem 4	58

x	<i>Contents</i>	
H	Levinson's theorem on the density of the zeros	58
	1 Kolmogorov's theorem on the harmonic conjugate	59
	2 Functions with only real zeros	65
	3 The zeros not necessarily real	69
	Problem 5	76
IV	Quasianalyticity	78
A	Quasianalyticity. Sufficiency of Carleman's criterion	78
	1 Definition of the classes $\mathcal{C}_r(\{M_n\})$	78
	2 The function $T(r)$. Carleman's criterion	80
B	Convex logarithmic regularization of $\{M_n\}$ and the necessity of Carleman's criterion	83
	1 Definition of the sequence $\{\underline{M}_n\}$. Its relation to $\{M_n\}$ and $T(r)$	83
	2 Necessity of Carleman's criterion and the characterization of quasianalytic classes	89
C	Scholium. Direct establishment of the equivalence between the three conditions	
	$\int_0^\infty \frac{\log T(r)}{1+r^2} dr < \infty, \quad \sum_n \underline{M}_n^{-1/n} < \infty \quad \text{and} \quad \sum_n \underline{M}_{n-1}/M_n < \infty$	92
	Problem 6	96
D	The Paley–Wiener construction of entire functions of small exponential type decreasing fairly rapidly along the real axis	97
E	Theorem of Cartan and Gorny on equality of $\mathcal{C}_R(\{M_n\})$ and $\mathcal{C}_R(\{\underline{M}_n\})$. $\mathcal{C}_R(\{M_n\})$ an algebra	102
	Problem 7	103
V	The moment problem on the real line	109
A	Characterization of moment sequences. Method based on extension of positive linear functionals	110
B	Scholium. Determinantal criterion for $\{S_n\}$ to be a moment sequence	116
C	Determinacy. Two conditions, one sufficient and the other necessary	126
	1 Carleman's sufficient condition	126
	2 A necessary condition	128
	Problem 8	131
D	M. Riesz' general criterion for indeterminacy	132
	1 The criterion with Riesz' function $R(z)$	132
	2 Derivation of the results in §C from the above one	142
VI	Weighted approximation on the real line	145
A	Mergelian's treatment of weighted polynomial approximation	147
	1 Criterion in terms of finiteness of $\Omega(z)$	147
	2 A computation	150
	3 Criterion in terms of $\int_{-\infty}^\infty (\log \Omega(t)/(1+t^2)) dt$	153

<i>Contents</i>	xi
<p>B Akhiezer's method, based on use of $W_*(z)$</p> <p>1 Criterion in terms of $\int_{-\infty}^{\infty} (\log W_*(x)/(1+x^2)) dx$</p> <p>2 Description of $\ \cdot \ _W$ limits of polynomials when</p> $\int_{-\infty}^{\infty} \frac{\log W_*(t)}{1+t^2} dt < \infty$ <p>3 Strengthened version of Akhiezer's criterion. Pollard's theorem</p>	<p>158</p> <p>158</p> <p>160</p> <p>163</p>
<p>C Mergelian's criterion really more general in scope than Akhiezer's. Example</p>	<p>165</p>
<p>D Some partial results involving the weight W explicitly.</p>	<p>169</p>
<p>E Weighted approximation by sums of imaginary exponentials with exponents from a finite interval</p> <p>1 Equivalence with weighted approximation by certain entire function of exponential type. The collection \mathcal{E}_A.</p> <p>2 The functions $\Omega_A(z)$ and $W_A(z)$. Analogues of Mergelian's and Akhiezer's theorems</p> <p>3 Scholium. Pólya's maximum density</p> <p>4 The analogue of Pollard's theorem</p>	<p>171</p> <p>171</p> <p>173</p> <p>175</p> <p>180</p>
<p>F L. de Branges' description of extremal unit measures orthogonal to the $e^{i\lambda x}/W(x)$, $-A \leq \lambda \leq A$, when \mathcal{E}_A is not dense in $\mathcal{C}_W(\mathbb{R})$</p> <p>1 Three lemmas</p> <p>2 De Branges' theorem</p> <p>3 Discussion of the theorem</p> <p>4 Scholium. Krein's functions</p> <p>Problem 9</p> <p>Problem 10</p>	<p>184</p> <p>187</p> <p>190</p> <p>198</p> <p>203</p> <p>209</p> <p>209</p>
<p>G Weighted approximation with L_p norms</p>	<p>210</p>
<p>H Comparison of weighted approximation by polynomials and by functions in \mathcal{E}_A</p> <p>1 Characterization of the functions in $\mathcal{C}_W(A+)$</p> <p>2 Sufficient conditions for equality of $\mathcal{C}_W(0)$ and $\mathcal{C}_W(0+)$</p> <p>3 Example of a weight W with $\mathcal{C}_W(0) \neq \mathcal{C}_W(0+) \neq \mathcal{C}_W(\mathbb{R})$</p>	<p>211</p> <p>212</p> <p>219</p> <p>229</p>
<p>VII How small can the Fourier transform of a rapidly decreasing non-zero function be?</p>	<p>233</p>
<p>A The Fourier transform vanishes on an interval. Levinson's result</p> <p>1 Some shop math</p> <p>2 Beurling's gap theorem</p> <p>Problem 11</p> <p>3 Weights which increase along the positive real axis</p> <p>4 Example on the comparison of weighted approximation by polynomials and that by exponential sums</p> <p>5 Levinson's theorem</p>	<p>234</p> <p>234</p> <p>236</p> <p>238</p> <p>239</p> <p>243</p> <p>247</p>

xii	<i>Contents</i>	
B	The Fourier transform vanishes on a set of positive measure	
	Beurling's theorems	250
1	What is harmonic measure?	251
2	Beurling's improvement of Levinson's theorem	265
3	Beurling's study of quasianalyticity	275
4	The spaces $\mathcal{S}_p(\mathcal{D}_0)$, especially $\mathcal{S}_1(\mathcal{D}_0)$	280
5	Beurling's quasianalyticity theorem for L_p approximation by functions in $\mathcal{S}_p(\mathcal{D}_0)$	292
C	Kargaev's example	305
1	Two lemmas	306
2	The example	312
D	Volberg's work	316
	Problem 12	318
1	The planar Cauchy transform	319
	Problem 13	322
2	The function $M(v)$ and its Legendre transform $h(\xi)$	323
	Problem 14(a)	327
	Problem 14(b)	336
	Problem 14(c)	336
3	Dynkin's extension of $F(e^{i\theta})$ to $\{ z \leq 1\}$ with control on $ F_z(z) $	338
4	Material about weighted planar approximation by polynomials	343
5	Volberg's theorem on harmonic measures	348
6	Volberg's theorem on the logarithmic integral	356
7	Scholium. Levinson's log log theorem	374
VIII	Persistence of the form $dx/(1+x^2)$	384
A	The set E has positive lower uniform density	386
1	Harmonic measure for \mathcal{D}	387
	Problem 15	400
2	Green's function and a Phragmén–Lindelöf function for \mathcal{D}	400
	Problem 16	404
	Problem 17(a)	411
	Problem 17(b)	413
3	Weighted approximation on the sets E	424
	Problem 18	432
4	What happens when the set E is sparse	434
	Problem 19	443
B	The set E reduces to the integers	445
	Problem 20	446
1	Using certain sums as upper bounds for integrals corresponding to them	447
2	Construction of certain intervals containing the zeros of $P(x)$	454

<i>Contents</i>	xiii
3 Replacement of the distribution $n(t)$ by a continuous one	468
4 Some formulas	473
Problem 21	478
5 The energy integral	478
Problem 22	484
6 A lower estimate for $\int_{\Omega} \int_0^{\infty} \log 1 - (x^2/t^2) d\mu(t) (dx/x^2)$	487
7 Effect of taking x to be constant on each of the intervals J_k	492
8 An auxiliary harmonic function	495
Problem 23	497
9 Lower estimate for $\int_{\Omega} \int_0^{\infty} \log 1 - (x^2/t^2) d\mu(t) (dx/x^2)$	506
10 Return to polynomials	516
Problem 24	518
11 Weighted polynomial approximation on \mathbb{Z}	522
C Harmonic estimation in slit regions	525
1 Some relations between Green's function and harmonic measure for our domains \mathcal{D}	526
Problem 25	540
2 An estimate for harmonic measure	540
Problem 26	545
3 The energy integral again	548
4 Harmonic estimation in \mathcal{D}	553
5 When majorant is the logarithm of an entire function of exponential type	555
Problem 27	561
Problem 28	568
Addendum	
Improvement of Volberg's theorem on the logarithmic integral.	
Work of Brennan, Borichev, Jöricke and Volberg	570
1 Brennan's improvement, for $M(v)/v^{1/2}$ monotone increasing	570
2 Discussion	574
3 Extension to functions $F(e^{i\theta})$ in $L_1(-\pi, \pi)$	582
4 Lemma about harmonic functions	590
<i>Bibliography for volume I</i>	596
<i>Index</i>	600
<i>Contents of volume II</i>	603