

Index

- Adams–Gibbs model 138
- Airy stress function 116, 133
- anelasticity 57–8, 148, 152–8
- Auerbach’s Law 278
- beams
 - bending 108–12, 329
 - buckling 113
 - chevron-notched 228
 - deflection 111
 - double cantilever 226–7
 - cantilever 111
 - composite 112
 - sandwich 5, 7–8, 98, 112, 123
 - single edge-notched 228
- bending
 - bending moment diagrams 109
 - deflection 111
 - first moment of area 110
 - four-point 109, 285–6, 329
 - non-uniform bending 110
 - pure bending 109
 - second moment of area 110
 - shearing-force diagrams 109
 - three-point 108, 285–6, 329
- biharmonic equation 116, 118
- Bingham flow 146
- Biot’s modulus 301
- body forces 13, 44
- boundary strengthening 185
- Boussinesq (elastic) solution 273
- branching constant 267
- brittle–ductile transition 181
- buckling 113
- Burgers vector 164–5, 174
- Burgers (viscoelastic) model 156
- Cauchy relation 53
- cavitation 144, 194, 199
- ceramics
 - applications 1–3
 - structural 1–3
 - functions 2–3
- chemical strengthening 186
- chevron-notched beam 228
- cleavage steps 268
- colloids 146
- compatibility equations 35, 116
- complex
 - bulk modulus 156
 - compliance 154
 - modulus 154
 - shear modulus 154
- composites
 - fiber 5, 120–2, 261–4
 - elastic constitutive relations 78–88
 - particulate 78–9, 249–59
 - thermal expansion 85

- constitutive (elastic) relations
 - fiber composites 85–7
 - microcracked materials 92–3
 - particulate composites 78–84
 - porous materials 88–92
 - polycrystals 87–9
- continuity equation 142
- contact(s)
 - blunt 276–8
 - damage 216, 269, 273–8
 - sharp 127, 273–5
 - stresses 127, 216, 273, 277
- crack(s)
 - arrest 216
 - bowing 249–51
 - branching 224, 266–7
 - bridging 7, 260–4
 - circular 226
 - cone 277
 - critical size 214
 - deflection 249, 250–1
 - elliptical 230
 - extension force 218–19
 - formation 216–17
 - lateral 243, 274
 - median 243, 274–5
 - multiple 262–3
 - nucleation 180, 216–17
 - radial 243, 275
 - resistance force 222
 - ring 277
 - stability 223–4
 - through-thickness 225
- crack growth
 - stability 223–4, 245
 - sub-critical 229, 264–6, 291–6
- crack tip
 - interactions 249–52
 - shielding 252
- creep
 - cavitation 194, 199
 - Coble 196–7, 203
 - compliance 152
 - damage 265
 - deformation mechanism maps 201–2, 208
 - dislocation 195
 - diffusional 195–7
 - grain boundary sliding 197–8
 - mechanisms 199–200, 203
 - Nabarro–Herring 195–6, 203
 - primary 193
 - rupture 201
 - secondary 193–4
 - solution–reprecipitation 197
 - stages (of) 193–4
 - steady state 193–4
 - stress asymmetry 199
 - tertiary 193–4
 - viscoelastic 149
- critical grain (particle) size
 - microcracking 39, 217, 238–40, 258–9
 - phase retention 253, 256–7
- critical resolved shear stress 179
- cross-slip 169
- cylindrical polar coordinates 117–18
- damping
 - capacity 154
 - linear 157
 - thermoelastic 157
- deflocculation 147
- degree of damage 303–4
- differential method 84
- dilatant viscosity 145
- diffusional creep 195–7
- dislocation(s)
 - climb 171, 195
 - conservative motion 171
 - creep 195
 - edge 164
 - energy 168–9
 - Frank–Read source 171
 - friction stress 166
 - glide 162, 166, 171, 179
 - jogs 170
 - kinks 170
 - line tension 169
 - locks 170
 - partial 176–8
 - pinning 170
 - screw 164–5
 - sessile 170
 - sources 171
 - stress fields 166–8
 - tilt boundary 169
 - velocity 172
 - width 165
- dispersion strengthening 185–6
- double cantilever beam 226–7
- double integration approach 111
- double torsion specimen 229
- dynamic fatigue 291–4,

- dynamic resonance 62–5
- easy glide 179
- effective medium 83
- elastic anisotropy factor 52
- elastic behavior
 - anisotropic 47–54, 75–8
 - atomic structure 14–17, 70–4
 - chemical bonding 70–1
 - constitutive relations 78–88
 - elastic strain energy 22, 47
 - isotropic 55–6
 - orthotropic 47
 - porous materials 88–92
 - pressure effects 57, 77
 - stability 113–14
 - strain energy density 22,
 - temperature effects 57, 77–8
- elastic constants
 - adiabatic 58
 - bulk modulus 24
 - compliance constants 46, 325
 - crystal structure 46–9, 73
 - engineering 18–24, 327
 - glasses 74
 - higher-order 57
 - isothermal 58
 - Lamé constants 55
 - measurement techniques 62–5
 - microcracking 92–4
 - modulus defect 58
 - Poisson's ratio 21
 - shear modulus 23
 - specific 56
 - stiffness constants 45, 54, 325
 - Young's modulus 20
- elastic solutions
 - Boussinesq 273
 - circular hole 124–5
 - contact 127, 273, 276–8
 - cracks 131, 220
 - dislocations 166–8
 - elliptical hole 126
 - Hertz 276–8
 - spherical hole 126
- elastic stability 113
- elastic waves
 - elastic constants measurement 62–3
 - longitudinal or irrotational 59
 - surface or Rayleigh 60
 - transverse or equivoluminal 60
 - velocities 59–60
- electro-rheological solids 147
- engineering design 5–6, 285
- equilibrium equations 44, 116
- Euler's formula 114
- failure
 - origins 10, 266–72
 - probability 286–8
 - statistics 286–91
- fatigue
 - cyclic 292
 - dynamic 291–4
 - static 292–4
- finite-element analysis 128, 290
- flaw
 - insensitivity 246
 - populations 216
- flexural rigidity 111, 112
- flexural strength 110, 285–6, 329
- fluidity 135
- fractography 240, 266–72
- fracture
 - Griffith concept 213–15
 - indentation 243–5
 - intergranular 267
 - mirror 266–7
 - mixed mode 247–8
 - Obreimoff experiment 215–16
 - origins 216–17, 266–69
 - transgranular 267
- fracture toughness 222–3,
 - measurement 229–30, 244–5
- Frank–Read source 171
- free volume 138
- gelation 146
- glass transition temperature 136
- grain boundary sliding 197–8
- Green's functions 236–8
- griffith approach 213–16
- hackle 266, 269
- Hall–Petch relation 185
- Halpin–Tsai equations 87
- hardness 188–9
 - Brinell 188
 - Knoop 189
 - Meyer 189
 - Vickers 189
- Hashin–Shtrikman bounds 79–82

- Hertz (elastic) solution 276–7
 Hooke's Law 17, 44–7
- I-beams 111
 indentation fracture 243–5
 internal friction 57, 148, 157
 isoelectric temperature 174
- J*-integral 278–80
- Kronecker delta
 definition 35
- laminates 7
 linear differential time operator 151
 linear elastic fracture mechanics 218–23
 loading factors 287–8
 loss
 compliance 154
 factor 155
 modulus 153
 tangent 154
- Madelung constant 72, 328
 magneto-rheological solids 147
 Maxwell (viscoelastic) model 150, 156
 material selection maps 56
 metal-matrix composites 186
 microcrack(s)
 critical grain size 39, 217, 238–40, 258–60
 elastic behavior 92–4
 toughening 258–60
 mirror constant 267
 modulus defect 58, 152
 modulus strengthening 112, 186
 Mohr's circle 33
 Mohr–Coulomb yield criterion 187
 Mori–Tanaka methods 85
 multiple cracking 262–4
- Navier–Stokes equation 143
 necking 135, 182
 neutral surface 110,
 non-destructive evaluation 240,
- Obreimoff experiment 215–16, 244
- particulate composites
 elastic behavior 78–83
 fracture 248–60
 Peierls–Nabarro stress 166
- permutation symbol 40
 photoelasticity 128
 plane strain 114–15
 plane stress 114–15
 plastic deformation
 slip (glide) 162
 twinning 162
 point force (elastic) contacts 273–5
 porosity
 stress concentration 124–6
 thermal expansion 97
 processing defects 11, 216, 268
 precipitation strengthening 185–6
 pressure vessels
 thick-walled 118–20
 thin-walled 107–8
 principle of superposition 17, 105
 processes
 independent and sequential 202
 pseudoplasticity 145
- quality factor 155
- R* curves 245–7, 255, 257, 259, 260
 relaxation time 151, 156
 relaxed modulus 152
 residual stress 37, 95, 120–3, 274, 305
 retardation time 152, 156
 river patterns 268
- sandwich structures 5, 7–8, 112
 elastic behavior 98,
 residual stress 123
 self-consistent (elastic) solutions 83
 generalized 84
 single edge-notched beam 228
 slip systems 172–7, 181
 alumina 175–6
 ceramics 177
 geometry 172–6
 independent 181
 rock salt 173–4
 solid solution strengthening 181, 183–4
 sols
 lyophilic 146
 lyophobic 146
 viscosity 147
 sound waves
 see vibrations or elastic waves
 spring–dashpot models 148–56
 SPT diagrams 295–6

- stacking fault 178
- St Venant's Principle 105
- standard linear solid 152–5
- static fatigue 292–4
- statically determinate 106
- statically indeterminate 107
- Stokes' Law 148
- storage compliance 154
- storage modulus 153
- strain(s)
 - compatibility relations 35, 116
 - definition 20, 24–9
 - deviatoric 35,
 - dilatational 34,
 - engineering 21
 - invariants 33, 40
 - normal 26
 - principal 29, 33–4
 - shear 26
 - transformation 30–4
 - true 21–2
- strain energy release rate 218–19
- strength
 - characteristic 287
 - dynamic 291–2
 - improving 296–8
 - inert 291
 - loading geometry 289–91, 329
 - minimum 287
 - multiaxial 290
 - specimen size 289–91
 - testing 285–6, 329
 - variability 246, 286–8
- stress(es)
 - concentration 124–6, 212
 - contact 127, 216, 273, 277
 - contours 128
 - corrosion 264
 - cyclic 153
 - definition 20, 40–1
 - deviatoric 41
 - equilibrium equations 44, 116
 - hardening 172
 - hydrostatic 41
 - hysteresis 155
 - invariants 43
 - on a plane 41–3
 - principal 43
 - reduction factor 301
 - relaxation 149–50
 - residual 37, 95, 120–3, 274, 305
 - resolved 41–3, 179
 - softening 179
 - thermal 216, 298–305
 - true 22
- stress intensity factor
 - compounding 242
 - definition 220–3
 - Green's functions 236–8
 - solutions 224–42
- stress concentration approach 233–4
- stress distribution approach 234–5
- superposition 232–3,
- surface correction factor 225
- threshold 264
- weight functions 240–2
- structural relaxation 139
- sub-critical crack growth 229, 264–6, 291–6
 - parameters 265–6, 292–4
 - power law 265, 291
- subscript notation 24, 27, 36
- surface force 13
- survival probability 290
- tensors
 - antisymmetric 39
 - order 36
 - symmetric 39
- theoretical cleavage strength 210–11
- theoretical shear strength 162–4
- thermal expansion coefficients 36–9, 94–8
 - anisotropic 37
 - definition 37
 - isotropic 37
 - composites 85
 - microcracking 96
 - temperature effects 96
- thermal stress (shock) 216, 298–305
- thermal shock resistance parameters 301–3
- thermoelastic effect 57
- toughening mechanisms
 - crack bowing 249–51
 - crack bridging 7, 260–4
 - crack deflection 249, 251–2
 - microcrack 258–60
 - self-reinforcement 7
 - transformation toughening 6, 253–7
- transverse isotropy 47
- Tresca yield criterion 187
- triboluminescence 216
- ultimate tensile strength 182

- unrelaxed modulus 152
- vibrations
 - modes 61, 63
 - resonant 61
- viscoelastic models
 - Burgers 156
 - Kelvin 151
 - Maxwell 150, 156
 - standard linear solid 152–5
 - Voigt 151, 155
 - Zener 152–5
- viscosity
 - definition 134–5
 - linear 134–6
 - Navier–Stokes equation 143
 - non-linear 145–6
 - silicate glasses 135–6
 - temperature dependence 137–9
- viscous behavior
 - adhesion 144
 - Bingham flow 146
 - creep 197–8
 - dilatant 145
 - Einstein's relation 147
 - Newtonian 134–6
 - pastes 147
 - pseudoplastic 145
 - slip casting 147
- viscous flow solutions
 - parallel plates 140
 - concentric cylinders 141–2
 - cylindrical tube 140–1
 - liquid between parallel plates 144
- Vogel–Fulcher–Tammann equation 137
- Voigt–Reuss bounds 79–82
- Voigt viscoelastic model 151, 155
- von Mises yield criterion 187
- Wallner lines 266
- Weibull approach 286–91
- Weibull modulus 287
- weight functions 240–2
- Williams–Landel–Ferry relation 138
- work hardening 170, 184
- yield
 - criteria 186–8
 - drop 180
 - offset stress 182
 - stress 179–82
- Young's modulus
 - definition 20
 - representational surface 50–1, 326
- Zener (viscoelastic) model 152–5
- Zener ratio 52, 75–6,