

# Index

References which refer to figures in the text are shown in *underlined italics*.

References which refer to tables are **underlined bold**.

References which are textual footnotes have an 'n' after the page number  
 e.g. 45n.

- ABC notation 171  
 acetylene black 293–4  
 activation energy  
    $\beta$ -aluminas 29  
   conduction 18  
   and doping 56  
   extended free volume model 134–5  
   glasses 83  
   ion hopping 18, 20  
   minimum 61  
   oxide ion conduction 39  
   and phase change,  $\text{Bi}_2\text{MoO}_6$  64  
   vitreous electrolytes 74  
 activity 217–18  
 adsorption, specific 273  
 ageing 16, 53  
   LISICON 34  
 aliovalent ion doping 11–12  
 aliovalent substitution  
   charge compensated 47  
   LISICON 34  
 alkali metal intercalation compounds  
   163–4  
 alumina  
    $\text{Al}_2\text{O}_3$  69  
    $\text{Al}_2\text{O}_3$ , WGL cell 303–4  
 $\beta$ -alumina 2, 23, **24**, 25, 67  
 Au interface 273  
   conductive pathways 9  
   conduction plane 9, 27, 28  
   conductivity, ac 21–2  
   framework structures 67–8  
   hopping rates 20  
   ion replacement 29–31  
   properties 29–31  
   proton conduction 41  
   reversible cells 308  
   sodium role 67–8  
   spinel 26–7, 67  
   stacking sequence 27, 27–8, 28–9  
   stoichiometry 26  
   structure 26–9  
 $\beta''$ -alumina 26  
    $\beta$  alumina comparison 28–9  
   stabilisation 67  
 amperometric sensor 321  
 anion conduction, fluorites 25  
 anion interstitial creation 11–12; *see also*  
   doping  
 anion solvation, polymer–salt 121  
 anionic conduction, polymer–salt 101  
 anions  
   effect on lattice insertion energy 184  
   in glassy ionic salts 79  
 Argonne fuel cell 319 320–1  
 Arrhenius equation 18  
 Arrhenius law 74  
   and structural relaxation time 80  
   and vitreous transition temperature 90,  
   91  
 astatine,  $\text{AsPh}_4$  289  
 atactic poly(propylene oxide) 106  
 attempt frequency 55, 132  
 auxiliary electrode 277, 278  
 band structure 243  
   doping 245–6  
 band-filling 186, 187  
 $\text{Ba}_2\text{In}_2\text{O}_5$  59–61  
 barrier energy, and ionic jumps 50  
 batteries  
   capacity 258–9  
   loss 307  
   intercalation electrode 311–15  
   lithium rechargeable *see under* lithium  
   cells  
   polyelectrolyte 114–15  
   solid electrolyte 43–5, 293–310  
    $\text{Ag}_6\text{I}_4\text{WO}_4$  rechargeable  
   296  
    $\text{Ag}_3\text{SI}$  293–4  
   copper 287–8, 299–300,  
   301  
   lithium 47, 300–7

## Index

- batteries (*continued*)  
 solid electrolyte (*continued*)  
 lithium glass 303–5  
 Rb<sub>4</sub>Cu<sub>16</sub>I<sub>7</sub>Cl<sub>13</sub> 297–8  
 RbI–AgI 295  
 sodium–sulphur 307–10  
 WGL 303–4  
 vehicle 306, 307  
*see also* cell  
 Beevers–Ross sites 67, 67  
 bipolaron 241, 242, 243–4  
 and doping monitoring 245  
 Bi<sub>2</sub>MoO<sub>6</sub> 64–5, 65  
 Bi<sub>2</sub>O<sub>3</sub> 38–9, 61  
 blocking, and potential extremes 266  
 blocking electrodes 54; *see also*  
 impedance  
 blocking interface 265, 266, 268  
 double layer 269–77  
 single 274  
 blocking metallic contact formation  
 276–7  
 boron, in glassy electrolytes 78  
 boron coordination, and conductivity 89  
 bottleneck 9, 20  
 activation energy 18  
 defined 50, 51  
 opening 67  
 reduction 23  
 Bragg peaks 183  
 brownmillerite structure 59, 60  
 Butler–Volmer equation 279, 280
- Ca<sub>3</sub>Fe<sub>2</sub>TiO<sub>8</sub> 64  
 calorimetry 178–9  
 capacitance  
 blocking interface 274  
 double layer 270, 272, 273  
 limiting 250, 252–3  
 carbon–lithium intercalation 314–15  
 carbon/Ag<sub>4</sub>RbI<sub>3</sub> interface 265–6  
 cation interstitial creation 12; *see also*  
 doping  
 cation mobility, and polymer electrolytes  
 128  
 cation/coordinating group interaction  
 123  
 cationic displacement 91–2  
 cell  
 calibration 43  
 four-electrode 289  
 internal resistance 43  
 multiple electrode 277–8  
 potential 199  
 and free energy 201  
*see also* batteries
- CeO<sub>2</sub>  
 electrolytes 47  
 structure 38  
 chalcogen 23, 164  
 guest polarised 168  
*see also* host  
 charge carrier 85–6  
 formation 84  
 charge compensation 47  
 charge saturation model 250–1, 253  
 charge transfer  
 back transfer 46  
 Randles circuit 251, 252, 253  
 two step 290  
 and X–H bond stabilisation 57  
 charge/discharge 256–8  
 chemical diffusion coefficient 205–6, 225–6  
 and electrode growth rate 207–8  
 electrodes 212–13  
 chemical potential 175, 179, 180, 200  
 electrode impurities 201–2  
 Chevrel compound 172, 173, 185  
 Chevrel phase 173, 298, 299  
 cluster 188, 191  
 cooperative motion 56, 57  
 excitation 62–3  
 ion trapping 16  
 staging 192  
 cointercalation 194–6  
 comb polymers, amorphous 107–8  
 complexing, small molecule 109–10  
 compliancy, electrode 95  
 concentration (*c*), defined 12n  
 concentration gradient 204  
 conduction  
 β/β′-aluminas compared 28–9  
 anionic 101  
 lithium ion 25  
 sodium ion 23, 25  
 conduction activation energy 18  
 conduction band, cell 45, 46, 47  
 conduction pathways 8–10  
 conduction plane  
 β-aluminas 9, 27, 28  
 vacancies 28  
 conductivity  
 ac 21–2  
 β-aluminas 21–2, 29, 30  
 anion, and perovskite structure 39–40  
 cationic 74  
 cryptands 115  
 dc 129  
 defects 69  
 free volume model 134  
 extended 134  
 frequency-dependent 142

*Index*

- glasses
  - boron coordination 89
  - conductivity measurements 87–90
  - oxide/halide doping 38–40, 88
- and incomplete dissociation 135
- increase *see* doping
- LISICON 34
- molar 143–7
- and molar free energy 87
- NASICON 32
- oxide ions 38–40, 315–16
- polar molecule addition 109–10
- polyacetylene 231–2, [244](#)
- polymer–salt 101
- and shift factor [131](#)
- silver,  $\alpha$ -AgI 15
- solid electrolyte cells 44
- temperature dependent [66](#), 98, 99
- PEO 97
  - WLF form 130, 132–3
- thermodynamic models 87–90
- see also* ionic conductivity
- constant current discharge 176
- contact ion aggregates 125, 126
- convection, and dc polarisation 147
- cooperative motion, Li 69
- coordinating group/cation interaction 123
- coordinating polymers [112](#)
- coordination, and polymer/salt
  - dissolution 122–3
- coordination sphere, vacancies 126
- copper
  - intermediate species 290
  - solid electrolytes [24](#)
- copper cell 173, 299–300
  - change/discharge 300, [301](#)
  - intercalation cell 297–8
- copper ion
  - conductors 23
  - electrolytes 297
- coulombic interactions 129, 143
  - screening 52–3
- coulometric titration 219, 220–1, 222
- covalency
  - network formers 77
  - solid electrolytes 23
- cross-linkage
  - network formers 77
  - polymer electrolyte 108–9
- crown ethers 123
  - coordination by 111
- cryptand
  - complexing 110–11
  - conductivity 115
- crystal structure, and  $\text{Li}^+$  conduction
  - 25
- crystalline electrolytes
  - alkali ion conductors 31–8
  - $\beta$ -aluminas 26–31
  - conduction activation energy 18
  - conduction mechanisms 8–10
  - conductivity spectrum 20–2
  - criteria for cell use 43–5
  - defined 43
  - disordered sublattice 13–15
  - doping 10–13, 63–9
  - electronic energies 45–8
  - fluoride ion 40
  - hopping rates 18–20
  - intrinsic energy gap 48–9
  - ion-trapping effects 15–16
  - ionic conductivity 53–9
  - ionic energies 48–53
  - motional enthalpy 50–2
  - oxide ion conductors 38–40
  - potential energy profiles 16–17
  - proton 40–1
  - proton conductors 69–72
  - proton movements 57–9
  - silver,  $\alpha$ -AgI 4, 7–8
  - stoichiometric compounds 59–63
  - survey 23, [24](#), 25
  - trapping energies 52–3
- crystalline PEO *see* PEO
- crystallisation suppression 107
- current
  - steady-state 158–60
  - and surface roughness 287
- current fraction 157–8
- current and overpotential 278–9
- cyclic voltammetry 249–50
- d orbitals 155, 167
- dc polarisation 147–53, 157
  - linearity limit 152
  - and mobile associated ions 150–2
- Debye length 271, 274, 275, 282
- Debye–Falkenhagen effect 21
- decoupling index 139
- defect formation, glasses 82
- defect migration, glasses 82–3
- defects, and conductivity 69
- dielectric constant 272
  - polymer host 124
  - relative, of glasses 81
- dielectric screening 53
- differential capacity 269–70
- diffraction, in cation solvation studies 124
- diffusion
  - doping process 247–8, 249
  - enhancement 254–5
  - impedance response 251–2

*Index*

- diffusion coefficient 102, 104  
diffusion layers, electrolyte 148  
diffusivity 202, 204, 226  
dipole generation 20, 21  
dipoles, and ion clustering 16; *see also*  
quadrapoles  
discharge, Ag<sub>3</sub>SI cell 294  
disorder 189–90  
dispersion region 22  
dissociation, incomplete 135  
dissociation equilibria, glasses 84–5  
distortion, conducting channels  
LISICON 33, 34  
Li<sub>4</sub>SiO<sub>4</sub> 35  
domains, free energy 177  
doping  
activation energy 56  
aliovalent 11–12  
band structure 245–6  
composites 69  
conducting polymers  
kinetics 247–54  
monitoring 244–6  
counter ion 233  
crystalline electrolytes 10–13, 63–9  
cyclic voltammetry studies 249–50  
diffusion 247–8, 249  
heterocyclic polymers 234–6  
ideal ion size 39  
Li<sub>3</sub>N 36  
Li<sub>4</sub>SiO<sub>4</sub> 34  
low-temperature conductivity 38–9, 40  
NASICON 68  
oxide ion conductors 38  
percolation pathways 53  
polyacetylene 231–2  
polyaniline 238–40  
redox reaction 232–3  
reversible 240, 249–51  
heterocyclic polymers 237–8  
*see also* lithium rechargeable  
batteries  
salts 78–9  
spontaneous undoping 257–8  
trapping effect 15–16  
trapping energy 52, 69  
zirconia 317  
doping level 233, 237–8  
high 243–4, 245–6  
doping process  
conducting polymers 240–4  
electrochemical 234  
doping strategies  
composites 69  
crystalline electrolyte 63–9  
framework structures 67–9  
point substitution 63–7  
drift velocity 55  
drift-current density 54  
Dumas–Herold model 192  
dynamic bond percolation (DBP) theory  
140, 141  
elastic ion interactions 187  
electric vehicle batteries 306, 307  
electrical field 204  
electrical migration 200  
electrical mobility (charge carrier) 85  
electrical transport, glasses 81  
electrochemical techniques 219  
electrochemistry 1–4  
electrochromic devices 325–7  
electrochromic display (ECD) 230, 259–62  
electrochromic windows (EW) 260–1  
electrochromicity 3  
electrocrystallisation 281  
electrodes  
composition, and equilibrium voltage 224  
conductivity 203  
and electrostatic potential 199–200  
and energy balance 200–1  
growth rate 207–8  
impurities 201–2  
intercalation 311–15  
and ionic mobility *see* Wagner factor  
kinetic parameters 223–8; *see also* GITT  
kinetics 208–16  
and non-electroactive mobility 216  
parameter measurement 219–28  
phase changes 215  
and phase detection 222–3  
requirements 211  
resistance 215  
semiconducting 215  
and stoichiometric compounds 208–9  
surface oxide 273–4  
thermodynamics 216–18  
*see also* polarisation; polymer  
electrodes; intercalation electrodes  
electrolysis 148  
electrolyte  
CeO<sub>2</sub> based 47  
composition 46–7  
crystalline *see* crystalline electrolytes  
metal contact 281–2  
polymer *see* polymer electrolytes  
requirements 211  
silver ion 293  
solid 1  
transition metal 47  
and transport number 39  
electron energy bands 166–8

*Index*

- electroneutrality
  - and ion hopping 21
  - and ion movement 213–14
- electronic energy levels, crystalline electrolyte 45–8
- electropolymerisation 235–7
- electrostatic ion migration barrier 20–1
- electrostatic potential 199
- emeraldine 239
- emf, and solid sensors 321–2
- energy, hybridisation 52
- energy balance, and electrodes 200–1
- energy content, battery 258–9
- energy density 312, 313
- energy gap, crystalline electrolytes 48–9
- energy levels, and electrolyte determination 46–7
- enthalpy
  - glass 81
  - mixing 79
  - motional 56
    - and cluster rotation 57
    - crystalline electrolytes 50–2
    - for proton translation 59
  - polymer/salt dissolution 120–1
  - and quenching rate 89–90
- entropy
  - $\alpha/\beta$  AgI 15
  - of dissolution 120–1
    - negative 127
  - electron 180–1
  - glass 81
  - ion 179–80
  - partial *181*, 182
    - measurement 178–9
  - polymer/salt dissolution 120–1
  - and quenching rate 89–90
- equilibrium, at interface 265
- EXAFS (extended X-ray absorption fine structure) 123–4
- exchange current 279
  - low ion concentration 283
  - multiple mobile charge 283–4
- exhaust sensors 322, *323*
- expansion
  - cointercalation 195
  - intercalation 192
- Faraday, M. 1
- Fermi–Dirac function 328
- ferroelectric phase 65
- Fick's diffusion coefficient 204
- Fick's law 54
- flexibility, electrode 95
- fluoride electrode 324–5
- fluoride ion conductors 40
- fluorite structure
  - and conduction 25
  - PbF<sub>2</sub> 61
- fluorite-related ion conductors 38–40
- flux, ionic 200, 201
- framework hydrate 70
- framework structures, and doping 67–9
- free volume models 133–6
  - extended 134–5
  - limitations 135, *136*
- free volume theory 130
  - and ion hopping 141
- Frenkel defect 8, 82
- Frenkel disorder, intrinsic 39
- frequency, and conductivity 21–2; *see also* impedance
- frequency response analysis 251
- frequency-dependent behaviour 141–2
- fuel cells, solid oxide 292
- Fuoss expression 85
- galvanic cell voltage 199
- galvanostatic intermittant titration technique *see also* GITT
- Gibbs energy of formation *216*
  - and composition 221
- Gibbs energy of reaction 216–17
- Gibbs free energy
  - of activation 279
  - and electrodes 200–1
  - insertion thermodynamics 175
  - polymer–salt complexing 120–1
- GITT 219–23
  - for electrode data 223–8
- glass transition temperature 80
  - and motion 98
- glassy electrolytes 4–5
  - charge carrier thermodynamics 84–5
  - chemical composition 77–9
  - conductivity measurements 87–90
  - defect formation 82
  - fast ion conducting 84–5
  - ionic salts 79
  - ionic transport 74–5
  - kinetics 79–81
  - microscopic approach 81–4
  - thermodynamics 79–81
  - transport above transition temperature 90–3
  - weak electrolyte theory 85–7
- Gouy–Chapman model 271, 274–5
  - back to back 276
- Gouy–Chapman/Helmholtz model 275–6
- graphite 163–4
- Grotthus mechanism 58, 72
- ground state, degenerate 242

*Index*

- guest  
   cointercalation 194–5  
   density 191  
   intercalation compounds 163; *see also*  
     lithium  
   in lithium batteries 311  
   polyacetylene 233  
 guest modified bands 168  
 guest sites *see under* sites
- hafnium, as electrolyte 47  
 halide oxide, and glass conductivity 88  
 halide salts, ionic enhancement by 76, 78  
 Hall effect 10  
 halogens, effect on polyacetylene 231–2  
 Haven ratio 83  
 Helmholtz interface model 271–3  
 Helmholtz/Gouy–Chapman model 275–6  
 Hittorf/Turbandt measurements 154,  
   155–6  
 hopping 8, 9–10  
   activation energy 18, 20  
   conditions for 21  
   electroneutrality departures 21  
   polymer electrolytes 128  
   rates 18–20, 22  
   solvent-assisted 140–1  
   timescale 18–19  
 host  
   amorphous polymers 98, 106–11  
   dimensionality 164–5  
   electronic structure 165–8  
   layered 164–5, 166, 170–2  
 hybridisation energy 52  
 hydrated oxides, as proton conductors 70  
 hydrogen bonding 57–8  
 hydrogenic model 52–3
- impedance  
   interfaces 267  
   low ion concentration 283  
   multiple mobile ions 284–5  
   semicircle 252, 267, 268, 269, 282, 284,  
     285  
   spectra 288  
   and surface roughness 287–8  
 impedance response  
   electrode 251–3  
   hoop 251, 252  
 insertion electrodes 292–3  
 insertion thermodynamics *see*  
   thermodynamics of insertion  
 insulator energy bands 167  
 intercalation 311  
   band-filling 186, 187  
   Cu cell 287–8  
   expansion during 192  
   local environment 185  
   non-electronic 186  
   polymer electrode similarities 251  
   staging 191–3  
   *see also* host; lattice-gas models;  
     polyacetylene  
   intercalation compounds 163  
   1-D host, 3-D sites 165, 166, 169  
   2-D systems 170–2  
   3-D structure, 1-D tunnels 169  
   3-D systems 172–4  
   lithium 171–2  
 intercalation electrodes 1, 5, 311–15  
   discovery 2–3  
   *see also* electrodes  
 interface 5–6  
   blocking metallic 276–7  
   Helmholz model 271–3  
   investigation methods 266–8  
   low ion concentration 282–3  
   non-blocking  
     complex metallic 288–9  
     multiple charge 283–6  
     single charge 277–83  
   non-metal contact models 276  
   potential 269  
 interfacial measurement  
   surface film 286  
   surface roughness 287–8  
 intermediate species 290  
 internal resistance, cell 43  
 interstitial pair  
   formation 82  
   ionic displacement 91–2  
 interstitialcy 8, 9  
   conduction 29  
   alkali ion 34, 35–6  
   indirect 82–3  
   migration 17  
   *see also* mobile ion sublattice  
 iodine 293–4  
   I<sub>2</sub>–PVP 302, 303  
 ion  
   concentration at electrode 225  
   dilute, and conductivity 21  
   electrostatic interaction, polymer/salt  
     dissolution 121  
   free 126  
   mobile, low concentration 282–3  
   thermal vibration 10  
   triple, motion of 145–6  
 ion aggregation 127  
   and molar conductivity 144, 144–5  
 ion association 126  
   and dc polarisation 148–53

## Index

- and molar conductivity 144
  - polymer electrolytes 128–9, 143–53
- ion atmosphere 7, 21
- ion clustering 125, 182
- ion conduction, fast 84–5
- ion coupling 206
- ion entropy 179–80
- ion flux 203–4, 205
- ion hopping *see* hopping
- ion interaction
  - elastic 187
  - layered compounds 191–2
  - long-range 145, 149
  - short-range 187–8
- ion–ion relaxation effects 22
- ion migration 147, 148
  - cooperative 8
  - electrostatic barrier 20–1
  - see also* interstitialcy mechanism
- ion movement 199
  - and segmental motion 99–100
  - see also* Wagner factor
- ion pair
  - dc polarisation linearity 152–3
  - solvent separated 125
- ion retardation 206
- ion segregation,  $\text{PbF}_2$  62
- ion transport
  - immobile ion triples 146
  - microscopic model 140
  - polymer electrolytes 153–8
  - and segmental motion 97, 145–6
  - and viscosity 128
- ion trapping 15–16
  - oxide ion conductors 39
- ionic bond introduction, network modifiers 77
- ionic conductivity 53–9
  - compositional sensitivity 75, 76
  - defined 10, 53–4, 74
  - enhancement, glassy electrolytes 76, 78–9
  - glasses 74–5, 76
  - high 21
  - maximisation 12–13, 13
  - partial 226–7
  - stoichiometric salts 10–11, 15
  - thermodynamic link 85
  - see also* random walk theory
- ionic coordination 120
- ionic diffusion coefficient 54
- ionic gap 48
- ionic mobility 54
- ionic potential, positional variation 50
- ionic salts
  - glassy 79
  - in glassy electrolytes 76, 78–9
- ionic strength 271
- ionic transport, vitreous transition
  - temperature 90–3
- ionic transport rate 208
- Jonscher's Universal Law of Dielectric Response 22
- jump frequency 55
- kinetic effects 135
- Kröger–Vink notation 16
- lamellar acid salts 70
- lamellar structure,  $\text{TiS}_2$  311
- lanthanides, and polymer–salt complexes 116
- $\text{LaCrO}_3$  321
- lattice distortion, polypyrrole 241
- lattice energy, salt 121, 122
- lattice–gas models 164, 179–91
  - disorder 189–90
  - electron entropy 180–1
  - example 181–3
  - hysteresis 190–1
  - interaction energies 186–9
  - ion entropy 179–80
  - $\text{Li}_x\text{Mo}_6\text{Se}_8$  181–3
  - site energies 183–6
- law of mass action, and site vacancy 49
- layered compounds 170–3
  - and staging 191–2
- lead
  - $\text{PbF}_2$  61–3
  - $\beta''$ -alumina **24**
- leucoemeraldine 238–9
- line phases 221
- linearity limit, dc polarisation 152
- LISICON 33–4, 67
  - lithium movements 68
  - $\gamma$ -tetrahedral structures 33, 34
- lithium
  - cooperative motion 69
  - halides 37
  - hydride spinels 37
  - $\text{LiAlSiO}_4$  139
  - $\text{LiClO}_4$  122
    - molar conductivity 144–6
    - neutral pairs 151–2
    - PEO cell 150–3
  - $\text{LiCoO}_2$  313–14, 315
  - Li–Li interactions 186
  - $\text{Li}_x\text{Mo}_6\text{Se}_8$  181–3
  - $\text{Li}_3\text{N}$  36–7
  - Li/PEO– $\text{LiCF}_3\text{SO}_3$  interface 282–6

## Index

- lithium (*continued*)  
 $\text{Li}_3\text{Sb}$  211, [212](#)  
 partial ion conductivity [227](#)  
 $\text{Li}_4\text{SiO}_4$  derivatives 34–6  
 $\alpha\text{-Li}_4\text{SiO}_4$  37–8  
 $\text{Li}_x\text{TiS}_2$  171  
 rutile structure 169  
 salts  
 PEO salt 102, 103  
 polymer–salt 100–1  
 solid electrolytes [24](#)  
 superionic conductor *see* LISICON  
 transition intercalations 312–15
- lithium cells  
 glass 304–5  
 intercalation 311–15  
 polymer 305–6, [307](#)  
 rechargeable 255–9  
 charge–discharge rate 256–7  
 charging 256  
 energy content 258–9  
 self-discharge 257–8  
 secondary 47, 305  
 solid electrolyte 300–7
- lithium ion  
 conductivity enhancement 69  
 mobility 68–9  
*see also* LISICON  
 load levelling 308  
 localised systems 181  
 lone-pair electrons, and proton movements 57
- Madelung energy 45, 46
- magnesium  
 $\text{MgO}$ , energy level diagrams 45–6  
 and polyelectrolytes 115
- manganese energy levels 46–7  
 mean-field theory 180, 182, 186  
 short range 187–8
- MEEP [107](#), [109](#)
- memory device 327–9
- metal/electrolyte contact 281–2
- metastability 174, 215
- microbalance studies 246
- migration [147](#), [148](#)
- mixed alkali effect 88–9
- mixed anion effect 89
- mixing enthalpy 79
- mobile ion sublattice 7  
 disorder creation *see* doping  
 disordered ( $\alpha\text{-AgI}$ ) 13–15  
*see also* interstitiality
- mobility  
 general 204  
 non-electroactive compound 216  
 molar conductivity 143–7  
 molar free energy, and conductivity 87  
 molybdenum 169  
 $\text{Mo}_6\text{Se}_8$  [172](#), [173](#)  
 motion  
 crank-shaft 98  
 segmental 97, 98–9, 100  
 Mott transition 168
- NAFION 116
- NASICON [24](#), 31–3, 67  
 framework structure 68
- Nernst–Einstein relationship 54, 204
- network formers 77
- network modifiers 77–8
- network polymers 109
- NGK, oxygen sensor 322–4
- niobium cell 299
- NMR, pulsed field gradient 157
- non-blocking electrodes 54–5  
 and surface roughness 288  
*see also* impedance
- non-blocking interface [267](#), [269](#)  
 complex metallic 288–9
- ohmic resistance 223
- Onsager's equations 203
- optical absorption, and doing monitoring 245
- optical display *see* electrochromic display
- optical memory 259
- order parameters, order–disorder transition 49
- order–disorder transition 49, 59–60
- ormosils 112
- overpotential 277, 278  
 current 278–9  
 multiple mobile charge 284  
 resistance 280–1  
 surface film 286
- oxide ion conductors 38–40, 315–16
- oxides  
 capacitance 273–4  
 hydrated 70  
 layered 70  
 as network modifiers 77
- oxygen  
 bridge breaking 77  
 bridging 27  
 coordination by 122  
 defect insertion 47–8  
 guests 164  
 layered structures [172](#), [173](#)  
 oxygen reduction, SOFC [317](#), [318](#)



*Index*

- oxygen sensor 322–5  
 fluoride electrode 324–5  
 pumped 322–4  
 oxygen sites,  $\text{Bi}_2\text{MoO}_6$  64  
 oxygen vacancies  
 $\text{Ba}_2\text{In}_2\text{O}_5$  59  
 creation 63
- pacemakers 301–2  
 partial occupancy 8n  
 particle hydrates 70–1  
 passivation 286  
 PEO (poly(ethylene oxide)) 96–7, 119, 306  
 diffraction studies 124  
 frequency-dependent conductivity *142*  
 methoxy-linked 119–20  
 molar conductivity *146*  
 $(\text{PEO})_3$ :  $\text{NaClO}_4$  105  
 $(\text{PEO})_3$ :  $\text{NaI}$  104  
 $\text{LiClO}_4$  cell 150–3  
*see also* polymer–salt complexes
- aPEO 106–7  
 percolation pathways 53, 63  
 pernigraniline 239  
 perovskite 174  
 anion conductivity 39–40  
 $\text{BaInO}_{2.5}$  59  
 $\text{Ca}_3\text{Fe}_2\text{TiO}_8$  64  
 cavities 313  
 proton conduction 41  
 peroxide ion 48, 64  
 pH change 71–2  
 phase, metastable 215  
 phase detection, and electrode discharge  
 222–3  
 phase diagram  
 intercalation expansion 192, *193*  
 $\text{Na-S}$  *309*  
 polymer–salt 101–3  
 ternary structure 194, *195*  
 phase transition 188–9  
 first order, and disorder 189–90  
 piggyback rotation 59  
 plasticised polymer electrolytes 120  
 plasticiser, polyelectrolyte 113, 115  
 PMEO (methoxy-linked PEO) 119–20  
 polarisation 50, 52, 202, 215  
 and doping 234  
 polarisation correction 46  
 polaron level 241  
 polyacetylene 230–4  
 conductivity *244*  
 doping mechanism 241–3  
 doping sites 247  
 electrode kinetics 247–9  
 intercalation similarities 233
- polyamines 100  
 polyaniline 238–40  
 doping mechanism 243–4  
 polydithienothiophene 245  
 polyelectrolytes *96*, 113–16  
 chelated 115  
 cryptand addition 115  
 plasticiser for 113, 115  
 role of Mg 115  
 polyesters 100  
 polyethers 100  
 cyclic, complexed 110  
 poly(ethylene oxide) *see* PEO  
 polymer  
 defined 95–6  
 heterocyclic 234–7  
 kinetics 249–54  
 reversible doping 237–8  
 polymer displays *see* electrochromic  
 displays  
 polymer electrodes 3  
 applications 255  
 diffusion enhancement 254–5  
*see also* electrodes  
 polymer electrolytes 3–4, 5, 95–6, 119  
 cation solvation 123–4  
 dc polarisation 147–53  
 ion association 124–7, 143–53  
 ion transport 153–8  
 ionic conduction mechanism 128–43  
 configurational entropy model 136–8  
 dynamic response 139–43  
 free volume models 133–5  
 pressure dependence 129–38  
 temperature dependence 129–38  
 macroscopic requirements 108, 109  
 plasticised 120  
 requirements 100  
 salt/polymer dissociation 129, 143–7  
 solvent requirements 122–3  
*see also* polymer–salt complexes;  
 polyelectrolytes  
 polymer host, dielectric constant 124  
 polymer/lithium cells 305–6, *307*  
 polymer/salt complexes 96–112  
 amorphous 98, 119–20  
 coordinated *112*  
 crosslinking 108–9  
 formation 100–4  
 host polymers 106–11  
 lanthanides 116  
 motion 97, 98–9  
 polar molecule addition 109–10  
 proton conductors 111–12  
 salt diffusion 102, 104  
 solvation mechanism 120–9

*Index*

- polymer/salt complexes (*continued*)  
 structure 104–6
- polymerisation, electrochemical 234–7
- polyphosphazines 107–8, 113
- polypyrrole 235, 237  
 doping 240–1, 249–51  
 impedance response 253  
 lithium batteries 255–9  
 microbalance studies 246, 247
- polysiloxanes 113–14
- polythiophene 235, 237
- potassium,  $\beta$ -alumina 24
- potential  
 double-well 57  
 interfacial 269  
 polymer electrolyte 158–60  
*see also* chemical potential
- potential barriers (wells)  
 $\alpha$ -AgI 15, 16–17  
 NaCl 16–17
- potential extremes, and blocking 266
- potential sweep 267
- potentiometric measurement 292
- potentiometric sensor 321
- potentiostat 267
- proton conductors 40–1
- proton displacements 58
- proton movements 57–9
- pseudobinary compounds 174
- pseudophase diagram *see* phase diagram
- pumping cell 322–4
- PVP 302, 303
- quadrupoles, in glasses 88
- quenching 79  
 enthalpy/entropy 89–90  
 glass transition temperature 80
- radio tracer measurements 156–7
- Randles circuit 251–2
- random walk theory 10  
 deficiencies 56  
 and doping 12, 13  
 and ionic conductivity 54–6
- reaction rate, parabolic 227, 228
- redox reaction 234
- reference electrode 277, 278
- relaxation, electrochemical *see* GITT
- relaxation effect  
 ion-ion 22  
 polymer–salt complexes 139, 140  
 Randles circuit 251, 252  
 in WLF equation 129–30
- relaxation energy, and ionic jumps 50
- relaxation rate, free volume model 133–4
- relaxation techniques, and hopping rates 19
- relaxation time  
 configurational entropy model 136–7  
 structural 79–80, 90, 91
- residence time 19, 20
- resistance  
 and overpotential 280–1  
 and surface film 286
- resistivity, lattice-gas models 185–6
- rocking chair cells 196
- roughness, and interfacial measurement 287–8
- rubidium  
 RbAg<sub>4</sub>I<sub>5</sub> 325–6  
 Rb<sub>4</sub>Cu<sub>16</sub>I<sub>7</sub>Cl<sub>13</sub> 297–8  
 RbI–AgI cell 295  
 solid electrolytes 24
- rutile 169, 170
- salt precipitation 127
- salting-out 127
- Sanyo memory device 327–9
- Schottky defect 8
- screening 52–3, 168, 186
- segmental motion 95  
 timescale 139  
 triple ion transport 145–6
- selenium 169
- semiconductor energy bands 167  
 guest modified 168
- semiconductors 210
- sensors  
 internal resistance 43  
 solid electrolyte 321–5
- separators, solid electrolytes 43
- shielding 214
- shift factor (WLF) 130
- Shirikawa method 230–1
- siloxane 108
- silver  
 Ag/Ag<sub>4</sub>RbI<sub>5</sub> impedance 282  
 AgI 61  
 order–disorder transformation 49  
 $\alpha$ -AgI 13–15  
 $\beta$ -AgI entropy 15  
 Ag<sub>6</sub>I<sub>4</sub>WO<sub>4</sub>  
 memory device 328, 329  
 cell 296  
 Ag<sub>2</sub>S 212  
 Ag<sub>3</sub>SI solid electrolyte 293–4  
 AgI conductors, early work 2  
 $\beta$ -alumina 24  
 battery electrolytes 293  
 interface equilibrium 265  
 in solid electrolytes 23

*Index*

- sintering temperature 48–9  
 site occupancy 49  
 site residence time 19, 20  
 sites, 3-D 165, [166](#), 169  
   dimensionality 164  
   guest 154–5  
   normal/interstitial 48  
 smart windows 260–1, 326–7  
 Snoek effect 19  
 sodium  
   Na–S phase diagram [309](#)  
    $\text{Na}_2\text{Zr}_2\text{PSi}_2\text{O}_{12}$  [24](#)  
   solid electrolytes [24](#)  
   *see also* alumina; NASICON  
 sodium ion conduction 23, 24  
 sodium–sulphur batteries 2, 307–10  
 solid electrolyte *see* crystalline electrolyte;  
   electrolyte  
 solid oxide fuel cells (SOFC) 315–21  
   Argonne fuel cell [319](#), 320–1  
   Westinghouse tubular cell 317–20  
 solid state electrochemistry, history 1–4  
 solitons, native 242, 243, 243–4  
 solubility, polymer–salt 101  
 space charge 203  
 spectra  
   EXAFS 106  
   vibrational, PEO-complex 105  
 spectroscopy, polymer electrolytes 126  
 spinels 174  
    $\beta$ -aluminas 26–7, 67  
   lithium hydride 37  
 stabiliser ions,  $\beta$ -aluminas 26  
 stability (chemical), for cells 44  
 stability window 220  
 stacking sequence,  $\beta$ -aluminas [27](#), 27–8,  
   28–9  
 staging 312  
 steric hindrance 106  
 stoichiometric compounds, and  
   electrodes 208–9  
 Stokes–Einstein equation 130, 133  
 structural transformation: *see* doping;  
   order–disorder transition  
 sublattice, mobile ion 7  
 sublattice melting 49  
 sulphides, as network modifiers 77  
 surface charge 270  
 surface film, and interfacial measurement  
   287  
 Tafel equation 279, 284  
 Tafel slope 290  
 Tammann’s tarnishing constant 207  
 tarnishing, and electrode reactions 207  
 teeter-totter cells 196  
 temperature  
   conductivity [66](#)  
   doping 38–9, 40  
   ionic 7  
   oxide [316](#)  
   PEO 97  
   polyacetylene [244](#)  
   polymer–salt complexes 99  
   WLF form 130, 132–3  
 derivatives 178  
 hopping rate 19–20  
 phase change,  $\text{Bi}_2\text{MoO}_6$  64  
 salt precipitation 127  
 SOFC current 321  
 structural relaxation time 79–80  
   *see also* thermal energy; WLF equation  
 tetrahydrofuran 125  
 thermal energy  
   and hydrogen bonding 58  
   and ionic jumps 50, [51](#)  
   *see also* temperature  
 thermal vibration  
   charge distribution 271  
   dissociation 81–2  
 thermodynamic factor 204  
 thermodynamic models of conductivity  
   87–90  
 thermodynamic property measurement  
   292  
 thermodynamics  
   electrode 216–18  
   and ionic conductivity 85  
 thermodynamics of insertion 174–9  
   entropy measurement 178–9  
   voltage and chemical potential  
   175–8  
 $\text{ThO}_2$ , structure 38  
 Thuringer glass 74  
 tie lines 194  
 titanium disulphide 311, [315](#)  
 transference number 153, 154, 155, 206,  
   208  
 transistors 229  
 transition  
   continuous 178  
   first order 177  
   staged structures 193  
 transition metal hosts *see* host  
 transition metals, as electrolytes 47  
 transition state theory 279  
 transition temperature 90, [91](#)  
 translational piggyback motion 58–9  
 transport, electrolyte 153–8  
 transport number 153, 154  
   and electrolytes 39  
   for solid electrolyte cells 44

## Index

- trapping effect, dopant 15–16  
 trapping energy 52–3, 53  
   and doping 63  
 WO<sub>3</sub>, electrochromic 325–6  
 tunnels 169, [170](#)
- undoping 257–8
- vacancies  
   and conduction 28, 29  
   conduction planes 28  
   creation 11–12; *see also* doping  
   migration 8, [9](#)  
 vacuum energies 45  
 V<sub>6</sub>O<sub>13</sub> [312](#), [313](#)  
 vanadium bronze cell 296  
 vehicular motion 58–9  
 viscosity 130, [131](#)  
   electrolyte 128  
   free volume models 133  
 vitreous transition temperature 80  
   ionic transport 90–3  
 Vogel–Tamman–Fulcher equation *see*  
   VTF equation
- voltage  
   cell equilibrium 218, 220–1  
   and electrode composition 224  
   time dependence 225–6  
   *see also* potential *under* cell  
 voltage equilibrium measurement 175, 176  
 voltammogram [247](#), [248](#), [249](#), [250](#)  
 VTF (Vogel–Tamman–Fulcher) equation  
   98  
 VTF law 80
- VTF behaviour 90–1, 91–2  
 VTF form  
   configurational entropy model 137,  
   137–8  
   free volume 133
- Wagner factor 204, 206, 208, 209–12,  
 209, 226  
   and coulometric titration 222  
 Warburg, E. 2  
 Warburg impedance 268  
   absence 282
- water  
   defect insertion 47–8  
   inserted 64  
   ion transport 100  
   proton conductors 70–2  
 weak electrolyte theory 85–7  
 Westinghouse tubular cell 317–20  
 WGL cell 303–4  
 WLF (Williams–Landel–Ferry) equation  
   129–30, [131](#), 132  
   configurational entropy model 137, 138  
 working electrode [277](#), [278](#)
- x-ray 105, [183](#)  
 EXAFS 123–4
- zirconia 317  
   oxygen sensor 322, [323](#)  
   pumped 322–4  
   stabilised 63  
 zirconium, as electrolyte 47