

Index

The use of italics denotes figure references.

- abnormal fluid pressures
 - see* geologic forcing of fluid pressures, overpressured zones
- Abu Dhabi 335–6
- accretionary prisms 434–8, *435*, *439*
 - decollement 435, 437–8
- adiabatic decompression 278
- adiabatic lapse rate 141, 153
- adsorption
 - see* sorption
- advection–diffusion equation 4, 96–8, 172
- advective heat transport
 - see* heat transport
- advective solute transport
 - see* solute transport
- agates
 - see* banding, geochemical
- age determination of groundwater 168–74
 - carbon-14-based estimates 169–71, *171*, 174
 - chlorofluorocarbon-based estimates 169
 - from cosmogenic isotopes 171–2
 - influence of dispersion on 172–4
 - paradox of 172
 - tritium-based estimates 169, 281
- age mass 168
 - see also* age determination
- Alaska, North Slope 184
- albitization 197, 376
- angle of internal friction
 - see* coefficient of friction
- anhydrite
 - as a cement 445, 455
 - in evaporite deposits 327, 328
 - in salt domes 346–8, *347*
- anisotropy
 - mechanical 75
 - of permeability 12–14, *12*, *14*
- Appalachian basin *194*, 241, *242*
- aqueous complexes 114–15
- aquifer tests 15–18, 35, 182–4
- Athabasca basin, Canada 210–13, *211*
- Athy's law 21, 85, 86, 361
- Australian MVT ore deposits 203
- average linear velocity
 - see* seepage velocity
- Azerbaijan 241
- bacteria
 - see* microorganisms
- banding, geochemical 381–3
- Barbados 434, *435*, 437, 438, *439*
- baseflow 321–2
- basin-centered gas 241–3, *242*, 244
- Bernoulli's equation 6
- Black Hills, South Dakota *171*, 170–1
- black smoker *422*
- blanket zones 213, 215, *216*
- blue hole 444
- boiling-point-with-depth curves 145, *277–9*, *278*
- bottom simulating reflector 433
- boundary conditions
 - Dirichlet-type 62, 99
 - for heat transport 139–41, *140*, *430*
 - hydromechanical 62–3, 65, 79–80
 - Neumann-type 62, 99
 - for solute transport 99
 - for subsea hydrothermal circulation 419
- boundary-layer effects 146, 257, 268–9, *430*, 455
- Boussinesq approximation 142–3, 150, 258
- brines 175–6, 198–203, 205, 330–2
 - evolution during evaporation 337–40, *339*
 - see also* evaporites
- buoyancy-driven flow 151–2
 - see also* free convection, variable-density flow
- Cajon Pass, California 188–90

- calcite
 in dedolomitization 171
 dissolution in mixing zones 445–9, 446, 447
- Cam-clay model 70–2
- capillary-pressure effects
 in oil–water–gas systems 234–5
 in oil–water systems 226–7, 227
 in steam–water systems 136, 137–8
- caprock formation, over salt domes 346–9
- carbon
 “dead” 171
- carbon-14
see age determination
- carbonate compensation depth 415–16
- carbonate rocks, diagenesis of 441–9
- carbon dioxide, and seismicity 305–6
- Cascade Range, Oregon 184–7, 191, 192
- Cascadia margin, and subduction 435, 438
- cation exchange capacity 114
see also ion exchange
- cenicero zone 216
- cenote 448
- cementation
see diagenesis, silica
- chemical divide 329, 330
- chemical geothermometers
see geothermometers
- chemical osmosis 8–10, 119–20, 177
- chemistry, principles of aqueous 108–19
 coupled to transport 108–11
 dissolution/precipitation 116–17
 kinetic-rate equations 111–13
 mineral-surface reactions 98, 113–14
 speciation 115
- Chi-Chi earthquake, Taiwan 322
- chloride salts
see evaporites
- chlorine-36
see age determination
- chlorofluorocarbons
see age determination
- clays
 and chemical osmosis 177
 dehydration reactions 162, 438, 439
 permeability and porosity of 11
- coefficient of friction 294, 303
 of San Andreas fault 308–9
- coefficient of molecular diffusion 90, 107
- Colombia
see emeralds
- compaction-driven groundwater flow 160, 162–3, 165–8,
 199, 303–4, 344, 353–71, 357, 361, 363, 368, 436–8,
 439
- complexation
see aqueous complexes
- compressibility
 bulk 45
 effective 84–5
 plastic 69
 uniaxial 77
- computer codes, USGS
 for geochemistry 118, 338, 445
 for groundwater flow 35
 for heat transport 103, 128, 139, 259
 for solute transport 103
- concretions 381
- condensation of steam 152
- conductive heat transport
see heat transport
- confined groundwater systems 25, 25, 32, 160, 314
- confining layers 25, 25
 evaporites as 341
 heat transport in 143
 solute transport in 122
- connate water
see brines
- conservation of energy 130–1
- conservation of mass 28–31, 96–7, 129–30
- contact metamorphism 405–7
- continuity equation 4
 derivation of 28–30
- continuum approach 26–8
- convection
 near the critical point of water 270–1
see also buoyancy-driven flow, free convection,
 variable-density flow
- copper
see ore deposits
- cosmogenic isotopes
see age determination
- Coulomb’s law of failure 70, 292–4
 application to results at Rangely, Colorado 298–9
- coupled flow phenomena 8, 105–8, 108, 109
- critical line 426, 427
see also critical point of water
- critical point of water 126, 127, 136
 effects of salinity on 426
 fluid circulation near 267–71
- crude oil 220
see also hydrocarbons

- crustal heat flow 247–53
 - correlation with age of crust 250, 250
 - effect of topography on 249–50
 - global average 247–8
 - heterogeneity of 250–2
 - impact of subsea hydrothermal systems on 248, 423–4
 - measurement of 248–50
 - perturbation by groundwater flow 252–3
 - sources of 248
- cubic law, for permeability 317, 373
- Dakota Sandstone, US midcontinent 19, 36, 160
- Damkohler number 112, 380, 444
- Darcy's law 2–10
 - multiphase version 131–3
 - possible limits of 4–6
 - three-dimensional version 13–14
 - variable-density version 104, 131–2
- Darcy velocity
 - see* specific discharge
- dating of groundwater
 - see* age determination
- Dead Sea 342
- decarbonation reactions
 - see* devolatilization reactions
- decollement
 - see* accretionary prisms
- deep biosphere 121
- deformation 31–2, 38–88, 353–71, 436–8
 - elastic 43–5, 355
 - inelastic 66–76, 355–64, 365–71
 - plastic or elastoplastic 67–72, 71, 73, 83, 84, 353, 355–6, 365, 366
 - viscoelastic 72–4, 73, 74
- delayed yield 33
- Denver basin 160, 160
- dedolomitization 171, 176
- devolatilization reactions 162, 163–4, 387–8, 391, 453
- diagenesis 371–83
 - of carbonate platforms 441–9
 - as a local-scale phenomenon 378–83
 - in sedimentary basins 373–8
- diffusion equation 4, 35, 92, 133, 134
- diffusion, molecular
 - description of 90–2
 - into a matrix during transport 173–4
 - multicomponent interactions 105–8
 - values for coefficients 91
- dimensionless numbers
 - see* Damkohler number, Peclet number, Rayleigh number, Reynolds number, Nusselt number
- dispersion
 - see* heat transport, hydrodynamic dispersion, solute transport
- dispersivity
 - definition of 94–5
 - field values for 96, 145
 - scale dependence of 95–6, 145
- dissolution
 - see* chemistry, diagenesis
- distribution coefficient (K_d) 98
- divergence 34
- dolomitization 441–5
 - possible influence on evaporite brine chemistry 332, 333
 - see also* dedolomitization
- drained conditions 48, 294, 358–9
- earthquakes
 - see* seismicity, fault zones
- Earth tides 314, 318
- effective compressibility of a multiphase flow 276–7
- effective porosity
 - see* porosity
- effective stress
 - see* stress
- elastic deformation
 - see* deformation
- elevation head 7
- emeralds 216–17
- enthalpy 125–9, 126, 427
 - in gas-hydrate systems 434
 - of a multiphase flow 268
- entrapment
 - see* hydrocarbons
- epithermal deposits
 - see* ore deposits
- Eulerian reference frame 436
- evaporites 325–51
 - bedded 340–2
 - common minerals 327
 - in continental environments 333–4
 - disparities between ideal and observed sequences 326, 328
 - ideal sequence from evaporation of seawater 326–8
 - permeability of 340–2
 - possible influence of hydrothermal brine input on 331–2
 - possible influence of nonthermal groundwater inflow on 328–9, 336

- evaporites (*cont.*)
 possible influence of nonthermal groundwater outflow on
 336–40
see also salt domes
- exchange capacity
see cation exchange capacity
- extensometer 369
- failure
see hydraulic fracturing, stress
- fault zones
 critically stressed 298
 heat transport in 146–8
 thrust 302, 303
 transform 304
see also San Andreas fault, seismicity
- Fick's first law 90, 105, 173
- Fick's second law 91–2
- fission tracks 225
- fluorspar ore districts 176
- fluid inclusions 195, 391
- fluid pressure
see accretionary prisms, geological forcing of fluid
 pressures, hydraulic head, overpressured zones, pressure
 head
- force equilibrium 52–5, 63, 81
- Fourier's law 3, 133, 248
- fractures, permeability of 322–4, 323, 373
see also hydraulic fracturing; permeability, in relation to
 orientation of critically stressed fractures; permeability,
 of fractured rock
- free convection 150, 151–2, 201, 201, 204, 210–13, 211, 258,
 259, 270–1, 343–6, 345, 376–7, 377
see also buoyancy-driven flow, variable-density flow
- fumaroles 262–3, 263, 264–5, 266, 273, 274
- geothermal 263
 volcanic 263
see also hot springs, subsea hydrothermal systems
- gas hydrates 432–4
- geologic forcing of fluid pressures 160–4, 296, 308, 391, 411
see also overpressured zones
- geotherm
 crustal-scale 252, 253
- geothermal resources 284–5
- geothermometers 264, 280, 281, 377
- geysers 281–4, 316–18
- ghost zones 215
- “Ghyben–Herzberg” (Du Commun) model for freshwater
 lens 176
- gold 278, 278–9
- granites
 possible influence of bacteria on origin of 120–1
- Great Artesian basin, Australia 171, 178
- groundwater flow equation
 derivation of 28–35
 three-dimensional poroelastic 56–61
- Gulf Coast 21, 165–8, 167, 344, 346–7, 360, 361, 375
- gypsum
 in evaporite deposits 326, 326, 328, 330, 333
 in regional aquifers 175
- half-life, equation for 98
- head
see hydraulic head
- heat capacity 23, 127–8, 178, 267
- heat flow
see crustal heat flow, heat transport, hydrothermal systems
- heat pipes 152–3, 156, 275, 282
- heat production 252
- heat transport 124–56
 advective 23, 144–5, 179–90, 195–7, 401–3
 conductive 3, 124, 133–4, 247–52, 250, 253, 401–3
 dispersive 131, 135, 137, 146
 radiative 131, 137, 251
 regional-scale 177–90
- heterogeneity, of permeability 12–22, 394–9, 403–4
- hot springs 256–7, 262–7, 263, 272–3, 273, 274, 276,
 279–81, 280, 319, 331
 effect of geothermal development on 284
 heat discharge by 256–7, 264–7
 permeability structure of 279, 280
see also geysers, subsea hydrothermal systems
- Hubbert curve 245
- Hubbert, M. King 245
- hydraulic conductivity 2, 13, 31
see also permeability, transmissivity
- hydraulic diffusivity 35, 277, 321–2
- hydraulic fracturing 164–5, 166, 228, 238, 391, 407
- hydraulic gradient 2, 5, 36
- hydraulic head 6–8, 7, 30–4, 125, 158, 160–1
- hydrocarbons 220–46
 biodegradation of 233
 cracking of 221
 effects of capillary forces on 226–7, 227, 232, 234
 entrapment of 230–3, 232
 maturation of 221–5
 miscible transport of 229
 oil window for 221–2
 primary migration of 227–8

- secondary migration of 228–30
- water washing of 233
- hydrodynamic dispersion 94–6, 100, 172
 - influence on apparent groundwater age 172–4
 - scale-dependence of 95, 95–6
- hydrodynamic entrapment
 - see hydrocarbons
- hydrodynamic lag 371
- hydrostatic pressures 7, 159–60, 165, 167, 217, 291, 404
- hydrothermal alteration 19, 262
 - see also diagenesis, metamorphic systems
- hydrothermal ore deposits
 - see ore deposits
- hydrothermal systems
 - heat discharge from 256–7, 262–7
 - longevity of 147–8, 200–1, 254, 256–7, 259, 394
 - near magma bodies 256–60
 - thermal pressurization of 260
 - see also buoyancy-driven flow, geysers, heat pipes, hot springs, phase separation, subsea hydrothermal systems, vapor-dominated zones
- Iceland 313
- impelling force 230, 231, 272, 273
- incompressible fluid 7, 31
- induced seismicity
 - see seismicity
- inelastic deformation
 - see deformation
- initial conditions 63, 80, 99, 139–40
- intrinsic permeability
 - see permeability
- ion exchange 113
- ion pairs
 - see aqueous complexes
- Ireland
 - see ore deposits
- isobaric specific heat 277
- isotopes
 - in age determination of groundwater 168–72
 - in metamorphic fluids 388–90
- Italy 309–10
- Joule–Thomson coefficient 128
- Joule–Thomson heating (cooling) 128–9
- karst 352, 445–9
- karstification 372, 372, 445–9, 447
- kerogen 221, 224, 228
- Kilauea volcano, Hawaii 12, 18–19, 262, 449–50, 450
- kinetic energy 6, 128
- Kobe earthquake, Japan 312
- Kozeny–Carman equation 10–11
- Kupferschiefer ore deposits, Germany and Poland 205
- Lacq gas field, France 300
- Lagrangian reference frame 436
- Landers earthquake, California 312
- land subsidence 368–71
- Laplace formula 227
- Laplace’s equation 35
- Lassen, California 153, 257, 265, 266, 272
- latent heat of crystallization 254–5
- latent heat of vaporization 125–7, 152, 278
- law of mass action 110, 114–15
- lead–zinc deposits
 - see ore deposits
- Liesegang banding
 - see banding, geochemical
- limestone
 - see calcite, carbonate rocks
- linear elastic behavior
 - see deformation
- linear transport laws 3–4
- lithostatic pressures 22, 165, 166, 167, 217, 243, 291, 390, 395–6, 400, 404, 435, 452
- loading efficiency
 - one-dimensional 83
 - three dimensional
 - see Skempton’s coefficient
- local equilibrium assumption 110, 116, 377
 - see also solute transport
- logistic curve
 - see Hubbert curve
- Loma Prieta earthquake 22, 319, 320, 320–1
- Long Valley, California 311, 319, 320
- Los Angeles basin 239–40
- Madison Limestone, US midcontinent 170–1, 171
- magma 254–6, 255
 - heat content of 254, 257
 - latent heat of crystallization of 254–5
 - permeability near 260–2
 - as a source of heat to groundwater systems 256–7
 - as a source of solutes to groundwater systems 176–7
- magmatic–hydrothermal systems
 - see hydrothermal systems
- marine environments
 - see carbonate rocks, subsea hydrothermal systems

- mechanical dispersion
see hydrodynamic dispersion, solute transport
- mechanochemical coupling 378
- metamorphic systems 385–411
 high-pressure metamorphic belts 409–10, 438–40
 nature of permeability in 390–400
 oxygen-isotope exchange in 388–90
 regional-contact metamorphism 407–8
- metasomatism 385
- metastable water 318
- meteoric water 158, 403
 in hydrothermal systems 388–90
 in sedimentary basin diagenesis 374, 376
- methylpy 128
see also enthalpy
- methane 220, 221, 233, 432, 433
see also natural gas
- methanogens
see microorganisms
- microorganisms
 hyperthermophiles 423
 in hydrothermal environments 422–3
 in salt dome caprocks 348
- methanogens 423
 and origin of granites 120–1
 role in hydrocarbon degradation 233
 and solute transport 121–2
- mid-ocean ridges
see subsea hydrothermal systems
- mixing zones
see calcite, seawater
- Mississippi Valley type deposits
see ore deposits
- Mohr diagram 40–2, 50, 70, 292–4, 293, 295
 three-dimensional 323
- molecular diffusion
see diffusion, molecular; solute transport
- multicomponent transport 108–19
- multiphase flow
see heat transport, hydrocarbons
- MVTs
see ore deposits, Mississippi Valley type lead–zinc
- natural gas 221, 234–5, 241–3, 244, 432–4
see also hydrocarbons
- Navier–Stokes equations 4, 10
- Noordbergum effect 63–5, 64
- North Sea basin 375–6
- North Slope basin, Alaska 184
- nucleation threshold 382
see also metastable water
- numerical solution techniques 101–3, 104–5, 117–19, 139
 Peclet number criterion for stability of 102–3
 Rayleigh number criterion for stability of 104–5
 and the representative elementary volume 27–8
- Nusselt number 148–9, 270–1, 401, 402
 correlation with Rayleigh number 271
- Ohm's law 3
- oil
see hydrocarbons
- oil window 221–2, 223–4, 225, 246
- Onsager relations 106
see also coupled flow phenomena
- oozes
 biogenic 415
 carbonate 415
- ore deposits 193–219, 285–7
 copper 205–7, 213–16
 epithermal 286, 287
 hydrothermal 285–7, 287
 Irish 203–5, 204
 Mississippi Valley type (MVT) lead–zinc 194, 194–205, 196, 200, 201, 241–2
 redox control of 198, 205, 207, 208, 210, 286
 salt-dome associated metal sulfide 347, 348–9
 stratiform base-metal deposits 205–7
 supergene enrichment of porphyry copper 213–16, 214, 216
 uranium 207–13, 209, 211
- osmosis
see chemical osmosis
- Ouachita mountains 197, 199
- overpressured zones 24, 160–8, 237–9, 258–60, 295–310, 357–64, 365–8, 390–1, 433–4, 435–6
see also geologic forcing of fluid pressures
- oxygen shift 389, 389–90
- Ozark mountains 195–6, 199
- Papua New Guinea
see ore deposits, copper
- Pannonian basin, Hungary 179
- Paris basin, France 179
- Parkfield, California 304–5
- Peclet number 149–50
 for basin-scale heat transport 179–81
 as a criterion for numerical stability 102–3, 103
- permeability 3, 10–24, 392–401
 of active fault zones 308

- anisotropy of 12–14, *12, 14*
 crustal-scale estimates of *20, 392–401*
 cubic law for 317, *373*
 depth-dependence of 18–20, 373, 394–400
 of fractured rock 317–18, 322–4, 323, 373
 of halite 340–1
 heterogeneity of 12–22
 of hot-spring systems *279, 280*
 limiting values of 22–4, 23, 401–3
 measurements at depth of 19–20, 190
 of metamorphic systems 391–400
 near magma bodies 260–2
 of oceanic basement *416, 417–18*
 of oceanic sediments 415–6, 437–8
 possible effect of oil generation on 237–8
 possible effect of seismicity on 317–8, 319–22
 relation to orientation of critically stressed fractures
 322–4, *323*
 relation to porosity 10–11, *11, 19, 21–2, 363–4, 397,*
 446–7
 scale-dependence of 15–18, 182, 396–8
 time-dependence of 21–2
 values inferred from earthquake swarms 309–10, 311
 of vapor-dominated zones *275*
see also hydraulic conductivity, relative permeability,
 transmissivity
 Persian Gulf *229, 233*
 petroleum 220
 see also hydrocarbons
 phase separation *230, 231, 272–3, 273, 426*
 see also supercritical phase separation
 phonon conduction *251*
 Pierre Shale 16, 160, 178
 piezometer 7, 36
 plastic deformation
 see deformation
 plastic flow 67
 Poisson's ratio 44, 75
 poroelastic theory 50–66, 365, 367
 porosity 3, *11, 26–7, 27*
 crustal-scale estimates of *397*
 effective 3
 evolution in basins 84–6
 evolution in freshwater–seawater mixing zones 445–9
 relation to depth 19, 21, 85–6, 357–64, 362, 374, 378–80,
 381
 relation to permeability 10, *11, 397*
 potential energy 6–8, 128
 conversion of gravitational potential energy to heat 153–5,
 156
 potential flows 133, 272
 precipitation, of minerals
 see chemistry, principles of aqueous; diagenesis; silica
 cementation
 pressure compartments *243, 244*
 pressure head 7
 pressure solution 378–80, *379, 381*
 principal stresses
 see stress

 radiative heat transfer
 see heat transport
 radioactive decay 98–9, *101, 169–70, 171–2*
 Rangely, Colorado 298–9
 Rayleigh number 104–5, 150–1, 270, 271, *377*
 reactive transport
 kinetically based 111–13
 local-equilibrium based 113–17
 multicomponent 108–19
 single-species 97–9
 regional metamorphism 391, 407–9
 relative permeability 131–3, *132, 138, 228, 234, 237, 318*
 representative elementary volume 26–8, 27, 52, 56
 reservoirs, hydrocarbon
 diagenesis of 373–6
 hydrodynamic entrapment within 230–1, *232*
 retardation factor 98
 reverse osmosis
 see ultrafiltration
 reverse water-level fluctuations
 see Noordbergum effect
 Reynolds' number 5
 rheology 67
 elastic 43–5, 355
 elastoplastic 67–70, 72, *356, 365*
 plastic 67, 83, 355, 358
 viscoelastic 72–5, 78
 viscoelastoplastic 74
 Rhine Graben 223–5, 223, *224*
 Rocky Mountain Arsenal 296–8, *297*

 sabkha 334–6
 salt domes 342–9, *343*
 caprock formation above 346–9, *347*
 convection near 343–6, *345*
 diapiric rise of 342–3
 San Andreas fault 19, 187–90, *188, 189, 299–300, 300–1,*
 304–9, 305, 400–1
 sandstones
 porosity and permeability of 11, 13

- sandstones (*cont.*)
 porosity–depth relations for 360–3, 362, 374, 378–80, 381
see also diagenesis, in sedimentary basins
- saturation curve
see vaporization curve
- Saudi Arabia 229
- scale effects
 on dispersivity 95, 95–6
 on permeability 15–18, 396–8
 with respect to the representative elementary volume (REV) 27
see also dimensionless numbers
- seafloor hydrothermal systems
see subsea hydrothermal systems
- seamounts 418, 431–2, 432
- seawater
 chemical effects of mixing with groundwater 176, 443, 445–9, 446
 Ghyben–Herzberg (Du Common) model for freshwater lens 176
 influence of hydrothermal input on chemistry of 332–3, 424–5
 major-element composition of 327
see also evaporites
- SEDEX ore deposits
see stratiform base-metal deposits
- seepage velocity 3, 92
- seismicity 295–324
 associated with elevated fluid pressures 295–310
 on critically stressed faults 298, 311–12
 induced by fluid injection 296–300
 induced by natural fluid sources 309–10
 possible association with CO₂ discharge of 304–6
 possible hydrologic precursors to 312–13
 possible influence on regional permeability 317–18, 319–22, 323
 response of geysers to 316–18
 response of streamflow and springs to 315, 318–22, 320
 response of water wells to 313–16, 315
 seasonally modulated 311–12
see also fault zones
- shales 9, 13, 16, 21, 87, 160, 177, 178
 as source rock for hydrocarbons 221, 222, 226, 227, 228
 porosity–depth relations for 360–1, 362, 362–3
see also chemical osmosis, overpressured zones, Pierre Shale
- shear failure 50, 292
- shear modulus 51
- shear stress
see stress
- Siberia 222
- single-pass or U-tube model 429, 430
- silica cementation in sandstones 374, 376–8
- Skaergaard, East Greenland 262, 405–7, 406
- Skempton's coefficient 59
 table of values 60
- smectite–illite transition
see clay dehydration
- snow line
see carbonate compensation depth
- solute transport 89–123
 advective 23, 92–3, 402–3
 diffusive 90–2, 92, 105–8, 106, 108, 109, 173, 173–4
 dispersive 93–6, 99, 100, 145, 146, 172
 influence of microbes on 121–2
 reactive 108–19, 121–2, 210–13, 212, 214–16, 374–5, 382–3, 445–9
 regional-scale 168–77
- sorption 98, 100, 101, 113–14
 effect on evolution of groundwater chemistry 174–5
- speciation
see chemistry, principles of aqueous
- specific discharge 3
- specific storage 31–2
 three-dimensional 59
- specific yield 33
 delayed yield phenomenon 33
- springs
 acid-sulfate 263, 264, 273, 275
 high-chloride 263–4, 265–6, 273, 276
 temperature of 153–5, 154, 156, 279–80, 280
see also geysers, hot springs
- squeegee model
see tectonic squeegee model
- storage coefficient 32
- storativity
see storage coefficient
- strain 39, 42–5, 47–9
 elastic 43–5
 inelastic 66, 67, 69, 72–3, 358
 purely vertical 80–3
- strain efficiency of a well 313–14
- strain hardening/softening 67
- stratiform base-metal deposits
see ore deposits

- stream function approach 142–3, 258
- stress
- components 39–40
 - differential 293, 294
 - effective 19, 45–50, 290, 298–304, 353–4
 - hydrostatic 291
 - normal 39–40
 - principal stresses 40, 165, 166, 291, 293
 - shear 39–42, 39, 41, 70, 187, 190, 292, 303
- stress – heat flow paradox 187–90
- stylolites 376, 380
- subduction zones 409–10, 438–40, 451–4
- see also* accretionary prisms
- subsea hydrothermal systems 419–30
- importance to Earth's thermal budget of 423–4
 - influence on ocean chemistry of 333, 424–5
 - quantitative description of 428–30
 - see also* supercritical phase separation
- sulfidation (state) 286
- superconvection 267, 269, 271
- supercritical phase separation 426
- see also* phase separation
- surface tension
- see* capillary-pressure effects
- surface traction 40
- tectonic squeegee model 199, 366
- temperature gradients
- effect of lateral groundwater flow on 146–8, 147, 179–90, 180, 187, 192
 - effect of vertical groundwater flow on 143–6, 144, 185, 192, 223–5, 225, 252–3
 - effect of uplift/subsidence on 178–9, 202, 237–8
 - global average 179
 - inferred for Mississippi Valley type deposits 195–6
- tensile failure 291
- terrigenous sediments 416
- The Geysers, California 137–8, 153, 274, 275, 284–5
- thermal conductivity 133–4
- anisotropy of 178
 - geometric-mean model for mixtures of materials 133–4
 - measurement of 248
 - in sedimentary basins 178
 - temperature-dependence of 251
 - in volcanic terrane 249–50
- thermal dispersion
- see* heat transport
- thermal equilibrium 131, 136
- thermal expansivity 150
- thermal pressurization
- see* hydrothermal systems
- thrust faulting
- see* fault zones
- time-integrated fluid flux 386
- topographically driven groundwater flow 25, 158–60, 159, 160, 171, 179, 183, 199–202, 200, 208, 237, 273, 279, 414
- tortuosity 91
- transmissivity 35
- see also* hydraulic conductivity, permeability
- triaxial tests 292–4, 293
- drained conditions 294
 - undrained conditions 294
- tritium
- see* age determination
- Uinta basin, Utah 16, 17, 182–3, 236–9, 238
- ultrafiltration 119–20
- unconfined groundwater systems 25, 25, 32–3
- undrained conditions 56, 59, 88, 294, 359
- uranium
- see* ore deposits
- vapor-dominated zones 152–3, 273–6, 274
- permeability structure of 273–5
- vaporization curve 125, 126, 426
- see also* boiling point-with-depth curves
- vaporstatic pressures
- see* vapor-dominated zones
- variable-density flow 104–5, 124–56, 231, 273, 343–6, 345, 376–8, 418–20, 420, 432
- velocity, of groundwater
- see* seepage velocity
- velocity head 6, 128
- vitrite reflectance 221, 224
- volcanism
- see* hydrothermal ore deposits, hydrothermal systems, magma, subsea hydrothermal systems
- volume flux 3
- see also* specific discharge
- water
- global mass balance 451–4
 - properties of 125–9, 126, 425–8, 427
 - water–rock ratio 258, 375, 388, 390
 - water table 24–5, 25, 33, 180, 281
 - water washing
 - see* hydrocarbons

Cambridge University Press
0521603218 - Groundwater in Geologic Processes, Second Edition
Steven E. Ingebritsen, Ward E. Sanford and Christopher E. Neuzil
Index

[More information](#)

536 Index

- weathering
 - distinguished from diagenesis 352
 - effects of on regional groundwater chemistry 174
 - and the first appearance of granites 121
- well tests
 - see* aquifer tests
- Western Canada basin 181–2, 183, 229, 232, 233, 241
- White Pine ore deposit, Michigan 206, 206–7
- Yellowstone, Wyoming 256, 265–6, 281, 283, 316–17, 318
- Young's modulus 44, 45, 51
 - table of values 44
- zebrastone
 - see* banding, geochemical
- zinc
 - see* ore deposits