

SUBJECT INDEX

- Acacia mangium* 176
- Accipiter imitator* 185
- Acrostichum* spp. 38
- Aethalops alecto* 71
- afforestation 6
- Agathis* spp. 18, 159
- Aglaia* spp. 72
- agroforestry system 24, 25
- airships 23
- albedo, surface 40
- Albizia falcateria* 65
- Albizia grandibracteata* 65
- Albizia* spp. 162
- Alethe poliocephala* 145
- alethe, brown-chested 145
- Alouatta palliata* 146
- Alouatta seniculus* 79
- Amazilia* spp. 66
- amphibians
 - humidity effects 30–1
 - watercourse alteration 36–7
- Anacardium occidentale* 64
- Andropadus latirostris* 119, 145
- Aniba duckei* 49, 68
- Anisoptera thurifera* 53
- annelids 101
- Annonaceae fruits 170
- Annorhinus galeritus* 74, 74
- Ansonia* spp. 37
- ant
 - army 92
 - insect prey flushing 92–3
 - leaf-cutting 61
- Anthracoceros albirostris* 74
- Anthracoceros malayanus* 74
- Anthracoceros* spp. 72
- Anthreptes* spp. 77
- antwren, Peruvian 88
- Aotus nigriceps* 68
- Aotus* spp. 68
- aphids 159
- Aquillaria malaccensis* 20
- Ara macao* 75
- Ara* spp. 66
- Aratinga guarouba* 75
- Arctictis binturong* 100
- Aristolochia* spp. 61
- Arucaria cunninghamii* 163
- Atelés* spp. 68
- atmospheric circulation patterns 40
- Atta* spp. 61
- Aucoumea klaineana* 43
- Australia
 - forestry rules/regulations 178–9
 - see also* Queensland forests
- Automolus* 89
- Avicennia* spp. 37
- aye-aye 87
- Azteca* spp. 61
- babbler 90
 - mustached 145
- Balionycteris maculata* 71
- balloons, tethered 23
- barbet 97
 - cavity use 154
- bark scorch 30
- bark-gleaning insectivores 88
 - várzea forest 92
- bat
 - banana 31
 - blossom 31
 - frugivorous 70–1
 - fruit 71
 - insectivorous 87
 - logging response 94
 - naked 94
 - nectivarous 77
 - sympatric species 107
- bee, euglossine 76
- bee-eater, blue-throated 89
- beetle larvae 87
- behavioural changes in primates 83–4
- Berenicornis comatus* 74
- Bia Forest (Ghana), felling patterns 174
- binturong 100

Subject index

211

- biodiversity
 - cloud forests 30
 - deforestation threat 16
 - forest policy 132–3
 - forward planning 138
 - habitat preservation 138–49
 - interventions 137–8
 - logging 48–9
 - managed forests for timber production 183
 - management
 - integrated 183–5
 - planning 113, 133
 - of resources 103
 - mapping 168
 - post-felling inventory 177–8
 - preservation 10, 15
 - retention 133
 - tropical forests 3
- biodiversity conservation 10, 183–4
 - guidelines for 166–7
 - management planning 124
 - production forest 189
 - regenerating forest 136
 - regional strategies 13
- biodiversity maintenance
 - compensatory plantations 159–63
 - conservation of specific resources 149, 151–7
 - corridors 145–8
 - damage limitation 166
 - enrichment planting 157–8
 - habitat heterogeneity 149
 - habitat structural diversity 149
 - nature reserves 138–9
 - periodic block system in Trinidad 180–1
 - re-logging schedules 158–9
 - refuges 139, 141–5
- bird of paradise 31
- birds
 - ant-followers 93, 94
 - aquatic 63
 - assemblage
 - changes 106–7
 - similarity indices 119
 - body size 107
 - canopy 92
 - cavity nesting 153
 - cavity use 154
 - community structure 106
 - feeding guilds 106, 107, 108–9, 110, 111
 - folivorous 62
 - foraging groups of insectivores 88
 - foraging pattern 31
 - frugivorous 72–6
 - insectivorous 87
 - canopy vertical dispersion 93
 - understorey 87–9, 90–1, 92
 - monkey-followers 93
 - nectivarous 77
 - regenerating forest 97
 - species
 - diversity 113, 117
 - extinctions 185
- transient understorey insectivore-frugivore 97
 - understorey 31, 75, 89, 118, 130, 145, 151
- birdwing butterflies 61
- boa 99
- Bos gaurus* 64
- bowerbird, tooth-billed 62
- Brachylaena hutchinsii* 21
- Brachystegia speciformis* 21
- Bradypterus* spp. 61
- Brasilwood 18
 - dyes 20
 - extirpation from Amazonia 49
- breeding population, stable 141
- broadbill, green 66
- browsers, terrestrial 63, 64
- browsing
 - destructive 135
 - mammalian predators 99
 - ungulates 85
- Buceros bicornis* 74
- Buceros rhinoceros* 74, 141
- Bucorvus* spp. 72
- Budongo Forest (Uganda)
 - bird population variation 126
 - diversity 49
 - indices of similarity for bird species 118–19
 - logging effects on primates 80
 - logging studies 132
 - mahogany fruiting 57
- buffalo 64
- bug, flatid 65
- bulbul 97
 - yellow-vented 97
- burning 39
 - susceptibility 41
- burrow systems 36
- butterfly
 - birdwing 61
 - production 12
- Bycanistes subcylindricus* 156
- cable systems 23
 - log landing areas 44
- Cacajao c. calvus* 95
- Cacajao* spp. 67
- Caesalpinia echinata* 18, 20, 49
- calcium levels 34–5
- Callithrix* spp. 64, 96
- callitrichids 63
- Callosciurus caniceps* 71
- Callosciurus nigrovittatus* 71
- Callosciurus notatus* 71
- Callosciurus prevostii* 71
- Campylorhamphus* spp. 89, 120
- canals, extraction 22
- canoe building 21
- canopy
 - birds 92
 - euglossine bee pollination 77
 - level of removal 135
 - plant abundance 51
 - tree

212 *Subject index*

- canopy (*cont.*)
 - loss effects on hornbills 72–3
 - size 47–8
 - upper
 - folivorous insects 60
 - fruit production 66
- Capromys* spp. 62
- Capyptomena viridis* 66
- carbon
 - dioxide 39, 40
 - release 39
- carvings 21
- Casearia corymbosa* 149
- Castanospermum australe* 20
- Castilloa ulei* 20
- cats, small 99
- cavity see tree cavities
- Cebuella pygmaea* 65
- Cebus albifrons* 96
- Cebus apella* 96
- Cebus* spp. 93, 96
- Cecropia* spp. 50, 61
- CELOS system of Suriname 177, 179
- Cephalophorus* spp. 85
- Cephalophorus sylvicola* 86
- Cercopithecus ascanius* 69, 151
- Cercopithecus diana* 69
- Cervus unicolor* 63, 64, 162
- charcoal
 - mangrove forest 37–8
 - production from stumps and brash 176
- chavascal vegetation 39
- Cheiromeles torquatus* 94
- chestnut, Moreton Bay 20
- chimpanzee 69–70, 99
 - logging effects on population 112
 - predation by crowned eagle 99
 - predation on red colobus 99
- Chiropotes s. satanas* 67
- Chiropotes* spp. 67
- Chlorestes* spp. 77
- Chlorostilbon* spp. 77
- Chloroxylon swietenia* 18
- Chloepus* spp. 62
- Chondrodendron tomentosum* 20
- Cicinnurus regius* 31
- Cinara cupressi* 159
- civet 95, 99–100, 162
 - otter 99–100
- clean-up procedures 176
- clearing systems 24, 25
- climatic shift 39–41
- climax forest, food type diversity 79
- climax species 52
 - commercial hardwoods 56
 - gaps 55
- climbers
 - canopy opening effects 171
 - cutting 171–2
 - exploitation by frugivores 66, 68
 - nectar-producing 78
- regeneration repression 172
- species diversity 171
- cloud cover reduction 40
- cloud forest 29–30
- cobra 99
- colobus
 - black 66
 - red 68–9, 99
- Colobus badius* 68–9, 99
- Colobus guereza* 80
- Colobus satanas* 66
- colonial era, timber felling 18–19
- colonization after logging 36
- colugo 62, 98
- Columba pallidiceps* 185
- commensalism 92–3
 - macaques 96–7
- compensatory plantations 159–63, 164
- competition, interspecific 94–5
- concessions
 - agreements 6, 168, 169
 - political involvement in policies 10
 - tree retention 170
- Coniferococcus agathidis* 159
- conservation
 - training 188
 - wildlife 11
- conservation of specific resources 149, 151–7
 - deadwood 153–4
 - keystone food trees 149, 151–3
- construction materials 25, 161
- consumers, changing attitudes 10
- Cope's Law 107
- coral reefs 37
- Cordia alliodora* 159
- corridors 145–8
 - conservation function 145
 - disease incidence 146
 - dispersal routes 137, 146–8
 - edge effect 146
 - habitat 145–6
 - length 147–8
 - position in landscape 146
 - predation in 146
 - width 147
- coua, crested 64
- Coua cristata* 64
- Couma macrocarpa* 20
- courtship of euglossine bees 77
- crabs, mangrove forest decomposers 101
- crossbill 152
- Culicicapa ceylonensis* 89
- Cupressus lusitanica* 159, 163
- cyclones
 - destruction 56
 - gap formation 52
- Cynocephalus variegatus* 62, 98
- Cynogale bennettii* 99
- Cynometra* forest (western Uganda) 79, 137
- Cynopterus brachyotis* 71
- Cyornis* spp. 88

Subject index

213

- damage
 - incidental 43
 - levels 44–5
 - logging intensity 165, 166
 - limitation 165–6
 - biodiversity maintenance 166
 - maximum allowable rate 56
 - random during logging 50
 - skidding 175–6
 - spatial distribution 47
 - uncontrolled felling 173
- dams 176
- Daubentonina madagascariensis* 87
- dead-leaf searching 89
- deadwood, standing/fallen 153–4
- decomposers 101–2
- deer
 - brocket 64
 - muntjac 85, 162
 - sambar 63, 64
- deflection, ecosystem 159
- deforestation
 - biodiversity threat 16
 - rate 3–4
 - reduction with plantations 160
 - species extinctions 11, 185
 - timber harvesting 7
- Dendrobates* spp. 31
- Dendrocincla fuliginosa* 93, 94
- Dendrocincla merula* 93, 94
- Dendrohyrax arboreus* 62
- developing countries, GDP 1–2
- Dicæum* spp. 75
- diet flexibility 102
- Diglossa* spp. 77
- Dioscorea* spp. 20
- diosgenin 20
- dipterocarp forest 66
 - civet 99, 100
 - frugivorous squirrels 70
 - lianas 51
 - mass fruiting 53
 - peninsular Malaysia 14, 97, 98
 - dipterocarp abundance in gaps 53
 - hornbills 72, 74
 - recolonization in southern Vietnam 88
 - reserved areas 142
 - Sabah 88–9
 - bird species richness 148–9, 150
 - Sarawak 145
 - forestry rules/regulations 179
- diseases
 - plantations 159
 - spread in corridors 146
- dispersal distance 147–8
- dispersal routes, corridors 137, 147–8
- disturbance
 - ecological parameter susceptibility 134–5
 - environmental and species abundance 118
 - intensity/frequency control 56
- diversity indices 113, 117–18
- dormouse 86
- drainage lines, road construction 172
- dry cerrado vegetation 76
- dry seasons 40
- Dryanobalanops aromatica* 44
- Duabanga moluccana* 56
- duck 63
- duiker 85–6
- Dyera costulata* 170
- dyes 20
- DYNAST model 184
- eagle
 - crowned 99
 - harpy 98–9
 - Philippine 98
 - serpent 98
- earthworks, re-seeding 176
- earthworms 101
- eastern Zaire rain forest, hornbills 72
- Echinops telfairi* 87
- Echinosorex gymnurus* 87
- Ectiton* spp. 92
- ecological change monitoring in regenerating forest 133–6
- ecological parameters, disturbance susceptibility 134–5
- economic instability 10
- ecosystem
 - form deflection with timber production 159
 - isolated 143
 - minimum size requirement 139, 141
 - preservation 15
- ecotourism 12
- edge effect
 - corridors 146
 - indices of similarity 118
 - plantations 161–2
 - reserves 143
- edge habitat 89
 - small-bodied primates 96
- edge specialists 89
- edge vegetation 102
- El Niño/Southern Oscillation event 41
 - forest burning 74
 - hornbill migration 74
- elephant 63
 - African 64
 - Asian 64
 - destructive browsing 135
 - forest population promotion 157
 - log transport 181
- elephant grass, gap invasion 56
- Elephas maximus* 64
- employment 2
- endemism
 - tropical forests 11
 - vertebrate species 3
- energy tax 40
- enrichment planting 157–8, 164
 - need assessment 177
- Ensifera* spp. 76

214 *Subject index*

- environment
 - disturbance and species abundance 118
 - population vulnerability to fluctuations 120
- Eonycterus* spp. 77
- Eperua bijuga* 67
- epiphytes 30
 - canopy
 - euglossine bee courtship chemical compounds 77
 - loss 78
 - foliage-gleaning insectivore association 89
- Epixerus ebii* 70
- Epomorphus* spp. 71
- equitability 117–18
- erosion
 - logging effects 32, 33
 - post-burning 41
 - rill 33, 34
- Erythrina verna* 149
- Eucalyptus* plantations 24
- Eupatorium* spp. 135
- Euphorbiaceae 50
- European empires, timber extraction 18
- Euterpe oleracea* 21
- Euterpe precatoria* 21
- Eutoxeres* spp. 76
- evaporation rate 29
- evapotranspiration rate, reduced 40
- exports, round log 19
- extraction 175–6
- exudate feeders 63–6
- feeding guilds 129–30
 - Felis bengalensis* 99
 - Felis marmorata* 99
 - Felis onca* 97–8, 99
 - Felis tigris* 99
- felling 172–3, 174, 175
 - controlled directional 173, 174, 175
 - damage to other trees 44
 - intensity and logging cycles 158
 - low-yield trees 175
 - uncontrolled 173, 174
- fertilizers 36
- Ficedula* spp. 88
- Ficus* spp. 66, 72, 151
- Ficus sycomorus* 21
- figs 66
 - canopy germination 152
 - density 69
 - logged forest 152
 - reduction 170
 - destruction during logging 72
 - frugivore attraction 151–2
 - frugivorous birds 75
 - hornbill feeding 72
 - keystone resource 151
 - regeneration after logging 75
 - small-fruited 75
 - strangling 72
- finches
 - niche breadth 120
- secondary forest growth 97
 - seedeating 76
- fire damage, tropical forests 7
- fish, siltation effects 36
- flagship species 122
- Flatida elegantulus* 65
- flood levels 33
- flower-piercers, nectarivory 77
- flowerpecker 75
 - yellow-breasted 97
- flycatcher 88, 89
 - fantail 89
 - understorey 89, 130
- flycatcher-thrush, rufous 145
- foliage-gleaning insectivores 88, 89, 90
- folivores 58, 59–63
 - birds 62
 - invertebrates 59–61
 - marsupial 62
 - smaller vertebrates 62
 - terrestrial browsers 63
- food resources 58
- foraging behaviour
 - flexibility 92
 - frugivorous pithecine monkeys 67
 - primate 96
- forest
 - climax 79
 - composition changes
 - community level 48–9
 - species 49–51
 - conservation
 - erosion of undisturbed areas 11
 - shortage of undisturbed areas 11
 - ecosystem sustainability 13
 - end-use zoning 139, 140
 - environmental value of intact 12
 - fees 8
 - floor damage from logging activities 45
 - harvesting 14
 - remnants 22
 - islands 120
 - managed 137
 - monsoon 2
 - mosaic of differently aged patches 137
 - multiple-use areas 188
 - periodically inundated 37–9
 - preservation 10
 - pricing premiums 9
 - primary 80, 87
 - production and biodiversity conservation 189
 - public amenities 188
 - regeneration 43, 183
 - animals 15
 - biodiversity conservation 136
 - ecological change monitoring 133–6
 - management systems mimicking natural 57
 - natural 24, 25–6
 - rate 25
 - re-logging 136
 - species abundance 102
 - remnant harvesting 22

Subject index

215

- rents 12
- reserve categories 139, 141
- resource
 - exploitation 9
 - investment 6
- seral stages 137
- species composition 49–51
- structure changes 45–8
- succession 75–6
- timber production
 - conservation value 187
 - managed for 183
- undisturbed areas 5, 183
- vegetation
 - logging effects on structure 125
 - structural diversity recovery 158–9
- see also* logged forest; matrix vegetation; tropical forest
- foresters
 - shortage 6
 - training 124, 188
- forestry
 - community 6
 - conservation ethos 187–8
 - historical development 17–19
 - investment 6
 - practices 19–23
 - rules/regulations 178–9
 - failure to observe 179
 - observation 185
- training
 - conservation 188
 - staff 124
- FORPLAN model 184
- frog predation by cats 99
- frugivore-folivores 79–81, 82, 83–7
 - giant flying squirrels 85
 - primates 79–81, 82, 83–4
 - rodents 86–7
 - ungulates 85–6
- frugivore-predators 95
- frugivores 58, 66–76
 - adaptations 66
 - bats 70–1
 - birds 72–6
 - co-relationship with fruiting plants 149, 151
 - fig density reduction effects 170
 - fig eating 151
 - primate 67–70
 - squirrels 70
- fruit
 - lipid-rich 66, 72
 - production after logging 54
- fruiting
 - logged forest 57
 - peaks 53
- fuelwood
 - demand 1
 - plantations 25, 161
 - production zones 183
 - programmes 6
- fungus
- invasion of wood 30
- litter decomposition 101
- Funisciurus lemniseatus* 70
- Funisciurus pyrropus* 70
- galago 65
- Galago demidovii* 65
- Galago inustus* 65
- Ganges river, silt deposition 32
- gaps 57
 - climax species 55
 - seedling growth 52
- closure 28
- die-off of successional trees 30
- dynamics 43, 51–3
- elephant grass invasion 56
- frequency of formation 53
- insect exploitation 89
- leaf litter decomposition 30
- light effects 28
- logging 25
- microclimate 52
- natural 44, 56
- pioneer species 52–3, 55
- replanting 57
- seedlings 44
- size 51–3
 - control 55
 - switch size 52, 55
- temperature effects 28
- timing of formation 53
- transient understorey birds 97
- tree regeneration 51
- uncontrolled felling 173
- generalist species 95
- gibbon
 - Bornean 162
 - lar 81, 82
 - unlogged forest 81
- Gilbertiodendron* forest (eastern Zaire) 79, 137
- girth limit
 - minimum 18, 21
 - mangrove harvesting 38
- Gleichenia* 36
- glider 146
- global warming 40
- Glossophaga* spp. 77
- government involvement in forestry 7
- Graphiurus murinus* 86
- greenbul 97, 119
 - yellow-whiskered 97, 145
- greenhouse gases 40
- gross domestic product (GDP) of developing countries 1–2
- Guilelma* spp. 21
- guineafowl 62
- gully erosion 33, 34
- gums, non-elastic 20
- gutta percha 18
- Gymnobelideus leadbeateri* 146
- Gymnopithys salvini* 94
- gymnures 87

216 *Subject index*

- Habia rubica* 94
- habitat
 - diversity
 - indices 113
 - snags 153
 - structural 149
 - heterogeneity 149
 - logging effects 113
 - plantation provision 162
 - successional 78
 - value 183
- habitat preservation 138–49
 - corridors 145–8
 - nature reserves 138–9
 - percentage of forest preserved 139
 - refuges 139, 141–5
 - virgin jungle reserves (VJRs) 138
- hardwood products 1
- Harpactes* spp. 88
- Harpagus bidentatus* 93
- Harpia harpyja* 98
- harvesting
 - inventory 169–71
 - non-timber 20
 - regimes 14
 - sustainable annual of non-wood products 11
- harvesting procedures 172–6
 - extraction 175–6
 - felling 172–3, 174, 175
 - roading 172
- hawk-eagle 98
- heart rot 154
- heat stress 31
- helicopters 23
- Hemibeldieus lemuroides* 62
- Hemicircus concretus* 92
- Heretaria fomes* 38
- hermit hummingbird 77
- highland areas, logging 23
- hoatzin 62
- home range size 139, 144
 - corridor length 147–8
- honeyeater 77
- hornbill 72–4
 - black-and-white casqued 156
 - cavity use 154
 - density in dipterocarp forest 74
 - helmeted 121, 141
 - hole-nesting 156
 - indicators of logging impacts 120–1
 - rhinoceros 141
- Horn's Index of Overlap 118, 119, 128, 135
- humidity
 - amphibian movement 30–1
 - tropical forest 28–9
- hummingbird
 - abundance 78
 - emerald-type 77
 - nectarivory 77
 - social organization 77–9
 - successional habitat 78
 - sword-billed 76
- Hylobates lar* 82, 83
- Hylobates muelleri* 162
- Hypogramma* spp. 77
- Hypsipetes criniger* 98
- hyrax, tree 62
- igapó forest (upper Amazon) 21–2
- Imperata* grasslands
 - plantations 161
 - South-East Asia 26
- indicator species 120
 - flagship species 122
- Indices of Overlap 118
- indri 84
 - Indri indri* 84
 - Inga* spp. 66, 68
 - insect prey flushing 92–3
- Insectivora 87
- insectivore-frugivores 95–7
- insectivores 58, 87–9, 90–1, 92–4
 - bark-gleaning 88, 92
 - commensal 92–3
 - diversification 87
 - foliage-gleaning 88, 89, 90
 - sallying 88, 91
- insects
 - foliage 87, 88
 - nectarivore 76
 - vertical migration in várzea forest 92
- insolation
 - liana growth 51
 - understorey 28
- inter-site comparisons 127–31
 - co-variance determination 132
 - feeding guilds 129–30
 - individual species abundances 131
- inter-site heterogeneity 129
- International Tropical Timber Organization (ITTO)
 - best practice management systems 179
 - guidelines 167
 - interventions for conserving biodiversity 183–4
- interventions to maintain biodiversity 137–8
 - compensatory plantations 159–63
 - conservation of specific resources 149, 151–7
 - enrichment planting 157–8
 - habitat preservation 138–49
 - re-logging schedules 158–9
- Intsia palembanica* 21, 170
- invasive species, encouragement 135
- invertebrates
 - folivore 59–61
 - indicators of logging impacts 121–2
 - litter species assemblage changes 104–6
 - post-felling inventory 178
 - predatory 104–5
 - soil 105–6
- investment 6
- island biogeography theory 137
- island forests 103
- jaguar 97, 99

Subject index

217

- kangaroo 147
- Kenopia* spp. 88
- Kenopia striata* 89
- keystone trees 164
 - enrichment planting 157
 - food 149, 151–3
 - identification in concession 170
 - persistence rates 170
- Khaya* spp. 57
- Kibale Forest (Uganda) 135
 - bird species in plantations 163
 - cavity density 155
 - duikers 85–6
 - exudate feeders 65
 - foliage insects 60
 - forest composition 48, 49
 - gaps 56
 - greenbuls 97
 - habitat preservation 139, 140
 - maximum allowable damage rate 56
 - plantations 159–60
 - primates 79–80
 - raptor predation on monkeys 99
 - refuges 141, 144
- kingfisher 99
 - chestnut-bellied 185
 - indicators of logging impacts 121
- kite, double-toothed 93
- Lagothrix* spp. 68
- landslips 33
- land-use trends 183
- Lariscus insignis* 70, 71
- latex 20
- leaching, post-burning 41
- leaf litter 29
 - decomposition 30, 101
- leaf production in logged forest 59
- leafing activity after logging 53–4, 57
- lekking species 97
- lemur 63
 - abundance and tree diversity 69
 - Coquerel's mouse 65
 - fork-marked dwarf 64, 65
- Leontopithecus rosalia* 155
- Leontopithecus* spp. 154
- lepidoptera
 - diurnal 61
 - logged forest species 61
 - nocturnal 60–1
- lesser-known species (LKSs) 8
- Leuconotis* spp. 36
- Levins's Index of Niche Breadth 120
- lianas 51
- lifting, machine 22
- light available to forest floor 28
- litter decomposition 30, 101
- log
 - export of round 19
 - fallen 153
 - landing areas 44
 - and leave strategy 23
- loading areas 44
- value-added products 8–9, 19
- veneer-quality 160
- logged forest 3
 - area 11–12
 - basal area 47
 - burning susceptibility 41, 42
 - cover retention 42
 - deforestation 7
 - distribution 5
 - foliage insects 87
 - frugivorous squirrels 70
 - fruiting 57
 - grass colonization 75–6
 - hornbill population 73
 - leaf production 59
 - leafing 53–4, 57
 - moisture exchange 40–1
 - orchids 51
 - primates 80
 - regrowth 47
 - rodent biomass 87
 - slash-and-burn agriculture encroachment 7
 - snakes 99
 - species diversity 48–9
 - surface energy 40–1
 - termites 101
 - terrestrial browsers 63, 64
 - tree species richness 48–9
 - see also* forest
- logging 3
 - animal species response 58–9
 - bat response 94
 - biodiversity 48–9
 - biological sustainability of system 133–4
 - bird species
 - assemblage changes 106
 - dipterocarp forest 88–9
 - raptors 98
 - threatened 185
 - understorey 88
 - block separation 137
 - civet movements 99–100
 - concessions 6, 10
 - enumeration 168
 - retained area 169
 - cycles and felling intensity 158
 - damage 165, 166
 - deadwood resource 154
 - dipterocarp forest avifauna 88–9
 - equipment 18–19
 - fertilizer addition 36
 - forest structure changes 45–8
 - fruit production 54
 - habitat heterogeneity effects 113
 - highland 23
 - indicators of impact 120–2
 - intensity and species assemblage change 103
 - intensive of primary forest 160–1
 - inter-site comparisons 127–31
 - leafing activity after 53–4
 - niche space constriction 88

218 *Subject index*

- logging (*cont.*)
 - nutrient effects 34
 - patchwork system 143
 - physical environment effects 27
 - piscivore effects 99, 121
 - plant colonization 36
 - polycyclic systems 25
 - predator behaviour 97
 - primate behavioural changes 83–4
 - random damage 50
 - recolonization 88
 - reduced-impact 136, 179, 181
 - regeneration
 - critical period for species support 143–4
 - natural systems 184
 - tree effects 165
 - understorey 75
 - roads 98
 - skid roads 45
 - soil damage 31–3, 36–7, 175
 - soil surface effects 27
 - spatial distribution of damage 47
 - species
 - abundance 102
 - assemblage effects 128–9
 - diversity effects 158
 - selectivity 8
 - species richness decline 57
 - understorey
 - bird species richness 88
 - regeneration 75
 - wastage 8
 - woodpecker density 156
 - see also* gaps; timber
- Lonchura* spp. 75
- Lopé (Gabon), mammal communities 112, 116
- loris, slow 65, 96
- Loxia* spp. 152
- Loxodonta africana* 64
- Macaca fascicularis* 81, 82, 96
- Macaca* spp. 96
 - macaque
 - foraging behaviour 96
 - long-tailed 82
- Macaranga* spp. 50
- macaw 66
 - scarlet 75
- Macropus* spp. 147
- Maesopsis eminii* 158
- magnesium levels 34–5
- mahogany 18
 - felling 44
 - fruiting 57
- Malacopteron magnirostre* 145
- mammals
 - decline 185
 - home range of large 112
 - insectivorous 87
 - species assemblages 107, 112, 114–16
- Man and Biosphere 139
- management
- biodiversity conservation
 - incorporation into strategy 184
 - planning 124
 - biodiversity resources 103
 - conservation-oriented interventions 133
 - damage limitation procedures 165
 - devolution of responsibility 7
 - forward planning unit 138
 - integrated
 - for biodiversity 183–5
 - priorities 182–3
 - species extinctions 185, 186, 187
 - refining 157
 - sustainable use strategies 184
 - tropical forest 5–10
 - see also* sustainable management
- management planning 124
 - biodiversity retention 113, 133
 - data application to forest estate 131–2
 - field operations 167–8
 - inter-site comparisons 127–31
 - making recommendations 132–6
 - pre-felling procedures 167–72
 - spatial heterogeneity 125–7
 - sustainability 133–6
- management systems 23–6
 - best practice 179–81
 - clearing 24, 25
 - economics 14–15
 - ecosystem effects 180
 - harvesting regimes 14
 - implementing 6–7
 - Malayan uniform system 14
 - natural disturbance mimicking 55–6
 - natural regeneration 24, 25–6
 - mimicking 57
 - profitability 13
 - protective 13
 - replacement 24–5
 - restoration 24, 26
 - species co-existence 16
- manakin 75
- mangrove forest 37–8
 - decomposers 101–2
 - siltation 37
- Manilkara huberi* 67
- Mapane (Suriname), felling patterns 174
- maps, terrain 168–9
- market development 8
- marmoset 64
 - pygmy 65–6
- marsupials
 - arboreal in corridor habitats 146
 - folivorous 62
- martin, purple 89
- matrix vegetation 148
 - quality conservation 143
 - regeneration 144, 145, 164
 - species dispersal 148, 149
- Mayan agroforestry system 24, 25
- Mazama* spp. 64
- medicinal products 20

Subject index

219

- Megaerops ecaudatus* 71
- Megophrys monticola* 37
- Melanerpes cruentatus* 92
- Melastoma* spp. 75
- Meliaceae fruits 170
- Merops viridis* 89
- Microcebus coquereli* 65
- microclimate 28–9
 - change 30–1
 - cloud forest 29, 30
 - frugivorous bird tolerance of fluctuations 74
 - gaps 52
- microhabitats
 - folivorous insects 60
 - forest birds 106
- Microhyla heymonsi* 37
- Microhyla* spp. 31
- Micropterus* spp. 77
- mistletoe 75
- Molossops* spp. 94
- Molossus* spp. 94
- monarch, white-tipped 185
- Monarcha everetti* 185
- monkey
 - banded leaf 81, 82, 83
 - capuchin 93
 - diana 68–9
 - dusky leaf 82
 - mantled howler 146
 - Neotropical pitheciine 67
 - owl 68
 - proboscis 146
 - red colobus 68–9, 99
 - red howler 79
 - red-tailed 69, 151
 - spider 68
 - squirrel 93
 - woolly 68
- monsoon forest 2
- moonrat 87
- mosaic cutting 138
- moths, nocturnal 60
- mousedeer 85, 112
 - lesser 85, 151
- M'Passa (Gabon), species abundance 119
- mud-lobsters 38
- Multiple-use Module 139
- munia 75
- Muntiacus atherodes* 85
- Muntiacus muntjac* 85, 162
- Muntiacus* spp. 85
- Musanga* spp. 50
- Muscivora viridis* 89
- Myanmar, best practice logging systems 181
- mycorrhizal associations 30
- Myotis* spp. 94
- Myristica* spp. 72
- Myristicaceae fruits 170
- Myrmotherula brachyura* 88
- Myrmotherula* spp. 88
- Napohera* spp. 88
- Nasalis larvatus* 146
- National Parks 10, 11
- nature reserves 138–9, 188
- nectarivores 76–9
 - bats 77
 - birds 77
 - co-evolution with plants 76
 - nest hole excavation 155, 156
- niche
 - breadth 120
 - diversification 137
 - space constriction with logging 88
- Ninox strenua* 122
- nutrients 34–6
 - stemwood removal effects 34, 35
- Nycticebus coucang* 65, 96
- Ophiostocomus hoatzin* 62
- orang-utan 69
- orchids
 - logged forest 51
 - loss from canopy 78
- oriole 97
- Oriolus* spp. 97
- Ornithoptera* spp. 61
- Orthotomus* spp. 95
- Oryzoborus maximilliani* 76
- Otus bakkamoena* 98
- overland flow, saturation 33
- owl
 - cavity use 154
 - northern spotted 122, 139, 143
 - scops 98
- Palaquium gutta* 18
- Palcazu demonstration (Peru) 179
- palm
 - climbing 20–1
 - hearts 20, 21
- palm-civet 99
- Pan troglodytes* 69, 99, 112
- Paradisaea raggiana* 31
- parakeet 75
 - golden 75
- Parkia* spp. 65, 66, 83
- parrots 154
- partridge 62
- Pasoh Forest Reserve (peninsular Malaysia) 132
- Passiflora* spp. 61
- Pennisetum* spp. 56
- Percnostola schistaceae* 94
- periodic block system in Trinidad 180–1
- pests, plantations 159
- Petaurista elegans* 85
- Petaurista petaurista* 85
- Petaurista* spp. 85, 112
- Petauroides volans* 146
- Phaethornis* spp. 77
- Phalanger* spp. 62
- Phaner furcifer* 64
- Philentomia velutatum* 89
- Picus* spp. 92

220 *Subject index*

- pig, bearded 162
- pigeon
 - green 75, 151
 - yellow-legged 185
- Pinus caribaea* 163
- Pinus patula* 163
- pioneer species 52
 - establishment post-logging 50
 - gaps 52–3, 55
- Pipra* spp. 75
- piscivores 99
 - indicators of logging impacts 121
- pit-sawing, illegal 22
- Pithecia albicans* 68
- Pithecia* spp. 68
- Pithecophaga jefferyi* 98
- plantations
 - additional habitat 162
 - buffer zones 161–3
 - compensatory 159–63, 164
 - construction timber 25, 161
 - deforestation reduction 160
 - economics 160–1
 - edge effect 161–2
 - fuelwood 161
 - Imperata* grasslands 161
 - industrial 6, 8, 24, 25
 - production 160
 - substitute timber sources 160–1
 - surface erosion 159
 - understorey establishment 163
- political instability 10
- pollination, euglossine bees 76–7
- polycyclic systems 180
- Polypedates leucomystax* 37
- Pongo pygmaeus* 69
- Ponta da Castanha (Brazil), primates 96
- possum 146
 - Leadbeater's 146
 - mountain brushtail 147
 - ringtail 62
- post-felling procedures 176–8
 - biodiversity inventory 177–8
 - clean-up 176
 - stand inventory 177
 - water run-off control 176
- potassium levels 34–5
- Pouteria* spp. 67
- power saws 19
- pre-felling procedures 167–72
 - clearance 44–5
 - climber cutting 171–2
 - harvesting inventory 169–71
 - silvicultural enumeration 168
 - topographic survey 168–9
- precipitation
 - occult 29
 - reduced 40
- predation in corridors 146
- predators 97–100
 - Presbytis melalophos* 81, 82, 84
 - Presbytis obscura* 82
- preserved area retention 163–4
- pricing premiums for well-managed forest 9
- primary forest
 - foliage insects 87
 - primates 80
- primates
 - folivorous 79
 - frugivore-folivores 79–81, 82, 83–4
 - frugivores 67–70, 79
 - insectivore-frugivores 95–7
 - logged forest 80
 - primary forest 80
 - species diversity 107
- prinia 95
- Prinia* spp. 95
- Prionochilus maculatus* 97, 98
- Prionochilus* spp. 75
- production zones 183
- profit margins, excessive 9
- profits, recycling 7
- Progne subis* 89
- Promerops* spp. 76
- prosimians, exudate feeders 63, 64
- protected areas, enforcement 11
- Pteromyscus* spp. 85
- public amenities, forests 188
- puffbird 91
- pulp, demand 1
- Pycnonotus atriceps* 98
- Pycnonotus brunneus* 98
- Pycnonotus erythrophthalmus* 98
- Pycnonotus eutiliotus* 98
- Pycnonotus goiavier* 97, 98
- Pycnonotus simplex* 98
- Pycnonotus squamatus* 98
- Pygeum (Prunus) africana* 20
- Pyrrhura* spp. 75
- Qualea* spp. 65
- Quararibea cordata* 149
- quarries, re-seeding 176
- Queensland forests
 - corridors 146
 - diversity 137
 - field operations 181
 - plantations 163
 - rules/regulations 178–9
- Rafflesia hasseltii* 51
- rafts 22
- Ragala sanguinolenta* 20
- rail 63
- rain forest *see* tropical forest, categories
- rainfall, run-off 33
- Ramphastos* spp. 75
- Rana chalconota* 37
- Rana erythraea* 37
- Rana hoseii* 37
- Rana limnocharis* 37
- Rana nicobariensis* 37
- raptors 98–9
- rat predation by cats 99

Subject index

221

- rattans 20, 21
- Ratufa affinis* 71
- Ratufa bicolor* 71
- re-logging
 - regeneration 136
 - schedules 158–9
- refining 157
- reforestation 3
 - damaged areas 6
- refuge 139, 141–5
 - areas 137
 - extinction rate 143
 - logged forest matrix 143
 - minimum size 139, 141, 142, 143
 - number required 143
 - size 143–4
 - species abundance 144
 - species-area curve 141
 - temporary 146
 - underground 36
 - wind penetration 143
- regenerating forest 43, 183
 - animals 15
 - biodiversity conservation 136
 - ecological change monitoring 133–6
 - natural systems 24, 25–6
 - management systems mimicking 57
 - rate 25
 - re-logging 136
 - species abundance 102
 - see also* trees, regeneration
- Reithrodontomys macrotis* 70
- replacement system 24–5
- replanting, enforcement 6
- reserved forest categories 139, 141
- reserves 4, 11
 - edge effect 143
 - location for mapping 169
 - riparian 146
- resources
 - biodiversity 103, 149, 151–7
 - deadwood 154
 - food 58
 - forest 6, 9
 - keystone 151
 - reinvestment 6
- restinga 39
 - bark-gleaning insectivores 92
 - pithecine monkeys 67
- restoration systems 24, 26
- Rhacophora* spp. 31
- Rhinoplaia vigil* 74, 121, 141
- Rhipidura perlata* 89
- Rhizophora* spp. 37
- Rhyticeros corrugatus* 74
- Rhyticeros undulatus* 74
- rill erosion 33, 34
- riparian strips
 - mapping 169
 - see also* watercourses
- road construction 22, 172
 - forest damage 43, 44
- soil damage 31–2
- roads
 - drainage 172
 - network planning 172
 - soil infiltration rate effects 32
 - see also* skidroads
- rodents
 - corridor use 147
 - frugivore-folivores 86–7
 - species diversity 107
- round log exports 19
- Rousettus* spp. 71
- rubbish removal 176
- Sabah Foundation 139, 141
- Saguinus mystax* 96
- Saguinus* spp. 77, 96
- Saimiri* spp. 93, 96
- saki 68
 - bearded 67
 - southern bearded 67
 - white-nosed 68
- salamander species-richness 31
- sallying insectivores 88, 91
- sandalwood, perfume manufacture 20
- saplings mortality 46
- satinwood protection 18
- Scenopoeetes dentirostris* 62
- screamer 63
- scythbills 89, 120
- sediment yield 34, 36
- seed predators 66–76
- seedeaters in forest succession 75–6
- seedlings
 - damage from logging activities 45
 - enrichment planting 157
 - gap 44
 - maintenance 56–7
 - microclimate change 30
 - mortality 46
- seeds
 - lipid-rich 81, 83
 - rodent predators 86
- seladang 64
- Selection Management System, polycyclic 180
- Shannon–Wiener index 113
- shifting agriculture 25
- Shorea curtisiae* 44
- Shorea johorensis*–*Parashorea melaanonan* forest 44
- Shorea* spp. 159
- shrews 87
- shrubs
 - colonizing 66
 - nectar-producing 78
- silt
 - offshore dumping 37
 - see also* sediment
- silvicultural enumeration 168
- silviculture
 - development 23
 - historical practice 17–18

222 *Subject index*

- silviculture (*cont.*)
 - natural regeneration systems 55
 - research investment 6
- similarity indices 118–19
- Sindora* spp. 83
- skidding
 - animal 22
 - damage 175–6
 - drag resistance reduction 176
 - machine 22, 175
 - seedling destruction 55
- skidroads 32, 45
 - cross-drains 176
 - location 172, 173
- skidtrail branches 175
- slash-and-burn agriculture 7
- sleeping sites 155
- sloth
 - three-toed 61
 - two-toed 62
- smoke aerosols 39–40
- snags 47, 164
 - formation cycle 154
 - habitat diversity 153
 - loss effects 171
 - retention 133
 - for cavity-dwelling animals 156–7
 - density for 171
- snakes 36, 99
- soil
 - damage 31–3, 36–7
 - skidtrails 175
 - evaporation from 29
 - logging effects on surface 27
 - loss 31–3
 - shear strength 33
 - temperature in treefall gaps 28
 - see also* erosion
- sparrowhawk, imitator 185
- spatial heterogeneity 125–7
- species
 - abundance
 - fruit abundance 151
 - individual 131
 - co-existence with forest management systems 16
 - composition and spatial heterogeneity 125–7
 - diversity
 - birds 113, 117
 - resilience 135, 136
 - Tekam Forest Reserve 128
 - extinction 185, 186, 187
 - rates 11
 - feeding guilds 129–30
 - niche 120
 - rarity 120
 - response to logging of animals 58–9
 - richness in Tekam Forest Reserve 128, 129
 - see also* climax species
 - species assemblages 103–4
 - attributes 111–13, 117–22
 - birds 106–7, 110–11
- changes within 104–7, 108–11, 112
- diversity indices 113, 117–18
- flagship species 122
- indicator species 120, 122
- indicators of logging impacts 120–2
- logging effects 129
 - mammals 107, 112, 114–16
 - similarity indices 118–19
 - species richness 113, 117–18
 - studies 103–4
- species-level information use 133
- species richness 113, 117–18
 - resilience 135, 136
- spider abundance 105
- Spilornis* spp. 98
- spirit carvings 21
- Spizaetus* spp. 98
- Spondias* spp. 65
- Sporophila* spp. 76
- squirrel 63, 65
 - cavity use 154
 - flying 65
 - frugivorous 70
 - giant 126
 - giant flying 112, 126
 - frugivore-foliivores 85–6
 - red 85
 - spotted 85
 - giant tufted ground 70
- stability functions 112
- stemwood removal 34, 35
- Stephanoaetus coronatus* 99
- Stizorhina fraseri* 145
- storm damage 45
- stream crossings 176
- streamflow patterns 33
- Strix occidentalis caurina* 122, 139, 143
- Strophanthus gratus* 20
- stumpage charges 8, 9
- substrate-gleaning sallying insectivores 88, 91
- succession, secondary 25
- sugarbird 76
- sunbird 77, 78
- Sundasciurus hippocurus* 71
- Sundasciurus lowii* 71
- Sundasciurus* spp. 65
- Sundasciurus tenuis* 71
- sunflecks, ephemeral 28
- Sungai Matan (Indonesia) 154
- Sus barbatus* 162
- sustainability, management plans 133–6
- sustainable management 9, 13–16
 - conservationist ideas 14–15
 - definitions 14
 - forestry ideas 14–15
 - plans 133–6
- swallow 89
- Swietenia macrophylla* 18, 56
- swift 89
- Syconycteris* spp. 31
- symbiosis, mycorrhizal 30
- Syncerus caffer* 64

Subject index

223

- Tabin Forest Reserve (Sabah)
 - bird species richness 148, 150
 - munia population 75
- tailorbird 95
- Taliwas (Sabah) plantations 162, 163
- tamarin
 - golden lion 155
 - lion 154
- tanager 75, 97
- Tapajós Forest Reserve (Brazil), forestry
 - rules/regulations 179, 180
- tapir 63, 64
 - Tapirus indica* 64
 - Tapirus terrestris* 64
- tarsier 87
 - Tarsius bancanus* 87
- taungya system 24, 25
- tax
 - timber 8, 9
 - transfers 9
- teak
 - forest harvesting 181
 - plantations 159
 - protection 17–18
- Tectona grandis* 159
 - protection 17–18
- Tekam Forest Reserve (peninsular Malaysia) 36
 - banded leaf monkey 81, 82, 83, 84
 - bird assemblage ecological parameter change 135, 136
 - bird species distribution between guilds 106, 107, 110
 - data application to forest estate 132
 - diversity of bird community 113
 - Euphorbiaceae presence 50
 - exudate feeders 65
 - feeding guild membership of bird species 107, 111, 130
 - fig tree loss during logging 72, 73
 - hornbills 120–1
 - food tree loss 73
 - Horn's Index of Overlap 118, 119, 128, 135
 - insectivorous birds 89
 - insectivorous-frugivorous bird abundance 98
 - inter-site comparisons 127–31
 - lar gibbon 83
 - logging effects 81, 82
 - leafing activity 53–4
 - mammal communities 112, 114–15
 - munia population 75
 - post-felling biodiversity inventory 177
 - primates 81, 82
 - density 126
 - species
 - diversity 128
 - richness 128, 129
 - squirrels
 - diurnal 71
 - giant 126
 - giant flying 85
 - stability function monitoring 112
 - temperature
- stratification in undisturbed forest 28
- treefall gaps 28
- tenrec 87
 - Tenrec ecaudatus* 87
- Terminalia* spp. 64
- termites
 - abundance in litter 105
 - litter decomposition 101
 - mound-builders 101
- Termitomyces* spp. 101
- terra firme* forest (Amazonia) 44
 - sloths 62
- terrain map 168–9
- terrestrial groups 88
- territoriality 83–4
- Tetrastigma* spp. 51
- Thalassina anomala* 38
- thorn forest 2
 - Threnetes* spp. 77
 - Thyroptera* spp. 31
- tiger 99
 - flagship species 122
- timber
 - annual increment of standing 48
 - certified 9–10
 - construction 25, 161
 - crop regeneration time 158
 - demand 1
 - domestic processing 19
 - domestic use 21
 - economics of production 15
 - export 1, 19–20
 - extraction
 - basal area 165
 - local use 21–2
 - felling in colonial era 18–19
 - harvesting
 - deforestation 7
 - intensive 22–3
 - non-intensive 21–2
 - rates of return 12–13
 - managed forests 183
 - mangrove forest 37–8
 - plantation sources 160–1
 - pricing systems 8–10
 - production and conservation value 187
 - sustained production 13
 - tax 8, 9
 - trade 1–2
 - tree regeneration management 55–7
 - value-added products 8–9, 19
 - see also* logging; trees
 - tinamou 62–5
 - Tockus* spp. 72
 - Todiramphus farquhari* 185
 - Toona australis* 22
 - topographic survey 168–9
 - tourist souvenirs 21
 - trade subsidy 9
 - Tragulus javanicus* 85
 - Tragulus napu* 85, 151
 - Tragulus* spp. 85, 112

224 *Subject index*

- transmigration schemes 4
- transport 19
 - elephant 181
 - machinery 19, 22
 - forest damage 43
 - water 181
- see also* skidding
- tree cavities 153, 154–7
 - abundance 155
 - availability 155
 - bird use 153, 154
 - creating 156–7
 - limiting factors 155–6
 - nesting birds 153
 - retaining 156–7
 - size 155
 - sleeping sites 155
- treefall
 - nutrient levels 34
 - sequential 44
 - storm damage 45
- treefall gaps *see* gaps
- trees
 - commercial 169–70
 - enrichment planting of timber species 157
 - enumeration 169–70
 - fallen 153
 - felling
 - development 17
 - emergent 44
 - seedling destruction 55
 - mortality with logging 45–6
 - phenology 53–4
 - post-felling inventory 177
 - regeneration 51–3
 - logging effects 165
 - retention in concessions 170
 - seed 181
 - source 170
 - species protection 17–18
 - species richness 137
 - see also* timber
- treeshrew 87
- Trema* spp. 50
- Treron capelli* 75
- Treron curvirostris* 75
- Treron* spp. 151
- Trichosurus caninus* 146, 147
- Trinidad, best practice logging systems 180–1
- Triodes* spp. 61
- trogon 88
- Trogon rufus* 88
- Trogon* spp. 88
- tropical forest 2
 - categories 2
 - degradation by colonists 7
 - endemism 11
 - fire damage 7
 - humidity 28–9
 - inhabitants 17, 21
 - invasion 7
 - management 5–10
- microclimate 28–9
 - moist 2–3
 - rate of loss 3
 - regional status 2–4
 - resource reinvestment 6
 - species depletion by inhabitants 21
 - zonation patterns 60
 - see also* forest
- Tupaia* spp. 87
- tyrant-flycatcher 92
 - fork-tailed 89
- uakari 67, 68
 - white 95
- Ulu Segama Forest Reserve (Sabah)
 - bird species richness 148, 150
 - canopy insectivorous birds 93
 - data application to forest estate 131–2
 - insectivorous-frugivorous bird abundance 98
 - mammal communities 112, 114–15
 - refuges 145
 - reserve distribution 142
 - understorey bird sightings 151
- understorey
 - birds 31, 89, 97, 130
 - distance travelled 145
 - edge effect on species 118
 - frugivorous 75
 - insectivorous 87–9, 90–1, 92
 - logged forest sightings 151
 - browsing ungulates 85
 - euglossine bee pollination 77
 - flycatchers 89, 130
 - folivorous insects 60
 - foraging groups 88
 - fruit production 66
 - insolation 28
 - plantation management 163
 - regeneration after logging 75
 - suppression under pine plantations 159
 - ungulates, frugivore-folivores 85–6
- upper canopy
 - folivorous insects 60
 - fruit production 66
- value-added products 8–9, 19
- várzea forest (Amazonia) 21, 22, 38–9
 - bark-gleaning insectivores 92
 - flooding pattern 38–9
 - pithecine monkeys 67
 - seasonal flooding 37
 - three-toed sloths 61–2
- vertebrates
 - endemism 3
 - fallen deadwood 153
 - smaller folivores 61–3
- virgin jungle reserves (VJRs) 138, 188
- Vochysia* spp. 65
- water
 - filtration rate in cloud forest microclimate 30
 - flow 33–4

Subject index

225

- quality 36–7
- run-off control 176
- transport 181
- watercourses
 - alteration 36–7
 - forested strips 145
 - preservation 138
 - post-felling clean-up 176
 - sediment 34, 36, 37
- West Mengo Forest Reserve (Uganda)
 - enrichment planting 157–8
 - understorey birds 118
- wild game harvesting 12
- wildlife conservation, undisturbed areas 11
- wind penetration, refuges 143
- windthrow 44, 45
 - elephant grass invasion 56
- wood products, global consumption 1
- woodchip
 - mangrove forest 38
 - production 19
- woodcreeper 93
 - bark-gleaning 89, 90
- woodpecker 88
 - canopy 92
 - cavity excavation 156
 - selective logging effects 90–1
 - snags to support species 153–4
 - species substitution with logging 89, 92
- World Heritage Sites 10
- wren-babbler 88
- yam 20