

Index

- acoustics, 7–11
 action, 292, 293
 adjoint operator, 213
 admissible surface, 283
 asymptotic behavior
 Bessel function, 249
 eigenvalue, 154, 245
 solution, 155
- backward
 difference, 312
 heat operator, 213
 wave, 77
- Balmer, Johann Jacob, 263, 266
- basis, 297, 299, 301, 302, 305, 310, 330, 336
 Zernike, 302
- Bernoulli, Daniel, 98
- Bessel equation, 133, 248, 257, 262, 269
- Bessel function, 248
 asymptotic, 249
 properties, 249
- Bessel inequality, 138
- Bessel, Friedrich Wilhelm, 248
- biharmonic
 equation, 16
 operator, 213, 290
- Born, Max, 263
- boundary conditions, 18–20
 Dirichlet, 18, 108, 174
 first kind, 108
 mixed, 19, 109
 natural, 288, 307
 Neumann, 19, 108, 109, 175
 nonhomogeneous, 164
 nonlocal, 19
 oblique, 19
 periodic, 109
 Robin, 19, 109, 175
 second kind, 108
 separated, 108, 130, 133
 third kind, 19, 109
- Brown, Robert, 13
- Brownian motion, 13–14
- cable equation, 119–123
 semi-infinite, 121
- calculus of variations, 282–308
- canonical form, 66, 231
 elliptic, 66, 70–73
 hyperbolic, 66–69
 parabolic, 66, 69–70
 wave equation, 76
- Cauchy problem, 24, 27, 55, 76, 78, 176, 224, 229, 236, 241
- Cauchy sequence, 298
- Cauchy, Augustin Louis, 24
- Cauchy–Schwarz inequality, 137
- central difference, 312
- CFL condition, 324
- change of coordinates, 65
- characteristic curve, 27, 229
- characteristic equations, 27, 67, 226
- characteristic function, 137
- characteristic projection, 68
- characteristic strip, 54, 228
- characteristic surface, 229
- characteristic triangle, 82
- characteristics, 31, 67, 68, 77
 method, 25–63, 226
- clarinet, 267–269
- classical Fourier system, 135
- classical solution, 3, 43, 79, 175
- classification of PDE, 3, 64–75, 228–234
- compact support, 211, 234, 330
- compatibility condition, 55, 99, 109, 167, 188, 252, 287
- complementary error function, 129
- complete orthonormal sequence, 138, 299
- compression wave, 46
- conservation laws, 8, 9, 41–50
- consistent numerical scheme, 315
- constitutive law, 6, 11, 12, 295
- convection equation, 11, 17
- convergence
 in distribution sense, 212
 in norm, 137
 in the mean, 137

- convergence (*cont.*)
 numerical scheme, 316
 strong, 297
 weak, 300
- convex functional, 291
- Courant, Richard, 309
- Crank–Nicolson method, 317
- curvature, 295
- δ function, 211, 224, 272
- d'Alembert formula, 79–97, 208, 234
- d'Alembert, Jean, 12, 98
- Darboux equation, 238, 279
- Darboux problem, 95
- Darboux, Gaston, 237, 238
- degenerate states, 247, 257, 266
- delta function, 211, 224, 272
- diagonally dominated matrix, 321
- difference equation, 13, 313, 314
- difference scheme, 13, 313, 319, 322, 329, 331
- differential operator, 4
- diffusion coefficient, 7, 124
- diophantic equations, 247
- dirac distribution, 211, 224, 272
- Dirichlet condition, 18, 100
- Dirichlet functional, 284, 285
- Dirichlet integral, 284, 285, 287, 300
- Dirichlet problem, 174, 209–218, 285
 ball, 257, 262
 cylinder, 261
 disk, 195
 eigenfunction expansion, 273
 eigenvalue, 243
 exterior domain, 198
 numerical solution, 318–322
 rectangle, 188
 sector, 198
 spectrum, 242
 stability, 182
 uniqueness, 181, 183
- Dirichlet, Johann Lejeune, 18
- dispersion relation, 122
- distribution, 211, 223
 convergence, 212
 Dirac, 211, 224, 272
- divergence theorem, 7, 8, 182, 362
- domain of dependence, 83, 89
- drum, 260, 269
- Du-Fort–Frankel method, 318
- Duhamel principle, 127, 222, 276
- eigenfunction, 101, 131
 expansion, 114, 130–172
 orthogonality, 143, 243
 principal, 152
 properties, 243–245
 real, 146, 243
 zeros, 154, 245
- eigenvalue, 131
 asymptotic behavior, 154, 245
 existence, 147, 244
 multiplicity, 102, 132, 135, 146, 243, 244, 247, 257
 principal, 152, 244
 problem, 101, 131, 242–258
 properties, 243–245
 real, 145, 243
 simple, 102, 132, 146, 245
- eigenvector, 132
- eikonal equation, 15, 26, 50–52, 57, 233, 292
- element (for FEM), 331
- elliptic equation, 65, 173–183, 209, 231, 232, 305, 329
- elliptic operator, 65
- energy integral, 116–119
- energy level, 263
- energy method, 116–119, 182
- entropy condition, 47
- equation
 elliptic, 65, 209, 231, 232, 305, 329
 homogeneous, 4
 hyperbolic, 65, 231, 232
 Klein–Gordon, 233
 nonhomogeneous, 4
 parabolic, 65, 209, 231, 232
- error function, 129
 complementary, 129
- Euler equation, 41
- Euler fluid equations, 9
- Euler equidimensional equation, 362
- Euler, Leonhard, 9, 41
- Euler–Lagrange equation, 285, 331
- even extension, 94, 235, 238
- expansion wave, 45
- explicit numerical scheme, 317
- FDM, 310–324
- FEM, 306, 310, 329–334
 element, 331
- Fermat principle, 292
- Fermat, Pierre, 26
- finite difference method (FDM), 310–324
- finite differences, 311–312
- finite elements method (FEM), 306, 310, 329–334
 element, 331
- first variation, 284
- first-order equations, 23–63
 existence, 36–38
 high dimension, 226–228
 Lagrange method, 39–41, 62
 linear, 24
 nonlinear, 52–58
 uniqueness, 36–38
- flare, 268
- flexural rigidity, 289
- flute, 267, 268
- formally selfadjoint operator, 213
- formula
 Poisson, 202
 Rayleigh–Ritz, 152, 244, 308
- forward difference, 311
- forward wave, 77
- Fourier classical system, 135
- Fourier coefficients, 103, 138

- Fourier expansion, 98, 139
 - convergence, 148, 244
 - convergence on average, 139
 - convergence in norm, 139
 - convergence in the mean, 139
 - generalized, 139, 244
- Fourier law, 6
- Fourier series, 103, 258
- Fourier, Jean Baptiste Joseph, 5, 98, 103, 139, 148
- Fourier–Bessel coefficients, 252
- Fourier–Bessel series, 251
- Fresnel, Augustin, 26
- Friedrichs, Kurt Otto, 309
- Frobenius–Fuchs method, 248, 254, 265
- function
 - characteristic, 137
 - error, 129
 - harmonic
 - mean value, 179–180, 274, 280
 - piecewise continuous, 136
 - piecewise differentiable, 136
 - real analytic, 71
- functional, 283
 - bounded below, 304
 - convex, 291
 - Dirichlet, 284, 285
 - first variation, 284
 - linear, 284
 - second variation, 291
- fundamental equations of mathematical physics, 66
- fundamental solution, 213, 224, 270
 - Laplace, 178, 209, 271
 - uniqueness, 213
- Galerkin method, 303–306
- Galerkin, Boris, 306
- Gauss theorem, 7, 8, 176, 182, 362
- Gauss–Seidel method, 325, 326
- Gaussian kernel, 224
- general solution, 40, 76–78, 230, 239, 362
- generalized Fourier coefficients, 103, 138
- generalized Fourier expansion, 139
- generalized Fourier series, 103, 258
- generalized solution, 77, 104, 112
- geometrical optics, 14–15, 287
- Gibbs phenomenon, 150, 192, 195
- Gibbs, Josiah Willard, 150
- Green’s formula, 88, 143, 144, 160, 182, 210, 243, 271, 284
- Green’s identity, 182, 210, 271, 284
- Green’s representation formula, 211, 219, 271
- Green’s function, 209–221, 272
 - ball, 274
 - definition, 214
 - Dirichlet problem, 209–218
 - disk, 217, 224
 - exterior of disk, 225
 - half-plane, 218, 224
 - half-space, 275
 - higher dimensions, 269–275
 - monotonicity, 217, 273
- Neumann problem, 219–221
 - positivity, 216, 273
 - properties, 273
 - rectangle, 281
 - symmetry, 215, 273
 - uniqueness, 273
- Green, George, 208
- grid, 311
- ground state, 152
 - energy, 152
- guitar, 267
- Hadamard example, 176
- Hadamard method of descent, 241
- Hadamard, Jacques, 2, 176, 239
- Hamilton characteristic function, 26
- Hamilton principle, 292
- Hamilton, William Rowan, 1, 15, 25, 26, 39, 292, 293
- Hamiltonian, 292–296
- harmonic function, 173
- harmonic polynomial
 - homogeneous, 177, 205
- Harnack inequality, 205
- heat equation
 - Dirichlet problem, 185
 - uniqueness, 118
 - maximum principle, 184
 - numerical solution, 312–318
 - separation of variables, 99–109, 259
 - stability, 185
- heat flow, 6, 109, 130
- heat flux, 6, 19, 175
- heat kernel, 129, 221–224, 275–278, 281
 - properties, 276–278
- Heisenberg, Werner, 263
- Helmholtz equation, 204, 281
- Hilbert space, 298
- Hilbert, David, 298
- homogeneous equation, 4
- Huygens’ principle, 239
- Huygens, Christian, 26
- hydrodynamics, 7–11
- hydrogen atom, 263–266
- hyperbolic equation, 65, 231, 232
- hyperbolic operator, 65
- ill-posed problem, 2, 82, 176
- implicit numerical scheme, 317
- induced norm, 136
- inequality
 - Bessel, 138
 - Cauchy–Schwarz, 137
 - Harnack, 205
 - triangle, 136
- initial condition, 1, 24, 79, 99, 226, 229, 313
- initial curve, 26
- initial value problem, 17, 24, 89
- inner product, 136
 - induced norm, 136
 - space, 136

- insulate, 99
- insulated boundary condition, 109, 125
- integral surface, 28
- inverse point
 - circle, 217, 356
 - line, 218
 - sphere, 274
- iteration, 318, 325–327

- Jacobi method, 325
- jump discontinuity, 136

- Kelvin, Lord, 122

- Lagrange identity, 142, 146
- Lagrange method, 39–41, 62
- Lagrange multiplier, 307, 359
- Lagrange, Joseph-Louis, 16, 39, 283, 294
- Lagrangian, 292–296
- Laguerre equation, 265
- Laplace equation, 15, 173–206
 - ball, 262
 - cylinder, 261
 - eigenvalue problem, 242–258
 - fundamental solution, 178
 - Green's function, 209–218
 - higher dimension, 269–275
 - maximum principle, 178–181
 - numerical solution, 318–322
 - polar coordinates, 177
 - separation of variables, 187–201, 245–258, 261–263
- Laplace, Pierre-Simon, 16, 283
- Laplacian, 16
 - cylindrical coordinates, 261
 - polar coordinates, 363
 - spectrum, 245
 - ball, 257
 - disk, 251
 - rectangle, 245
 - spherical coordinates, 363
- least squares approximation, 287
- Legendre associated equation, 255
- Legendre equation, 254
- Legendre polynomial, 254
- Legendre, Adrien-Marie, 254
- Lewy, Hans, 309
- linear equation, 3
 - first-order, 24
- linear functional, 284
- linear operator, 4
- linear PDE, 3
- Liouville, Joseph, 131, 147

- Maupertuis, Pierre, 294
- maximum principle
 - heat equation, 184
 - numerical scheme, 319
 - strong, 180, 274
 - weak, 178
- mean value principle, 179–180, 204, 274, 280

- membrane, 11, 16, 122, 260–261, 266, 269, 288, 289, 308
- mesh, 311
- minimal surface, 16, 282–287
 - equation, 16, 285, 286
- minimizer, 283, 284, 304, 331
 - existence, 299
 - uniqueness, 291
- minimizing sequence, 300
- modes of vibration, 267, 269
- Monge, Gaspard, 53
- multiplicity, 102, 132, 135, 243, 244, 247, 257
- musical instruments, 266–269

- natural boundary conditions, 288, 307
- Navier, Claude, 9
- net, 311
- Neumann boundary conditions, 19, 108, 109, 131, 174, 193, 242
- Neumann function, 219–221, 224
- Neumann problem, 110, 125, 175, 183, 195, 203, 219–221, 318
- Neumann, Carl, 19
- Newtonian potential, 211, 271
- nodal lines, 245
- nodal surfaces, 245
- nonhomogeneous boundary conditions, 164
- nonhomogeneous equation, 4, 114–116, 159–164
- norm, 136
- normal modes, 267, 269
- numerical methods, 309–336
 - linear systems, 324–329
- numerical scheme, 310
 - consistent, 315
 - convergence, 316
 - explicit, 317
 - implicit, 317
 - stability, 314
 - stability condition, 315

- odd extension, 93
- operator, 4
 - elliptic, 231
 - formally self-adjoint, 213
 - hyperbolic, 231
 - parabolic, 231
 - symmetric, 143
- order of PDE, 3
- organ, 268
- orthogonal projection, 138
- orthogonal sequence, 137
- orthogonal vectors, 137
- orthonormal sequence, 137
 - complete, 138, 148, 299
- orthonormal system
 - complete, 244
- outward normal vector, 6

- parabolic boundary, 184
- parabolic equation, 65, 209, 231, 232

- parabolic operator, 65
- parallelogram identity, 94
- Parseval identity, 138
- PDE, 1
 - classification, 3, 64–75, 228–234
 - linear, 3
 - order, 3
 - quasilinear, 3, 9, 24–50
 - semilinear, 3
 - system, 3
- periodic eigenvalue problem, 134, 196, 253
- periodic problem, 171
- periodic solution, 91
- periodic Sturm–Liouville problem, 134, 196, 253
- piecewise continuous function, 136
- piecewise differentiable function, 136
- pipes
 - closed, 268
 - open, 268
- Planck constant, 17, 263
- Planck quantization rule, 265
- plate equation, 289
- Plateau, Joseph Antoine, 283
- Poisson equation, 13, 174, 219, 289
 - separation of variables, 199
- Poisson formula, 201–204
- Poisson kernel, 202, 215, 223, 224, 272–274, 280
 - Neumann, 203
- Poisson ratio, 289
- Poisson, Simeon, 174
- principal eigenfunction, 152
- principal eigenvalue, 152, 244
- principal part, 64, 228
- product solutions, 99, 100

- quasilinear equation, 3, 9, 24–50

- random motion, 13–14
- Rankine–Hugoniot condition, 47, 49
- Rayleigh quotient, 151–154, 244, 302
- Rayleigh, Lord, 152
- Rayleigh–Ritz formula, 152, 244, 308
- real analytic function, 71
- reflection principle, 217, 218, 224, 225, 275, 280
- refraction index, 15, 50
- region of influence, 83, 324
- regular Sturm–Liouville problem, 133
- resonance, 164, 261
- Riemann–Lebesgue lemma, 138
- Ritz method, 301–303
- Rodriguez formula, 280
- round-off error, 313
- Runge, Carl, 26
- Rydberg constant, 263

- scalar equation, 3
- Schrödinger equation, 16
 - hydrogen atom, 263–266
- Schrödinger operator, 151, 152
- Schrödinger, Erwin, 16, 263

- second variation, 291
- second-order equation
 - Cauchy problem, 229–234
 - classification, 64–75, 228–234
- semi-infinite cable, 121
- semi-infinite string, 93, 94
- semilinear equation, 3
- separated solutions, 99, 100
- separation of variables, 98–172, 245–263
- shock wave, 41–50
- similarity solution, 129
- simple eigenvalue, 102, 132, 146, 245
- singular Sturm–Liouville problem, 133, 254
- soap film, 283
- Sobolev space, 299
- Sobolev, Sergei, 299
- solution
 - classical, 3, 79
 - even, 91
 - general, 40, 76–78, 230, 239, 362
 - generalized, 77, 104, 112
 - odd, 91
 - periodic, 91
 - strong, 3
 - weak, 3, 41–50, 296–301
- Sommerfeld, Arnold, 26
- SOR method, 325, 326
- spectral radius, 328
- spectrum, 151, 152, 242
 - hydrogen atom, 263–266
 - Laplacian
 - ball, 257
 - disk, 251
 - rectangle, 245
- spherical harmonics, 256, 262, 266
- spherical mean, 237
- square wave, 150
- stability
 - CFL condition, 324
 - Dirichlet problem, 182
 - heat equation, 185
 - numerical scheme, 314
 - wave equation, 90
- stiffness matrix, 330
- Stokes, George Gabriel, 9
- string, 11–12, 19, 79, 87, 98, 109, 117, 130, 164, 266–267, 294
 - semi-infinite, 93, 94
- strip equations, 54, 228
- strong convergence, 297
- strong maximum principle, 180, 274
- strong solution, 3
- Sturm, Jacques Charles, 131, 147
- Sturm–Liouville asymptotic behavior
 - eigenvalue, 154
 - solution, 155
- Sturm–Liouville eigenfunctions, 141–158
- Sturm–Liouville eigenvalues, 141–158
- Sturm–Liouville operator, 132
- Sturm–Liouville problem, 131, 133–135, 141–158
 - periodic, 134, 196, 253

- Sturm–Liouville problem (*cont.*)
 regular, 133
 singular, 133, 254
 superposition principle, 4, 89, 92, 99, 103
 generalized, 104
 support, 85
 symmetric operator, 143
 system, 3
- telegraph equation, 128, 170
 temperature, 6, 8, 18, 99, 123–124
 equilibrium, 16, 174
 tension, 11, 295
 test function, 154, 329–331
 Thomson, William, 119, 122
 trace formula, 276
 transcendental equation, 155
 transport equation, 8, 17, 121
 transversality condition, 30, 227, 228
 generalized, 55
 traveling waves, 77
 triangle inequality, 136
 Tricomi equation, 68
 truncation error, 312
 Turing, Alan Mathison, 245
- uniqueness, 36–38, 82, 87, 182, 291
 Dirichlet problem, 181
 energy method, 116–119
 Fourier expansion, 115
- variational methods, 282–308
 viscosity, 9
 von Neumann, John, 298
- wave compression, 46
 wave equation, 10–12, 14, 26, 76–97, 266, 295,
 309
 Cauchy problem, 78–82
 domain of dependence, 83, 89
 general solution, 76–78
 graphical method, 84
 nonhomogeneous, 87–92
 numerical solution, 322–324
 parallelogram identity, 94
 radial solution, 234–236
 region of influence, 83, 324
 separation of variables, 109–114, 260–261
 stability, 90
 three-dimensional, 234–241
 two-dimensional, 241–242
 wave expansion, 45
 wave number, 15, 233
 wave speed, 12, 76, 77
 weak convergence, 300
 weak solution, 3, 41–50, 296–301
 Webster’s horn equation, 268
 weight function, 132
 well-posedness, 2, 9, 30, 81, 82, 90,
 176
 Weyl formula, 155, 245
 Weyl, Herman, 155
 wine cellars, 123–124
- Young, Thomas, 26
- Zeeman effect, 266
 Zernike basis, 302
 Zernike, Frits, 302