

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

Tight and taut submanifolds form an important class of manifolds with special curvature properties, one that has been studied intensively by differential geometers since the 1950's. They are in some ways the simplest figures after convex bodies: for example, tight manifolds in Euclidean space are characterized by the fact that their intersection with any half-space is connected. Examples include many well-known manifolds such as spheres, Veronese surfaces, isoparametric hypersurfaces and the cyclides of Dupin.

This book contains six in-depth articles by leading experts in the field and an extensive bibliography. It is dedicated to the memory of Nicolaas H. Kuiper, and the first paper is an unfinished but insightful exposition of the subject of tight immersions and maps, written by Kuiper. Other papers survey topics such as the smooth and polyhedral portions of the theory of tight immersions; taut, Dupin, and isoparametric submanifolds of Euclidean space; taut submanifolds of arbitrary complete Riemannian manifolds; and real hypersurfaces in complex space forms with constant principal curvatures. Taken together these articles provide a comprehensive survey of the field and point toward several directions for future research.

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

**Mathematical Sciences Research Institute
Publications**

32

Tight and Taut Submanifolds

Cambridge University Press
 978-0-521-62047-5 - Tight and Taut Submanifolds
 Edited by Thomas E. Cecil and Shiing-shen Chern
 Frontmatter
[More information](#)

Mathematical Sciences Research Institute Publications

- Volume 1* Freed and Uhlenbeck: *Instantons and Four-Manifolds*, second edition
Volume 2 Chern (editor): *Seminar on Nonlinear Partial Differential Equations*
Volume 3 Lepowsky, Mandelstam, and Singer (editors): *Vertex Operators in Mathematics and Physics*
Volume 4 Kac (editor): *Infinite Dimensional Groups with Applications*
Volume 5 Blackadar: *K-Theory for Operator Algebras*
Volume 6 Moore (editor): *Group Representations, Ergodic Theory, Operator Algebras, and Mathematical Physics*
Volume 7 Chorin and Majda (editors): *Wave Motion: Theory, Modelling, and Computation*
Volume 8 Gersten (editor): *Essays in Group Theory*
Volume 9 Moore and Schochet: *Global Analysis on Foliated Spaces*
Volume 10 Drasin, Earle, Gehring, Kra, and Marden (editors): *Holomorphic Functions and Moduli I*
Volume 11 Drasin, Earle, Gehring, Kra, and Marden (editors): *Holomorphic Functions and Moduli II*
Volume 12 Ni, Peletier, and Serrin (editors): *Nonlinear Diffusion Equations and Their Equilibrium States I*
Volume 13 Ni, Peletier, and Serrin (editors): *Nonlinear Diffusion Equations and Their Equilibrium States II*
Volume 14 Goodman, de la Harpe, and Jones: *Coxeter Graphs and Towers of Algebras*
Volume 15 Hochster, Huneke, and Sally (editors): *Commutative Algebra*
Volume 16 Ihara, Ribet, and Serre (editors): *Galois Groups over Q*
Volume 17 Concus, Finn, and Hoffman (editors): *Geometric Analysis and Computer Graphics*
Volume 18 Bryant, Chern, Gardner, Goldschmidt, and Griffiths: *Exterior Differential Systems*
Volume 19 Alperin (editor): *Arboreal Group Theory*
Volume 20 Dazord and Weinstein (editors): *Symplectic Geometry, Groupoids, and Integrable Systems*
Volume 21 Moschovakis (editor): *Logic from Computer Science*
Volume 22 Ratiu (editor): *The Geometry of Hamiltonian Systems*
Volume 23 Baumslag and Miller (editors): *Algorithms and Classification in Combinatorial Group Theory*
Volume 24 Montgomery and Small (editors): *Noncommutative Rings*
Volume 25 Akbulut and King: *Topology of Real Algebraic Sets*
Volume 26 Judah, Just, and Woodin (editors): *Set Theory of the Continuum*
Volume 27 Carlsson, Cohen, Hsiang, and Jones (editors): *Algebraic Topology and Its Applications*
Volume 28 Clemens and Kollár (editors): *Current Topics in Complex Algebraic Geometry*
Volume 29 Nowakowski (editor): *Games of No Chance*
Volume 30 Grove and Petersen (editors): *Comparison Geometry*
Volume 31 Levy (editor): *Flavors of Geometry*

Volumes 1 through 27 are available from Springer-Verlag

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

Tight and Taut Submanifolds

Papers in memory of Nicolaas H. Kuiper

Edited by

Thomas E. Cecil

College of the Holy Cross

Shiing-shen Chern

Emeritus, University of California, Berkeley



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

Thomas E. Cecil
College of the Holy Cross

Shiing-shen Chern
University of California

Mathematical Sciences Research
Institute
1000 Centennial Drive
Berkeley, CA 94720

MSRI Editorial Committee
T. Y. Lam (chair)
Alexandre Chorin
Robert Osserman
Peter Sarnak

MSRI Book Series Editor
Silvio Levy

The Mathematical Sciences Research Institute wishes to acknowledge
support by the National Science Foundation.

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo, Delhi

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9780521620475

© Mathematical Sciences Research Institute 1997

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without the written
permission of Cambridge University Press.

First published 1997

A catalogue record for this publication is available from the British Library

ISBN 978-0-521-62047-5 hardback

Transferred to digital printing 2009

Cambridge University Press has no responsibility for the persistence or
accuracy of URLs for external or third-party Internet websites referred to in
this publication, and does not guarantee that any content on such websites is,
or will remain, accurate or appropriate. Information regarding prices, travel
timetables and other factual information given in this work are correct at
the time of first printing but Cambridge University Press does not guarantee
the accuracy of such information thereafter.


Cambridge University Press
 978-0-521-62047-5 - Tight and Taut Submanifolds
 Edited by Thomas E. Cecil and Shiing-shen Chern
 Frontmatter
[More information](#)

Tight and Taut Submanifolds
 MSRI Publications
 Volume 32, 1997

Contents

Preface	xi
Remembering Nicolaas Kuiper	xiii
THOMAS F. BANCHOFF	
Geometry in Curvature Theory	1
NICOLAAS H. KUIPER	
Tight Submanifolds, Smooth and Polyhedral	51
THOMAS F. BANCHOFF	
Tightness for Smooth and Polyhedral Immersions of the Projective Plane with One Handle	119
DAVIDE P. CERVONE	
Taut and Dupin Submanifolds	135
THOMAS E. CECIL	
Taut Immersions into Complete Riemannian Manifolds	181
CHUU-LIAN TERNG AND GUDLAUGUR THORBERGSSON	
Null-Homotopic Embedded Spheres of Codimension One	229
DANIEL RUBERMAN	
Real Hypersurfaces in Complex Space Forms	233
ROSS NIEBERGALL AND PATRICK J. RYAN	
Bibliography on Tight, Taut and Isoparametric Submanifolds	307
COMPILED BY WOLFGANG KÜHNEL AND THOMAS E. CECIL	
List of Publications by Nicolaas H. Kuiper	341
Dissertations of N. H. Kuiper's Doctoral Students	349

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)



Nicolaas Hendrik Kuiper, 1920–1994

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

Tight and Taut Submanifolds
MSRI Publications
Volume 32, 1997

Preface

This book grew out of a series of talks and closely related papers on tight and taut submanifolds given at the Workshop on Differential Systems, Submanifolds, and Control Theory held at MSRI on March 1–4, 1994. The workshop was organized by Robert Bryant and Shiing-shen Chern.

The book is dedicated to the memory of Professor Nicolaas H. Kuiper, who died on December 12, 1994. Kuiper made major contributions to the field of tight and taut submanifolds over an extended period of time. In particular, his technique of the analysis of topsets became an essential tool in almost all work in the area of tight immersions and maps. The book begins with a short description of Kuiper's life and work, written by Thomas Banchoff. Six of the seven subsequent articles cover various parts of the broad field of tight and taut submanifolds. The book concludes with an extensive bibliography of the field compiled by Wolfgang Kühnel and Thomas Cecil, a list of Kuiper's publications, and one of his doctoral students.

The first paper in the collection is an unfinished manuscript written by Kuiper himself. The paper was intended to be a survey of the field, and it is based on the Roeper Lectures in Geometry that Kuiper gave at Washington University in St. Louis during the period January 20–24, 1986. In its current state the article is a masterly introduction to the subject and a good exposition of some more advanced topics, concentrating on topological aspects, in particular the analysis of topsets. It also contains a detailed proof of Kuiper's remarkable result that a tight two-dimensional surface substantially immersed in \mathbb{R}^5 must be a Veronese surface. We have made a few editorial notes in the text to aid the reader at appropriate points.

The second paper in the book, by Thomas Banchoff and Wolfgang Kühnel, is a comprehensive survey of the smooth and polyhedral portions of the theory of tight immersions, including many open questions. The article is self-contained, and there is some overlap with Kuiper's, since both begin with the basic definitions and examples. However, the two works are written from different points of view, and the polyhedral case is given far more emphasis in the second. Although many aspects of the smooth and polyhedral theories are similar, there are also points of significant divergence between the two theories. Banchoff and Kühnel pay particular attention to these points of contrast.

An important special case of the difference between the smooth and polyhedral theories is the subject of the third paper, by Davide Cervone. In a paper published in 1992, François Haab resolved a problem posed by Kuiper in the early 1960's by proving that there does not exist a tight smooth immersion of the real projective plane with one handle ($\chi = -1$) into \mathbb{R}^3 . Surprisingly, Cervone produced a tight polyhedral immersion of the same surface into \mathbb{R}^3 . Here Cervone describes his example in detail and provides a careful analysis of the difference between the smooth and polyhedral theories in this important case.

The fourth paper in the collection, by Thomas Cecil, is a survey of the closely related notions of taut and Dupin submanifolds in Euclidean space. This is a rich theory with many beautiful examples from the theory of isoparametric and homogeneous submanifolds. The relationship between the tautness and the Dupin condition is discussed thoroughly. There are both local and global aspects to the subject. Most local results have been obtained in the context of Lie sphere geometry, and this approach is described in the article in some detail.

In the next article, Chuu-Lian Terng and Gudlaugur Thorbergsson use the critical point theory of Raoul Bott and Hans Samelson to extend the notion of tautness to submanifolds of arbitrary complete Riemannian manifolds. They obtain several new classification results in this more general context. This far-reaching paper opens up many new avenues for research. It is followed by a short paper by Daniel Ruberman, where the author proves a topological result needed by Terng and Thorbergsson about null-homotopic embedded spheres of codimension one.

The final paper in the collection, by Ross Niebergall and Patrick Ryan, is a survey of results on real hypersurfaces in complex space forms with special curvature properties. This field has developed extensively over the past twenty years, and the authors provide a cohesive context for a wide range of results, leading to the frontiers of current research. Particular attention is given to Hopf hypersurfaces and hypersurfaces with constant principal curvatures. These are clearly related to isoparametric hypersurfaces in spheres, which play a prominent role in the theory of taut and Dupin submanifolds.

We wish to thank the authors for their contributions and for their help with various other aspects of the book. In particular, we appreciate the assistance of Thomas Banchoff and Wolfgang Kühnel in preparing Kuiper's article and the lists of his publications and doctoral students. We wish to thank Christine Heinitz, who prepared many of the figures for Kuiper's paper, and Davide Cervone, who did the same for Banchoff and Kühnel's. We also thank Silvio Levy, editor of the MSRI book series, for his assistance in preparing the book for publication, and Carol Oliveira for her help in typing Kuiper's manuscript.

Thomas E. Cecil
Shiing-shen Chern
Fall 1996

Remembering Nicolaas Kuiper

THOMAS F. BANCHOFF

Tight and taut immersions are a living and growing part of contemporary mathematics largely due to the legacy of Nicolaas Kuiper. He made central contributions to many different areas of mathematics during his long and productive career, but it is in tight and taut immersions that his geometric style showed forth in a special way. In that subject, his personal enthusiasm and extraordinary geometric insight combined to bring forth examples and theorems of great conceptual and visual appeal. He delighted in discovering new phenomena, and in presenting his examples using sketches and in cardboard or wire-frame models. He found surprising connections among apparently unrelated areas of mathematics, creating entirely new methods for handling a range of geometric structures: analytic, differentiable, once-differentiable, combinatorial, and topological. He was the first to appreciate the essentially geometric character of tightness, exploiting the relationship between the minimal total curvature condition for smooth submanifolds and critical point theory so that the notion could be extended to non-smooth objects. He guided generations of mathematicians who have followed his lead.

In several other subjects his contributions were necessarily abstract, for example in the embedding theorems he produced with John Nash, or the surprising result that the unit sphere in Hilbert space is contractible. Often he would listen to lectures on a new subject, read about it and study it, and come up with a crucial insight that no one else was close to realizing. He would then leave the field to other mathematicians, encouraging their efforts. He was particularly supportive of young colleagues from many different countries, especially while he was director of the Institut des Hautes Études Scientifiques.

What was special about the theory of tight and taut immersions that kept bringing him back to the subject over a period of more than thirty years? Certainly it had to do with the original examples that kept appearing, illuminating new parts of the subject. Many of these phenomena he discovered himself, but equally important were the examples found by others, which he then helped to bring into full flower. He had such a varied background that he could often see some potential relationships that just about anyone else would have missed.

Who else would have recognized the central significance of the Veronese surface as the unique smooth tight surface in five-dimensional space? The proof of that result was based on theorems in projective differential geometry that almost no one knew about, but he did, at just the right time.

Some mathematicians are renowned because they are the first to arrive at a goal that many others are seeking at the same time. Others are remarkable because they find things no one else even thought of looking for. Nico Kuiper will be remembered as one of the most original mathematicians of his time.

In 1946, Kuiper received his Ph.D. at the University of Leiden working under the direction of Willem van der Woude in the field of classical differential geometry. He then had the chance to come to the United States, first at the University of Michigan where he met Raoul Bott and his student Steve Smale, and then at the Institute for Advanced Study for a crucial interaction with Shiing-Shen Chern. It is easy to see that even at this early stage in his career, Kuiper had a characteristic way of working—he would pay attention to a result or an approach of another mathematician and find that he was rephrasing the concepts in his mind, asking new questions, and more often than not coming up with a fresh insight. It is not surprising that he became a coauthor of a great many papers over the years.



During the 1950's he taught mathematics and statistics at the Landbouwhogeschool (Agricultural Institute) in Wageningen, contributing a number of geometric insights to the theory of design of experiments. In the 1960's, he was professor of pure mathematics at the University of Amsterdam, concentrating primarily in the fields of differential geometry, differential topology, and algebraic topology, and nurturing a number of doctoral students and post-doctoral visitors. From 1971 to 1985, he was Director of the *Institute des Hautes Études Scientifiques* at Bures-sur-Yvette near Paris, where he exercised leadership in the world community of mathematicians. He was made a Knight of the Order of the Golden Lion by the Dutch Government and he was a Chevalier in the French Legion of Honor. In 1984, he received an honorary degree from Brown University. After his retirement, he remained in France until 1991, when he returned to live in the Netherlands. He continued to participate in mathematical colloquia at the University of Utrecht.

Nico Kuiper was only 74 years old when he died on December 12, 1994 after a year-long illness that had taken away his strength but not his love for mathematics. On a personal note, I was privileged to be able to visit him and his wife Agnete at their home in the Netherlands after the International Congress of Mathematicians in Zürich in August of that year, and I could see how difficult it was for him to be confined by his illness. He had attended so many Congresses, and had taken a leadership role at an officer of the International Mathematical Union. Now he could only hear reports of the new developments in the many subjects in which he had made key contributions.

One result that pleased him especially was a breakthrough in the theory of tight immersions. Thirty years ago, he had singled out as a special challenge the question of finding a tight immersion of the real projective plane with one handle, the sole remaining case for surfaces in three-space. He and I had traded letters on this subject for years, and more than once one of us would present elaborate drawings of a purported solution, only to follow it the next day by a “disregard previous letter” after finding an unallowable local self-intersection. Just two years earlier, François Haab had shown that there was no tight smooth immersion of this surface into three-space, and Nico himself had been instrumental in working with Haab to extend these results. He was surprised and delighted to learn about the discovery by Davide Cervone of a tight polyhedral immersion of this surface into three-space. It is too bad that he did not have access to the Internet so he could work interactively with this beautiful example, but he did draw the diagrams based on the coordinate description. In previous years, he had only been able to look for examples with small numbers of vertices, and it impressed us both to see how computer graphics had increased the opportunities to find and manipulate complicated new examples. (This example and some crucial differences between the smooth and polyhedral cases are described in the article of Cervone in this volume.)

Nico Kuiper is a model for so many of us. He left us a legacy of inspiring mathematical results, and even more importantly, a lasting love of mathematics that we can only hope to pass on to those who come after us, remembering our great friend as we do so. With affectionate gratitude we dedicate this volume to his memory.

Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)



Cambridge University Press
978-0-521-62047-5 - Tight and Taut Submanifolds
Edited by Thomas E. Cecil and Shiing-shen Chern
Frontmatter
[More information](#)

REMEMBERING NICOLAAS KUIPER

xvii



With wife Arletta and Tom Banchoff, at Brown University.