

Index

Note: footnotes are indicated by suffix 'n'

- ϵ -contaminated classes for robust hypothesis testing 198–9
- σ -algebra 6
- σ -field 6
- adaptive quickest detection, change detection in case of uncertainty 200–1
- almost-sure convergence 16, 17
 - non-negative martingales/supermartingales 21, 55
- American call options 46–9
- asymptotically uniformly most powerful (AUMP) test 207
- autoregressive (AR) process 202n6
- autoregressive moving average (ARMA) processes 204
- average cost of errors 67
- average sample number (asn)
 - sequential probability ratio test 80, 96
 - calculation of 98
 - SPRT-like stopping time, calculation of 208
- backward induction 42–3
- Bayesian optimal sequential decision rule 73
- Bayesian quickest detection
 - Brownian observations 109–15
 - decentralized version 184–9
 - game theoretic formulation 125–8
 - Poisson observations 115–22
 - probability maximizing approach 122–4
 - Shiryayev's problem
 - continuous-time case 109–22
 - discrete-time case 103–9
- Bellman equation 182, 192
- Bernoulli random variables 108
- Bernoulli trials, sequential probability ratio test 76, 77
- Borel–Cantelli lemmas 18
- Borel σ -field 7n, 14n
- bounded convergence theorem 17
 - applications 55, 89, 104, 112, 114, 120, 147
- Brownian motion 28–30
 - basic properties 29–30
 - sample-path continuity 29, 89, 113
 - with two-sided alternatives 167–71
 - with unknown drift parameter, non-Bayesian quickest detection for 152–4
- Brownian motion models
 - with distinct drift parameters 81–6
 - with distinct variance parameters 86
- Brownian observations
 - Bayesian quickest detection 109–15
 - non-Bayesian quickest detection 144–50
 - sequential detection 81–90
- càdlàg functions 26
 - space of 93, 115, 154
- càdlàg martingale 38
- càdlàg process 31, 117
- Cameron–Martin formula 38, 82
 - applications 82, 83, 94
- cardiac patients, monitoring of 1
- central limit theorem 18
 - applications 209
- change detection, applications covered 1
- change-point detection 1
 - see also* Bayesian quickest detection; non-Bayesian quickest detection
- characteristic function 10
- Chebychev's central limit theorem 18
- classical sequential detection problem, as optimal stopping problem 65
- climate modeling applications 1
- coin-flipping experiment 168
- computer network monitoring 1
- condition monitoring 130
- conditional expectation 11–13
 - in examples 14–15, 23
 - properties 23, 186
- continuity properties 60, 61
- continuous random variables 8
- continuous-time Markov process 60
- continuous-time semimartingales 32–4
 - with stationary and independent increments and integrable processes 28
- convergence in distribution 16, 17

- convergence in probability 16, 17
 - relationship with L^p convergence 17
- counter-terrorism applications 1
- cumulative probability distribution function (cdf) 8
- cumulative sum (CUSUM) test 3, 128, 132
- CUSUM process(es) 145, 164
 - log 152, 154
 - normalized 169
 - optimality 203
 - threshold and 155, 156
- CUSUM stopping time(s) 132, 139, 140, 144, 145–6, 150, 152, 154, 155
 - asymptotic optimality 157, 158–61, 168–71, 212
 - classical 2-CUSUM stopping time 168, 171
 - normalized 169
 - connection with Shiryaev–Roberts–Pollack stopping time 163
 - as equalizer rule 134, 143, 146, 155
 - generalized 200
 - modified drift 2-CUSUM stopping time 168, 171
 - definition(s) 169
 - normalized 169
 - one-sided 153, 154, 157
 - optimality 148–50, 152, 155, 195
 - and sequential probability ratio test 159–61, 201
 - worst-case detection delay for 145
- cycle (in Ritov’s game-theoretic problem) 127
- decentralized quickest detection, with fusion center 184–9
- decentralized sequential detection
 - advantages and disadvantages 174
 - with fusion center 176–84
 - without fusion 189–94
- decentralized system
 - configurations 175
 - information flow in 175–6, 177, 184
 - quantized information in 174, 175, 176
- delay differential equation (DDE) 98
 - solution(s) 99, 155, 156
- detection delay
 - mean value used (in Bayesian quickest detection) 3, 103
 - worst-case value used (in non-Bayesian quickest detection) 4, 130, 131, 143
- detection-delay/false-alarm rate trade-off, optimization of 3, 102, 103, 131, 165
- detection-delay penalties
 - in Bayesian quickest detection 124–5
 - in non-Bayesian quickest detection 157, 162
- diffusion approximations 86
- diffusion processes *see* Brownian motion; Itô processes
- discrete random variables 8
- disorder detection 1
- dominated convergence theorem 17
 - applications 105, 114, 187
- Doob decomposition theorem 20
 - applications 51, 53
 - increasing process in 20, 23
- Doob–Meyer decomposition 27
- doubly stochastic Poisson process 31
- drift parameter (Brownian motion) 28, 81
- dynamic programming 46, 177
- econometrics applications 1
- efficient score statistic 203
- environmental applications 1
- equalizer rule, CUSUM stopping time as 134, 143, 146, 155
- error probabilities
 - bounds 77–8
 - relationship with expected runlengths 75–6
 - relationship with thresholds 74–5, 85
- errors
 - average cost of 67
 - cost of, tradeoff against sampling cost 66–72
- errors cost/sampling cost optimization problem 67–72
 - example 72–3
 - as Markov optimal stopping problem 67, 69, 70
- essential supremum (esssup) 42n, 131n1
- event class 6
- events 7
- excessive functions 60
- excessive majorants 60–1
- expected runlengths 78
 - relationship with error probabilities 75–6
- expected value(s) 8–10
- expiration date (in American call options) 46–7
- exponential detection-delay penalty 125, 131
- exponential family 205
- extended random variable(s) 8, 11
 - as limits of monotonically increasing sequences 53
- failure times, model for 106
- fair sequence 19
- false-alarm rate
 - in Bayesian quickest detection 3, 102, 103, 125, 165
 - in non-Bayesian quickest detection 131, 144, 145, 164, 165
 - constraint 131, 171–2
- Fatou’s lemma 17
 - applications 57, 105, 186
- filtration 19, 20
 - continuous-time analog 27
 - example 20
- finance applications 1
- finite variation process 32–3
- Fisher information matrix 203
- fixed-sample testing 167
 - compared with sequential testing 65
- fraud detection 1

- fusion center (in decentralized system) 174, 175
 decision made by 174, 176
 optimal sequential decision rules 177, 183, 184
- generalized Radon–Nikodym derivative 11
 geometric prior distribution (of change point) 3, 106
 Girsanov’s theorem 38, 145
- historical texts, analysis of 1
 homogeneous Markov processes 41, 60, 69
 homogeneous Poisson counting process (HPCP) 31
 in Bayesian quickest detection 115, 116
 in sequential detection 93
 homogeneous Poisson processes 31, 116, 154
- image analysis applications 1
 independence (statistical) 13–14, 17–18
 example 15
 independent increments 28
 independent likelihood ratio sequences, quickest
 detection with 201–3
 infinitely divisible distributions 30
 inhomogeneous Poisson process 31
 innovation process 87, 114
 innovation theorem 37
 applications 112
 inspection systems, change detection in 130
 integrable random variable 9
 Itô processes 36
 non-Bayesian quickest detection for 150–2
 properties 36–8
 sequential detection for 91–3
 Itô’s isometry 35
 Itô’s rule 36–7
 applications 82, 87, 114, 147, 170
 generalized 37, 155
 Itô stochastic differential equation 36–7
 applications 82, 87, 114
- Jensen’s inequality 10
 applications 22, 23, 75, 76, 93, 115
- Kolmogorov’s inequality 20
 compared with Markov’s inequality 20
 continuous-time analog 27
 Kolmogorov’s strong law of large numbers 18
 Kullback–Leibler divergence 131, 151, 196, 207
- Lebesgue decomposition theorem 10, 11
 Lebesgue–Stieltjes integral 9, 34
 likelihood ratio
 under alternative hypothesis 21–2
 under null hypothesis 21
 likelihood ratio sequence(s)
 independence 202
 quickest detection with independent 201–3
 sequential detection and 72, 100
- linear-time (false detection) penalty 125
 local martingales 32–3
 locally asymptotically normal (LAN) distributions
 203–5
 characteristics 208
 meaning of term 204
 Lorden’s criterion 144, 157, 165
 Lorden’s delay penalty 165, 167, 195
 Lorden’s problem
 continuous-time case 144–57
 discrete-time case 130–41
 L^p convergence 16, 17
 relationship with convergence in probability 17
- Markov optimal stopping problem(s) 40–1, 46–50,
 69, 70
 continuous-time 60–1, 120
 meaning of term 41
 Markov optimal stopping theory 2, 40–61
 applications 132, 183
 Markov process 40–1, 46, 60
 transition properties 41, 60
 Markov’s inequality, compared with Kolmogorov’s
 inequality 20
 Markov time, meaning of term 24
 martingale convergence theorem 20, 27
 martingales 19–21
 continuous-time analogs 26–7
 examples 21–3
 gambling analogy 19
 measurable space 7
 medical diagnosis applications 1
 min–max criterion, as delay penalty 162
 min–max optimization problem 163
 minimal Bayes cost, determination of 90
 minimal cost function 71
 minimal runlength 73
 minimal supermartingale 52
 moment-generating function 10
 in examples 22
 monotone convergence theorem 17
 applications 53, 56, 57, 89, 111, 117, 133
 monotone likelihood ratio quantizer (MLRQ) 189
 monotone pointwise limit 71
 Moustakides’ proof of optimality of Page’s CUSUM
 test 132
- navigation systems monitoring 1
 network security applications 1
 neuroscience applications 1
 non-Bayesian quickest detection
 asymptotic results 157–71
 Brownian motion with two-sided alternatives
 167–71
 Lorden’s approach 158–67
 Brownian motion with unknown drift parameter
 152–4

- non-Bayesian quickest detection (*cont.*)
 - Brownian observations 144–50
 - Itô processes 150–2
 - Lorden's problem
 - continuous-time case 144–57
 - discrete-time case 130–41
 - Poisson observations 154–7
 - Novikov condition 38n, 110, 145
- odds ratio process 118, 163, 164
- operating characteristic (of sequential probability ratio test) 80, 96, 97
- optimal stopping problem 40
 - detection-delay/false-alarm rate trade-off
 - optimization treated as 103–4, 134
 - finite-horizon case
 - general case 41–5
 - Markov case 46–50
 - martingale interpretation 51–2
 - infinite-horizon case 50–60
 - for bounded reward 52–5
 - general case 55–9
 - with Markov rewards 59–60
- optimal stopping time(s) 45, 56
 - in Bayesian quickest detection 106, 107, 109, 121, 122, 124, 127
 - in decentralized quickest detection with fusion center 189
 - in decentralized sequential detection without fusion 192
 - in non-Bayesian quickest detection 134, 138, 165, 168
 - in sequential detection 70
- option trading, example 46–9
- optional sampling theorem 24–5
 - applications 54, 55, 105, 112, 187
 - continuous-time 27, 88
- optional time 27
- overview of book 2–3
- Page's CUSUM test 3, 128, 132, 140, 142–4
- payoff (in optimal stopping problem) 40, 49
- penalty functions 103, 124–5
- performance analysis 74–81
- person-by-person optimal decision rule 179, 187
- Poisson observations
 - Bayesian quickest detection 115–22
 - non-Bayesian quickest detection 154–7
 - sequential detection 93–101
- Poisson processes 30–2
- Pollack's criterion 163, 165
- polynomial-type delay penalty 124
- pre-probability space 7
- prior distribution (of change point) 113, 130
- probability, convergence in 16, 17
- probability density function (pdf) 9
- probability distribution *see* probability measure
- probability mass function (pmf) 9
- probability measure 6
 - properties 7
- probability spaces 6–7
- probability theory 6–39
- product measure 15
- public health applications 1
- quadratic variation process 23, 33
- quickest detection
 - applications 1
 - Bayesian framework 102–29
 - local hypothesis approach 210–12
 - non-Bayesian framework 130–73
 - with dependent observations 201–12
 - with independent likelihood ratio sequences 201–3
 - with modelling uncertainty 194–201
 - adaptive quickest detection used 200–1
 - robust quickest detection used 194–9
- quickest detection problem(s) 1, 102
 - Lorden's formulation
 - continuous-time case 144–57
 - discrete-time case 130–41
 - Page's test for 132, 140
 - Shiryayev's formulation
 - continuous-time case 109–22
 - discrete-time case 103–9
- radio monitoring applications 1
- Radon–Nikodym derivatives 10–11
 - applications 91, 151, 163
 - example 11
 - generalized 11
- Radon–Nikodym theorem 10
 - applications 68, 82, 83, 94
 - conditional expectation as corollary to 12
- random experiment 6
- random sequences 15–18
- random variable(s) 7–8
 - central moments 10
 - expected value(s) 8–10
 - limits of sequences 18
 - mean of 10
 - moments 10
 - types 8
 - variance of 10
- random walk from interval, first exit time 78, 143
- regular martingales 23
- regular stopping times 25
- remote sensing applications 1
- renewal theory 4, 142
- Riemann–Stieltjes integral 9
- Ritov's game-theoretic quickest detection
 - problem 125–8
 - solution by Page's test 3, 128, 132, 140

- Ritov's proof of optimality of Page's CUSUM test 132
- robust quickest detection, change detection in case of uncertainty 194–9
- runlengths (of sequential probability ratio tests), relationship with error probabilities 75, 85
- sample-path continuity
 - Brownian motion 84, 89, 113
 - Itô processes 36, 38
 - local martingale 33, 34
- sample space 6
- sampling cost 67
 - tradeoff against cost of errors 66–72
- security applications 1
- seismology applications 1
- selection problem, example 43–5
- self-exciting Poisson processes 31
- semimartingales 19
- sequential decision rule (s.d.r.) 66
 - applications 67, 72, 82, 84, 90, 92, 94, 177
 - for errors cost/sampling cost optimization problem 67, 72
- sequential detection
 - continuous-time case
 - Brownian case 81–90
 - compound Poisson case 100–1
 - for Itô processes 91–3
 - Poisson case 93–100
 - local hypothesis approach 205–10
 - optimal detection 65–74
 - performance analysis 74–81
- sequential probability ratio test (SPRT) 3, 73
 - average sample number (asn) 80, 96
 - calculation of 98
 - continuous-time case 84, 91, 92
 - and CUSUM 159–61, 201
 - operating characteristic (oc) 80, 96, 97
 - relationship between performance indices 74–6
 - the case of Iro processes 92
 - Wald–Wolfowitz property 91
- sequential testing, advantages over fixed sample testing 65
- Shiryaev–Roberts–Pollack stopping time 162–3, 171, 172, 173
 - connection with CUSUM stopping time and Shiryaev's stopping time 163
- Shiryaev–Roberts stopping time 162, 163, 172
 - optimality 164–5
- Shiryaev's criterion 103, 125, 165
- Shiryaev's problem
 - continuous-time case 109–22
 - Brownian observations 109–15
 - Poisson observations 115–22
 - discrete-time case 103–9
 - min–max solution 162
- Shiryaev's stopping time 163
- simple random variable 8
- Snell envelope 2, 137
- SPRT *see* sequential probability ratio test
- SPRT-like stopping time 206, 208
- square-integrable martingales 23, 33
- standard Brownian motion 28–9, 37, 38
 - applications
 - quickest detection 109, 110, 143, 152, 211
 - sequential detection 81, 87, 92
- stationary increments 28
- stationary Markov optimal stopping problem 41
- statistical change detection 1
- 'statistician vs nature' game 125–8
- Stefan problem 94
- stochastic convergence 16–17
- stochastic differential equations 82, 87, 114
- stochastic integral 34–9
- stochastic optimization problem 185, 195
- stochastic processes 15–16
- stochastic sequence 40
 - Markov representation 41
- stopping times 24–6
 - continuous-time analogs 27
 - localizing sequence 32
 - meaning of term 24
 - see also* optimal stopping time(s)
- strike price (in American call options) 46
- strong law of large numbers 18
 - applications 138, 159
- submartingales 19
- supermartingales 19
- surveillance systems, change detection in 130
- terminal decision rules 66
 - applications 67, 69, 82, 92, 94, 100, 178
- thresholds 71
 - relationship with error probabilities 74–5
- transition function (of Markov process) 60
- type I and type II errors 67n
- uniform integrability 17
- upper exit probability of random walk 78
- variance parameter (Brownian motion) 28
- video editing applications 1
- Wald's approximations 77–8, 79, 86
- Wald's identities 25–6
 - applications 30, 76, 79, 85, 113, 142, 159, 161
- Wald–Wolfowitz theorem 73
 - applications 75, 95
 - continuous-time analogy 84
 - extension 90–1
- Wiener measure 29
 - applications 110, 144, 152