

## Index

- activation energy, 6, 11, 18
  - in gases, 15–17
  - in liquids, 14–15
  - in solids, 7–14
- annealing, 104
- average composition, application to dissolution of particles, 122
- average concentration, 84–85
- average flux, 67
- average total flux, 193
  
- biased equilibrium vacancy concentration, 229
  
- carburizing of steel, 28
- carrier gas, 167
- case hardening 103, 104
- chunky ferrite, 126
- coatings, as diffusion barrier, 34
- complimentary error function, 64
- composite solid, diffusion in, 35–39
- conservation of mass, 62, 73, 127
- convection, 4, 19–20, 151
- converting concentration units, 30, 42
- counter diffusion, 150
- creep rate, 230
  
- Darken experiment, 233
- diffusion in a stagnant column, 167–169
- diffusion couple, 157
- diffusion creep, 230
- diffusion data, 17–19, 242–243
- diffusion due to an activity gradient, 232–233
- diffusion due to surface curvature, 231–232
  
- diffusion in
  - $\text{Al}_2\text{O}_3$ , 39
  - $\beta$ -alumina, 227
  - Ni, 38
  - Ni–Cu alloys, 156
- diffusion of
  - Cu, 59–60
  - C in Fe, 13, 28–29, 119–120
  - Cr, 18
  - Cr in Ni, 56–58, 79–80
  - Cu in Al, 122, 125
  - H in Cu, 33, 34
  - H in Fe, 33, 34, 83–84, 103, 108
  - H in Ni, 29, 70
  - hydrogen, 29
  - N in Fe, 102
  - Ni in NiO, 42
  - $\text{O}_2$  in air, 17
  - P in Si, 105–106
  - Sb in Si, 66, 67
- diffusion of gases, 212–214
- dimensionless numbers, 187, 189
- direct bonding of refractories, 166
- distributed source, 60–64, 76
- doping, of semiconductors, 105–107
- drift, 151, 154
- drift velocity, 16, 152, 155
  
- Einstein drift equations, 225–226
- electric field, as driving force for diffusion, 226–227
- equilibrium vacancy concentration, 228
- error function, 63–64, 129

- eutectoid transformation, 133  
 evaporation, 167  
   of Mg, 194–195  
   particle condensation during, 171–173  
 evaporation involving reactions, 169–171  
  
 FeO ‘fog’, 171–173  
 Fick, Adolph, 4, 10  
 Fick’s First Law, 5, 10, 26, 225  
 Fick’s Second Law, 47–50, 184–185  
 flowing interface, transport at, 185–187  
 flue-gas scrubber, diffusion in, 203–206  
 free energy of atoms, 224  
 free energy of vacancy creation, 228  
  
 gas–solid equilibria, 100  
 grain boundary diffusion, 36–39  
 Grashof number, 190  
  
 heat conduction, relationship to diffusion, 50  
 heating and cooling, diffusion during, 71  
 Henry’s Law, 101, 232  
 Higbie penetration model 192–194, 195  
 homogenization, 77–80, 123  
  
 image sources, 73–76  
 immiscible solids, 159–166  
 interdiffusion coefficient, 13, 147, 155, 156, 161  
 interface motion, rate of, 128, 135, 161, 175  
 interface reaction control, 107–109  
 intermetallic phases,  
   growth of 163  
   rate of growth, 164–165  
 internal precipitation, 173–176  
 internal reactions in fluids, 193–196  
 interstitial atoms, 7  
 interstitial diffusion, 8–11  
 iron oxide reduction, 209–212  
  
 jump frequency, 225  
  
 Kirkendall effect, 153–157  
 Knudsen diffusion, 213  
  
 Langmuir equation, 172  
 Laplace transform methods, 77, 80–81, 240–241  
 local equilibrium, assumption of, 33, 97–98  
 logarithmic mean driving force, 169, 192  
  
 mass transfer coefficient, 187–191, 193  
   of spheres, 188–190, 193  
  
 Matano interface, 158  
 Matano–Boltzmann method, 157–159  
 mechanical stress, 227–230  
 Mg evaporation, 194–195  
 mobility, 232  
 molar volume, 41  
 multi-phase resistance, 206–209  
  
 Nernst–Einstein equation, 226  
 nickel oxide, 39–43  
 nominal diffusion distance, 68–72  
  
 overall mass balance 202–206, 208–209  
 oxide film growth, 39–43  
  
 pearlite,  
   diffusion in 117–120  
   growth of 132–135  
   thickening of cementite plates, 119–120  
 permeability, gas, 29–35  
 permeability, units, 32  
 plane initial source, 54–56, 72–73, 74, 75  
 plug-flow reactor, diffusion in, 203  
 point defects, 7  
 porous solids, diffusion in 212–214  
 precipitate growth, cooperative growth, 132–135  
   ferrite from austenite, 126  
   planar, 125–130  
   spherical particles, 130–131  
 principle of superposition, 62  
 pseudo steady state, 40, 129, 130, 162, 175  
  
 quiescent liquids, diffusion in 166–173  
  
 radioactive tracer, diffusion of, 58–60  
 rate constant, 108  
 re-inoculation, 194–195  
 reactions incorporating Fick’s Laws, 184–185  
 Reynolds number, 187  
  
 Schmidt number, 189  
 selenium, evaporation of, 169–171  
 self-diffusion, 12  
 separation of variables method, 7, 80, 236–240  
 Sherwood number, 189, 193  
 short-circuit diffusion, 36  
 Sievert’s Law, 32, 100, 103  
 sintering, 231  
 slip casting, 43–44  
 solubility, 102, 104  
 solute partitioning, 132

- solute rejection, 127
- spinel phases, growth of, 165
- stagnant film model, 191–192
- stagnant fluid, 167, 188–189
- steady state, 26, 186
- substitutional solute diffusion, 13–14
- surface coatings, growth of, 166
  
- TiN precipitates, 115
- topochemical reactions, 209–212
  
- total flux, 152
  
- undercooling, effect on solubility, 133–134
- unit cells, application in modelling, 123
- uphill diffusion, 233–234
  
- vacancies, 7, 228
- vacancy annihilation, rate of 228
- vacancy creation, rate of, 228
- vacancy diffusion, 11–13