

---

## Index

- $\mathcal{A}_n$ -convexity, 205
- adapted  $n$ -tuple, 345
- adjoint
  - matrix, 35
  - operator, 6
- approximation number, 219
- average
  - Lorentz, 66
  - quadratic, 66
  - $r$ -th, 66
- B-convexity, 144, 225, 494, 496
- $B_n$ -convexity, 144
- Banach operator ideal, 29, 492
  - dual, 29
  - injective, 30
  - surjective, 30
  - symmetric, 29
- Banach space, 4
  - B-convex, 144, 225, 494
  - containing  $l_1^n$ , 143, 494
  - containing  $l_\infty^n$ , 160, 494
  - containing  $l_r^n$ , 233
  - dual, 4
  - factoring  $\Sigma_n$ , 376
  - factoring  $\Sigma_n$  uniformly, 376
  - factoring  $J_n$ , 390
  - factoring  $J_n$  uniformly, 390
  - Hilbertian, 52
  - J-convex, 397, 497, 500
  - K-convex, 225, 496
  - MP-convex, 160
  - of Fourier cotype, 305
  - of Fourier type, 290
  - of Gauss cotype, 191
  - of Gauss type, 190
  - of Haar cotype, 366
  - of Haar type, 366
  - of Rademacher cotype, 154
  - of Rademacher type, 138
  - of Walsh cotype, 329
  - of Walsh type, 329
  - of weak Fourier cotype, 305
  - of weak Fourier type, 290
  - of weak Gauss cotype, 191
  - of weak Gauss type, 190
  - of weak Haar cotype, 367
  - of weak Haar type, 367
  - of weak Kwapien cotype, 121
  - of weak Kwapien type, 57, 121
  - of weak Rademacher cotype, 154
  - of weak Rademacher type, 139
  - of weak Walsh cotype, 329
  - of weak Walsh type, 329
  - reflexive, 373
  - superreflexive, 376, 497
  - UMD-, 442, 499
  - uniformly convex, 412, 496
  - uniformly convexifiable, 414
  - uniformly  $p$ -smooth, 407, 498
  - uniformly  $p$ -smoothable, 411
  - uniformly  $q$ -convex, 407, 498
  - uniformly  $q$ -convexifiable, 411
  - uniformly smooth, 413, 496
  - uniformly smoothable, 414
- Banach–Mazur distance, 7, 491
- Bernoulli
  - random variable, 129, 490
  - system, 100, 129
- Bessel inequality, 67, 489
- Bourgain theorem, 303
- branch, 353
- Burkholder–Bourgain theorem, 459
- Burkholder–Gundy–Davis inequality, 352
- Cantor group, 100
- central limit theorem, 171, 491
- character, 98
  - matrix, 99

- circle group, 98
- Clarkson inequality, 399
- closed
  - operator ideal, 31
  - unit ball, 4
- codimension, 7
- compactum
  - Minkowski, 475
- compatibility, 11
  - total, 11
  - with the Fourier transform, 306
  - with the Hilbert transform, 271
  - with the Rademacher projection, 223
  - with the Riesz projection, 278
- complemented subspace, 6
- conditional expectation, 345
- conjugate
  - Dirichlet kernel, 239
  - Fourier series, 269
  - function operator, 269
  - orthonormal system, 66
- constant
  - Khintchine, 70, 166, 170
  - Lebesgue, 102, 240
  - relative Sidon, 198
  - Sidon, 196
- contracting matrix, 37
- contraction, 5
  - principle, 85
- convex hull, 21
- convexity
  - $\mathcal{A}_n$ -, 205
  - B-, 144, 225, 494, 496
  - $B_n$ -, 144
  - J-, 397, 497, 500
  - $J_n$ -, 396
  - K-, 225, 496
  - modulus of, 496
  - MP-, 160
  - $MP_n$ -, 160
  - uniform, 399, 412, 496
  - $\zeta$ -, 499
- cosine
  - matrix, 238
  - system, 237, 484
- cotype
  - Fourier, 305
  - Gauss, 191, 495
  - Haar, 366, 500
  - Rademacher, 154, 495
  - Walsh, 329
  - weak Fourier, 305
  - weak Gauss, 191
  - weak Haar, 367
  - weak Rademacher, 154, 495
  - weak Walsh, 329
- cotype ideal norm, 89
- cyclic group, 98
- diagonal operator, 8, 31
- dimension, 7
- Dirichlet
  - ideal norm, 76
  - kernel, 77, 239
  - operator, 77
  - projection, 77
  - system, 240
- discrete
  - cosine system, 238
  - Fourier system, 236
  - Hilbert transform, 270
  - orthonormal system, 111
  - sine system, 238
- dissociativity, 201
- distance
  - Banach–Mazur, 7, 491
- distribution function, 13
- distributions
  - identical, 67
- Doob inequality, 347
- doubling inequality, 60, 131, 147, 185, 241, 281, 323, 386
- dual
  - Banach operator ideal, 29
  - Banach space, 4
  - ideal norm, 27
  - operator, 5
- Dvoretzky
  - dimension, 231
  - theorem, 232, 493
- dyadic
  - filtration, 347
  - interval, 127, 347
  - martingale, 347
  - tree, 353
- Enflo theorem, 428
- EP-operator, 263
- quasi-, 264
- equal-norm
  - martingale type ideal norm, 385
  - Rademacher cotype, 495
  - Rademacher type, 495
  - Rademacher type ideal norm, 146, 495
- equality
  - Khintchine, 166, 170
  - Parseval, 66, 489
- expectation, 345
  - conditional, 345
- extrapolation, 501
- extreme point, 21
  - lemma, 22

548

$\mathbb{F}$ -tuple, 8  
 Fejér kernel, 239  
 filtration, 345  
   dyadic, 347  
 finite  
   codimension, 7  
   dimension, 7  
   rank, 7, 492  
   representability, 20, 501  
 fork transform, 360  
 Fourier  
   coefficient, 66  
   cotype, 305  
   cotype ideal norm, 281, 304  
   matrix, 236  
   subcotype, 305  
   subtype, 302  
   system, 236, 483  
   transform, 305, 306, 498  
   type, 290, 498  
   type ideal norm, 281, 289  
 full tensor product  
   of orthonormal systems, 87  
 function  
   Haar, 353, 490  
   measurable, 9  
   Rademacher, 127, 354, 490  
   simple, 9  
   trigonometric, 236  
   vector-valued, 9  
   Walsh, 322, 490  
 functional, 4  
  
 $\gamma$ -summing operator, 228  
 Gauss  
   cotype, 191, 495  
   cotype ideal norm, 185  
   subcotype, 193  
   subtype, 190  
   system, 166  
   type, 190, 495  
   type ideal norm, 185  
 Gaussian  
   measure, 165  
   random variable, 164, 491  
   subquadratic average, 495  
 GP-operator, 222  
   quasi-, 224  
 GR-operator, 183  
   quasi-, 183  
 group  
   Cantor, 100  
   circle, 98  
   compact Abelian, 98  
   cyclic, 98  
 growing tree property, 416

*Index*

Haar  
   cotype, 366, 500  
   cotype ideal norm, 365  
   function, 353, 490  
   measure, 98  
   polynomial, 354  
   subcotype, 373  
   subtype, 373  
   system, 354  
   type, 366, 500  
   type ideal norm, 365  
 Hadamard number, 56  
 Hausdorff–Young inequality, 85  
 Helly lemma, 6  
 Hermite  
   polynomial, 480  
   system, 480  
 Hilbert  
   matrix, 58  
   space, 6  
   transform, 269, 499  
 Hilbert–Schmidt norm, 36  
 Hilbertian  
   Banach space, 52  
   operator, 52, 492  
 Hinrichs inequality, 135, 204  
 HM-operator, 60  
   quasi-, 61  
 Hölder inequality, 10  
 HT-operator, 271  
 hull  
   convex, 21  
  
 $\mathbb{I}$ -tuple, 8  
 ideal norm, 25, 492  
   cotype, 89  
   Dirichlet, 76  
   dual, 27  
   Fourier cotype, 281, 304  
   Fourier type, 281, 289  
   Gauss cotype, 185  
   Gauss type, 185  
   Haar cotype, 365  
   Haar type, 365  
   injective, 28  
   Kwapień, 47  
   martingale type, 380  
   on an operator ideal, 29  
   Parseval, 39, 123  
   Rademacher cotype, 131, 152  
   Rademacher type, 131, 136  
   Riemann, 73  
   surjective, 28  
   symmetric, 27  
   type, 89  
   UMD-, 436, 439  
   unconditional Dirichlet, 430

- unconditional Riemann, 430
- universal cotype, 115
- universal Dirichlet, 115
- universal Kwapien, 55
- universal Parseval, 43
- universal Riemann, 115
- universal type, 115
- Walsh cotype, 323, 325
- Walsh type, 323, 325
- weak Fourier type, 289
- weak Rademacher cotype, 152
- weak Rademacher type, 136
- weak Walsh type, 325
- ideal norms
  - submultiplicative, 33
  - uniformly equivalent, 27
- identical distributions, 67
- index
  - Rademacher cotype, 233, 495
  - Rademacher type, 233, 495
- inequality
  - Bessel, 67, 489
  - Burkholder–Gundy–Davis, 352
  - Clarkson, 399
  - Doob, 347
  - Hausdorff–Young, 85
  - Hinrichs, 135, 204
  - Hölder, 10
  - Jessen, 13
  - Khintchine, 70, 490
  - Khintchine–Kahane, 130, 167, 491
  - Kwapien, 192
  - Marcinkiewicz, 241
  - Young, 199
- injection, 6
  - metric, 6
  - natural, 8
- injective
  - Banach operator ideal, 30
  - ideal norm, 28
- injectivity, 28, 30
- inner product, 6
- integration
  - of vector-valued functions, 497
- interpolation, 501
  - couple, 18
  - space, 18
- interval
  - dyadic, 127, 347
- isometric matrix, 37
- J-convexity, 397, 497, 500
- $J_n$ -convexity, 396
- Jacobi
  - polynomial, 480
  - system, 480
- James
  - operator, 390
  - theorem, 397
- Jessen inequality, 13
- John theorem, 7, 491
- K-convexity, 225, 496
- kernel
  - conjugate Dirichlet, 239
  - Dirichlet, 77, 239
  - Fejér, 239
  - de la Vallée–Poussin, 239
  - Walsh–Dirichlet, 457
- Khintchine
  - constant, 70, 166, 170
  - equality, 166, 170
  - inequality, 70, 490
- Khintchine–Kahane inequality, 130, 167, 491
- Krivine theorem, 233
- Kwapien
  - ideal norm, 47
  - inequality, 192
  - subtype, 58
  - theorem, 193
  - weak cotype, 121
  - weak type, 57, 121
- $l_r(\mathbb{I})$ -multiple, 8
- $l_r(\mathbb{I})$ -sum, 8
- $l_2$ -stability, 28, 33
- $l_r^n$ -injectivity, 150
- $l_\infty^n$ -injectivity, 162
- lacunarity, 496
- Laguerre
  - polynomial, 480
  - system, 480
- Landau symbols, 23
- Lebesgue constant, 102, 240
- level of a tree, 353
- Lorentz
  - average, 66
  - norm, 15, 17
  - quasi-norm, 14–16
  - space, 14
- Marcinkiewicz inequality, 241
- martingale, 346
  - differences, 346
  - dyadic, 347
  - stopped, 346
  - subtype, 381
  - transform, 346
  - type ideal norm, 380
  - vector-valued, 346, 498
  - Walsh–Paley, 347
- matrix
  - adjoint, 35

- character, 99
- contracting, 37
- cosine, 238
- Fourier, 236
- Hilbert, 58
- isometric, 37
- orthogonal, 37
- sine, 238
- transpose of, 35
- unit, 35
- unitary, 37
- Walsh, 323
- Maurey–Pisier theorem, 234
- maximal function, 346
  - modified, 348
- measurable function, 9
- measure
  - complex Gaussian, 165
  - Haar, 98
  - real Gaussian, 165
- metric
  - injection, 6
  - surjection, 6
- Minkowski
  - compactum, 475
  - spectrum, 233
- modulus
  - of convexity, 496
  - of smoothness, 496
- moment
  - Gaussian, 165
- MP-convexity, 160
- MP<sub>n</sub>-convexity, 160
- natural
  - injection, 8
  - surjection, 8
- non-increasing rearrangement, 13
- non-trivial
  - Fourier type, 302, 500
  - Haar type, 382, 500
  - Rademacher cotype, 159, 494
  - Rademacher type, 143, 494
  - Walsh type, 330, 500
- norm
  - Hilbert–Schmidt, 36
  - Lorentz, 15
- null space, 5
- operator, 5
  - 2-summing, 40, 493
  - adjoint, 6
  - compatible, 11
    - with the Fourier transform, 306
    - with the Hilbert transform, 271
    - with the Rademacher projection, 223
  - with the Riesz projection, 278
- dual, 5
- EP-, 263
- factoring  $\Sigma$ , 374
- factoring  $\Sigma_n$ , 376
- factoring  $\Sigma_n$  uniformly, 376
- factoring  $J_n$ , 390
- factoring  $J_n$  uniformly, 390
- factoring  $l_\infty^n$ , 163
- finite rank, 7
- $\gamma$ -summing, 228, 493
- GP-, 222
- GR-, 183
- Hilbertian, 52, 492
- HM-, 60
- HT-, 271
- of Fourier cotype, 305
- of Fourier subcotype, 305
- of Fourier subtype, 302
- of Fourier type, 290
- of Gauss cotype, 191
- of Gauss subcotype, 193
- of Gauss subtype, 190
- of Gauss type, 190
- of Haar cotype, 366
- of Haar subcotype, 373
- of Haar subtype, 373
- of Haar type, 366
- of Kwapien subtype, 58
- of martingale subtype, 381
- of Rademacher cotype, 154
- of Rademacher subcotype, 158
- of Rademacher subtype, 142
- of Rademacher type, 138
- of Walsh cotype, 329
- of Walsh subcotype, 330
- of Walsh subtype, 330
- of Walsh type, 329
- of weak Fourier cotype, 305
- of weak Fourier type, 290
- of weak Gauss cotype, 191
- of weak Gauss type, 190
- of weak Haar cotype, 367
- of weak Haar type, 367
- of weak Kwapien cotype, 121
- of weak Kwapien type, 57, 121
- of weak Rademacher cotype, 154
- of weak Rademacher type, 139
- of weak Walsh cotype, 329
- of weak Walsh type, 329
- quasi-EP-, 264
- quasi-GP-, 224
- quasi-GR-, 183
- quasi-HM-, 61
- quasi-RP-, 223
- quasi-UMD-, 442
- RP-, 222

- super weakly compact, 376
- totally compatible, 11
- UMD-, 442, 499
- uniformly convex, 412
- uniformly convexifiable, 414, 498
- uniformly  $p$ -smooth, 400
- uniformly  $p$ -smoothable, 403
- uniformly  $q$ -convex, 399
- uniformly  $q$ -convexifiable, 403
- uniformly smooth, 413
- uniformly smoothable, 414
- weakly compact, 373
- operator ideal, 28, 492
  - closed, 31
- operator norm, 5, 36
- orthogonal
  - matrix, 37
  - system, 490
- orthogonality relations, 489
- orthonormal system, 66
  - conjugate, 66
  - discrete, 111
  - unconditional, 85
- unimodular, 85
- orthonormal systems
  - with identical distributions, 67
- Parseval
  - equality, 66, 489
  - ideal norm, 39, 123
- periodic Hilbert transform, 269
- Pisier theorem, 225
- Poisson transform, 272
- polynomial
  - Haar, 354
  - Hermite, 480
  - Jacobi, 480
  - Laguerre, 480
- principle of contraction, 85
- product of operator ideals, 29
- projection, 6
  - Dirichlet, 77
  - Rademacher, 223
  - Riesz, 269, 500
  - Walsh–Dirichlet, 456
- quasi-
  - EP-operator, 264
  - GP-operator, 224
  - GR-operator, 183
  - HM-operator, 61
  - RP-operator, 223
  - UMD-operator, 442
- quotient space, 6
- Rademacher
  - cotype, 154, 495
  - cotype ideal norm, 131, 152
  - cotype index, 233, 495
  - equal-norm cotype, 495
  - equal-norm type, 495
  - function, 127, 354, 490
  - projection, 223
  - subcotype, 158
  - subtype, 142
  - system, 127
  - type, 138, 495
  - type ideal norm, 131, 136
  - type index, 233, 495
- Rademacher–Haar
  - cotype ideal norm, 444
  - type ideal norm, 444
- random variable, 129
  - Bernoulli, 129, 490
  - Gaussian, 164, 491
- range, 5
- rank, 7
- reduced system of characters, 109
- reflexive Banach space, 373
- relative Sidon constant, 198
- renorming, 497
- Riemann ideal norm, 73
- Riesz
  - product, 201
  - projection, 269, 500
- RP-operator, 222
- quasi-, 223
- Schur test, 36
- sequence
  - very slowly growing, 24
- Sidon constant, 196
- Sidonicity, 496
- simple function, 9
- sine
  - matrix, 238
  - system, 237, 484
- smoothness
  - modulus of, 496
  - uniform, 400, 413, 496
- space
  - Banach, 4
  - complex interpolation, 18
  - Hilbert, 6
  - Lorentz, 14
  - real interpolation, 18
- spectrum
  - Minkowski, 233
  - of a Banach space, 233
  - of a function, 66
- spherical system, 169
- stability, 28
- stabilization, 478
- Steinhaus system, 100, 129

- stopped martingale, 346
- stopping time, 346
- subcotype
  - Fourier, 305
  - Gauss, 193
  - Haar, 373
  - Rademacher, 158
  - Walsh, 330
- submultiplicativity, 33, 492
- subquadratic Gaussian average, 495
- subspace, 6
  - complemented, 6
- subtype
  - Fourier, 302
  - Gauss, 190
  - Haar, 373
  - Kwapień, 58
  - martingale, 381
  - Rademacher, 142
  - Walsh, 330
- summation operator, 19
- super weakly compact operator, 376, 498
- superreflexive Banach space, 376, 497
- surjection, 6
  - metric, 6
  - natural, 8
- surjective
  - Banach operator ideal, 30
  - ideal norm, 28
- surjectivity, 28, 30
- symmetric
  - Banach operator ideal, 29
  - ideal norm, 27
  - set, 68
- symmetry, 29
- system
  - Bernoulli, 100, 129
  - cosine, 237, 484
  - Dirichlet, 240
  - discrete cosine, 238
  - discrete Fourier, 236
  - discrete sine, 238
  - Fourier, 236, 483
  - Gauss, 166
  - Haar, 354
  - Hermite, 480
  - Jacobi, 480
  - Laguerre, 480
  - of characters, 98
    - dissociate, 201
    - reduced, 109
  - Rademacher, 127
  - sine, 237, 484
  - spherical, 169
  - Steinhaus, 100, 129
  - Walsh, 322
- $(T, n, \varepsilon)$ -tree, 416
- tensor product, 492
  - full, 87
  - of orthonormal systems, 86, 87
- theorem
  - Bourgain, 303
  - Burkholder–Bourgain, 459
  - central limit, 171, 491
  - Dvoretzky, 232, 493
  - Enflo, 428
  - James, 397
  - John, 7, 491
  - Krivine, 233
  - Kwapień, 193
  - Maurey–Pisier, 234
  - Pisier, 225
- total compatibility, 11
- transform
  - discrete Hilbert, 270
  - fork, 360
  - Fourier, 305, 306, 498
  - Hilbert, 269, 499
  - periodic Hilbert, 269
  - Poisson, 272
- transpose of a matrix, 35
- tree, 415
  - dyadic, 353
  - James, 498
- triangle inequality
  - for Dirichlet ideal norms, 80
  - for Parseval ideal norms, 123
  - for Riemann ideal norms, 74
- trigonometric
  - function, 236, 489
  - series, 489
- type
  - Fourier, 290, 498
  - Gauss, 190, 495
  - Haar, 366, 500
  - Rademacher, 138, 495
  - Walsh, 329
  - weak Fourier, 290
  - weak Gauss, 190
  - weak Haar, 367
  - weak Rademacher, 139, 495
  - weak Walsh, 329
- type ideal norm, 89
- ultrapower, 501
  - of a Banach space, 21
  - of an operator, 21
- ultraproduct, 501
- UMD-
  - ideal norm, 436, 439
  - operator, 442
  - space, 442
- unconditional

- Dirichlet ideal norm, 430
- orthonormal system, 85
- Riemann ideal norm, 430
- unconditionality, 85
- uniform
  - convexity, 399, 412, 496
  - equivalence, 27
  - smoothness, 400, 413, 496
- uniformly
  - convex Banach space, 412, 496
  - convex operator, 412
  - convexifiable Banach space, 414
  - convexifiable operator, 414, 498
  - $l_1^n$ -injective operator, 150
  - $l_\infty^n$ -injective operator, 162
  - $p$ -smooth Banach space, 407, 498
  - $p$ -smooth operator, 400
  - $p$ -smoothable Banach space, 411
  - $p$ -smoothable operator, 403
  - $q$ -convex Banach space, 407, 498
  - $q$ -convex operator, 399
  - $q$ -convexifiable Banach space, 411
  - $q$ -convexifiable operator, 403
  - smooth Banach space, 413, 496
  - smooth operator, 413
  - smoothable Banach space, 414
  - smoothable operator, 414
- unimodular orthonormal system, 85
- unit
  - ball, 4
  - matrix, 35
  - vector system, 69
- unitary matrix, 37
- universal
  - cotype ideal norm, 115
  - Dirichlet ideal norm, 115
  - Kwapień ideal norm, 55
  - Parseval ideal norm, 43
  - Riemann ideal norm, 115
  - type ideal norm, 115
- de la Vallée–Poussin kernel, 239
- vector-valued
  - function, 9, 497
  - martingale, 346, 498
- very slowly growing sequence, 24
- Walsh
  - cotype, 329
  - cotype ideal norm, 323, 325
  - function, 322, 490
  - matrix, 323
  - subcotype, 330
  - subtype, 330
  - system, 322
  - type, 329
  - type ideal norm, 323, 325
- Walsh–Dirichlet
  - kernel, 457
  - projection, 456
- Walsh–Paley martingale, 347
- wavelet, 461
- weak
  - Fourier cotype, 305
  - Fourier type, 290
  - Fourier type ideal norm, 289
  - Gauss cotype, 191
  - Gauss type, 190
  - Haar cotype, 367
  - Haar type, 367
  - Kwapień cotype, 121
  - Kwapień type, 57, 121
  - Rademacher cotype, 154, 495
  - Rademacher cotype ideal norm, 152
  - Rademacher type, 139, 495
  - Rademacher type ideal norm, 136
  - Walsh cotype, 329
  - Walsh type, 329
  - Walsh type ideal norm, 325
- weakly compact operator, 373
- Young inequality, 199
- $\zeta$ -convexity, 499