

Cambridge University Press

0521627184 - British Plant Communities: Aquatic Communities, Swamps and Tall-Herb Fens, Volume 4

Edited by J. S. Rodwell

Frontmatter

[More information](#)

---

## British Plant Communities 4

Cambridge University Press

0521627184 - British Plant Communities: Aquatic Communities, Swamps and Tall-Herb Fens, Volume 4

Edited by J. S. Rodwell

Frontmatter

[More information](#)

---

# British Plant Communities

VOLUME 4

---

AQUATIC COMMUNITIES,  
SWAMPS AND  
TALL-HERB FENS

J. S. Rodwell (editor)

C. D. Pigott, D. A. Ratcliffe

A. J. C. Malloch, H. J. B. Birks

M. C. F. Proctor, D. W. Shimwell

J. P. Huntley, E. Radford

M. J. Wigginton, P. Wilkins

for the

U.K. Joint Nature Conservation Committee



**CAMBRIDGE**  
UNIVERSITY PRESS

Cambridge University Press

0521627184 - British Plant Communities: Aquatic Communities, Swamps and Tall-Herb Fens, Volume 4

Edited by J. S. Rodwell

Frontmatter

[More information](#)

CAMBRIDGE UNIVERSITY PRESS

Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, UK

Published in the United States of America by Cambridge University Press, New York

[www.cambridge.org](http://www.cambridge.org)

Information on this title: [www.cambridge.org/9780521391689](http://www.cambridge.org/9780521391689)

© Joint Nature Conservation Committee  
(English Nature, Scottish Natural Heritage  
and Countryside Council for Wales) 1995

This publication is in copyright. Subject to statutory exception  
and to the provisions of relevant collective licensing agreements,  
no reproduction of any part may take place without  
the written permission of Cambridge University Press.

First published 1995

First paperback edition 1997

Reprinted 2000

*A catalogue record for this publication is available from the British Library*

ISBN-13 978-0-521-39168-9 hardback

ISBN-10 0-521-39168-7 hardback

ISBN-13 978-0-521-62718-4 paperback

ISBN-10 0-521-62718-4 paperback

Transferred to digital printing 2005

---

## CONTENTS

<i>List of figures</i>	ix
<i>Preface and acknowledgements</i>	xi
<b>Preamble</b>	
GENERAL INTRODUCTION	3
The background to the work	3
The scope and methods of data collection	4
The approach to data analysis	7
The style of presentation	8
<b>Aquatic communities</b>	
INTRODUCTION TO AQUATIC COMMUNITIES	17
The sampling of aquatic vegetation	17
Data analysis and the description of aquatic communities	18
Duckweed and frogbit communities	19
Free-floating and submerged pondweed communities	20
Water-lily and pondweed vegetation with floating leaves	21
Crowfoot and starwort communities	22
Hairgrass and quillwort communities	22
<i>Sphagnum</i> -bladderwort vegetation.	22
KEY TO AQUATIC COMMUNITIES	23
COMMUNITY DESCRIPTIONS	27
A1 <i>Lemna gibba</i> community	
<i>Lemnetum gibbae</i> Miyawaki & J.Tx. 1960	28
A2 <i>Lemna minor</i> community	
<i>Lemnetum minoris</i> Soó 1947	30
A3 <i>Spirodela polyrhiza</i> - <i>Hydrocharis morsus-ranae</i> community	33
A4 <i>Hydrocharis morsus-ranae</i> - <i>Stratiotes aloides</i> community	36
<i>Azolla filiculoides</i> in aquatic vegetation	39
A5 <i>Ceratophyllum demersum</i> community	
<i>Ceratophylletum demersi</i> Hild 1956	40

A6	<i>Ceratophyllum submersum</i> community <i>Ceratophylletum submersi</i> Den Hartog & Segal 1964	43
A7	<i>Nymphaea alba</i> community <i>Nymphaeetum albae</i> Oberdorfer & Mitarb. 1967	45
A8	<i>Nuphar lutea</i> community	48
A9	<i>Potamogeton natans</i> community	53
A10	<i>Polygonum amphibium</i> community	56
A11	<i>Potamogeton pectinatus</i> - <i>Myriophyllum spicatum</i> community	59
A12	<i>Potamogeton pectinatus</i> community	65
A13	<i>Potamogeton perfoliatus</i> - <i>Myriophyllum alterniflorum</i> community	68
A14	<i>Myriophyllum alterniflorum</i> community <i>Myriophylletum alterniflori</i> Lemée 1937	74
A15	<i>Elodea canadensis</i> community	76
	<i>Elodea nuttallii</i> in aquatic vegetation	79
A16	<i>Callitriche stagnalis</i> community	80
A17	<i>Ranunculus penicillatus</i> ssp. <i>pseudofluitans</i> community	83
A18	<i>Ranunculus fluitans</i> community <i>Ranunculetum fluitantis</i> Alloërge 1922	85
A19	<i>Ranunculus aquatilis</i> community <i>Ranunculetum aquatilis</i> Géhu 1961	87
A20	<i>Ranunculus peltatus</i> community <i>Ranunculetum peltati</i> Sauer 1947	90
A21	<i>Ranunculus baudotii</i> community <i>Ranunculetum baudotii</i> Br.-Bl. 1952	92
A22	<i>Littorella uniflora</i> - <i>Lobelia dortmanna</i> community	95
A23	<i>Isoetes lacustris</i> /setacea community	101
A24	<i>Juncus bulbosus</i> community	104
<b>Swamps and tall-herb fens</b>		
	INTRODUCTION TO SWAMPS AND TALL-HERB FENS	109
	The sampling of swamps and tall-herb fens	109
	Data analysis and the description of swamp and tall-herb fen communities	111
	Swamps	115
	Water-margin vegetation	117
	Tall-herb fens	117
	KEY TO SWAMPS AND TALL-HERB FENS	119
	COMMUNITY DESCRIPTIONS	127
S1	<i>Carex elata</i> swamp <i>Caricetum elatae</i> Koch 1926	128
S2	<i>Cladium mariscus</i> swamp and sedge-beds <i>Cladietum marisci</i> Zobrist 1933 <i>emend.</i> Pfeiffer 1961	131
S3	<i>Carex paniculata</i> swamp <i>Caricetum paniculatae</i> Wangerin 1916	136
	<i>Carex appropinquata</i> in fens	139

## Contents

vii

S4	<i>Phragmites australis</i> swamp and reed-beds <i>Phragmitetum australis</i> (Gams 1927) Schmale 1939	140
S5	<i>Glyceria maxima</i> swamp <i>Glycerietum maximae</i> (Nowinski 1928) Hueck 1931 <i>emend.</i> Krausch 1965	152
S6	<i>Carex riparia</i> swamp <i>Caricetum ripariae</i> Soó 1928	157
	<i>Carex acuta</i> in swamps and fens	159
S7	<i>Carex acutiformis</i> swamp <i>Caricetum acutiformis</i> Sauer 1937	160
S8	<i>Scirpus lacustris</i> ssp. <i>lacustris</i> swamp <i>Scirpetum lacustris</i> (Allorge 1922) Chouard 1924	162
S9	<i>Carex rostrata</i> swamp <i>Caricetum rostratae</i> Rübél 1912	166
	<i>Carex lasiocarpa</i> in swamps and fens	170
	<i>Carex aquatilis</i> in swamps and fens	171
S10	<i>Equisetum fluviatile</i> swamp <i>Equisetetum fluviatile</i> Steffen 1931 <i>emend.</i> Wilczek 1935	172
S11	<i>Carex vesicaria</i> swamp <i>Caricetum vesicariae</i> Br.-Bl. & Denis 1926	176
S12	<i>Typha latifolia</i> swamp <i>Typhetum latifoliae</i> Soó 1927	179
S13	<i>Typha angustifolia</i> swamp <i>Typhetum angustifoliae</i> Soó 1927	185
S14	<i>Sparganium erectum</i> swamp <i>Sparganietum erecti</i> Roll 1938	188
S15	<i>Acorus calamus</i> swamp <i>Acoretum calami</i> Schulz 1941	194
S16	<i>Sagittaria sagittifolia</i> swamp	197
S17	<i>Carex pseudocyperus</i> swamp	198
S18	<i>Carex otrubae</i> swamp <i>Caricetum otrubae</i> Mirza 1978	200
S19	<i>Eleocharis palustris</i> swamp <i>Eleocharitetum palustris</i> Schennikow 1919	203
S20	<i>Scirpus lacustris</i> ssp. <i>tabernaemontani</i> swamp <i>Scirpetum tabernaemontani</i> Passarge 1964	206
S21	<i>Scirpus maritimus</i> swamp <i>Scirpetum maritimi</i> (Br.-Bl. 1931) R.Tx. 1937	209
S22	<i>Glyceria fluitans</i> water-margin vegetation <i>Glycerietum fluitantis</i> Wilczek 1935	216
S23	Other water-margin vegetation Glycerio-Sparganion Br.-Bl. & Sissingh <i>apud</i> Boer 1942 <i>emend.</i> Segal	218
S24	<i>Phragmites australis</i> - <i>Peucedanum palustre</i> tall-herb fen <i>Peucedano-Phragmitetum australis</i> Wheeler 1978 <i>emend.</i>	220
S25	<i>Phragmites australis</i> - <i>Eupatorium cannabinum</i> tall-herb fen	239
S26	<i>Phragmites australis</i> - <i>Urtica dioica</i> tall-herb fen	245

Cambridge University Press

0521627184 - British Plant Communities: Aquatic Communities, Swamps and Tall-Herb Fens, Volume 4

Edited by J. S. Rodwell

Frontmatter

[More information](#)

viii

Contents

S27 <i>Carex rostrata</i> - <i>Potentilla palustris</i> tall-herb fen <i>Potentillo-Caricetum rostratae</i> Wheeler 1980a	252
S28 <i>Phalaris arundinacea</i> tall-herb fen <i>Phalaridetum arundinaceae</i> Libbert 1931	259
INDEX OF SYNONYMS TO AQUATIC COMMUNITIES, SWAMPS AND TALL-HERB FENS	263
INDEX OF SPECIES IN AQUATIC COMMUNITIES, SWAMPS AND TALL-HERB FENS	269
BIBLIOGRAPHY	275

---

## FIGURES

- Figure 1. Standard NVC sample card 6
- Figure 2. Distribution of samples available for analysis 7
- Figure 3. Floristic table for NVC community MG5 *Centaurea nigra-Cynosurus cristatus* grassland 10
- Figure 4. Sampling from superimposed layers of floating and submerged aquatic vegetation among emergents at a lake edge 19
- Figure 5. Key to aquatic communities 24–5
- Figure 6. Zonation of aquatic, swamp and fen vegetation at Crag Lough, Northumberland 71
- Figure 7. Generalised zonation across a brackish ditch 93
- Figure 8. Generalised zonation of aquatic vegetation around the margins of an upland lake 98
- Figure 9. Typical pattern of patchy swamp vegetation along a length of disused canal 111
- Figure 10. Distribution of samples available from swamps and tall-herb fens 112
- Figure 11. Pattern of coincidence between dominants and understorey assemblages in swamps and tall-herb fens 114
- Figure 12. Some typical zonations with the *Phragmitetum* swamp 146
- Figure 13. Mosaic of aquatic and inundation communities, swamps, fen and grassland over the draw-down zone and inlet streams of a reservoir in County Durham 173
- Figure 14. Typical pattern of aquatic, swamp and fen vegetation around silting lowland pools in West Yorkshire 180
- Figure 15. Variations among sequences of swamp, tall-herb fen and woodland vegetation in open-water transition mires around lowland standing and sluggish waters 231
- Figure 16. Map and cross-section showing pattern of fen, fen-meadow and woodland vegetation at Market Weston Fen, Suffolk 241



---

## PREFACE AND ACKNOWLEDGEMENTS

The appearance of Volume 4 of *British Plant Communities* brings us near the end of the publication of the results of the National Vegetation Classification. Sustaining commitment and interest through the years has been vital to the continuance of the work and, as coordinator of the NVC and editor of these volumes, I would like to record again my personal gratitude to Donald Pigott and Derek Ratcliffe, the co-chairman of our research team, to John Birks, Andrew Malloch, Michael Proctor and David Shimwell, the research supervisors and to Jacqui Huntley, Elaine Radford, Martin Wigginton and Paul Wilkins for their many and various contributions along the way. More widely, on their behalf, I wish to thank all those others who have assisted in preparing the descriptions of the aquatic, swamp and tall-herb fen vegetation that is included here.

Among the NVC team, it was David Shimwell and Elaine Radford who had particular responsibility for producing preliminary accounts of the swamp and fen communities and I was greatly helped by their hard work and experience. For aquatic vegetation, we also benefited from the brief secondment to the research team of Dr Michael Lock who, as well as carrying out some underwater sampling by diving, collated our own data on aquatics and helped with the early characterisation of communities.

We were fortunate, too, while working on these vegetation types to have Mrs Margaret Palmer as the Nominated Officer for the project within the Joint Nature Conservation Committee. She was already playing an important role in developing other methods for the survey of standing waters in Britain and, as well as being given access to the data which a range of projects had produced, we were much informed by her wide experience and through her comments on our work.

Among others involved in those projects, we are especially grateful to Dr Kevin Charman and Messrs Martin Alcock and Clive Doarks. Drs Terry Rowell and Nigel Holmes also made valuable comments on the manuscript at various stages and we had informative

discussions, too, with Mr John Ratcliffe and Ms Ros Hattey of the then Welsh Lowland Peatland Survey, Dr John Harvey of the National Trust, the Reverend Gordon Graham of the Durham Flora Project and the late Professor David Spence, whose enthusiastic understanding of aquatic vegetation is greatly missed by all of us.

Among other contributors of data and information on the vegetation types included here, we owe a debt, as throughout our work, to Messrs Eric Birse and Jim Robertson of what was then the Macaulay Institute in Aberdeen and also, from the then West Yorkshire Biological Data Bank, to Messrs Jack Lavin and Geoffrey Wilmore. As with the mires, Dr Bryan Wheeler was unfailingly generous in allowing us access to his data on swamps and tall-herb fens from base-rich wetlands throughout Britain and always informative and constructive in his comments on the developing classification.

Within the Joint Nature Conservation Committee, Dr John Hopkins, who succeeded Margaret Palmer as Nominated Officer, has played a vital role in these closing years, helping steer the work to a successful conclusion with his commitment and understanding. At Cambridge University Press, Drs Alan Crowden and Maria Murphy have continued to provide stimulating encouragement with Mrs Jane Bulleid, as always, bringing her great skill and care to the task of sub-editing.

My appreciation of Mrs Carol Barlow, who was secretary to the NVC for more than a decade, is tempered only by my great regret at her recent departure from our team. Her constant accuracy, hard work and cheerfulness have been an enormous support throughout these critical years of the project. For this volume, I am extremely grateful to Mrs Michelle Needham for stepping into this breach and helping complete the preparation of the manuscript with care and enthusiasm.

Finally, as the work of the NVC has become more widely known through its publication in *British Plant Communities*, and its applications more diverse and

Cambridge University Press

0521627184 - British Plant Communities: Aquatic Communities, Swamps and Tall-Herb Fens, Volume 4

Edited by J. S. Rodwell

Frontmatter

[More information](#)

---

xii

Preface

productive, I am increasingly appreciative of the welcome the scheme has received from a great variety of users, within and beyond the nature conservation and countryside agencies, in this country and also abroad.

Their conviction of the value of the NVC, their enthusiastic comments and criticisms through the years, their impatience to see the project complete, these have been crucial in helping see the work through towards its end.