
INDEX

- Abel integral equation
 application, 69, 372
 general solution, 70
- Abel asymptotic theorem, 36–7
 application, 90, 348
- acceleration of a particle, 17
- analytic continuation, 32–3, 85
- analytic function, 30–2
 identity theorem, 32, 85
- angular momentum, balance of, 18
- area domain integral, 240
- arrest, *see* crack arrest
- associated flow rule, 177, 185
- autonomy of crack tip field, 10–11
- Barenblatt cohesive zone, *see also*
 cohesive zone model
- Bateman's theorem, 378
- Bernoulli-Euler beam, 5–8, 254, 421
- bifurcation, Yoffe criterion, 166
- bluntness parameter, 399, 412
- brittle-ductile transition, 149–51,
 485–6
- Broberg problem, 318–26
 energy rate balance, 328–9
 stress intensity factor, 326
- Buseman's method of conical fields,
 314
- Cagniard-de Hoop technique, 77, 91,
 350
- Cauchy stress principle, 16
- Cauchy's integral formula, 31
- Cauchy's integral theorem, 31
- caustics, method of, 12
- Chaplygin transformation, 316
- characteristic length, 105
- characteristics, method of
 ideally plastic material, 176, 186,
 452–3
 string problem, 411–13
- circular crack
 energy rate balance, 339
 stress intensity factor, 145, 338
- circumferential tensile stress, 164
- cohesionless interface, 398–9
- cohesive zone model, 235–40, 306–10
- cohesive traction, 236
- crack opening displacement, 236,
 435–7
 rate-dependent, 485–6
 slip-weakening zone, 239, 247–9
 zone length, 308, 432
- completeness of representations, 26
- compliance method, 223, 256
- compliance of loading system, 418–
 21
- computational methods
 area domain integral, 240
 iteration for steady state problem,
 463–4
 node release method, 241–2
 singular finite element, 243
- conservation law, 264–6
- contact of crack faces, 38, 116, 139
- crack arrest, 367, 481–5
 arrest fracture toughness, 414, 484
 arrest length, 399–400, 409–10,
 413–14
 arrest time, 413, 430

- due to reflected waves, 413
 - due to variable resistance, 408–10
- crack growth criterion, *see* fracture criterion
- crack tip equation of motion, *see* equation of motion
- crack tip opening angle, 181, 183
 - fracture criterion, 467
- crack tip opening displacement, 181, 183, 236, 309, 435–7
 - fracture criterion, 436, 494
- criterion for fracture, *see* fracture criterion
- critical crack length, 6–8
- cross product, 14
- curl of a vector, 14
- curved crack path, 160

- delay time, 357, 426
- diffraction of waves, 70, 94, 125
- dilatation, 24, 27
- dilatational wave speed, 23
- dislocation, moving, 110–12, 121
- displacement components, in terms of potentials, 28
- displacement of a particle, 17
- displacement potentials
 - Lamé representation, 26
 - Poisson representation, 27
- divergence
 - of a vector, 14
 - of a tensor, 15
- divergence theorem, 15
- double cantilever beam, 254
 - approximate equation of motion, 424–5
 - energy release rate, 256
 - rotary inertia, 256
- driving force, 2, 6
- Dugdale plastic zone, 238; *see also* cohesive zone model
- dyadic notation, 13–15
- dynamic energy release rate, 231; *see also* energy release rate
- dynamic stress intensity factor, 58; *see also* stress intensity factor

- earthquake rupture mechanics
 - radiated energy, 289, 405–7
 - seismic efficiency, 294–5
 - seismic moment, 293–5
 - shear crack models, 247, 293, 309–10, 330–4, 407
 - slip-weakening zone, 239–40, 247–9
 - strength inhomogeneities, 407–10
 - stress drop, 249, 295
 - transonic crack propagation, 173
- elastic compliance, 29, 231
- elastic constants, relations among, 24
- elastic rate dominance, 470
- elastic stiffness, 29
- elastic stress intensity factor, *see* stress intensity factor
- elastic-plastic material, 177, 185
- elastic-viscoplastic material, 215
- elastic-viscous material, 206
- elastodynamic boundary value problem, 25
- elliptical crack, 339–40
- energy, bounded total, 64, 74–5
- energy, fracture, *see* fracture energy
- energy flux integral, 224–7
- energy radiation
 - periodic fracture resistance, 401–5
 - seismic, 289
- energy rate balance, 5
 - dynamic, 8, 19, 475
- energy release rate, 10, 221, 231
- equation of motion, crack tip, 367
 - double cantilever beam, 424–5
 - shear crack growth, 407–10
 - string model, 413
 - tensile crack growth, 396, 430

- finite deformation, 16–21, 227–8, 500–3
- fracture criterion
 - crack tip opening angle, 467
 - crack tip opening displacement, 436, 494
 - energy criterion, 149, 394
 - plastic strain, 459–60
 - stress, 495
 - stress intensity factor criterion, 60, 394
- fracture energy, specific, 394
 - periodic, 401–7
 - position dependent, 407
 - speed dependent, 400–1, 417–18
- fracture initiation
 - crack tip bluntness, 399, 412
 - dynamic loading, 140–51, 426–30, 436–7
- fracture toughness, 10, 140

- fracture toughness, dynamic, 141
 versus crack speed, 448–50, 465–7
- fragmentation, 508–12, 518
- fundamental solution, 342, 358
 and superposition, 341, 350–2,
 362–3
- gradient
 of a scalar, 14
 of a vector, 15
- grazing incidence, 129
- Green's function, 65
- Green's method of solution, 65–7,
 370
- Griffith energy criterion, 4–8
- Hadamaard's lemma, 70
- Hamilton's principle, 422–4
- heat flux vector, 230
- Helmholtz decomposition, 26
- higher order terms, 58, 94–7, 169–70
- hodograph transformation, 453
- homogeneous function, 63
- homogeneous solutions, method of,
 313
- Hooke's law, 22
- hoop stress, *see* circumferential ten-
 sile stress
- hyperbolic system of partial differ-
 ential equations, 178, 251, 411,
 452
- ideally plastic material, 177, 186
- identity theorem of analytic func-
 tions, 32
- impact strength of brittle material,
 514
- incompressibility condition, 188
- inertia of crack tip, 398
- inertial effects, 2–3, 153–4, 235
- influence function, 431–2; *see also*
 weight function
- inner product, 13
- Irwin fracture criterion, 10, 60, 140
- Irwin relationship, 10, 222–3
- Irwin-Williams asymptotic stress
 field, 58–9
- J-integral, 223, 264
- Jones's method, 78
- Jordan's lemma, 34
- jump conditions, 18, 198, 411
- kinetic energy, 8, 18, 225
- Lamb's problem, 109
- Lamé displacement potentials, 26
 displacement in terms of, 28
 stress in terms of, 28
- Lamé elastic constants, 22–3
- Laplace transform, 33–6
 Abel asymptotic theorem, 36–7
 convolution formula, 33
 inversion formula, 33, 35
 one-sided transform, 33
 two-sided transform, 35
- Laplace's equation, 30
 general solution, 30
- linear elastic fracture mechanics, 55
- linear elastodynamics, 22–9
- linear momentum, balance of, 17
 propagating discontinuity, 18, 199,
 411
- Liouville's theorem, 32, 91
- mass of crack tip, apparent, 398
- maximum plastic work inequality,
 200
- microcracking, 508–9
 fragment size, 511
 time-dependent strength, 512
- modes of deformation, 38, 57
- modulus of cohesion, 308
- moving loads on crack faces, 105
- Navier's equation, 23
- Neumann's uniqueness theorem, *see*
 uniqueness theorem
- node release method, 241–2
- nonuniform crack tip motion
 mode I stress intensity factor, 390,
 428
 mode II stress intensity factor,
 393
 mode III stress intensity factor,
 374, 375
- numerical techniques, *see* computa-
 tional methods
- optical measurement methods, 12
- overshoot, dynamic, 57, 123
- path-independent integral, 223, 229,
 264–9
- penny-shaped crack, *see* circular
 crack

- photoelasticity, 12
 plane wave, incident on crack, 70,
 94, 123–31, 142–4, 356–8, 365–
 6, 375–6, 426–30
 effect on growth, 365–6, 413–15
 normal incidence, 70–1, 94
 oblique incidence, 104, 123
 plastic strain fracture criterion, 459–
 61
 plastic work rate parameter, 177,
 185, 197
 plastic zone, 238–9, 432–7, 459–
 65, 492; *see also* cohesive zone
 model
 plate in bending, 261
 Poisson representation, 27
 Poisson's ratio, 24
 potential energy, 4
 principal stress, maximum, 165, 172
- radiated seismic energy, 289, 406–7
 radiated stress fields, 353, 373, 381
 radiation conditions, 77
 rate of deformation, 21
 Rayleigh wave function, 83
 modified, 128, 130, 346
 Wiener-Hopf factorization, 87–8
 zeros of, 83
 Rayleigh wave speed, 83
 reciprocal theorem, elastodynamic,
 26, 281
 rotation, 24, 27
- seismic efficiency, 294–5
 seismic moment, 293–5
 seismic stress drop, 249, 295
 self-similar crack growth, 313–18,
 336
 shadow spot method, 12, 147
 shear beam model, 250
 shear stress, maximum, 165, 173
 shear wave speed, 23
 shell, pressurized, 262–4
 singular element method, 242
 size effect for brittle materials, 513
 slip weakening model, 239, 247–9;
 see also cohesive zone
 small-scale yielding, 11, 59, 310,
 434–7, 462, 474
 stability of equilibrium, 6–8
 steady state crack growth, 298–300
 approach to steady state, 310–12,
 467–9
- strain, 21
 infinitesimal, 22
 strain energy, 29, 231
 strain rate effects, 470–2, 485
 stream function, 188
 stress components and Lamé poten-
 tials, 28
 stress drop, 249, 295
 stress fracture criterion, 495
 stress intensity factor
 concept, 10, 140–1
 dynamic, 58, 158, 163, 171
 stress work density, 20, 225
 strip model, 250–1
 arrest length, 413–14
 crack tip equation of motion, 413
 energy release rate, 252
 energy variations, 415–17
 strip yield zone, *see* cohesive zone
 summation convention, 13
 surface energy, 4, 9, 259
 symmetry of fields, 61, 72, 186
- temperature effect, 151, 481–5
 terminal crack tip speed, 9, 38, 397
 three-dimensional scattering, 123
 time to fracture, 141–4, 147, 430,
 436–7, 512–15
 transition strain rate, 470
 transonic crack growth, 173
 transport theorem, generalized, 20–1
 triaxiality, 167, 193, 485, 498
- ultrasonic waves, 12, 398
 uniqueness theorem, 25
 for crack propagation, 437–41
 universal function
 $A(v)$, 234
 $g(v)$, 352, 397
 $k(v)$, 348–9
 $k_{II}(v)$, 355
 $k_{III}(v)$, 356
 universal spatial dependence, 59, 167
- variational methods, 265
 velocity of a particle, 17
 vibration of cracked solid, 273
 viscoelastic material, 443–4
 sharp crack paradox, 445–6
 viscosity, 471
 void growth, ductile, 498–500
 inertial effect, 500–3, 507
 rate-dependent material, 503–5

Index

563

- wave equation, 26
 - Green's solution, 66
 - homogeneous solutions, 62–3, 313–17
- wave loading, *see* plane wave
- wave speeds, elastic, 23
- wavefronts, 61, 73
- Weibull statistical approach, 513
- weight function, 274; *see also* influence function
- Wiener-Hopf technique, 77
 - analytic continuation, 85
 - factorization, 84–5
 - functional equation, 83, 345
- work, rate of, 18
- work of fracture, 4–9
- yield condition, 176, 186
- Yoffe problem, 300–4
 - energy rate balance, 304
 - stress intensity factor, 303
- Young's modulus, 24
- zero counting formula, 87–8