

## References and author index

Numbers in square brackets indicate the page(s) in this book where reference is made to the named author(s).

- Abramowitz, M. & Stegun, I. A. (1968). *Handbook of Mathematical Functions*. Dover, 1045 pp. [p. 186.]
- Akylas, T. R. (1984). On the excitation of long nonlinear water waves by a moving pressure distribution. *J. Fluid Mech.* **141**, 455–66. [p. 72.]
- Andrews, D. G., (1980). On the mean motion induced by transient inertio-gravity waves. *Pageoph.* **118**, 177–88. [p. 206.]
- Armi, L. (1986). The hydraulics of two flowing layers of different densities. *J. Fluid Mech.* **163**, 27–58. [pp. 143–4.]
- Armi, L. & Farmer, D. M. (1986). Maximal two-layer exchange through a contraction with barotropic net flow. *J. Fluid Mech.* **164**, 27–51. [pp. 142, 155, 159, 161.]
- Armi, L. & Farmer, D. M. (1987). A generalization of the concept of maximal exchange in a strait. *J. Geophys. Res.* **92**, 14679–80. [p. 161.]
- Armi, L. & Farmer, D. M. (1988). The flow of Mediterranean water through the Strait of Gibraltar. *Prog. Oceanogr.* **21**, 1–105. [p. 147.]
- Bacmeister, J. (1987). Nonlinearity in transient, two-dimensional flow over topography. Ph.D. thesis, Princeton University, 187 pp. [p. 258.]
- Bacmeister, J. T. & Pierrehumbert, R. T. (1988). On high-drag states of non-linear stratified flow over an obstacle. *J. Atmos. Sci.* **45**, 63–80. [pp. 215, 324, 328.]
- Baines, P. G. (1977). Upstream influence and Long's model in stratified flows. *J. Fluid Mech.* **82**, 147–59. [pp. 279, 320–2.]
- Baines, P. G. (1979a). Observations of stratified flow over two-dimensional obstacles in fluid of finite depth. *Tellus* **31**, 351–71. [pp. 269–74, 277]
- Baines, P. G. (1979b). Observations of stratified flow past three-dimensional barriers. *J. Geophys. Res.* **84**, 7834–8. [pp. 322, 424–6, 437.]
- Baines, P. G. (1984) A unified description of two-layer flow over topography. *J. Fluid Mech.* **146**, 127–67. [pp. 117, 123–4, 133.]
- Baines, P. G. (1987). Upstream blocking and airflow over mountains. *Ann. Rev. Fluid Mech.* **19**, 75–97. [p. 119.]
- Baines, P. G. (1988). A general method for determining upstream effects in stratified flow of finite depth over long two-dimensional obstacles. *J. Fluid Mech.* **188**, 1–22. [pp. 296, 299, 301.]

- Baines, P. G. (1990). Upstream blocking and stratified flow hydraulics. In *Stratified Flows; Proc. 3rd Int'l Symp. on Stratified Flows*, E. J. List & G. H. Jirka, (Eds.), ASCE, 113–22. [pp. 306, 422.]
- Baines, P. G. (1994). Mechanisms for upstream effects in two-dimensional stratified flow. In *Stably Stratified Flows: Flow and Dispersion over Topography*. I. Castro & N. Rockliff (Eds.), Oxford University Press, 1–14. [p. 228.]
- Baines, P. G. & Davies, P. A. (1980). Laboratory studies of topographic effects in rotating and/or stratified fluids. In *Orographic Effects in Planetary Flows*, GARP publication no. 23, WMO/ICSU, 233–99. [p. 43.]
- Baines, P. G. & Granek, H. (1990). Hydraulic models of deep stratified flows over topography. In *The Physical Oceanography of Sea Straits*, L. Pratt (Ed.), Kluwer, 245–69. [pp. 257, 282, 315–16, 318–19.]
- Baines, P. G. & Grimshaw, R. H. J. (1979). Stratified flow over finite obstacles with weak stratification. *Geophys. Astrophys. Fluid Dyn.* **13**, 317–34. [p. 246.]
- Baines, P. G. & Guest, F. (1988). The nature of upstream blocking in uniformly stratified flow over long obstacles. *J. Fluid Mech.* **188**, 23–45. [pp. 280, 303–4, 308–12, 314.]
- Baines, P. G. & Hoinka, K. P. (1985). Stratified flow over two-dimensional topography in fluid of infinite depth: a laboratory simulation. *J. Atmos. Sci.* **42**, 1614–30. [pp. 227–8, 233–4, 236, 238, 258, 317, 322.]
- Baines, P. G. & Leonard, B. P. (1989). The effects of rotation on flow of a single layer over a ridge. *Quart. J. Roy. Met. Soc.* **115**, 293–308. [p. 54.]
- Baines, P. G. & Manins, P. C. (1989). The principles of laboratory modelling of atmospheric flows over complex terrain. *J. Appl. Met.* **28**, 1213–25. [pp. 449–50.]
- Baines, P. G. & Mitsudera, H. (1994). On the mechanism of shear flow instabilities. *J. Fluid Mech.* **276**, 327–42. [p. 192.]
- Baines, P. G. & Smith, R. B. (1993). Upstream stagnation points in stratified flow past obstacles. *Dyn. Atmos. Oceans*, **18**, 105–13. [pp. 407–15.]
- Batchelor, G. K. (1967). *An Introduction to Fluid Dynamics*. Cambridge University Press, 615 pp. [pp. 3, 5, 86, 194, 230, 247, 386.]
- Bell, R. C. & Thompson, R. O. R. Y. (1980). Valley ventilation by cross winds. *J. Fluid Mech.* **96**, 757–67. [pp. 339, 341.]
- Bell, T. H. (1974). Effects of shear on the properties of internal gravity wave modes. *Deutsche Hydrograph. Zeitschr.* **27**, 57–62. [p. 178.]
- Benjamin, T. B. (1966). Internal waves of finite amplitude and permanent form. *J. Fluid Mech.* **25**, 241–70. [p. 127, 132.]
- Benjamin, T. B. (1967). Internal waves of permanent form in fluids of great depth. *J. Fluid Mech.* **29**, 559–92. [p. 124.]
- Benjamin, T. B. (1968). Gravity currents and related phenomena. *J. Fluid Mech.* **31**, 209–48. [p. 103.]
- Benjamin, T. B. & Lighthill, M. J. (1954). On cnoidal waves and bores. *Proc. Roy. Soc. A*, **224**, 448–60. [p. 61, 62.]
- Benney, D. J. (1966). Long non-linear waves in fluid flows. *J. Math. Phys.* **45**, 52–63. [p. 124.]
- Binnie, A. M. & Orkney, J. C. (1955). Experiments on the flow of water from a reservoir through an open horizontal channel. II. The formation of hydraulic jumps. *Proc. Roy. Soc. A*, **230**, 237–46. [p. 69.]
- Blumen, W. (1965). A random model of momentum flux by mountain waves. *Geophys. Publ.* **26**, No. 2, 33 pp. [p. 245.]

## References and author index

467

- Blumen, W. (Ed.) (1990). *Atmospheric Processes over Complex Terrain*. Amer. Met. Soc. Met. Monographs Vol. 23, No. 45, 323 pp. [p. 2.]
- Bona, J. L., Pritchard, W. G. & Scott, L. R. (1981). An evaluation of a model equation for water waves. *Phil. Trans. Roy. Soc.* **302**, 457–510. [p. 58.]
- Booker, J. R. & Bretherton, F. P. (1966). The critical layer for internal gravity waves in a shear flow. *J. Fluid Mech.* **27**, 513–39. [p. 210.]
- Boyer, D. L. & Tao, L. (1987). Impulsively started, linearly stratified flow over long ridges. *J. Atmos. Sci.* **44**, 23–42. [p. 321.]
- Boyer, D. L., Davies, P. A., Fernando, H. J. S. & Zhang, X. (1989). Linearly stratified flow past a horizontal circular cylinder. *Phil. Trans. Roy. Soc. A*, **328**, 501. [p. 238.]
- Bretherton, F. P. (1966). The propagation of groups of internal gravity waves in a shear flow. *Quart. J. Roy. Met. Soc.* **92**, 466–80. [pp. 7, 202, 206.]
- Brighton, P. W. M. (1978). Strongly stratified flow past three-dimensional obstacles. *Quart. J. Roy. Met. Soc.* **104**, 289–307. [pp. 404, 429.]
- Broad, A. S., Porter, D. & Sewell, M. J. (1993). Shallow flow over general topography with applications to monotonic mountains. In *Stably Stratified Flows: Flow and Dispersion over Topography*. I. Castro & N. Rockliff (Eds.), Oxford University Press, 133–8. [p. 33.]
- Burkhill, J. C. (1956). *The Theory of Ordinary Differential Equations*. Oliver & Boyd, 102 pp. [p. 173.]
- Byatt-Smith, J. G. B. (1971). The effects of laminar viscosity on the solution of the undular bore. *J. Fluid Mech.* **48**, 33–40. [p. 70.]
- Cairns, R. A. (1979). The role of negative energy waves in some instabilities of parallel flows. *J. Fluid Mech.* **92**, 1–14. [p. 194.]
- Case, K. M. (1960). Stability of an idealised atmosphere. I. Discussion of results. *Phys. Fluids* **3**, 149–54. [pp. 173, 178.]
- Castro, I. P. & Snyder, W. H. (1988). Upstream motions in stratified flow. *J. Fluid Mech.* **187**, 487–506. [pp. 275, 321–2.]
- Castro, I. P. & Snyder, W. H. (1993). Experiments on wave-breaking in stratified flow over obstacles. *J. Fluid Mech.* **255**, 195–211. [pp. 416, 419.]
- Castro, I. P., Snyder, W. H. & Marsh, G. L. (1983). Stratified flow over three-dimensional ridges. *J. Fluid Mech.* **135**, 261–82. [pp. 416, 436.]
- Castro, I. P., Snyder, W. H. & Baines, P. G. (1990). Obstacle drag in stratified flow. *Proc. Roy. Soc. A* **429**, 119–40. [pp. 246–7, 323, 325–6.]
- Chapman, G. T. & Yates, L. A. (1991). Topology of flow separation on three-dimensional bodies. *Appl. Mech. Rev.* **44**, 329–45. [pp. 389, 391.]
- Chomaz, J. M., Bonneton, P., Butet, A. & Perrier, M. (1992). Froude number dependence of the flow separation line on a sphere towed in a stratified fluid. *Phys. Fluids A* **4**(2), 254–8. [p. 412.]
- Chu, V. H. & Baddour, R. E. (1977). Surges, waves and mixing in two-layer density stratified flow. In *Proc. 17th Int'l. Assn. Hydraul. Res.*, vol. 1, 303–10. [p. 106.]
- Clarke, S. R. & Grimshaw, R. H. J. (1994). Resonantly generated internal waves in a contraction. *J. Fluid Mech.* **274**, 139–161. [p. 146.]
- Clark, T. L. (1977). A small scale dynamical model using a terrain following coordinate transformation. *J. Comput. Phys.* **24**, 136–215. [pp. 258–9, 329, 435.]
- Clark, T. L. & Farley, R. D. (1984). Severe downslope windstorm calculations in two and three spatial dimensions using anelastic interactive grid nesting: A possible mechanism for gustiness. *J. Atmos. Sci.* **41**, 329–50. [pp. 329, 333, 435.]

- Clark, T. L. & Peltier, W. R. (1977). On the evolution and stability of finite-amplitude mountain waves. *J. Atmos. Sci.* **34**, 1715–30. [p. 259.]
- Clark, T. L. & Peltier, W. R. (1984). Critical level reflection and the resonant growth of non-linear mountain waves. *J. Atmos. Sci.* **41**, 3122–34. [pp. 324, 328.]
- Coddington, E. A. & Levinson, N. (1955). *Theory of Ordinary Differential Equations*. New York, McGraw-Hill, 429 pp. [p. 388.]
- Cokelet, E. D. (1977). Steep gravity waves in water of uniform depth. *Phil. Trans. Roy. Soc. A*, **286**, 183–230. [p. 63.]
- Cole, S. L. (1985). Transient waves produced by flow past a bump. *Wave Motion* **7**, 579–87. [p. 72.]
- Cornish, V. (1934). *Ocean Waves and Kindred Geophysical Phenomena*. Cambridge University Press, 164 pp. [p. 50.]
- Craik, A. D. D. (1985). *Wave Interactions and Fluid Flows*. Cambridge University Press, 333 pp. [pp. 194, 199, 208–9.]
- Crapper, G. D. (1959). A three-dimensional solution for waves in the lee of mountains. *J. Fluid Mech.* **6**, 51–76. [p. 351.]
- Crapper, G. D. (1962). Waves in the lee of a mountain with elliptical contours. *Phil. Trans. Roy. Soc. A* **254**, 601–24. [p. 351.]
- Dalziel, S. (1991). Two-layer hydraulics: a functional approach. *J. Fluid Mech.* **223**, 135–63. [p. 163.]
- Davis, R. E. (1969). The two-dimensional flow of a stratified fluid over an obstacle. *J. Fluid Mech.* **36**, 127–43. [p. 275.]
- Davis, R. E. & Acrivos, A. (1967). The stability of oscillatory internal waves. *J. Fluid Mech.* **30**, 723–36. [p. 320.]
- Drazin, P. G. (1961). On the steady flow of a fluid of variable density past an obstacle. *Tellus* **13**, 239–51. [pp. 379, 428.]
- Drazin, P. G. & Reid, W. H. (1981). *Hydrodynamic Stability*. Cambridge University Press, 525 pp. [pp. 50, 174.]
- Drazin, P. G. & Su, C. H. (1975). A note on long-wave theory of airflow over a mountain. *J. Atmos. Sci.* **32**, 437–9. [p. 243.]
- Dressler, R. F. (1949). Mathematical solution of the problem of roll-waves in inclined open channels. *Comm. Pure Appl. Math.* **2**, 149–94. [p. 50.]
- Durran, D. R. (1986). Another look at downslope windstorms. Part I: the development of analogs to supercritical flow in an infinitely deep continuously stratified fluid. *J. Atmos. Sci.* **43**, 2527–2543. [p. 317.]
- Durran, D. R. (1992). Two-layer solutions to Long's equation for vertically propagating mountain waves: how good is linear theory? *Quart. J. Roy. Met. Soc.* **118**, 415–33. [p. 284.]
- Durran, D. R. & Klemp, J. B. (1987). Another look at downslope winds. Part II: Nonlinear amplification beneath wave-overturning critical layers. *J. Atmos. Sci.* **44**, 3402–12. [pp. 317, 324, 328.]
- Eliassen, A. & Palm, E. (1961). On the transfer of energy in stationary mountain waves. *Geophys. Publik.* **22**, No. 3, 23 pp. [p. 203.]
- Farmer, D. M. & Armi, L. (1986). Maximal two-layer exchange over a sill and through a combination of a sill and contraction with barotropic net flow. *J. Fluid Mech.* **164**, 53–76. [pp. 147, 162.]
- Finnigan, J. J. (1988). Air flow over complex terrain. In *Flow and Transport in the Natural Environment: Advances and Applications*, W. L. Steffen & O. T. Denmead (Eds.), Springer-Verlag, 183–229. [p. 229.]
- Fornberg, B. & Whitham, G. B. (1978). A numerical and theoretical study of certain nonlinear wave phenomena. *Phil. Trans. Roy. Soc. A*, **289**, 373–404. [p. 67.]

*References and author index*

469

- Foster, M. R. & Saffman, P. G. (1970). The drag of a body moving transversely in a confined stratified fluid. *J. Fluid Mech.* **43**, 407–18. [p. 321.]
- Fritts, D. C. (1982). The transient critical level interaction in a Boussinesq fluid. *J. Geophys. Res.* **87**, 7997–8016. [pp. 213, 218.]
- Fritts, D. C. & Geller, M. A. (1976). Viscous stabilization of gravity wave-critical level flows. *J. Atmos. Sci.* **33**, 2276–84. [p. 213.]
- Garratt, J. R. (1992). *The Atmospheric Boundary Layer*. Cambridge University Press, 316 pp. [p. 454.]
- Garrett, C. J. R., Bormans, M. & Thompson, K. (1990). Is the exchange through the Strait of Gibraltar maximal or submaximal? In *The Physical Oceanography of Sea Straits*, L. J. Pratt (Ed.), NATO ASI Series C Vol. 318, 271–94. [p. 162.]
- Gill, A. E. (1982). *Atmosphere–Ocean Dynamics*. Academic Press, New York, 662 pp. [pp. 4, 206.]
- Gjevik, B. J. (1980). Orographic effects revealed by satellite pictures: mesoscale flow phenomena. In *Orographic Effects in Planetary Flows*, WMO/ICSU, 301–16. [pp. 375, 377, 421, 423.]
- Gjevik, B. J. & Marthinsen, T. (1978). Three-dimensional lee wave pattern. *Quart. J. Roy. Met. Soc.* **104**, 947–57. [pp. 376–7.]
- Gossard, E. E. & Hooke, W. H. (1975). *Waves in the Atmosphere*. Elsevier, 456 pp. [p. 187.]
- Grace, W. (1991). Hydraulic jump in a fog bank. *Aust. Met. Mag.* **39**, 205–9. [p. 145.]
- Grant, A. L. M. & Mason, P. J. (1990). Observations of boundary-layer structure over complex terrain. *Quart. J. Roy. Met. Soc.* **116**, 159–86. [pp. 447, 454.]
- Greenslade, M. D. (1992). Strongly stratified airflow over and around mountains. Ph.D. thesis, University of Leeds, 185 pp. [p. 432.]
- Grimshaw, R. H. J. (1974). Internal gravity waves in a slowly varying, dissipative medium. *Geophys. Fluid Dyn.* **6**, 131–48. [pp. 202, 206.]
- Grimshaw, R. H. J. & Smyth, N. (1986). Resonant flow of a stratified fluid over topography. *J. Fluid Mech.* **169**, 429–64. [pp. 35, 72, 74–5, 286.]
- Grimshaw, R. H. J. & Yi, Z. (1991). Resonant generation of finite-amplitude waves by the flow of a uniformly stratified fluid over topography. *J. Fluid Mech.* **229**, 603–28. [pp. 287–8.]
- Grubišić, V. & Schär, C. (1993). The effect of bottom friction on shallow water flow past an isolated obstacle. In *Proc. 9th Conf. on Atmos. & Oceanic Waves & Stability: San Antonio, Texas*. Amer. Met. Soc., 193–6. [p. 87.]
- Hanazaki, H. (1988). A numerical study of three-dimensional stratified flow past a sphere. *J. Fluid Mech.* **192**, 393–419. [p. 412.]
- Hanazaki, H. (1989). Upstream advancing columnar disturbances in two-dimensional stratified flow of finite depth. *Phys. Fluids A*, **1**, 1976–87. [p. 275.]
- Hanazaki, H. (1994). On the three-dimensional internal waves excited by topography in the flow of a stratified fluid. *J. Fluid Mech.* **263**, 293–318. [p. 131.]
- Hartman, R. J. (1975). Wave propagation in a stratified shear flow. *J. Fluid Mech.* **71**, 89–104. [p. 211.]
- Hayes, W. D. & Probstein, R. F. (1966). *Hypersonic Flow Theory*, 2nd edition. Academic Press, 602 pp. [p. 79.]
- Haynes, P. H. & McIntyre, M. E. (1987). On the evolution of vorticity and

- potential vorticity in the presence of diabatic heating and frictional or other forces. *J. Atmos. Sci.* **44**, 828–41. [p. 12.]
- Hazel, P. (1967). The effect of viscosity and heat conduction on internal gravity waves at a critical level. *J. Fluid Mech.* **30**, 775–83. [p. 212.]
- Henderson, F. M. (1966). *Open Channel Hydraulics*. Macmillan, New York, 522 pp. [pp. 70, 89.]
- Hoinka, K. P. (1985). Observations of the airflow over the Alps during a foehn event. *Quart. J. Roy. Met. Soc.* **111**, 199–224. [p. 377.]
- Holmboe, J. (1962). On the behaviour of symmetric waves in stratified shear layers. *Geophys. Publik.* **24**, 67–113. [p. 194.]
- Hornung, H. G. (1986). Regular and Mach reflection of shock waves. *Ann. Rev. Fluid Mech.* **18**, 33–58. [p. 81.]
- Houghton, D. D. & Isaacson, E. (1970). Mountain winds. *Stud. Numer. Anal.* **2**, 21–52. [p. 111.]
- Houghton, D. D. & Kasahara, A. (1968). Non-linear shallow fluid flow over an isolated ridge. *Comm. Pure Appl. Math.* **21**, 1–23. [p. 43.]
- Howard, L. N. (1961). Note on a paper of John W. Miles. *J. Fluid Mech.* **10**, 509–12. [p. 175.]
- Huang, D. B., Sibul, O. J., Webster, W. C., Wehausen, J. V., Wu, D. M., & Wu, T. Y. (1982). Ships moving in the transcritical range. In *Proc. Conf. on Behaviour of Ships in Restricted Waters*, Vol. 2 (Varna, Bulgaria), 26.1–26.9. [pp. 72, 92.]
- Hunt, J. C. R., Abell, C. J., Peterka, J. A. & Woo, H. (1978). Kinematical studies of the flows around free or surface-mounted obstacles: applying topology to flow visualisation. *J. Fluid Mech.* **86**, 179–200. [pp. 386, 390, 391, 398–9.]
- Hunt, J. C. R., Richards, K. J. & Brighton, P. W. M. (1988). Stably stratified shear flow over low hills. *Quart. J. Roy. Met. Soc.* **114**, 859–86. [p. 226.]
- Hunt, J. C. R. & Snyder, W. H. (1980). Experiments on stably and neutrally stratified flow over a model three-dimensional hill. *J. Fluid Mech.* **96**, 671–704. [pp. 397, 400–2, 405, 432.]
- Huppert, H. E. & Britter, R. E. (1982). Separation of hydraulic flow over topography. *J. Hyd. Div., Proc. Amer. Soc. Civ. Eng.*, **108**, 1532–9. [p. 54.]
- Huppert, H. E. & Miles, J. W. (1969). Lee waves in a stratified flow. Part 3. Semi-elliptical obstacle. *J. Fluid Mech.* **55**, 481–96. [pp. 253–5, 416.]
- Huppert, H. E. & Simpson, J. E. (1980). The slumping of gravity currents. *J. Fluid Mech.* **99**, 785–99. [p. 103.]
- Imberger, J. & Patterson, J. C. (1990). Physical limnology. *Advances in Applied Mech.* **27**, 303–475. [p. 250.]
- Ince, E. L. (1926). *Ordinary Differential Equations*. Reproduced by Dover (1956), 558 pp. [p. 178.]
- Ippen, A. T. (1951). Mechanics of supercritical flow. *Trans. Amer. Soc. Civ. Eng.* **116**, 268–95. [p. 90.]
- Janowitz, G. S. (1981). Stratified flow over a bounded obstacle in a channel of finite height. *J. Fluid Mech.* **110**, 161–170. [pp. 248, 267, 275.]
- Janowitz, G. S. (1984). Lee waves in three-dimensional stratified flow. *J. Fluid Mech.* **148**, 97–108. [pp. 350–1, 353–4.]
- Jeffreys, H. & Jeffreys, B. (1962). *Methods of Mathematical Physics*. 3rd edition. Cambridge University Press, 716 pp. [p. 242.]
- Joseph, R. I. (1977). Solitary waves in a finite depth fluid. *J. Phys. A: Math. Gen.*, **10**, L225–227. [p. 126.]

## References and author index

471

- Karyampudi, V. M., Bacmeister, J. T., Koch, S. E., Rottman, J. W. & Kaplan, M. L. (1991). Generation of an undular bore by a downslope windstorm on the leeside of the Rockies. In *Proc. 5th Conf. on Mesoscale Processes*, Amer. Met. Soc., 17–22. [p. 292.]
- Katsis, C. & Akylas, T. R. (1987). On the excitation of long non-linear water waves by a moving pressure distribution. Part 2. Three-dimensional effects. *J. Fluid Mech.* **177**, 49–65. [p. 92.]
- Kelly, R. E. & Maslowe, S. A. (1970). The non-linear critical layer in a slightly stratified shear flow. *Stud. Appl. Math.* **49**, 301–26. [p. 215.]
- Kimura, F. & Manins, P. C. (1988). Blocking in periodic valleys. *Boundary-layer Met.* **44**, 137–69. [pp. 326, 339–42.]
- Klemp, J. B. & Lilly, D. K. (1975). The dynamics of wave-induced downslope winds. *J. Atmos. Sci.* **32**, 320–39. [pp. 330–1.]
- Koop, C. G. (1981). A preliminary investigation of the interaction of internal gravity waves with a steady shearing motion. *J. Fluid Mech.* **113**, 347–86. [p. 213.]
- Koop, C. G. & Butler, G. (1981). An investigation of internal solitary waves in a two-fluid system. *J. Fluid Mech.* **112**, 225–51. [p. 126.]
- Koop, C. G. & McGee, B. (1986). Measurements of internal gravity waves in a continuously stratified shear flow. *J. Fluid Mech.* **172**, 453–80. [pp. 213–14, 217.]
- Kubota, T., Ko, D. R. S. & Dobbs, L. (1978). Weakly non-linear, long internal gravity waves in fluid of finite depth. *AIAA J. Hydronautics*, **12**, 157–65. [p. 126.]
- Lamb, K. G. (1994). Numerical simulations of stratified inviscid flow over a smooth obstacle. *J. Fluid Mech.* **260**, 1–22. [pp. 273, 288, 320, 323.]
- Lamb, V. R. & Britter, R. E. (1984). Shallow flow over an isolated obstacle. *J. Fluid Mech.* **147**, 291–313. [pp. 83, 85.]
- Lane-Serff, G. L. (1989). *Heat Flow and Air Movement in Buildings*. Ph.D. thesis, Cambridge University, 146 pp. [p. 162.]
- Laprise, R. (1993). An assessment of the WKBJ approximation to the vertical structure of linear mountain waves: implications for gravity wave drag parametrization. *J. Atmos. Sci.* **50**, 1469–87. [p. 458.]
- Laprise, R. & Peltier, W. R. (1989a). The linear stability of nonlinear mountain waves: implications for the understanding of severe downslope windstorms. *J. Atmos. Sci.* **46**, 545–64. [pp. 253, 259, 317.]
- Laprise, R. & Peltier, W. R. (1989b). The structure and energetics of transient eddies in a numerical simulation of breaking mountain waves. *J. Atmos. Sci.* **46**, 565–85. [pp. 259–60, 317.]
- Lawrence, G. A. (1985). The hydraulics and mixing of two-layer flow over an obstacle. *Univ. Calif. Berkeley Hydr. Eng. Lab. Report No. UCB/HEL-85/02*. [pp. 132, 133.]
- Lawrence, G. A. (1993). The hydraulics of steady two-layer flow over a fixed obstacle. *J. Fluid Mech.* **254**, 605–33. [pp. 96, 133, 142.]
- Lawrence, G. A., Lasheras, J. C. & Browand, F. K. (1990). Shear instabilities in stratified flow. In *Stratified Flows; Proc. 3rd Int'l Symp. on Stratified Flows*, E. J. List & G. H. Jirka (Eds.) ASCE, 15–27. [p. 200.]
- Lee, S-J., Yates, G. T. & Wu, T. Y. (1989). Experiments and analyses of upstream-advancing solitary waves generated by moving disturbances. *J. Fluid Mech.* **199**, 569–93. [p. 76.]
- Lied, N. T. (1964). Stationary hydraulic jumps in a katabatic flow near Davis, Antarctica, 1961. *Aust. Met. Mag.* No. 47, 40–51. [p. 293.]

- Lighthill, M. J. (1963). II – Introduction. Boundary layer theory. In *Laminar Boundary Layers*, L. Rosenhead (Ed.), Oxford University Press, 46–113. [pp. 388, 390.]
- Lighthill, M. J. (1965). Group velocity. *J. Inst. Maths. Applics.* **1**, 1–28. [pp. 181, 248.]
- Lighthill, M. J. (1978). *Waves in Fluids*. Cambridge University Press, 504 pp. [pp. 27–8, 31–3, 59, 184, 242, 351, 368.]
- Lighthill, M. J. & Whitham, G. B. (1955). On kinematic waves. I. Flood movement in long rivers. *Proc. Roy. Soc. A*, **229**, 281–316. [p. 48.]
- Lilly, D. K. & Klemp, J. B. (1979). The effects of terrain shape on nonlinear hydrostatic mountain waves. *J. Fluid Mech.* **95**, 241–61. [p. 256–7.]
- Lin, J. T. & Pao, Y. H. (1979). Waves in stratified fluids: a review. *Ann. Rev. Fluid Mech.* **11**, 317–38. [p. 409.]
- Lin, Q., Lindberg, W. R., Boyer, D. L. & Fernando, H. J. S. (1992). Stratified flow past a sphere. *J. Fluid Mech.* **240**, 315–54. [pp. 409, 411–12.]
- Lindzen, R. S. (1974). Stability of a Helmholtz velocity profile in a continuously stratified, infinite Boussinesq fluid – applications to clear air turbulence. *J. Atmos. Sci.* **31**, 1507–14. [p. 199.]
- Lindzen, R. S. (1981). Turbulence and stress due to gravity wave and tidal breakdown. *J. Geophys. Res.* **86**, 9707–14. [pp. 219, 459.]
- Long, R. R. (1953). Some aspects of the flow of stratified fluids. I. A theoretical investigation. *Tellus*, **5**, 42–58. [p. 252.]
- Long, R. R. (1954). Some aspects of the flow of stratified fluids. II. Experiments with a two-fluid system. *Tellus*, **6**, 97–115. [pp. 43, 133.]
- Long, R. R. (1955). Some aspects of the flow of stratified fluids. III. Continuous density gradient. *Tellus*, **7**, 341–57. [p. 280.]
- Long, R. R. (1970). Blocking effects in flow over obstacles. *Tellus*, **22**, 471–80. [pp. 41–3.]
- Long, R. R. (1972). Finite amplitude disturbances in the flow of inviscid rotating and stratified fluids over obstacles. *Ann. Rev. Fluid Mech.* **4**, 69–92. [p. 42.]
- Long, R. R. (1974). Some experimental observations of upstream disturbances in a two-fluid system. *Tellus*, **26**, 313–17. [p. 122.]
- McEwan, A. D. (1973). Interactions between internal gravity waves and their traumatic effect on a continuous stratification. *Boundary-layer Met.*, **5**, 159–75. [p. 219.]
- McEwan, A. D. & Baines, P. G. (1974). Shear fronts and an experimental stratified shear flow. *J. Fluid Mech.* **63**, 257–72. [pp. 180, 232.]
- McFarlane, N. A. (1987). The effect of orographically excited gravity wave drag on the general circulation of the lower stratosphere and troposphere. *J. Atmos. Sci.* **44**, 1775–800. [pp. 452, 458.]
- McIntyre, M. E. (1972). On Long's hypothesis of no upstream influence in uniformly stratified or rotating flow. *J. Fluid Mech.* **52**, 209–43. [pp. 240, 245, 263, 285.]
- McIntyre, M. E. (1980). An introduction to the generalised Lagrangian-mean description of wave, mean-flow interaction. *Pageoph.* **118**, 153–76. [p. 206.]
- Manins, P. C. & Sawford, B. L. (1979). Katabatic winds: a field case study. *Quart. J. Roy. Met. Soc.* **105**, 1011–25. [p. 331.]
- Maslowe, S. A. & Redekopp, L. G. (1980). Long nonlinear waves in stratified shear flows. *J. Fluid Mech.* **101**, 321–48. [p. 215.]

## References and author index

473

- Mass, C. F. & Ferber, G. K. (1990). Surface pressure perturbations produced by an isolated mesoscale topographic barrier, Part I: General characteristics and dynamics. *Mon. Wea. Rev.* **118**, 2579–96. [p. 441.]
- Melville, W. K. & Helfrich, K. R. (1987). Transcritical two-layer flow over topography. *J. Fluid Mech.* **178**, 31–52. [pp. 126, 129, 130–1.]
- Mied, R. P. & Dugan, J. P. (1975). Internal wave reflection by a velocity shear and density anomaly. *J. Phys. Oceanogr.* **5**, 279–87. [p. 185.]
- Miles, J. W. (1961). On the stability of heterogeneous shear flows. *J. Fluid Mech.* **10**, 496–508. [pp. 175, 178.]
- Miles, J. W. (1968). Lee waves in a stratified flow. Part 2. Semi-circular obstacle. *J. Fluid Mech.* **33**, 803–14. [pp. 252–4.]
- Miles, J. W. (1969). Waves and wave drag in stratified flows. *Proc. 12th Int'l Cong. Appl. Mech., Stanford, Calif.*, M. Hetenyi & W. G. Vincenti (Eds.). Berlin: Springer-Verlag. [p. 16.]
- Miles, J. W. (1979). On internal solitary waves. *Tellus* **31**, 456–62. [p. 166.]
- Miles, J. W. (1980). Solitary waves. *Ann. Rev. Fluid Mech.* **12**, 11–43. [pp. 58, 81.]
- Miles, J. W. (1981). On internal solitary waves. II. *Tellus* **33**, 397–401. [p. 129.]
- Miller, M. J., Palmer, T. N. & Swinbank, R. (1989). Parametrisation and influence of subgrid-scale orography in general circulation and numerical weather prediction models. *Meteorol. Atmos. Phys.* **40**, 84–109. [p. 459.]
- Miller, P. P. & Durran, D. D. (1991). On the sensitivity of downslope windstorms to the asymmetry of the mountain profile. *J. Atmos. Sci.* **48**, 1457–73. [p. 321.]
- Milne-Thomson, L. M. (1960). *Theoretical Hydrodynamics* 4th edition. Macmillan, London, 660 pp. [p. 393.]
- Mitchell, R. M., Cechet, R. P., Turner, P. J. & Elsum, C. C. (1990). Observation and interpretation of wave clouds over Macquarie Island. *Quart. J. Roy. Met. Soc.* **116**, 741–52. [pp. 373–4.]
- Morse, P. M. & Feshbach, H. (1953). *Methods of Theoretical Physics, Parts I & II*. McGraw-Hill, 1978 pp. [pp. 21, 266.]
- Morton, B. R. (1984). The generation and decay of vorticity. *Geophys. Astrophys. Fluid Dyn.* **28**, 277–308. [p. 427.]
- Needham, D. J. & Merkin, J. H. (1984). On roll waves down an open inclined channel. *Proc. Roy. Soc. A*, **394**, 259–78. [p. 50.]
- Newley, T. M. J., Pearson, H. J. & Hunt, J. C. R. (1991). Stably stratified flow through a group of obstacles. *Geophys. Astrophys. Fluid Dyn.* **58**, 147–71. [p. 444.]
- Ogura, Y. & Phillips, N. A. (1962). Scale analysis of deep and shallow convection in the atmosphere. *J. Atmos. Sci.* **19**, 173–9. [p. 7.]
- Ono, H. (1975). Algebraic solitary waves in stratified fluids. *J. Phys. Soc. Japan* **39**, 1082–91. [p. 124.]
- Orlanski, I. & Bryan, K. (1969). Formation of thermocline step structure by large-amplitude internal gravity waves. *J. Geophys. Res.* **74**, 6975–83. [p. 219.]
- Orlanski, I. & Ross, B. B. (1977). The circulation associated with a cold front. Part I: Dry case. *J. Atmos. Sci.* **34**, 1619–33. [p. 258.]
- Palmer, T. N., Shutts, G. J. & Swinbank, R. (1986). Alleviation of a systematic westerly bias in general circulation and numerical prediction models through an orographic gravity wave drag parametrisation. *Quart. J. Roy. Met. Soc.*, **112**, 1011–39. [pp. 453, 458.]

- Peltier, W. R. & Clark, T. L. (1979). The evolution and stability of finite-amplitude mountain waves. Part II: Surface wave drag and severe downslope windstorms. *J. Atmos. Sci.* **36**, 1498–529. [pp. 259, 323.]
- Peltier, W. R. & Clark, T. L. (1983). Nonlinear mountain waves in two and three spatial dimensions. *Quart. J. Roy. Met. Soc.* **109**, 527–48. [p. 317.]
- Peltier, W. R. & Scinocca, J. F. (1990). The origin of severe downslope windstorm pulsations. *J. Atmos. Sci.* **47**, 2853–70. [pp. 329, 332.]
- Peregrine, D. H. (1966). Calculations of the development of an undular bore. *J. Fluid Mech.* **25**, 321–30. [p. 66.]
- Peregrine, D. H. (1968). Long waves in a uniform channel of arbitrary cross-section. *J. Fluid Mech.* **32**, 353–65. [p. 58.]
- Perry, A. E. & Fairlie, B. D. (1974). Critical points in flow patterns. *Adv. Geophys.* **B 18**, 299–315. [p. 388.]
- Pettré, P. & André, J-C. (1991). Surface pressure change through Loewe's phenomena and katabatic flow jumps: study of two cases in Adélie Land, Antarctica. *J. Atmos. Sci.* **48**, 557–71. [p. 293.]
- Phillips, D. S. (1984). Analytical surface pressure and drag for linear hydrostatic flow over three-dimensional elliptical mountains. *J. Atmos. Sci.* **41**, 1073–84. [pp. 349, 363, 366, 457.]
- Phillips, O. M. (1966). *The Dynamics of the Upper Ocean*. Cambridge University Press, 261 pp. [p. 211.]
- Phillips, O. M. (1977). *The Dynamics of the Upper Ocean*, 2nd edition. Cambridge University Press, 336 pp. [pp. 13, 218.]
- Pierrehumbert, R. T. & Wyman, B. (1985). Upstream effects of mesoscale mountains. *J. Atmos. Sci.* **42**, 977–1003. [pp. 258–9, 317, 322–4.]
- Pitts, R. O. & Lyons, T. J. (1989). Airflow over a two-dimensional escarpment. I: Observations. *Quart. J. Roy. Met. Soc.* **115**, 965–81. [p. 378.]
- Plumb, R. A. & McEwan, A. D. (1978). The instability of a forced standing wave in a viscous stratified fluid: a laboratory analogue of the quasi-biennial oscillation. *J. Atmos. Sci.* **35**, 1827–39. [pp. 205, 214.]
- Pratt, L. J. (1983). A note on non-linear flow over obstacles. *Geophys. Astrophys. Fluid Dyn.* **24**, 63–8. [p. 43.]
- Pratt, L. J. (1984). Nonlinear flow with multiple obstructions. *J. Atmos. Sci.* **41**, 1214–25. [p. 77.]
- Pratt, L. J. (1986). Hydraulic control of sill flow with bottom friction. *J. Phys. Oceanogr.* **16**, 1970–80. [p. 54.]
- Prigogine, I. (1980). *From Being to Becoming: Time and Complexity in the Physical Sciences*. Freeman, San Francisco, 272 pp. [p. 438.]
- Prigogine, I. & Stengers, I. (1984). *Order out of Chaos – Man's New Dialogue with Nature*. Bantam Books, 349 pp. [p. 438.]
- Queney, P. (1948). The problem of airflow over mountains: a summary of theoretical studies. *Bull. Amer. Met. Soc.* **29**, 16–26. [pp. 243–4.]
- Rasmussen, R. M., Smolarkiewicz, P. & Warner, J. (1989). On the dynamics of Hawaiian cloud bands: comparison of model results with observations and island climatology. *J. Atmos. Sci.* **46**, 1589–608. [p. 439.]
- Rayleigh, Lord, (1896). *The Theory of Sound, Vol. II*. Reproduced by Dover (1948), 504 pp. [p. 192.]
- Richard, E., Mascart, P. & Nickerson, E. (1989). The role of surface friction in downslope windstorms. *J. Applied Met.* **28**, 241–51. [p. 321.]

## References and author index

475

- Rouse, H. & Ince, S. (1957). *History of Hydraulics*. Iowa Institute of Hydraulic Research, State Univ. Iowa, 269 pp. [p. 15.]
- Schär, C. (1993). A generalisation of Bernoulli's theorem. *J. Atmos. Sci.* **50**, 1437–43. [p. 12.]
- Schär, C. & Smith, R. B. (1993a). Shallow water flow past isolated topography. Part I: Vorticity production and wake formation. *J. Atmos. Sci.* **50**, 1373–400. [pp. 83, 85.]
- Schär, C. & Smith, R. B. (1993b). Shallow water flow past isolated topography. Part II: Transition to vortex shedding. *J. Atmos. Sci.* **50**, 1401–12. [pp. 83, 419.]
- Schwartz, L. W. & Fenton, J. D. (1982). Strongly nonlinear waves. *Ann. Rev. Fluid Mech.* **14**, 39–60. [p. 64.]
- Scinocca, J. F. & Peltier, W. R. (1989). Pulsating downslope windstorms. *J. Atmos. Sci.* **46**, 2885–914. [pp. 329, 332–3.]
- Scinocca, J. F. & Peltier, W. R. (1991). On the Richardson number dependence of nonlinear critical-layer flow over localised topography. *J. Atmos. Sci.* **48**, 1560–72. [pp. 324, 328.]
- Scorer, R. S. (1949). Theory of waves in the lee of mountains. *Quart. J. Roy. Met. Soc.* **75**, 41–56. [p. 187.]
- Scorer, R. S. (1986). *Cloud Investigation by Satellite*. Ellis Horwood, Chichester, 312 pp. [p. 373.]
- Scorer, R. S. (1990). *The Satellite as Microscope*. Ellis Horwood, New York, 266 pp. [p. 373.]
- Segur, H. & Hammack, J. L. (1982). Soliton models of long internal waves. *J. Fluid Mech.* **118**, 285–304. [p. 126.]
- Sharman, R. D. & Wurtele, M. G. (1983). Ship waves and lee waves. *J. Atmos. Sci.* **40**, 396–427. [p. 371.]
- Sheppard, P. A. (1956). Airflow over mountains. *Quart. J. Roy. Met. Soc.* **82**, 528–9. [p. 408.]
- Shutts, G. & Broad, A. (1993). A case study of lee waves over the Lake District, Northern England. *Quart. J. Roy. Met. Soc.* **119**, 377–408. [p. 378.]
- Simard, A. & Peltier, W. R. (1982). Ship waves in the lee of isolated topography. *J. Atmos. Sci.* **39**, 587–609. [p. 368.]
- Simpson, J. E. (1987). *Gravity Currents: in the Environment and the Laboratory*. Ellis Horwood, Chichester, 244 pp. [p. 101.]
- Simpson, J. E. & Britter, R. E. (1979). The dynamics of a head of a gravity current advancing over a horizontal surface. *J. Fluid Mech.* **94**, 477–95. [p. 102–3.]
- Smith, R. B. (1976). The generation of lee waves by the Blue Ridge. *J. Atmos. Sci.* **33**, 507–19. [p. 132.]
- Smith, R. B. (1980). Linear theory of stratified hydrostatic flow past an isolated mountain. *Tellus*, **32**, 348–64. [pp. 355, 357, 359, 361–2, 365.]
- Smith, R. B. (1985). On severe downslope winds. *J. Atmos. Sci.* **42**, 2597–603. [pp. 283, 317.]
- Smith, R. B. (1987). Aerial observations of the Yugoslavian Bora. *J. Atmos. Sci.* **44**, 269–97. [p. 378.]
- Smith, R. B. (1988). Linear theory of stratified flow past an isolated mountain in isosteric coordinates. *J. Atmos. Sci.* **45**, 3889–96. [pp. 358, 380, 395.]
- Smith, R. B. (1989a). Mountain-induced stagnation points in hydrostatic flow. *Tellus*, **41A**, 270–4. [p. 437.]

- Smith, R. B. (1989b). Hydrostatic airflow over mountains. *Advances in Geophysics*, **31**, 1–41. [p. 359.]
- Smith, R. B. & Grønås (1993). Stagnation points and bifurcation in 3-D mountain airflow. *Tellus*, **45A**, 28–43. [pp. 384, 436.]
- Smith, R. B. & Grubišić, V. (1993). Aerial observations of Hawaii's wake. *J. Atmos. Sci.* **50**, 3728–50. [pp. 441.]
- Smith, R. J. K., Crook, N. & Roff, G. (1982). The Morning Glory: an extraordinary atmospheric undular bore. *Quart. J. Roy. Met. Soc.* **108**, 937–56. [p. 292.]
- Smolarkiewicz, P. K., Rasmussen, R. M. & Clark, T. L. (1988). On the dynamics of Hawaiian cloud bands: island forcing. *J. Atmos. Sci.* **45**, 1872–905. [pp. 439–40.]
- Smolarkiewicz, P. K. & Rotunno, R. (1989). Low Froude number flow past three-dimensional obstacles. Part I: Baroclinically generated lee vortices. *J. Atmos. Sci.* **46**, 1154–64. [p. 435.]
- Smolarkiewicz, P. K. & Rotunno, R. (1990). Low Froude number flow past three-dimensional obstacles. Part II: Upwind flow reversal zone. *J. Atmos. Sci.* **47**, 1498–511. [pp. 435, 437.]
- Smyth, N. F. (1987). Modulation theory solution for resonant flow over topography. *Proc. Roy. Soc. Lond. A*, **409**, 79–97. [p. 73.]
- Smyth, N. F. (1988). Dissipative effects on the resonant flow of a stratified fluid over topography. *J. Fluid Mech.* **192**, 287–312. [p. 76.]
- Smyth, W. D., Klaassen, G. P. & Peltier, W. R. (1988). Finite amplitude Holmboe waves. *Geophys. Astrophys. Fluid Dyn.* **43**, 181–222. [p. 200.]
- Smyth, W. D. & Peltier, W. R. (1989). The transition between Kelvin–Helmholtz and Holmboe instability: an investigation of the over-reflection hypothesis. *J. Atmos. Sci.* **46**, 3698–720. [p. 200.]
- Snyder, W. H., Britter, R. E. & Hunt, J. C. R. (1980). A fluid modelling study of the flow structure and plume impingement on a three-dimensional hill in stably stratified flow. In *Proc. 5th Int'l Conf. on Wind Engng*, J. E. Cermak (Ed.), Pergamon, 319–29. [pp. 397, 407.]
- Snyder, W. H., Thompson, R. S., Eskridge, R. E., Lawson, R. E., Castro, I. P., Lee, J. T., Hunt, J. C. R. & Ogawa, Y. (1985). The structure of strongly stratified flow over hills: dividing streamline concept. *J. Fluid Mech.* **152**, 249–88. [pp. 406–8, 416, 421.]
- Stoker, J. J. (1953). Unsteady waves on a running stream. *Comm. Pure Appl. Math.* **6**, 471–81. [p. 28.]
- Stoker, J. J. (1957). *Water Waves*. New York: Interscience, 567 pp. [p. 33.]
- Struik, D. J. (1950) *Lectures on Classical Differential Geometry*. Addison-Wesley, 221 pp. [p. 351.]
- Sturtevant, B. (1965). Implications of experiments on the weak undular bore. *Phys. Fluids* **8**, 1052–55. [p. 70.]
- Su, C. H. (1976). Hydraulic jumps in an incompressible stratified fluid. *J. Fluid Mech.* **73**, 33–47. [p. 294.]
- Tampieri, F. & Hunt, J. C. R. (1985). Two-dimensional stratified fluid flow over valleys: linear theory and a laboratory investigation. *Boundary-layer Met.* **32**, 257–79. [p. 343.]
- Tanaka, M. (1993). Mach reflection of a large-amplitude solitary wave. *J. Fluid Mech.* **248**, 637–61. [p. 81.]
- Taylor, P. A. (1988). Turbulent wakes in the atmospheric boundary layer. In *Flow and Transport in the Natural Environment: Advances and*

## References and author index

477

- Applications*, W. L. Steffen & O. T. Denmead (Eds.), Springer Verlag, 270–92. [p. 229.]
- Thompson, R. S., Shipman, M. S. & Rottman, J. W. (1991). Moderately stable flow over a three-dimensional hill – a comparison of linear theory with laboratory measurements. *Tellus*, **43A**, 49–63. [p. 399.]
- Thorpe, S. A. (1981). An experimental study of critical layers. *J. Fluid Mech.* **103**, 321–44. [p. 213.]
- Thorpe, S. A. (1987). Transitional phenomena and the development of turbulence in stratified fluids: A review. *J. Geophys. Res.* **92**, 5231–48. [p. 200.]
- Tomasson, G. C. & Melville, W. K. (1991). Flow past a constriction in a channel: A modal description. *J. Fluid Mech.* **232**, 21–45. [p. 146.]
- Trefethen, L. N., Trefethen, A. E., Reddy, S. C. & Driscoll, T. A. (1993). Hydrodynamic stability without eigenvalues. *Science*, **261**, 578–84. [p. 174.]
- Trustrum, K. (1971). An Oseen model of the two-dimensional flow of a stratified fluid over an obstacle. *J. Fluid Mech.* **50**, 177–88. [p. 275.]
- Tucker, G. B. (1989). Laboratory modelling of air flow in the Sofia valley. *Bulg. Geophys. J.* **15**, 92–100. [pp. 450, 453.]
- Turner, J. S. (1973). *Buoyancy Effects in Fluids*. Cambridge University Press, 367 pp. [p. 194.]
- Vanden-Broek, J.-M., (1987). Free surface flow over an obstruction in a channel. *Phys. Fluids* **30**, 2315–17. [p. 76.]
- Wallace, J. M. & Hobbs, P. V. (1977). *Atmospheric Science – an Introductory Survey*. Academic Press, 467 pp. [pp. 5, 372.]
- Wallace, J. M., Tibaldi, S. & Simmons, A. J. (1983). Reduction of systematic forecast errors in the ECMWF model through the introduction of an envelope orography. *Quart. J. Roy. Met. Soc.* **109**, 683–717. [p. 454.]
- Watson, G. N. (1966). *A Treatise on the Theory of Bessel Functions*. Cambridge University Press, 804 pp. [p. 177.]
- Weber, M. (1919). Die Grundlagen der Aehnlichkeitsmechanik und ihre Verwertung bei Modellversuchen. *Jahrbuch – Schiffbautechnische Gesellschaft Berlin*, V. **20**, 355–477. [p. 15.]
- Wei, S. N., Kao, T. W. & Pao, H.-P. (1975). Experimental study of upstream influence in the two-dimensional flow of a stratified fluid over an obstacle. *Geophys. Fluid Dyn.* **6**, 315–336. [p. 322.]
- Wei, T. & Smith, C. R. (1986). Secondary vortices in the wake of circular cylinders. *J. Fluid Mech.* **169**, 513–33. [p. 421.]
- Weil, J. C., Traugott, S. C. & Wong, D. K. (1981). Stack plume interaction and flow characteristics for a notched ridge. *Rep. PPRP-61, Maryland Power Plant Siting Program*, Martin Marietta Corp., Baltimore, MD, 92 pp. [p. 424.]
- Whitham, G. B. (1967). Variational methods and applications to water waves. *Proc. Roy. Soc. Lond. A*, **229**, 6–25. [p. 125.]
- Whitham, G. B. (1974). *Linear and Non-Linear Waves*. J. Wiley and Sons, New York, 636 pp. [pp. 18, 33, 49, 56–7, 98, 126.]
- Winant, C. D., Dorman, C. E., Friehe, C. A. & Beardsley, R. C. (1988). The maritime layer off Northern C47, 98, 126.]
- Winant, C. D., Dorman, C. E., Friehe, C. A. & Beardsley, R. C. (1988). The maritime layer off Northern California: An example of supercritical flow. *J. Atmos. Sci.* **45**, 3588–605. [p. 145.]
- Winters, K. B. & D'Asaro, E. A. (1989). Two-dimensional instability of finite

478

*References and author index*

- amplitude internal gravity wave packets near a critical level. *J. Geophys. Res.* **94**, 12709–19. [p. 213.]
- Winters, K. B. & Riley, J. J. (1992). Instabilities of internal waves near a critical level. *Dyn. Atmos. Oceans*, **16**, 249–78. [p. 214.]
- Wolanski, E., Imberger, J. & Heron, M. L. (1984). Island wakes in shallow coastal waters. *J. Geophys. Res.* **89**, 10553–69. [p. 86.]
- Wong, K. K. & Kao, T. W. (1970). Stratified flow over extended obstacles and its application to topographic effect on ambient wind shear. *J. Atmos. Sci.* **27**, 884–9. [p. 250.]
- Wood, I. R. (1970). A lock exchange flow. *J. Fluid Mech.* **42**, 671–87. [p. 157.]
- Wood, I. R. & Simpson, J. E. (1984). Jumps in layered miscible fluids. *J. Fluid Mech.* **140**, 329–42. [p. 106.]
- Wu, D. M. & Wu, T. Y. (1982). Three-dimensional nonlinear long waves due to moving surface pressure. In *Proc. 14th Symp. on Naval Hydrodynamics*, Nat. Acad. Sci., Washington, DC, pp. 103–25. [p. 72.]
- Wu, D. M. & Wu, T. Y. (1987). Precursor solitons generated by three-dimensional disturbances moving in a channel. In *IUTAM Symp. on Non-linear Waves, Tokyo, Japan*, Springer-Verlag, 69–75. [pp. 91–2.]
- Wu, T. Y. (1987). Generation of upstream advancing solitons by moving disturbances. *J. Fluid Mech.* **184**, 75–99. [p. 72.]
- Wurtele, M. G. (1957). The three-dimensional lee wave. *Beitr. Phys. Atmos.* **29**, 242–52. [p. 351.]
- Yih, C. S. & Guha, C. R. (1955). Hydraulic jump in a fluid system of two layers. *Tellus* **7**, 358–66. [p. 106, 294.]

## Subject index

- amplitude dispersion, 34, 298
- anelastic approximation, 7, 259
- approach control, 116, 122
- avalanches, 101
- Backstairs passage, 145
- Bass Strait, 442–3
- Beerenga, 423
- Benjamin–Ono equation, 126
- Bernoulli function, 11, 12
- billows, 132, 194
- Boulder, Colorado, 329–31
- boundary conditions, 9, 10
- boundary layer, 83, 269, 386
  - turbulent, 224–6, 229, 397–8, 442, 447
- Boussinesq approximation, 7
- Boussinesq equations, 56, 72, 91, 92
- Brunt–Väisälä frequency, 4
- Bulgaria, 450–3
- buoyancy frequency, 4, 5
- caustic, 32
- cnoidal waves, 59–65, 73–7, 129
- columnar disturbance modes, 179–80, 232–9, 258, 393
- complex terrain, 443–7, 448–62
  - laboratory modelling, 448–53
  - parametrisation of sub-grid-scale orography, 451–62
- conservation of wave crests, 207
- contractions, 44–7, 133–63
- convective instability, 436
- Coriolis frequency, 220
- corner in single-layer flow
  - concave, 89
  - convex, 89
- “cowhorn eddy”, 404, 411
- critical flow, 19, 112, 116, 162, 283, 299–300
- critical layer or level, 99, 169, 173, 179, 209–18, 223, 266, 324–9, 459
- cross-flow separation, 392
- Darling Scarp, Western Australia, 378
- depressions, 39
- diffusion, 191
- diffusivity, 191, 201–2, 206–9, 212–14
  - of heat, 8
- Dinaric Alps, Yugoslavia, 378
- dispersion relation
  - multi-layer, 166–8, 170
  - single-layer, 29, 55–7
  - two-layer, 96
  - uniform stratification, 176–8, 181, 206, 221
- dissipative structures, 438
- dividing streamline, 406
- dividing stream-surface, 406
- doorways, 146, 162–3
- downslope windstorms, 260, 292, 329–34
- drag coefficient, 47–52, 54, 87, 230, 245–51, 253, 255, 267–8, 433–4, 461
- drag force, 13, 24, 26, 28, 29, 44, 47, 48, 230, 241, 245, 253, 255–6, 283, 321, 328, 347, 365–7
  - fluctuations in, 323–6
  - of complex terrain, 443–4, 456–62
- Drazin’s model, 428–32
- duststorms, 101
- effective height, 269
- energy
  - conservation, 11
  - density, 11, 201
  - dissipation, 37, 106, 201–2
  - flux, 11, 13, 60, 201–7
- envelope orography, 454–5
- equations of motion, 3
  - single-layer, 16, 17, 19, 33

- equations of motion (*cont.*)
  - two-layer, 94–8
  - waves in uniformly stratified fluid, 171–2, 220
- European Alps, 377
- European Centre for Medium Range Weather Forecasts, 455, 461
- estuaries, 70, 147
- exchange flows, 93, 146–64
- extended Korteweg–de Vries equation, 126, 129, 286
- forced, 129–31, 146
- flow force, 60, 132
- flow separation and attachment, (*see* separation)
- flow-splitting, 408, 413–20, 436–8
- form drag, (*see* drag force)
- four-layer flows, 307–8
- free surface, 10, 17, 93
- free boundary, 10, 17, 93
- Froude number, 14–16
  - for specific conditions with lee waves, 369–72, 377
  - four-layer, 307–8
  - on a slope, 49–53
  - single-layer, 17, 19–26, 28–35, 38–44, 46, 61–6, 70–91
  - three-layer, 302–7
  - two-layer, 111–21, 125, 130–3
  - uniform stratification, 176, 262, 281, 449
  - unspecified flow conditions, 295
- Froude number plane, 142–3, 152, 154–5, 159
- Froude, Robert Edmund, 14
- Froude, William, 14–16
- gap parameter, 424–7
- Gaussian curvature, 351
- “Gnhu” parameter, 15
- gravity currents, 101–3, 109–10
- gravity wave drag parametrisation, 458–61
- Grimshaw–Yi equation, 287–8
- group velocity, 27–31, 176, 179, 181–5, 221, 241
- gully wind, Adelaide, 293
- Hawaii, 438–41
- Hilbert transform, 244
- Hilo, Hawaii, 438
- Hobart, 442
- Holmboe instability, 194–6
- Hopf bifurcation, 50
- hydraulic alternative, 46, 52, 111, 137, 292, 297
- hydraulic drop, 16
- hydraulic jump, 16
  - multi-layer, 292–4
  - single-layer, 35–44, 47, 50, 52–4, 66–77, 79–83, 85–90
  - two-layer, 104–10, 112–25, 128–31, 134, 138, 145, 147, 149, 154–5, 159–60
- hydraulic transition, 232, 237, 283, 316, 329, 343
- hydrostatic approximation, 7, 8
- hydrostatic equilibrium, 4
- hyperbolic equations, 33, 34, 98
  - characteristics, 33–5, 98–99
- hysteresis, 43, 52, 87, 124
- ideal gas, 5
- incompressible fluid, 4
- infinite-depth flows
  - experiments, 227–39
  - hydraulic model, 316–19
- instability, 96, 101, 109, 132, 167, 171, 174–5, 192–201, 223
- intermediate long-wave equation, 126
- intrinsic frequency, 186
- inverse estuaries, 147
- inviscid bore, 68, 128
- islands, 86
- isosteric coordinates, 380–3
- Jan Mayen, 375, 377, 423
- Kadomtsev–Petviashvili equation, 92
- katabatic winds, 293
- Kelvin–Helmholtz instability, 101, 132, 194, 422
- Kelvin wave pattern, 30, 222, 352, 370–2
- Kelvin wedge angle, 32
- kinematic wave, 48–9
- Korteweg–de Vries equation, 57–8, 92, 126, 127
  - forced, 72, 74–6, 146
- Lake District, Cumbria, 378
- Lawrence, Gregory, 16, 133
- leaky modes, 186–90, 226, 267, 367
- lee waves, 28–33, 97, 184, 259, 268–72, 320–1, 349–56, 367–78
  - finite-depth, 464
  - two-layer, 463–4
- lee-side separation, 236–9
- lift force, 347, 366
- Lighthill diagrams, 30, 31, 183, 185, 221–2
- linear Boussinesq equation, 55
- “lobe and cleft” structure, 101
- lock exchange flow, 103, 155–6, 161
- Loewe phenomenon, 293

*Subject index*

481

- Long's model, 251–60, 277–85, 308–10, 320, 326, 328, 334–6, 379
- lower subcritical flow, 154–62
- Mach angle, 22, 24, 31, 82, 87, 89, 90
- Mach number, 26
- Mach-stem reflection, 81, 92
- Macquarie Island, 373–4, 376
- mass flux, 13
- maximal exchange flows, 154–62
- Melbourne eddy, 450
- middle layer, 225
- Miles–Howard criterion, 175
- modulation theory, 73–6
- molecular weight, 5
- momentum flux, 13, 60, 132, 201–6, 241
- morning glory, 292
- Mount Fuji, 372
- multi-layer flows, 307–16
  - difference from continuously stratified flows, 308–13
- multiple obstacles, 77–8
- negative energy waves, 194
- "Nhu" parameter, 15, 230
- $Nh/U$  parameter, 15, 16, 449–50, 456–7, 459, and Chapters 5 & 6
- Olympic mountains, 441–2
- one-&-one-half layer model, 95, 145
- over-reflection, 200–1
- passenger mode, 301, 307
- pliant boundary or surface, 10, 16, 169, 176, 313–16
- Point Arena, California, 145
- post-wave separation, 237, 337, 341, 425
- potential flow, 395–6, 424, 429–30
- potential temperature, 5
- potential vorticity
  - conservation, 12, 79, 82
  - Ertel, 12
  - flux, 12
- Prandtl–Meyer expansion fan, 90, 145
- principal stress gradients, 387
- pulsations in windstorms, 329–34
- QRS* framework for a single layer, 55, 60–6
- radiation condition, 181, 195–201, 240, 367
- rarefaction wave, 36, 43, 115, 298–9
- Rayleigh friction, 210
- Rayleigh's instability criterion, 175
- Reech, Ferdinand, 15
- refractive index, 186
- Reynolds number, 16, 47, 50, 103, 229–30, 246, 275, 339, 379, 395–9, 404, 408–13, 449
- Richardson number, 16, 175, 177–8, 192, 210, 325, 330, 458–9
- Riemann invariants, 98–9, 116, 125
- roll waves, 49–51, 333
- Rossby number, 16
- Rossby waves, 171
- Rottman, J., 119, 323
- roughness lengths, 447
- Russell, Scott, 16
- saturation hypothesis, 219
- scale height, 5
- sea breezes, 101
- separation, 385–92, 396–7
- separatrix, 389
- Sheppard criterion, 408
- ships, 30, 32, 33
- shock waves, 23, 79
- single-layer flow
  - one-dimensional, 20, 21, 27–9
  - two-dimensional, 21–6, 29–33
- singular points on surfaces
  - nodes, 389–91, 396–405
  - saddle points, 389–91, 396–405
- slowly varying approximation, 206–9, 213–14
- solitary wave, 58–63, 65, 77
- Sophia valley, 450–2
- sound barrier, 26
- specific heats, 5
- speed of sound, 6
- sphere, 408–13
- spillways, 51
- squashing phenomenon, 321
- stability, 96, 101, 109, 132, 167, 171, 174–5, 192–201, 223
- stagnant patch, 232–4
- stagnation point, 388, 394
- stationary phase, method of, 242, 349–53, 356, 434
- Stewart Point, California, 145–6
- Straits of Gibraltar, 147, 162
- sub-grid-scale
  - orography, 451–62
  - topographic parametrisation, 451–62
- subcritical flow, 19, 62, 111–13
- sub-maximal exchange flows, 156–62
- supercritical flow, 19, 62, 111–13
- supercritical leap, 16, 133–4
- surface layer, 224
- sweeping flow in a valley, 334, 341
- swirl velocity, 350

482

*Subject index*

- Tasmania, 442–3  
temperature, 8  
three-layer flows, 302–7  
thunderstorms, 101  
Tollmien–Schlichting waves, 229  
topology on a surface, 385–92  
total head, 11  
trapped modes, 187–90, 226, 367–72  
triple deck, 226  
turbidity currents, 101  
undular bore, 66–77, 120–4, 129–31  
universal gas constant, 5  
upper subcritical flow, 154–62  
upstream blocking, 232–9, 300–1, 322–5,  
    461  
upstream ripple, 436–7, 440–1  
valleys, 334–43  
variable cross-sections, 44–7, 133–63  
virtual control, 138, 141, 144, 157–61  
viscosity, 191, 201–2, 204, 206–9, 212–14  
volume flux, 1, 60  
von Karman, 90  
vortex street wakes, 83, 409–12, 421–3  
vorticity, 11, 192–7  
  
wakes  
    of islands, 86, 373–7  
    of ships, 30, 32, 33, 222  
waterfalls, 39  
wave action, 201–2, 207–8  
wave clouds, 372–6  
wave drag, 24, 26, 28, 29, 347, 365–7  
wavenumber surface, 30, 31, 183, 185,  
    221–2  
windows, 146, 162–3  
“Witch of Agnesi”, 231  
WKB approximation, 206