

- [Pisier 1989] G. Pisier, *The volume of convex bodies and Banach space geometry*, Cambridge Tracts in Mathematics, 94, Cambridge University Press, Cambridge, 1989.
- [Ravi Kannan and Simonovits \geq 1997] L. L. Ravi Kannan and M. Simonovits, “Random walks and an $O^*(n^5)$ volume algorithm for convex bodies”. to appear.
- [Santaló 1949] L. Santaló, “Un invariante afin para los cuerpos convexos del espacio de n dimensiones”, 1949.
- [Sinclair and Jerrum 1989] A. J. Sinclair and M. R. Jerrum, “Approximate counting, uniform generation and rapidly mixing Markov chains”, *Inform. and Comput.* **82** (1989), 93–133.
- [Vaaler 1979] J. D. Vaaler, “A geometric inequality with applications to linear forms”, *Pacific J. Math.* **83** (1979), 543–553.
- [Vazirani 1991] U. Vazirani, “Rapidly mixing Markov chains”, pp. 99–121 in *Probabilistic Combinatorics and Its Applications* (San Francisco, 1991), edited by B. Bollobás, Proc. Symp. Applied Math. **44**, Amer. Math. Soc., Providence, 1991.

Index

- adjacency matrix, 163
- affine transformation, 154, 171
- Aldous, David, 163
- algorithm
 - definition of, 152
 - deterministic, 154, 169
 - Monte Carlo, 170
 - polynomial-time, 153, 154, 162, 169
 - randomized, 153, 162, 169
- Alon, Noga, 163
- AM/GM inequality, 156
- aperiodic random walk, 168
- Applegate, David L., 170, 171
- approximation
 - scheme, see FPRAS
- Archimedes, 151
- B^n , 151
- B_2^n , 151
- Bárány, Imre, 154, 155, 157, 159
- ball
 - as intersection of slabs, 154, 159
 - fraction taken by a convex hull, see $W(n, m)$
 - polar of, 160
- Ball, Keith M., 154, 155, 159, 162, 177
- Banach–Mazur distance, 154
- black box, 152
- Bombieri, Enrico, 162
- Bourgain, Jean, 159, 160
- Brunn–Minkowski Theorem, 156
- Carathéodory’s theorem, 158
- Carathéodory, Constantin, 158
- Carl, Bernd, 159, 160
- Cauchy–Schwarz inequality, 166
- Cheeger
 - ’s inequality, 163
 - constant, 164
- Cheeger, Jeff, 163
- Chung, Fan R. K., 163
- coin toss, 174
- complete graph, 168
- complexity, 151, 152
- computational
 - complexity, see complexity
- conductance, 162, 163, 168, 170, 175
- definition of, 164
- convex
 - body, definition of, 152
 - function, maximal, 175
 - hull, 154
 - maximal volume, see $V(n, m)$
- cube, 171, 175
 - central section, 162
 - graph, 168
- degree of vertex, 163
- density, 172

- deterministic
 algorithm, 154, 169
- discrete
 Laplacian, 163
 version of convex body, 162
- distribution
 stationary, 162, 170, 172, 174, 175
 uniform, 162, 170, 174, 175
- Dyer, Martin E., 153, 170, 171, 175, 176
- Eckhoff, Jürgen, 158
- Egypt, 151
- eigenvalue of discrete Laplacian, 163
- Elekes, György, 154
- ellipsoid
 maximal, see maximal ellipsoid
- Euclid, 151
- excess probability, 164
- expander graph, 163
- expansion, 163
- Füredi, Zoltán, 154, 155, 157, 159
- Fejes Tóth, László, 155, 156
- Figiel, Tadeusz, 159
- flow, 168
- FPRAS, 170, 171
- fraction of ball taken by a convex hull, see $W(n, m)$
- Frieze, Alan M., 153, 170, 171, 175, 176
- fully polynomial approximation scheme, see FPRAS
- functional, 152
- Gluskin, E. D., 159, 160
- Grötschel, Martin, 152, 153
- graph, 163
 complete, 168
 cube, 168
 grid, 172
- grid, 170
 graph, 172
- guarantee, 153, 171
- Hensley, Douglas, 162
- Hider, 169
- inner product, 151
- intersection
 of slabs, 154
 volume of, 159, 161
- isoperimetric
 inequality, 170, 175
 on manifolds, 163
 number, 164
- Jerrum, Mark R., 163
- John's Theorem, 155
- John, Fritz, 155
- Johnson, William B., 159
- Kannan, Ravi, 153, 170, 171
- Kemeny, John G., 164
- Khachiyan, Leonid G., 161
- Laplacian
 of graph, 163
- lattice, see grid
- Lawrence, Jim, 161
- Lenstra, Hendrik W., 171
- Lindenstrauss, Joram, 159
- log-concave function, 175
- Lovász, László, 152–154, 161, 170, 175
- Mahler, Kurt, 160
- Markov chain, 163
- maximal
 convex function, 173
 ellipsoid, 156
 simplex, 156
 volume of convex hull, see $V(n, m)$
- membership oracle, 152
- Mihail, Milena, 163
- Milman, Vitali D., 159, 160, 163
- mixing
 rate, see rapid mixing
 time, 162, 163, 170
- Monte Carlo algorithm, 170
- norm
 Euclidean, 151
 sup, 152
- oracle, 152–154, 161, 169–171, 173
 –s, equivalence between, 153
 definition, 152
- Pajor, Alain, 159, 160, 162
- Payne, Lawrence E., 175
- Pisier, Gilles, 177
- polar, 160

- polynomial
 -time algorithm, 153, 154
 approximation scheme, see FPRAS
 polynomial-time
 algorithm, 162, 169
 probabilistic, see randomized
 proportion of ball taken by a convex hull,
 see $W(n, m)$
- random
 walk, 162, 163
 aperiodic, 168
 on grid, 170
 on grid graph, 172
 reversible, 168, 173
 use for sampling, 162, 170
 randomized algorithm, 153, 162, 169
 rapid mixing, 162, 163, 167, 171, 174, 175
 regular
 graph, 163
 simplex, see simplex
 Reisner, Shlomo, 159
 reverse
 Santaló inequality, 160
 reversible
 random walk, 168, 173
 rounding, 171
 running time, 152
- sampling, 162
 Santaló inequality, 160
 reverse, 160
 Schütt, Carsten, 159
 Schrijver, Alexander, 152, 153
 section
 of cube, 162
 Seeker, 169
 separation
 oracle, 152
 Siegel's lemma, 162
 σ -field, 175
 Simonovits, Miklós, 161, 170, 175
- simple
 graph, 163
 random walk, 163
 simplex, 156, 171
 maximal, 156
 regular, 156, 157
 Sinclair, Alistair J., 163
 size of input, 153
 slabs
 volume of intersection of, 159, 161
 Snell, J. Laurie, 164
 stationary
 distribution, 162, 168, 170, 172, 174, 175
 strong
 membership oracle, 152, 169
 separation oracle, 152
 subdivision, 172
 symmetric body, 154
- transition probability, 164, 168, 173
- uniform distribution, 162, 170, 174, 175
- $V(n, m)$, 155, 157
 Vaaler, Jeffrey D., 159, 162
 Vazirani, Umesh, 163
 volume
 and sampling, 162, 170
 is hard to estimate, 159
 notation, 152
 of a subgraph, 164, 168
 of cube section, 162
 of intersection of slabs, 161
 ratio, 170, 172
- $W(n, m)$, 155, 157, 159
 weak
 membership oracle, 152
 separation oracle, 152
 Weinberger, Hans F., 175
 well guaranteed, see guarantee

BÉLA BOLLOBÁS
 DEPARTMENT OF MATHEMATICS
 UNIVERSITY OF MEMPHIS
 INSTITUTE FOR ADVANCED STUDY
 bollobab@ibex.msci.memphis.edu

Cumulative Index

- action, 100
- adjacency matrix, 163
- affine transformation, 8, 13, 32, 154, 171
- Ahlfors, Lars, 141
- Aldous, David, 163
- algebraic numbers, 143
- algorithm
 - definition of, 152
 - deterministic, 154, 169
 - for drawing Julia sets, 133
 - Monte Carlo, 170
 - polynomial-time, 153, 154, 162, 169
 - randomized, 153, 162, 169
- almost, see approximate
- Alon, Noga, 163
- Alonso, Juan M., 103
- AM/GM inequality, 17, 19, 29, 31, 156
- analytic model, see model
- angle
 - s of a triangle, 61, 88
 - s, preservation of, see conformal
 - in Riemannian manifold, 68
 - interior, 60
- aperiodic random walk, 168
- Applegate, David L., 170, 171
- applications of hyperbolic geometry, 59, 98
- approximate
 - ball, 8, 20
 - intersection, 20
 - section, 8, 9, 19, 24, 49
 - conformal structure, see quasisconformal
 - quasisconformal
 - ellipsoid, see approximate ball
 - hyperbolic geometry, 100
 - isoperimetric inequality, 44, 45
- approximation
 - combinatorial, 95
 - Euclidean, 93
 - scheme, see FPRAS
- Archimedes, 151
- arclength, see also length element, 65
- area, see also volume
 - element, 68, 89, 92
 - of circle, 92, 98
 - of triangle, 88
- arithmetic mean, see AM/GM inequality
- astral geometry, 61
- attracting periodic point, see sink
- attraction basin, 120
- automorphic function, 63, 98
- average radius, 7
- averaging, 128, 132, 134
- Axiom A diffeomorphism, 123, 127, 142-144
- axiomatic geometry, 59, 62
- Azuma, Kazuoki, 39
- Azuma-Hoeffding inequality, 39

- B^n , 151
- B_1^n , 3
- B_2^n , 4, 151
- Bárány, Imre, 154, 155, 157, 159
- backward orbit, 119
 - of submanifold, 134
- ball, see also approximate ball
 - and cube, 2, 8, 9, 19
 - and octahedron, 3
 - and simplex, 2
 - as intersection of slabs, 154, 159
 - central section, 6
 - circumscribed, 2, 3, 8
 - distribution of volume, 6
 - Euclidean, 4

- for arbitrary norm, 8
- fraction taken by a convex hull, see $W(n, m)$
- inscribed, 2, 3, 8
- near polytope, 9
- polar of, 160
- section, 6
- similarities to convex body, 2
- volume, 4
- Ball, Keith M., viii, 25, 33, 36, 154, 155, 159, 162, 177
- Banach–Mazur distance, 154
- Beckner, William, 34, 37
- Bedford, Eric, 127, 138–144
- Beltrami Eugenio, 62
- Benedetti, Riccardo, 60
- Benedicks, Michael, 123
- Bernoulli distribution, 39
- Bernstein’s inequality, 39, 41, 44, 46
- Bernstein, Sergei N., 39
- bi-infinite sequence, 122
- bidisk, 135
- black box, 152
- Bollobás, Béla, viii, 1
- Bolyai, Farkás (or Wolfgang), 62
- Bolyai, János (or Johann), 62
- Bombieri, Enrico, 162
- bootstrapping of probabilities, 24
- Borell, Christer, 44
- bound, see inequality
- boundedness, 118
- Bourgain, Jean, 25, 159, 160
- Brascamp, Herm Jan, 30, 34, 35, 37
- Brascamp–Lieb reverse inequality, 37
- Brolin, Hans, 132
- Brolin–Tortrat theorem, 134, 137, 138
- Brunn’s Theorem, 26, 28, 29
- Brunn, Hermann, 25, 26
- Brunn–Minkowski
 - inequality, 25, 28, 32, 41
 - functional, 29
 - multiplicative, 29
 - Theorem, 156
 - theory, 2
- Brøndsted, Arne, 2
- Busemann’s Theorem, 32
- Busemann, Herbert, 32
- Buzzard, Gregory T., viii, 145
- Caen, 63
- calculus, 65, 67
- Cannon, James W., viii, 101–103, 106, 107
- Cantor set, 122, 126
- cap, 10, 22
 - radius, 11
 - volume, 10, 11
- Carathéodory’s theorem, 158
- Carathéodory, Constantin, 158
- Carl, Bernd, 159, 160
- Carleson, Lennart, 117, 123
- Cartwright, Mary, 120
- Cauchy–Schwarz inequality, 24, 67, 166
- Cayley graph, 100, 101
- celestial mechanics, 117, 119
- center
 - of circle, 60
 - of sphere, 87
- central
 - limit theorem, 37, 39
 - projection, 71
 - section, 6
- centrally symmetric, see symmetric
- chaotic behavior, 120, 126
- characteristic function, 29
- charge distribution, 129, 131
- Chebyshev’s inequality, 40
- Cheeger
 - ’s inequality, 163
 - constant, 164
- Cheeger, Jeff, 163
- chordal metric, 42
- Chung, Fan R. K., 163
- circle, see also sphere, 60, 65
 - hyperbolic, 92
- circumference, 98
- circumscribed ball, 2, 8
- classical convex geometry, 2
- classification of isometries, 84
- Cohn-Vossen, Stephan, 74
- coin toss, 39, 174
- combinatorial
 - group theory, 60, 98, 103
 - model, 95
 - Riemann mapping, 107
 - theory of polytopes, 2
- combinatorics, 32
- compactification, 84
- complete graph, 168
- complex

- analysis, 60, 98
 - projective plane, 145
- complexity, 151, 152
- computational
 - complexity, see complexity
- concave function, 25, 27, 29
- concentration, see also distribution
 - of measure, 7, 41, 47
- conductance, 162, 163, 168, 170, 175
 - definition of, 164
- cone, 3, 26
 - spherical, 12
 - volume, 3
- conformal
 - map, 72, 98, 100, 102, 104, 106
 - model, 63, 86
 - structure, 104, 106, 107
 - discrete, 106
- congruence
 - of right angles, 60
 - of triangles, 61
- consistency of non-Euclidean geometry, 62
- constant
 - curvature, 62, 104
 - speed, 65, 66
- contact point, 13
- convex
 - body
 - definition, 2
 - ellipsoids inside, 13
 - similarities to ball, 2
 - symmetric, 8
 - body, definition of, 152
 - function, maximal, 175
 - hull, 2, 3, 154
 - maximal volume, see $V(n, m)$
- convexity, 130, 131
- convolution, 129
 - generalised, 34
 - inequalities, 52
- Coornaert, Michel, 103
- cosine, 65
 - hyperbolic, 66, 67, 83, 84, 98
- cotangent bundle, 135
- cotype-2 property, 25
- Coutances, 63
- cross-polytope, 3, 8
 - and ball, 13
 - volume, 3
- ratio, 19, 21
- cube, 2, 7, 33, 52, 53, 171, 175
 - and ball, 8, 9, 13, 19
 - central section, 162
 - distribution of volume, 41
 - graph, 168
 - maximal ellipsoid, 15
 - sections of, 8
 - volume, 7
 - distribution, 7
 - ratio, 19, 21
- curious facts, 86
- current, 136, 138, 139
 - wedge product for $-s$, 139
- curvature, 60, 62, 104
- deck of cards, 25
- degree of vertex, 163
- Delzant, Thomas, 103
- density, see distribution, 172
 - of periodic points
 - in J , 134
 - in J^* , 142
 - in K , 123, 126, 144
 - of stable/unstable manifold
 - in J^\pm , 127, 138
 - in K^\pm , 126
- determinant maximization, 19
- deterministic
 - algorithm, 154, 169
- Devaney, Robert, 125
- deviation estimate, 24, 39
 - geometric, 41
 - in Gauss space, 45
- diffeomorphism, 118
 - Axiom A, see Axiom A
- differential equation, 65
 - boundedness of solutions, 118
 - of n -body problem, 118
- differential equations, 2
- dimension-independent constant, 6, 20, 25, 47
- Diogenianus, vii
- Dirac delta, 129
- discrete
 - Laplacian, 163
 - version of convex body, 162
- disk model, 69, 71, 84, 89, 92, 101, 104
 - geodesics, 80
- distance, 69

- between convex bodies, 8
- element, see length
- in the half-space model, 90
- distribution, see also concentration, see also volume distribution, 130, 131
 - Gaussian, 6, 12
 - normal, 6
 - of charges, see charge
 - of volume, 12
 - stationary, 162, 170, 172, 174, 175
 - uniform, 162, 170, 174, 175
- duality, 17, 19
- Dvoretzky's Theorem, 47
- Dvoretzky, Aryeh, 47, 52
- Dvoretzky–Rogers Lemma, 52
- Dyer, Martin E., 153, 170, 171, 175, 176
- dynamical system, 118
- dynamically defined measures, 127
- dynamics
 - of fluids, 124
 - one versus several variables, 117, 127, 132, 142
 - real, 117
 - symbolic, 122, 123, 126, 142
- Eckhoff, Jürgen, 158
- Egypt, 151
- eigenvalue of discrete Laplacian, 163
- Einstein, Albert, 59
- electricity, 107
- electrons, 129
- Elekes, György, 154
- element
 - of area, 89, 92
 - of length, 92
- ellipsoid, 13
 - maximal, see maximal ellipsoid, see maximal ellipsoid
 - minimal, 37
 - polar, 17
- elliptic
 - functions, 63
 - isometry, 85
- entire map, 141
- entropy, 143
 - maximal, 143, 144
- equidistant locus, 61, 88
- equilibrium measure, 131, 132
- ergodic theory, 100
- Erlangen program, viii
- Euclid, 59, 151
 - 's postulates, 60
- Euclidean
 - approximation, 93
 - distance, 64
 - geometry, 60, 62
 - hyperbolic, 96
 - inner product, 64–66, 85
 - isometry, 79, 85, 86, 94
 - line, 79, 88, 93, 94
 - metric, 11, 63, 73, 74, 106
 - on sphere, 42
 - norm, 2, 14
 - similarity, 94, 106
 - sphere, 64, 86, 87, 93, 96
- Euler, Leonhard, 62
- exceptional point, 132
- excess probability, 164
- expander graph, 163
- expansion, 163
- expectation, 37
- exponential explosion, 98
- exterior derivative, 135
- extremal length, 106, 107
- Füredi, Zoltán, 154, 155, 157, 159
- Fejes Tóth, László, 155, 156
- fifth postulate, see parallel postulate
- Figiel, Tadeusz, 51, 52, 159
- fixed point, 84, 85
- flow, 119, 168
- Floyd, William J., viii, 107
- fluid dynamics, 124
- Fornæss, John E., 138, 145
- forward orbit, 119
 - of submanifold, 134
- Fourier transform, 37
- FPRAS, 170, 171
- fraction of ball taken by a convex hull, see $W(n, m)$
- Frieze, Alan M., 153, 170, 171, 175, 176
- Fubini's Theorem, 31, 38
- Fuchsian functions, 63
- full orbit, 119
- fully polynomial approximation scheme, see FPRAS
- functional, 2, 18, 152
 - analysis, 2
 - Brunn–Minkowski inequality, 29
- fundamental group, 100

- G_K , 132
 Gabai, David, 104
 Gamelin, Theodore W., 117
 Garnaev, Andreĭ, 51
 Gauss, Carl Friedrich, 62
 Gauss–Bonnet theorem, 88–90
 Gaussian
 distribution, 6, 12, 34, 36, 39, 44, 46,
 47, 51, 53
 measure, see Gaussian distribution
 generalized convolution, 34
 geodesic, 77
 existence of, 77
 in disk model, 80
 in half-space model, 77
 in hemisphere model, 80
 in hyperboloid model, 80
 in Klein model, 80
 length of, 100
 triangle, 101
 vertical, 78, 84, 88, 91
 geometric
 action, 100
 mean, see AM/GM inequality
 geometry
 (type of metric space), 100
 and God, vii
 of numbers, 2
 Ghys, Étienne, 103
 Gluskin, E. D., 51, 159, 160
 God, vii
 Gordon, Yehoram, 48, 159
 Grötschel, Martin, 152, 153
 Gram–Schmidt orthogonalization, 68
 graph, 163
 complete, 168
 cube, 168
 grid, 172
 Green function, 131, 132, 137
 grid, 170
 graph, 172
 Gromov, Mikhael L., 98, 101, 102
 group
 action, 100
 theory, see combinatorial group theory
 growth rates, 143
 guarantee, 153, 171

 H , 69
 H^n , 65

 Hölder inequality, 30
 Hénon map, 123, 127, 137–139, 142–144
 in \mathbb{C}^2 , 124
 Hénon, Michel, 123
 Hadamard matrix, 24
 Hahn–Banach separation theorem, 2
 half-space model, 69, 71, 86, 88, 90, 93,
 94
 geodesics, 77, 78
 harmonic
 analysis, 34, 37
 function, 133
 Harpe, Pierre de la, 103
 hemisphere model, 69, 71, 72, 84, 86, 94
 geodesics, 80
 Hensley, Douglas, 162
 heteroclinic point, 140–142
 Hider, 169
 Hilbert, David, 74
 history of non-Euclidean geometry, 60–62
 Hoeffding, Wassily, 39
 homoclinic
 point, 140
 tangency, 144
 homogeneity, 30
 homotopy equivalence, 99
 horseshoe, 121, 127, 134, 135, 139, 142,
 144
 Hubbard, John H., viii, 117, 127
 hyperbolic, see also non-Euclidean
 arclength, 66
 cosine, 66, 67, 83, 84, 98
 distance, 90
 Euclidean, 96
 geometry
 applications of, 59, 98
 models, 60
 reason for name, 63
 inner product, see Minkowski inner
 product
 isometry, 86
 isometry (restricted sense), see
 loxodromic
 line, 66
 model, 69
 orthogonality, 67
 sine, 66, 67, 98
 sphere, 86
 square, 95
 structure, 99, 103

- volume, 100
- hyperbolicity, 120, 123, 125, 141
- hyperbolization conjecture, 103
- hyperboloid, 64
 - model, 71, 84
 - in projective space, 84
- hyperboloid model, 69
 - geodesics, 80
- hypergeometric series, 63
- I , 69
- ideal triangle, 89, 91
- identification of two sheets, 64
- identity
 - resolution of, 14, 19
- indefinite
 - inner product, see Minkowski inner product
- independence from dimension, see dimension-independent constant
- independent variables, 37
- inequality
 - AM/GM, 17, 19, 29, 31
 - Bernstein's, 39, 41, 44, 46
 - Brunn–Minkowski, 25, 28, 32, 41
 - functional, 29
 - multiplicative, 29
 - Cauchy–Schwarz, 24
 - Chebyshev's, 40
 - convolution, 52
 - deviation, see deviation estimate
 - for cap volume, 11
 - for norms of convolutions, 34
 - Hölder, 30
 - isoperimetric, 28, 32, 41, 44, 45
 - Markov's, 40, 46
 - Prékopa–Leindler, 30, 46, 47
 - Young's, 34
- inertia tensor, 14
- infinity
 - fixed point at, 85
 - space at, 84, 85, 87, 91, 93, 101, 104
 - analytic coordinates for, 106
 - intrinsic definition, 101
 - topology of, 101
 - vertex at, 89
- information theory, 2, 32
- initial conditions, 118
 - sensitivity to, 120
- inner product, 151
 - and Riemannian metric, 68
 - Euclidean, 64–66, 85
 - hyperbolic, see Minkowski inner product
 - product
 - indefinite, see Minkowski inner product
 - Minkowski, 64–68, 82, 85
 - positive definite, 67
- inscribed ball, 2, 8
- integration
 - as a current, 136
- interior angle, 60
- interior of the disk model, see disk model
- intersection
 - of convex bodies, 20
 - of slabs, 154
 - volume of, 159, 161
- invariant measure on $O(n)$, 22, 50
- inversion, 93–95
- isometric manifolds, 99
- isometry
 - between models, 71
 - classification of –ies, 84
 - equivalence between concepts, 82
 - Euclidean, 86
 - fixed points, 84
 - hyperbolic, 86
 - in hyperboloid model, 80
 - linear, 80
 - Riemannian, 82
 - topological, 82
- isoperimetric
 - inequality, 28, 32, 41, 170, 175
 - approximate, 44, 45
 - in Gauss space, 45
 - on manifolds, 163
 - on sphere, 42
 - number, 164
 - problem
 - in Gauss space, 44
- Iversen, Birger, 60
- J , 69, 127
- J^+ , 127
- J^- , 127
- Jacobian, 124
- Jemisphere model, see hemisphere model
- Jerrum, Mark R., 163
- John's Theorem, 13, 33, 36, 51, 52, 155
 - extensions, 19
 - proof of, 16

- John, Fritz, 13, 155
 Johnson, William B., 25, 159
 Julia set, 133, 134
 analog in \mathbb{C}^2 , 138, 140, 142
- K , 69, 119
 K^+ , 118, 119
 K^- , 119
 Kästner, Abraham Gotthelf, 61
 Kašin's Theorem, 20, 51
 Kašin, B. S., 20
 Kannan, Ravi, 153, 170, 171
 Kemeny, John G., 164
 Kenyon, Richard, viii
 Khachiyan, Leonid G., 161
 Klügel, Georg Simon, 61
 Klein model, 69, 71, 72, 84
 geodesics, 80
 Klein, Felix, viii, 60
 Kleinian functions, 63
 Kline, Morris, 60
 Kusukawa, Sachiko, 53
- L , 69
 L_p norm, 34
 ℓ_1 norm, 3, 8, 24, 51
 Lévy, Paul, 42
 Lambert, Johann Heinrich, 61
 Laplacian, 131, 133, 135
 invariance under holomorphic maps, 136
 of graph, 163
 large deviation inequalities, see deviation estimate
 lattice, see grid
 Lawrence, Jim, 161
 Leindler, László, 30
 length
 element, 68, 92
 of geodesics, 100
 of path, 69
 of vector, 68
 Lenstra, Hendrik W., 171
 Levy, Silvio, 53
 Lieb, Elliott H., 30, 34, 35, 37
 light cone, 64
 Lindenstrauss, Joram, viii, 1, 25, 51, 52, 159
 line, see also geodesic
 is infinite, 60
 through two points, 60
 linear
 isometry, 80, 82–84
 conditions for, 82
 programming, 2
 Lipschitz function, 43, 50
 Littlewood, John E., 120
 Lobachevskii, Nikolaï Ivanovich, 62
 log-concave function, 175
 'loid model, see hyperboloid model
 Lovász, László, 152–154, 161, 170, 175
 loxodromic
 isometry, 85
 Lyubich, Mikhail, 127, 141–143
 Lyusternik, Lazar A., 28
- m , 129, 139
 m^+ , 129, 139
 m^- , 129, 139
 Mahler, Kurt, 160
 manifold, 60, 68, 69, 98, 104, see stable manifold, unstable manifold
 Riemannian, 69
 Markov chain, 163
 Markov's inequality, 40, 46
 mass, see also volume
 distribution on contact points, 14
 matrix of linear isometry, 82, 83, 85
 Maurey, Bernard, 45
 maximal
 convex function, 173
 ellipsoid, 13, 21, 34, 48, 49, 51, 53, 156
 for cube, 15
 entropy map, 144
 simplex, 156
 volume of convex hull, see $V(n, m)$
 maximum principle, 133, 134
 mean, see AM/GM inequality
 measure, 127, 128
 finite, 130
 generalization of, 136
 space of $-s$, 133
 measure-theoretic entropy, 143
 Melo, Welington de, 123
 membership oracle, 152
 metric
 and measure, 42
 on space of convex bodies, 8
 on sphere, 11
 Meyerhoff, Robert, 104

- Mihail, Milena, 163
 Milman, Vitali D., 25, 41, 47, 52, 159, 160, 163
 Milnor, John, 143
 Minding, Ferdinand, 62
 minimal ellipsoid, 19, 37
 minimum principle, 133, 138
 Minkowski
 addition, 28, 42
 inner product, 64–68, 82, 85
 model, 64
 Minkowski, Hermann, 27, 59
 mixing
 rate, see rapid mixing
 time, 162, 163, 170
 mnemonic names for models, 69
 model, see also disk, half-space,
 hemisphere, hyperboloid, Klein, 61–63,
 69
 –s, isometries between, 71
 conformal, 63, 86
 domain of, 70
 Riemannian metric of, 71
 Monge, Gaspard, 62
 Monte Carlo algorithm, 170
 Mosher, Lee, 103
 Mostow rigidity theorem, 99, 101
 extensions of, 104
 Mostow, George D., 99
 Mount, John, 53
 MSRI, viii, ix, 1
 μ , 132, 139
 μ^* , 133
 μ^+ , 137, 139
 μ^- , 137, 139
 multiplicative
 Brunn–Minkowski inequality, 29

 $N(x)$, 22
 n -body problem, 117
 negative curvature, see also constant
 curvature, 60, 62
 negatively curved group, 101
 net, 11, 48
 Newhouse, Sheldon E., 123
 Newton's laws, 118
 Nitecki, Zbigniew, 125
 non-Euclidean geometry, see also
 hyperbolic
 consistency of, 62
 history of, 60–62
 nonexceptional point, 132
 nonsymmetric convex body, 13, 15
 nonuniform hyperbolicity, 141
 norm, see inner product
 ℓ_1 , 3, 8, 24, 51
 and radius, 8
 Euclidean, 2, 14, 21, 151
 of convolution, 34
 sup, 152
 with given ball, 8, 21, 48
 normal distribution, 6
 normalisation of integral, 5, 39
 north pole, 73

 $\mathcal{O}(p)$, 119
 $\mathcal{O}^+(p)$, 119
 $\mathcal{O}^-(p)$, 119
 Oberste-Vorth, Ralph W., 125, 127
 octahedron, see cross-polytope
 omissions, 2
 one-dimensional case, 65
 oracle, 152–154, 161, 169–171, 173
 –s, equivalence between, 153
 definition, 152
 orbifold, 104
 orbit, 119
 orientation at intersection, 134, 135
 orthant, 3
 orthogonal
 complement, 67, 68, 78, 85, 101, 102
 group, 22, 50
 projection, 14
 transformation, 85, 86
 orthogonalization, 68
 orthonormal basis, 13, 14

 Pajor, Alain, 159, 160, 162
 Palis, Jacob, 123
 Papadopoulos, Athanase, 103
 parabolic isometry, 85
 parallel postulate, 60–62
 denial of, 61
 Parry, Walter R., viii, 107
 partial differential equations, 2
 path, see also shortest path, 65
 Payne, Lawrence E., 175
 period, 119
 periodic point, 120, 123, 126, 127, 134,
 140
 density of, see density

- existence of, 123
- number of $-s$ of period n , 142
- perturbation, 134, 135
- Pesin theory, 142
- Petronio, Carlo, 60
- ϕ_t , 118
- physics, 60
- Pisier, Gilles, 20, 45, 52, 177
- Plato, vii
- pluriharmonic, 137
- pluripotential theory, 139
- plurisubharmonic, 136, 137, 139
- Plutarch, vii
- Poincaré, Henri, 63, 98, 117, 120, 126
- Poincaré–Lelong formula, 137
- polar, 160
 - coordinates, 4, 7, 47, 51
 - ellipsoid, 17
- pole, 73
- polynomial
 - $-$ time algorithm, 153, 154
 - approximation scheme, see FPRAS
 - diffeomorphism of \mathbb{C}^2 , 134
 - in \mathbb{C} , 132, 137
- polynomial-time
 - algorithm, 162, 169
- polytope, 8
 - as section of cube, 9
 - combinatorial theory of $-s$, 2
 - near ball, 9
- positive definite
 - inner product, 67, 68
- postulate
 - $-s$ of Euclidean geometry, 60
 - fifth, see parallel postulate
- potential theory, 127, 129, 132, 134
- Prékopa, András, 30
- Prékopa–Leindler inequality, 30, 46, 47
- predictability, 120
- preservation
 - of angles, see conformal
 - of spheres, 75, 76
- probabilistic, see randomized
- probability
 - bootstrapping of, 24
 - measure, 37, 42
 - that . . . , 37
 - theory, 2, 24, 37
- Proclus, 61
- projection
 - central, 71
 - orthogonal, 14
 - stereographic, 72, 74, 76, 86
 - vertical, 71
- projective
 - identification, 64
 - space, 84
 - complex, 145
- properly discontinuous, 100
- proportion of ball taken by a convex hull,
 - see $W(n, m)$
- pullback, 68, 71, 72, 77
 - under stereographic projection, 73
- QS-Theorem, 25
- quadrilateral, 61, 106
- quasi-isometry, 100
 - theorem, 101, 104
- quasiconformal, 100, 104, 106, 107, 127
- quotient of a subspace, 25
- $r(\theta)$, 7
- radius, 60, 88, 90, 94
 - and circumference, 98
 - and norm, 8
 - and volume for ball, 5
 - average, 7
 - imaginary, 64
 - in a direction, 7, 32
 - large, 92
 - of body in a direction, 21
 - relation between hyperbolic and Euclidean, 92
- Ramsey theory, 24
- random
 - behavior, 120
 - subspace, 48, 50
 - variable, 37
 - walk, 96, 134, 162, 163
 - aperiodic, 168
 - on grid, 170
 - on grid graph, 172
 - reversible, 168, 173
 - use for sampling, 162, 170
- randomized algorithm, 153, 162, 169
- rapid mixing, 162, 163, 167, 171, 174, 175
- Ratcliffe, John G., 60
- ratio
 - between volumes, see volume ratio
- ray, 101
- real dynamics, 117

- reflection, 94
- regular
 - behavior, 120, 126
 - graph, 163
 - simplex, see simplex
- Reisner, Shlomo, 159
- relativity, 64
- resistance, 107
- resolution of the identity, 14, 19
- retraction, 78
 - principle, 77
- reverse
 - Brascamp–Lieb inequality, 37
 - Santaló inequality, 160
- reversible
 - random walk, 168, 173
- Riemann mapping theorem, 106
- Riemann, Georg Friedrich Bernhard, 62
- Riemannian
 - distance, 82, 83
 - isometry, 82, 83
 - manifold, 62, 69
 - metric, 68, 82, 83
 - of models, 71
- right angle, 60
- rigidity condition, 16
- Rips, Eliyahu, 101
- Rogers, Claude Ambrose, 9, 52
- rounding, 171
- rudiments, 68
- Ruelle, David, 123, 129
- running time, 152

- S^{n-1} , 4
- S_∞ , 101
- Saccheri, Girolamo, 61
- saddle point, 126, 127
- sampling, 162
- Santaló inequality, 160
 - reverse, 160
- Schütt, Carsten, 159
- Schechtman, Gideon, viii, 1, 25, 48, 51
- Schneider, Rolf, 2, 32
- Schrijver, Alexander, 152, 153
- Schweikart, 61
- section
 - ellipsoidal, see approximate ball
 - length of, 25
 - of ball, 6
 - of cube, 8, 9, 162
 - parallel, 27
 - spherical, see approximate ball
- sections
 - almost spherical, 50
- Seeker, 169
- segment, see line
- self-similar sets, 138
- sensitivity to initial conditions, 120
- 1-separated set, 12
- separation
 - oracle, 152
 - theorem, 18
- sequence
 - space of $-s$, 122
- shaking down a set, 25
- shift map, 122, 142
- Shilov boundary, 139, 140, 143
- Shilov, Georgii E., 140
- shortest path, see also geodesic, 77–79
- Shub, Michael, 123
- Sibony, Nessim, 132, 138, 145
- Siegel's lemma, 162
- σ , 5
- σ -field, 38, 175
- similarity of triangles, 61
- Simonovits, Miklós, 161, 170, 175
- simple
 - graph, 163
 - random walk, 163
- simplex, 15, 33, 156, 171
 - maximal, 156
 - regular, 2, 156, 157
- simplifications, 119
- Sinclair, Alistair J., 163
- sine, 65
 - hyperbolic, 66, 67, 98
- sink, 120
- size of input, 153
- slabs
 - volume of intersection of, 159, 161
- slice, see section
- Smale horseshoe, 121
- Smale, Steve, 121
- Smillie, John, viii, 127, 138, 139, 141–144
- Snell, J. Laurie, 164
- solenoid, 127
- south pole, 73
- space at infinity, see infinity
- space-time, 60, 63, 64
- sphere, see also ball

- s, preservation under stereographic projection, 76
- s, preserved under stereographic projection, 75
- center of, 87
- cover by caps, 10
- Euclidean, 64, 86, 87, 93, 96
- hyperbolic, 86
- measure on, 5
- of radius i , 64
- volume, 5
- spherical
 - cap, see cap
 - cone, 12
 - coordinates, see polar coordinates
 - section, see approximate ball
- stability, 120
- stable manifold, 120, 126, 138, 141
- stationary
 - distribution, 162, 168, 170, 172, 174, 175
- stereographic
 - projection, 72, 74, 76, 86, 94
- Stirling's formula, 5, 6
- straight line, see line
- strong
 - membership oracle, 152, 169
 - separation oracle, 152
- subaverage property, 130, 136
- subdivision, 172
- subharmonic, 130, 132, 133
 - in \mathbb{C}^2 , see plurisubharmonic
- subharmonicity
 - invariance under holomorphic maps, 136
- submanifold, 134
 - complex, 135–137
- Sullivan, Dennis, 104, 129
- supporting hyperplane, 2, 16
- surfaces of constant negative curvature, 62
- Swenson, Eric L., 103, 106
- Sylvester's theorem, 68
- symbolic dynamics, 122, 123, 126, 142
- symmetric body, 8, 15, 25, 33, 47, 49, 154
- synthetic development, 62
- Szarek, Stanisław Jerzy, 20, 21
- Takens, Floris, 123
- Talagrand, Michel, 25, 45
- tangent vector, 65–67
- Taurinus, 61
- taxicab geometry, 98
- Taylor, B. Alan, 140
- teaching of calculus, 65, 67
- tensor product, 14
- theta-Fuchsian functions, 63
- thin triangles condition, 90, 98, 101–103
- three-island theorem, 141
- Thurston, Nathaniel J., 104
- Thurston, William P., 60, 77, 98, 103
- time
 - and space, see space-time
- Tomczak-Jaegermann, Nicole, 19
- topological
 - entropy, 143
 - invariant, 100
 - isometry, 82, 83
- topology, 60, 98
- Tortrat, Pierre, 132
- transition probability, 164, 168, 173
- transversal measure, 129
- transverse segment, 128, 129, 134
- triangle
 - area of, 88
 - geodesic, 101
 - ideal, 89, 91
 - similar, 61
 - sum of angles, 61, 88
 - thinness, see thin triangles condition
 - with specified angles, 90
- trigonometry, 62
- Tukia, Pekka, 104
- turbulence, 124
- two-dimensional diffeomorphism, 119
- Ueda, Tetsuo, 145
- uniform distribution, 162, 170, 174, 175
- uniformization theorem, 106, 107
- unit
 - circle, 65
 - hyperbola, 66
 - sphere, 64
- universal cover, 100
- unstable manifold, 120, 126, 128, 134, 138, 141
- upper half-space, see half-space
- upper-semicontinuous, 130, 133
- $V(n, m)$, 155, 157
- Vaaler, Jeffrey D., 159, 162

- variable curvature, 104
- Vazirani, Umesh, 163
- velocity, 65, 66
- vertical
 - geodesic, 78, 84, 88, 91
 - projection, 71
- vol, 2
- volume, 100
 - and sampling, 162, 170
 - distribution
 - of ball, 6
 - of cube, 7, 41
 - is hard to estimate, 159
 - notation, 152
 - of a subgraph, 164, 168
 - of ball, 4
 - of cone, 3
 - of cross-polytope, 3
 - of cube section, 162
 - of ellipsoid, 13
 - of intersection of slabs, 161
 - of symmetric body, 8
 - ratio, 19, 21, 25, 33, 36, 51, 170, 172
- vr, 21
- $W(n, m)$, 155, 157, 159
- W^s , 120
- W^u , 120
- Wallis, John, 61
- Walsh matrix, 24
- weak
 - hyperbolization conjecture, 103
 - membership oracle, 152
 - separation oracle, 152
- wedge product, 139
- weight function, 106
- weighted average, 14, 27
- Weinberger, Hans F., 175
- well guaranteed, see guarantee
- Weyl, Hermann, 67
- Williams, David, 39
- word-hyperbolic group, 101, 102
- Yoccoz, Jean-Christophe, 123
- Young's inequality, 34
- Young, Lai-Sang, 123