

Index

- 2MASS (survey), 39
- Absolute calibration, 30
 blackbody comparisons, 62
 solar method, 61
 stellar models, 62
 table for photometry, 63
- Accretion disks, 124
- Adaptive optics, 154, 156
 Fried parameter, 156
 guide stars, 157
 isoplanatic angle, 156
- Aerosols, 31
- AFCRL Survey, 39
- AFGL Survey, 39
- Airglow, 33
- Antenna temperature, 8
- Arrays
 Hawaii, 151
 ALADDIN, 150
 bad pixels, 166
 continuous readout, 149
 controllers, 150
 correlated double sampling, 149
 CTIA readout, 147
 data acquisition, 164
 DoPHOT, 168
 flat fielding, 167
 Fowler sampling, 149
 HgCdTe, 151
 InSb, 150
 median averaging, 167
 NICMOS, 151, 165
 PtSi, 151
 Readout electronics, 147
 readout modes, 148
 reset-read-read mode, 149
 well depth, 146, 148
- Atmosphere
 extinction, 28
 scattering, 31
 transmission of, theoretical, 28
 turbulence, 155
 water vapor content, 30
- Background from telescope and sky, 38
- Blackbodies
 definition, 7
 laboratory, 7, 10
 Lorentz correction, 70
 specific intensity, 8
UBVRJHKL colors of, 9
- Bolometers, 51, 144
- Bolometric correction, 67
- Bolometric magnitude, 66
- Bouguet's law, 28
- Bremsstrahlung, 87
- Brown dwarfs, 22
- C
 [CII] (C⁺) fine-structure line, 83
- C₂ in carbon stars, 79
- C₂H₂
 in carbon stars, 80, 121
- CH
 in carbon stars, 80, 121
- CH₃OH
 ice, 100, 101
- CH₄, 18
 ice, 100, 101
- Chopping, 26, 138, 158, 166
- Cirrus, infrared, 125
- CLOUDY
 (numerical model for HII regions), 98
- CN
 in carbon stars, 79
 in ice features, 101, 102

- CO, 18
 absorption in stellar atmospheres,
 76
 ice, 100, 101
 in carbon stars, 79
CO₂, 18
¹³CO₂ ice, 101
 ice, 100, 101
 telluric, 28, 49
COBE satellite, 36
 DIRBE experiment, 36, 126
 FIRAS experiment, 36
 measured sky brightness, 36
Cold stop, 139
Collisional excitation, 11
Color equations, 48, 57
Comets, 100
Coronal lines, 99
Cosmic microwave background, 36, 37,
 117
Critical density, 90
Cryostats, 134
Curtis Godson approximation, 29
DENIS (survey), 38
Detectors
 arrays: see also arrays, 145
 BIB, 144
 bolometers, 144
 capacitance, 146
 extrinsic, 144
 IBC, 144
 individual, 141
 InSb, 48
 intrinsic and extrinsic, 142
 materials, 142
 multiplexers, 145, 148
 PbS, 48
 photo-voltaic, 144
 photoconductive, 143
 photoconductive gain, 143
 PtSi arrays, 151
 solid-state photomultiplier, 143,
 144
Dewar, 134
Diffraction limit, 132
Dilution of radiation field, 117
Dust
 from Sahara, 31
 grains
 albedo, 108
 core-mantle, 116
 equilibrium temperatures, 116
 large, 116
 polar, 116
 refractory, 115
 small, 115
 models
 Draine and Lee, 115
 general, 113
 MRN model, 115
 van de Hulst, 114
 volcanic, 31
Effective radius
 definition, 67
 Miras, 67
Effective temperatures
 definition, 66
 from atomic lines, 75
 Miras, 67
Effective wavelength, 45
Extinction, 105
 color-difference method, 109
 cross-section, 106
 efficiency factor Q, 107
 graphite and silicate, 115
 ratio of total to selective, R_V ,
 109
 relation to H column density,
 114
 Rieke and Lebofsky values, 110
 seasonal variation of, 32
 values of, 110
Eye, human, 26
Fabry lens (field lens), 139, 159
Fabry-Perot etalon, 73
Fe
 [FeIII] lines, 97
 [FeII], 97, 128
Filters, 139
 angle of incidence, 140
 Circular Variable (CVF), 140
 CVF, 73
 interference, 139
 specifications, 140
 temperature effects, 140
Fine-structure cooling, 83
Flux density
 conversion of units, 6
 definition, 5
Fourier transform spectrometer, 73
Fried parameter, 156
Galactic Center
 [FeIII] emission, 97
 extinction towards, 105
Galaxies
 active, 130
 BCDGs, 71
 evolution, 128
 effect on colors, 72
 models, 71

- individual
 - Circinus galaxy, 93
 - NGC 1068, 128
 - NGC 7469, 128
- JHK* of star-forming, 71
- K*-corrections, 69
- luminosity function, 72
- ordinary, 68
- ordinary, dust emission, 127
- Seyfert, 118
- starburst, 71, 127
- ultra-luminous, 129
- Graphite
 - amorphous, 102
- H⁻
 - continuous absorption, 75
 - opacity minimum at 1.6 μm , 78
- H₂
 - collision-induced absorption, 75, 77
 - emission, 22
 - emission in photodissociation regions, 84
 - pure rotation spectrum, 85
- H₂O, 18
 - absorption due to, 20
 - absorption in stellar atmospheres, 76
- Band models for absorption, 21
- ice, 101
- ortho- and para-, 21
- pure rotation spectra, 21
- rotation-vibration spectrum, 21
- telluric, 28, 30, 33
- HCN in carbon stars, 80
- He: properties as a cryogen, 135
- Herbig-Haro objects, 98
- HII regions, 86
 - and dust, 125
 - free-free and free-bound, 87
 - Menzel case B, 86
 - numerical model, 98
 - recombination spectrum, 88
 - ultra-compact, 125
- Hot interstellar medium, 82
- Hubble deep field, 72, 128
- Ices, interstellar, 100
- Infrared cirrus, 36
- Infrared flux method (for T_{eff}), 67
- Infrared materials
 - refractive indices, 136
- Infrared: near-, mid- and far-, 27
- Initial mass function (IMF), 90
- Instruments
 - camera, 158
 - sensitivity, 160
 - for large telescopes (table), 163
 - photometer, 159
 - spectrometer, 161
- Intensity (photometric term), 5
- Interstellar medium
 - cold (molecular, dense) clouds, 83
 - contribution to sky brightness, 36
 - cool (diffuse) clouds, 82
 - dust features from small grains, 115
 - hot, 82
 - warm clouds, 82
- IRAS
 - color corrections, 64
 - infrared cirrus, 125
 - photometry, 64
- IRAS survey, 39
- IRC, 38
- IRIS satellite, 42
- IRTRANS – terrestrial atmospheric model, 29
- IRTS satellite, 40
- ISO satellite, 41, 133
- Isophotal wavelength, 47
- Isoplanatic angle, 156
- Jansky (unit of monochromatic flux density), 9
- JHKLM* system, 44
 - absolute flux calibration, 61
 - atmospheric transmission, 48
 - colors of galaxies, 68
 - filters for, 48
 - general, 48
 - particular
 - AAO, 56
 - Bessell and Brett, 56
 - Carter, 53
 - CTIO-Caltech, 56
 - ESO, 55
 - Glass (1974), 55
 - Johnson, 54
 - MSO, 55
 - Persson et al., 56
 - SAAO (Carter) standards, 54
 - UKIRT, 56
 - transformations, 57
- Johnson, H. L., 48
- K*-corrections, 69
- Kirchhoff's law, 7
- Kitt Peak filters, 49
- Lambert's law, 21, 28, 30
- Linearity, 142
- Lock-in amplifier, 158
- Lorentz transformation, 70
- Luminosity (photometric term), 5
- Lyot stop, 33, 139

184

Index

- M dwarfs, 22
- Magnitude
 - bolometric, 66
- MAPPINGS (numerical model for shocks), 99
- Mass loss, 120, 122
- Mauna Kea, Hawaii, 29, 31, 34, 48–50
- Median average, 167
- Michelson interferometer, 73
- Mie scattering, 31, 107
- Mirrors, as optical elements, 137
- Model atmospheres, 77
- Molecules, 16
 - Λ -doubling, 20
 - asymmetric tops, 19
 - diatomic, 16
 - electronic states, 16
 - linear, 18
 - rotational states, 18
 - spherical tops, 19
 - symmetric tops, 19
 - vibrational states, 17
- N_2 , 18
 - properties as a cryogen, 134
- N_2O , 18
- NH_3 , 18
- NICMOS camera on HST, 41, 165
- Noise
 - 1/ F noise, 143
 - kTC, 148
 - readout, 143
- O_2 , 18
- O_3 , 18
- OH
 - airglow, 33
 - ground state, 20
- Optical depth
 - definition, 6
- PAH
 - bands, 102
 - galactic distribution, 126
 - in planetary nebulae, 120
 - in starburst galaxies, 128
 - refractory carbon grains, 115
 - small grains, 115
- Phase-sensitive detector, 158
- Photodissociation regions, 83, 125
- Photometry
 - description of photometer, 158, 159
 - IRAS, 64
 - long-wavelength, 51
 - long-wavelength standards, 57
 - narrow-band, 50
 - system, 47
- Pixel, 154
- Planck distribution, 7, 8
- Planetary nebulae, 97, 106, 119
 - proto-, 119
- Planets
 - spectra, 79
- Polarization, 112
- Power-law spectral distribution
 - colors of, 23
 - Lorentz transformation, 70
- Proto-planetary nebulae (PPNs), 119
- Protostars, 123
- Q (extinction efficiency factor), 107
- Quantum efficiency, 142
- Quasars, 130
- Radiation density, 9
- Rayleigh diffraction limit, 132
- Rayleigh–Jeans approximation, 8
- Reddening law, 108
- Reddening vector, 108, 112
- Redshifts from photometry, 71
- Reflection loss, 136
- Ro-vibrational bands, 18
- Scattering
 - Mie, 107
 - Rayleigh, 31, 75, 107
 - Thomson, 75
- Seeing, 155
 - compensation, 156, 157
- Shocks, C and J, 98
- SiC dust absorption feature, 80, 99, 119, 121
- Silicates
 - amorphous, 100
 - crystalline, 100
 - towards Galactic Center, 108
- SiO
 - absorption in stellar atmospheres, 77
 - dust absorption features, 99
- Sirius, 62
- SIRTF satellite, 42, 134
- SOFIA (Stratospheric Observatory for Infrared Astronomy), 40
- Solid-state features in spectra, 99
- South Pole, 37, 49
- Specific intensity, 5
- Spectral energy distribution (SED), 73
- Spectral irradiance, 5
- Spectrophotometric calibration standards, 80
- Stars
 - AGB, 118, 122
 - AGB, super-wind phase, 119
 - Be, 87

- brown dwarfs, 77, 79
- carbon, 121
- carbon stars, 79
- dependence of *JHKLM* colors on
 - gravity, temperature, metallicity etc., 59
- hot, Lyman continuum photons from, 90
- influence of molecular absorption on *JHKLM* colors, 58
- M dwarf population dependence, 58
- M giant population dependence, 58
- mass loss, 119
- normal, colors of, 57
- OH/IR, 65, 106, 118
- Pre-main sequence, 125
- red dwarfs, 77
- T Tauri, 125
- variable
 - cepheid, 105
 - long-period, 118
 - Mira, 7, 61, 65, 67, 74, 79, 106, 118, 122
 - RR Lyrae, 105
- Stars, standard, 47, 53
- Stefan's law, 9
 - Stefan's constant, 9
- Stellar atmospheres
 - bound-free absorption, 75
 - CO, 76
 - continuous opacity sources, 74
 - free-free opacity in hot stars, 74
 - SiO absorption, 77
 - water vapor absorption, 76
- Stellar opacities
 - atomic and molecular, 75
- Strehl ratio, 156
- Sub-millimeter region, 27
- Sun
 - bolometric magnitude, 66
 - solar constant, 66
- Supernovae, 118
- Sutherland, extinction, 31
- Synchrotron radiation, 23
 - self-absorption, 23
- Systems, photometric, 47
- Telescope
 - exit pupil, 138
 - diffraction limit, 132
 - in space, 133, 155
 - secondary mirror, 154
- UIBs (unidentified infrared bands), 102
- ULIRGS (Ultra-luminous infrared galaxies), 129
- Vega, 45, 54, 62–64, 74, 80, 82
 - infrared excess, 105
- Water vapor, 30, 49
- Wien displacement law, 8
- WIRE satellite, 42
- YSOs (young stellar objects), 124
- Zenith angle, 29
- Zero-point, 44
- Zodiacal light, 35