

## Index

- absolute instability, 378
- absorption, coefficient, 361
  - by Stokes drag, 148
  - by turbulence, 138–143
- acoustic dissipation, in turbulent boundary layer, 323–328
  - by vorticity production, 337
- acoustic admittance, definition, 318
  - of turbulent boundary layer, 326
- acoustic analogy, Lighthill's, 103
  - in terms of total enthalpy, 123–126
- acoustic efficiency, definition, 47
- aeroacoustic, 105
  - bending wave edge scattering, 300
  - combustion noise, 502
  - dipole, 159
- acoustic streaming, *see* streaming
- activation energy, 498
- active control, 46
- added mass tensor, 66, 401, 406
  - for blade, 314
  - in surface force formula, 90
- Æolian tones, 164
- aeroacoustic efficiency, 105
- aerodynamic sound, definition, 101
  - calculated with compact Green's function, 161
  - efficiency in presence of rigid boundaries, 157
  - from density fluctuations, 105
  - from elastic edge, 303
  - from low Mach number turbulence, 104
  - from moving quadrupoles, 115
  - from quadrupoles in a jet, 117
  - from turbulence of variable density, 105
  - in low Mach number flow, 159
  - in two dimensions, 107
  - influence of rigid boundaries, 157–166
  - sources near compact body, 157
  - sources near nozzle exit, 169
- Amiet, 192, 197, 202
- aperture in thin plate, 283, 284
- attenuation, at edge of finite chord airfoil, 344
  - at nozzle exit, 337
  - at trailing edge, 340
- Bechert's measurements, 339
  - by condensation and vaporization, 149
  - by particulate heat transfer, 147
  - by particulate inhomogeneities, 144–149
  - by particulate Stokes drag, 146
  - by perforated elastic screen, 394–395
  - by splitter plate, 345
  - by turbulence absorption, 142
  - by turbulence scattering, 141
  - by vorticity production, 333–353
- formula, 337
- in a pipe, no flow, 333
- in pipe flow, 331
- of aerodynamic sound, 142
- Peters' experiments, 327, 333
- bank of strips, 401
- Bechert, 339
- bending stiffness, 17
- bending wave, definition, 17–20
  - damping at trailing edge, 398
  - energy equation, 257
  - equation, 255, 257
  - generated by turbulent boundary layer, 270
  - Mach number, 255
  - on bias flow screen, 396
  - on perforated screen, 385–392, 393
  - pole, 266
  - power, 257–258
  - scattering at cracks and joints, 271–285
  - sound scattered at a joints, 275
  - transmitted and reflected at joint, 274

- bending wavenumber, dependence on
  - frequency, 256
  - vacuum, 254
- Bernoulli equation, 6–7, 411
- bias flow aperture, 361
  - cavity backed perforated screen, 368
  - perforated screen, 367
- Biot-Savart law, 86, 121, 334
- bird-call, 483
- blade passage frequency, 235, 241
- blade tip Mach number, 242
- blade-vortex interaction, effect of finite span, 202
  - elastic blade, 314
  - elastic leading edge, 311
  - ideal line vortex, 200
  - parallel, 188, 311
  - quasi-linear approximation, 201
  - three-dimensional, 191
  - two-dimensional, 188, 311
- blocked pressure, 204, 217
  - wavenumber-frequency spectrum, 309
- Bosscha tube, 512
- boundary conditions, 24–26
  - for stress, 26
  - kinematic, 24–25
  - no-slip, 24
  - thermal, 26
- boundary layer, 24
  - noise, 211
  - noise, elastic wall, 286
  - noise, rough wall, 213
  - thickness, 206
- Brown and Michael equation, 94–100
  - applied to organ pipe, 493
- bubble, adiabatic resonance frequency, 134
  - drag, 92
  - excited by applied pressure, 133
  - sound generation in turbulence, 136
  - sound propagation through, 137
  - table of resonance frequencies, 135
- Bunsen burner, 500–502
- burning velocity, 496
- cavity, conductivity, 441
  - depth modes, 440–443, 448
  - resonances, 351
  - Rossiter's equation, 455
- Chase, point pressure spectrum, 208
  - wall pressure spectrum, 207, 210
- choked jet, 150, 153
- circular wall aperture, instability of flow over, 431
- circulation, 9
  - theorem, 9
- clamped edge, 301
  - joint, 279
- closed crack, 276
- coated plate, 258
- coincidence frequency, 254
  - Mindlin plate, 257, 268
- combustion noise
  - efficiency, 502
  - energy equation, 505
  - equation, 499
  - gas turbines, 495
  - 'hot spots', 495
  - indirect, 500
  - monopole sound, 494
  - Rayleigh's criterion, 505
  - source strength, 500
- compact approximation, rigid surface noise, 158
- compact Green's function, 65–72
  - circular aperture, 185
  - circular disc, 202
  - duct with contraction, 167
  - elastic edge, 304
  - half-plane, 177
  - Helmholtz resonator, 469
  - incompressible, 72
  - in low Mach number irrotational flow, 73
  - in two dimensions, 72
  - nozzle exit, 169
  - surface roughness element, 291
  - tunnel entrance, 251
  - time domain, 68–69
  - time harmonic, 65, 69
  - two dimensional edge, 179
  - two-dimensional, elastic edge, 307
  - wall cavity, 458
  - wedge, 180
- compact source, 44
- compressibility, adiabatic, 28, 107
  - isothermal, 5
- compression wave in tunnel, 246
- compressive stress, 10
- conditional instability, 378
- conductivity, *see* Rayleigh conductivity
  - thermal, 11
- conformal mapping, deep cavity, 462
  - shallow cavity, 466
- continuity equation, 2
  - linearized, 28
  - with volume source, 27
- contraction ratio, 412
- convected wave equation, 73
- convection, of aerodynamic quadrupoles, 112, 117
  - velocity, 433
  - velocity in boundary layer, 206
- convective ridge, 206, 207
- convolution theorem, 60
- Copson's method, 357

- Corcos pressure spectrum, 208, 309  
 Cramer's rule, 437  
 creeping flow, 420  
 critical Mach number, on rotor blade, 244  
 Crocco's equation, 6, 123, 160  
 Cummings, end-correction formula, 413  
 Curle's equation, 112  
   applied to compact bodies, 158  
   applied to nozzle, 176  
 cylindrical harmonics, 64  
 cylindrical shell, 22
- Dalton, law of partial pressures, 5  
 damping, thermo-viscous, 143  
 delocalization, of shock waves, 244  
 deep cavity, base pressure, 460  
   Strouhal numbers, 463–465  
 deflagration, 495  
 density, 2  
 dilatational waves, 13  
 dipole source, 45, 46  
 dispersion equation, bank of elastic strips, 405  
   bank of strips, 401  
   bending waves, 255  
   membrane, 260  
 dispersion relation, propagation through  
   turbulence, 140  
 dispersion, Stokes drag, 148  
 displacement thickness velocity, 347, 351, 373  
 dissipation, acoustic boundary layer, 321, 322  
   bias flow aperture, 366  
 Donnell, 22  
 Doppler, amplification, 152  
   contracted wavelength, 239  
   factor, 49, 117, 162  
   loading noise, 238  
   nozzle flow, 176  
   shift, 198  
 dual integral equations, 220  
 dynamic pressure, 206
- edge conditions, 19–20, 388  
 edge noise spectrum, 221  
   Chase model, 224  
   Corcos model, 223  
   finite wall thickness, 228  
   jet impingement on screen, 225  
   Laganelli and Wolfe model, 224  
   right-angled wedge, 226  
   rounded edge, 230  
   serrated edge, 231  
   square edge, 230  
 edge scattered sound, 216, 219, 226  
 edge scattering, bending waves, 293–303  
 edge-tones, definition, 472  
   Kármán vortex street, 477, 480  
   nonlinear theory, 477  
   operating stages, 476  
   radiated sound, 482  
   Strouhal number formula, 480  
   thin jet theory, 473  
 efficiency, source near edge, 179  
 elastic blade-vortex interaction, 314  
 elastic plate, bending waves, 253  
   coincidence frequency, 254  
   fluid loading, 253  
 elastic surface boundary layer noise, 286  
 elliptical integral, 466  
 emission of internally generated sound, 173  
 emission time coordinates, 48, 161  
 end correction, 357  
   circular cylinder, 252  
   Cummings' formula, 413  
   variable, 412  
 energy density, acoustic, 80  
 energy equation, 10–12  
   acoustic, 80–82  
   elastic, 15  
   in irrotational flow, 80  
 energy flux vector, 11  
 energy,  
   internal, 4, 10, 11  
   kinetic, 11  
 enthalpy, 4  
 entropy, 4  
   as source of sound, 121  
   fluctuations near compact surface, 162  
   inhomogeneities, 106  
 entropy noise, 107  
   influence of source motion, 117  
   modeling, 129  
   'spots', 168  
 equivalence ratio, 496  
 Euler equations, 4  
 Eulerian mean velocity, 419  
 evanescent wave, 255, 267  
 expansion, coefficient of, 5
- far field, acoustic, 44  
 Ffowcs Williams–Hawkings equation, 111,  
   161, 247  
   differential form, 111  
   source fixed coordinates, 112–115  
 field shape, at elastic edge, 301  
 flame, definition, 495  
   anchored, 516–519  
   diffusion, 495  
   holder, 516  
   in mean flow, 518  
   in tube, 513–516  
   Jones theory, 515  
   laminar thickness, 497–499  
   premixed, 495  
   spherical, 502–505

- flapper valve, 507  
 flow-excited depth modes, 440–443, 448  
 flue organ pipe, definition, 487  
   Brown and Michael equation, 493  
   Kutta condition, 492  
   operating condition, 490  
   Rayleigh impedance, 488  
   vorticity generation, 491  
 fluid loading parameter, 255  
   table, 256  
 force, formula, 90  
   on flat surface, 91  
   on oscillating airfoil, 313  
 Fourier time transform, notation, 1  
 Fourier transform, definition, 34  
   initial value problems, 40–43  
 Fraunhofer approximation, 46  
 friction velocity, 206, 324
- gas constant, 5  
   ideal, 5  
 gravity, influence on sound, 29  
 grazing flow aperture, cavity backed screen, 376  
   perforated screen, 375  
   vortex sheet model, 371–375  
 Green's function, *see also* compact Green's function  
   compact, 65–72  
   cylindrical duct, 65  
   fluid loaded plate, 261–263  
   for point mass load, 292  
   Helmholtz equation, 34–37  
   in uniform flow, 38  
   Laplace equation, 355  
   notation, 1  
   one-dimensional, 37  
   one-dimensional wave equation, 40  
   reciprocity, 55  
   tunnel entrance, 249  
   two-dimensional, 37  
   two-dimensional wave equation, 40  
   wave equation, 40  
 group velocity, 260, 266, 406  
 gust, 187  
   over elastic surface, 286  
   rectilinear vortex, 194  
   time-harmonic, 288  
 Gutin noise, 234, 237, 242
- heat, as source of sound, 126, 130  
 heat engine, Rijke tube, 512  
   Sondhauss tube, 520–522  
 heat exchanger, thermoacoustic engine, 520, 526
- heat flux vector, 10  
 heat pump, 520  
 Heaviside unit function, 40  
 helicopter rotor blades, 195  
 Helmholtz, decomposition theorem, 14  
 Helmholtz equation, 34, 75  
   coupled to elastic plate, 294  
   edge noise, 217  
   general solution, 60  
   Green's function, 34–37  
 Helmholtz resonator, frequency, 359  
   compact Green's function, 469  
   nonlinear theory, 417  
 Hersh, 214  
 high-speed train, 235  
 hole tones, 483  
 homentropic, 7, 27  
 hot spots, 106  
 hydraulic diameter, 332  
 hydrodynamic domain, 47  
   field, 75  
   wavenumber, 340
- ideal fluid, 7  
 ignition temperature, 498  
 impedance, 58, 60  
   Rayleigh, 442  
 initial value problems, 41  
 inner expansion, 75  
 intensity, 80  
   by method of stationary phase, 84  
   in irrotational flow, 81  
 irrotational flow, sound in, 27  
 isentropic, 7
- jet density exponent, 151  
 jet-edge interaction, *see* edge-tones  
 jet impingement on screen, 225  
 jet mixing noise, 150  
   directivity, 153  
   Mach number dependence, 152  
 jet noise, 149–156  
   effect of flight, 155–156  
 jet-switching, 399  
 Jones, theory, 515
- Kármán vortex street, 164  
   for edge-tones, 477, 480  
 Kelvin, circulation theorem, 9  
 Kelvin-Helmholtz instability, 227  
   wavenumbers, 373, 435  
 Kirchhoff's, formula, 61, 307  
   spinning vortex, 126  
 Kirchhoff-Stokes boundary layer, 320  
 Kraichnan-Phillips theorem, 208  
 Kramers-Kronig formulae, 376–379

- Kundt's tube, 410, 426–427  
 Kutta condition, 93, 94, 373, 436  
   blade-vortex interaction, 191  
   deep cavity, 461  
   edge-tones, 474, 477, 479  
   labium, 492  
   leading edge, 348, 350  
   shallow cavity, 450  
   trailing edge, 227  
 Kutta–Joukowski formula, 94  
 Lagrangian, 17, 18  
   mean velocity, 419  
 Lamé constants, 12–13  
 Landau–Lighthill method, 36  
 Laplace equation, 66, 75, 142, 236, 334  
 leading edge interactions, 347  
   Kutta condition, 348, 350  
   suction, 345  
 leaky wave, 264, 268, 300  
 lift force, blade-vortex interaction, 192  
 Lighthill acoustic analogy, 101–104  
   eighth power law, 105  
   equation, 103, 104, 110  
   equation for wall pressure, 209  
   stress tensor, 102, 103  
   theory of aerodynamic sound, 45  
 linear acoustic medium, 102  
 line force, 280  
 line vortex, near an edge, 181  
   blade-vortex interaction, 200  
 Liouville's theorem, 221, 296  
 loading noise, 237–243  
 longitudinal waves, solids, 13  
   cylinder, 23  
   plates, 20  
 loss factor, 258  
 Mach number, definition, 32  
   blade tip, 242  
 Mach wave condition, 244  
 Maeda, 249  
 membrane, edge conditions, 17  
   equation, 15–17  
   shell equations, 22  
 micro-pressure wave, 235, 246, 248  
 Mindlin equation, 21, 257, 268  
 mixing length, 324  
 moment load, 280  
 momentum boundary layer, 318  
 momentum equation, 2–3  
   Crocco form, 6, 123, 160  
   linearized, 27  
   Reynolds form, 7  
 momentum flux tensor, 102  
 moving sources, 48–50  
 multipole, definition, 43  
   expansion, 45  
   solution of wave equation, 61  
 Navier equation, 12–13, 53  
 Navier–Stokes equation, 2, 101, 103, 186, 352  
 nonlinear, aperture flow, 411, 413  
   steepening in tunnel, 246  
   transmission through perforated elastic screen, 417  
   transmission through perforated screen, 415–417  
 no-slip condition, 8  
 Ohm's law, 354  
 operating stage, 439  
 organ pipe, *see* flue organ pipe  
 P-wave, 13, 255  
 perforated screen, 353–385  
   elastic, 392  
   reflection and transmission, 360  
 Peters, 327, 333  
 plane strain, 14  
 plane wave, 30  
   reflection coefficient, 318  
 plate, edge conditions, 19  
   excited by line force, 268  
   excited by point force, 268  
   excited by turbulence quadrupoles, 269  
   point load, 283  
   thick, 21  
   point source, 34  
 Poisson's ratio, 12–13, 255, 388  
 potential core, 151  
 potential flow interaction, 191, 195  
 Poynting vector, 15  
 Prandtl mixing length, 324  
 Prandtl number, 321, 524  
   turbulent, 326  
   velocity profile, 324  
 pressure, thermodynamic, 6  
   from total enthalpy, 161  
   release surface, 58, 350  
 propagation, in bubbly medium, 137  
   in irrotational mean flow, 30–32  
   in turbulence, 138  
 propeller noise, 235  
 pulse combustor, 507  
 quadrupole source, 45  
   aerodynamic, 103  
   vibrating body, 74  
 quartz wind, 421

- radiation condition, 34
  - Sommerfeld, 47, 60
- radiation damping, 405
- radiation efficiency, 47
  - of joint, 275
- radiation, matched expansions, 74–80
  - from an edge, 177–185
  - from juddering sphere, 79
  - from pulsating sphere, 74
  - from torsional oscillations, 78
  - matched expansions with mean flow, 79
- Rayleigh, bird-call, 483
- Rayleigh conductivity, definition, 354
  - aperture in thick wall, 356
  - aperture of finite thickness, 384–386
  - bias flow aperture, 361–362
  - circular aperture, 356, 433
  - conical tube, 359
  - elliptic aperture, 358
  - for Helmholtz resonator, 359
  - for kinetic energy, 356
  - four-pole approximation, 379
  - generalized, 452
  - grazing flow circular aperture, 373–375
  - grazing flow rectangular aperture, 383, 435
  - poles for circular aperture, 433
  - poles for rectangular aperture, 438
  - poles for two-sided flow, 440
  - reverse flow reciprocity, 384
  - significance of poles, 433
  - upper and lower bounds, 356
- Rayleigh impedance, definition, 442
  - circular aperture, 442
  - rectangular cavity, 444
  - rectangular side-branch, 446
- Rayleigh scattering, arbitrary rigid solid, 71
  - spherical inclusion, 70
  - tube bank, 402
- Rayleigh's criterion, formula, 505
  - generalized, 520
  - pulse combustor, 510
  - Rijke tube, 512
  - with mean flow, 519
- reciprocal theorem, Rayleigh's, 50
  - boundary layer noise, 286
  - fluid structure interactions, 51–54
  - point sources and forces, 54
  - reverse flow, 57, 384
  - thin plate, 54–55
- reciprocity, 50–59
  - Green's function, 55
  - reduced frequency, 190
- reflection, bending wave from edge, 297
- reheat buzz, 517
- relaxation time, Stokes, 147
  - thermal, 148
  - turbulence, 325
- renormalized wave equation, 139
- retarded potential, 40
  - time, 44
- reverse flow reciprocity, 57
  - Rayleigh conductivity, 384
- Reynolds analogy, 326
  - number, 7–8
- Reynolds stress, 7, 139
  - modulated by sound, 323
  - quadrupole strength, 101, 102
- rib-stiffened plate, 287
- Rijke tube, 510–512
- ring tone, 484
- rise time, wave in tunnel, 248
- rocket, solid fueled, 520
- Rossiter, 454
- rotor noise, 235
- rough wall boundary layer noise, 213
- S-waves, 13
- sawtooth trailing edge, 233
- scattering at a free edge, 299
  - at joint, 273
  - by turbulence, 138–143
  - by vortex ring, 143
  - Lighthill's equation, 138
  - Reynolds stress interaction, 139
- Schlinker, 197, 202
- Scott, 373
- screech tones, frequency, 153–155
- screen perforated with slots, 381–382
- Sears function, 193
- self-adjoint, 51, 62
- self-noise, 216
- self-sustained oscillations, 433, 443
- separation, 24
  - at an edge, 181
- Sevik, 208–209, 211
- SH-waves, 14
- shallow cavity, 448
  - drag coefficient, 449–451
  - sound pressure, 466
  - Strouhal numbers, 451, 455–456, 468
- shear layer quadrupole noise, 118
- shear stress, admittance, 318–321, 328
- shock associated noise, 150, 153–155
- shock cells, 150
- singing airfoil, 216
- sinusoidal trailing edge, 233
- skin friction, 90
- slip velocity, streaming, 424
- slot, volume flux with grazing flow, 379

- sodium, liquid, 529  
 Sommerfeld radiation condition, 47, 60  
 Sondhauss tube, 506–507  
 sonic cylinder, 235  
 sound generation, bending wave at an edge, 298  
   compact vibrating disc, 67  
   compact vibrating sphere, 67  
 sound scattered from rib, 289  
 sound speed, equilibrium, 147  
   frozen, 147  
 sound transmission through nozzle, 173–176  
 specific heat, 5  
 speed of sound, definition, 28  
   dependence on mean velocity, 32  
 spherical harmonics, 62–64  
 spinning modes, 171  
 spinning vortex, Kirchhoff's, 126  
   pair, 126  
   sound generation, 108  
 starting vortex, 92  
 stationary phase, edge noise, 232  
   elastic plate, 263  
   formula, sound in three dimensions, 83  
   formula, sound in two dimensions, 85  
 stoichiometric, 496  
 Stokes drag, 91  
 Stokes relaxation time, 147  
 Stokesian fluid, 3  
 strain tensor, 12  
 streaming, creeping flow approximation, 420  
   Eulerian mean velocity, 419  
   high Reynolds number jet, 428  
   in tube closed at one end, 425–426  
   Kundt's tube, 410, 426–427  
   Lagrangian mean velocity, 419  
   Lighthill's equations, 419  
   low Reynolds number jet, 427  
   quartz wind, 421  
   Reynolds stress force, 410, 418, 423  
   slip velocity, 424  
 stress, compressive, 3  
   viscous, 3, 7  
 stress tensor, elastic, 12  
 Strouhal number, in duct, 351  
   circular aperture, 364, 433, 438  
   deep cavity, 463–465  
   dependence on wall thickness, 439  
   formula for edge-tones, 480  
   shallow cavity, 468  
   shedding from a cylinder, 165  
   table for shallow cavity, 469  
 subconvective pressures, 207  
 sublayer, viscous, 8  
 supersonic jet, 153  
 surface forces, formula, 89, 90  
 surface pressure, near trailing edge, 218  
 surface shear stress, 214  
 surface stress, expressed in terms of vorticity, 90  
 surface wave, energy flux, 258–260  
 Theodorsen function, 314–315, 403  
 thermal acoustic boundary layer, 381  
   admittance, 318–319, 321  
   in Helmholtz resonator, 471  
   in thermoacoustic engine, 526  
 thermo-viscous attenuation at a wall, 317  
 thermoacoustic engine, definition, 520–522  
   critical temperature gradient, 524, 528  
   heat exchanger, 520, 526  
   single plate, 522  
 thermoacoustic refrigerator, 528  
 thermoacoustic streaming, 525, 528  
 thermometric conductivity, 321  
 thickness noise, 237–243  
 thin airfoil theory, 189, 403  
 thin wall approximation, 434  
 tip vortex, 187, 195  
 Tollmien–Schlichting waves, 347, 349  
 total, enthalpy, 6  
   pressure, 59  
 trailing edge noise, *see* edge noise, 215–234  
 trailing edge, porous, 234  
 tube bank, cavity, 399  
   jetting, 407  
   solidity, 400  
   sound speed and damping, 409  
 tuning fork, 78  
 turbulence kinetic energy, 105  
   wall pressure spectrum, 329  
   wall shear stress spectrum, 331  
 turbulent jet, noise from nozzle interaction, 170  
 velocity correlation function, 140  
 velocity potential, wave equation, 29  
 vibrating surface, sound generation, 56  
 viscosity, bulk, 3  
   kinematic, 3  
   shear, 3  
   table, 4  
 viscous boundary layer, Helmholtz resonator, 471  
   thermoacoustic engine, 526  
 viscous stress, wall, 317  
   in Lighthill's theory, 103

- viscous sublayer, 325
- volume source, 27
  - sound produced by, 44
- von Kármán constant, 324
  - spectrum, 203
- vortex, interacting with a rib, 289
  - motion near a half-plane, 98, 200
  - ring passing through aperture, 186
  - ring scattering sound, 143
  - rings as a source of sound, 128
- vortex shedding, 85, 92–94
  - and combustion, 519
  - Brown and Michael equation, 94
  - from a half-plane, 99
  - from baffles in duct, 351
  - from cylinder, 165
  - from strips, 402, 404
  - influence on edge noise, 180–185
  - modeled by a line vortex, 183
- vortex sheet, profiles for grazing flow aperture, 437
  - in tube bank, 408
- vortex-airfoil interaction noise, 186–203
  - airfoil in turbulent stream, 203
- vortex street, 164, 477, 480
- vorticity, definition, 6, 85–100
  - axial, 197
  - azimuthal, 195
  - convection, 9
  - diffusion, 9
  - equation, 8–10
  - flow with internal boundaries, 87
  - in organ pipe, 491
  - in unbounded flow, 86
  - kinetic energy, 87
  - production, 9
  - source of sound, 121, 125
- wall pressure, correlation function, 204
  - point pressure spectrum, 206
  - spectrum at high Mach numbers, 210
  - wavenumber-frequency spectrum, 204, 210, 213
- wave equation, convected, 33
  - fundamental solutions, 33–43
  - general solution by Green's function, 61
  - general solution in irrotational mean flow, 61–62
- wave speeds, table, 13
- wavenumber-frequency spectrum, acoustic domain, 209
  - hydrodynamic domain, 207
  - turbulence velocity fluctuations, 141
  - wall pressure, 204
  - von Kármán, 203
- whistles, 483
- Wiener–Hopf procedure, edge noise, 220
  - half-plane with flow, 343
  - semi-infinite elastic plate, 295, 305
- Young's modulus, 12–13, 255
- Zeldovitch, 498