

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

## Index

Page references in *italics* refer to figures, tables or their captions.

- abundance data 233, 252–60, 264–5
- acid rain 32
- adaptations
  - to disturbances 25
  - disturbance-dependent plant species 13–14, 87–102
- adjacency constraints 263, 264
- agriculture, subsidies for 282
- algorithms
  - branch-and-bound 226
  - for conservation area selection 2, 3, 226, 227–30, 252–3, 264
  - heuristic 227, 228–9, 236, 238
  - priority-setting 22, 252–3, 264
- Allee effect 37–8
- Amazonia
  - bird conservation 139–57
  - bird diversity 170
  - reserves
    - Amazonia National Park 66
    - protection 23–4
  - see also* Neotropics
- Andes
  - conserving biodiversity 22–3, 141–57
  - see also* Neotropics
- Andrew, Hurricane 60, 61
- antbirds 153–4
- antelope, roan 255
- ants, litter-inhabiting 186
- archipelagos
  - extinction rates 34
  - species–area relationship 54
- area effects 174–5
- area-selection, for conservation 2, 3, 21, 211–40, 261
  - methods 220–30, 231, 251–69
- aspen 101
- Australia
  - forests and woodlands 90, 91
  - land systems of New South Wales 253
- autecology 69
- Baikal Region National Park 66
- bats, diversity along elevational gradients 177–8
- bees, bumble, conservation area selection 227
- beetles
  - dung, as indicator species 22, 182, 187–201
  - fossil 9–10
  - number of species 288
  - tiger, species richness 187, 201
- Bergmann's rule 12
- Big Cypress National Preserve 56–66
- biodiversity
  - assessed using indicator taxa 181–209, 217–18
  - avian diversity with elevation in the Neotropics 168–75
  - conservation of 2, 79–80
    - area-selection methods for 2, 3, 211–40
    - and biodiversity value 211, 212, 213–20
    - and gene or character richness 215–20
    - and higher taxon richness 218–20
    - scale of surrogacy 219, 220, 240
    - in South America 22–3, 139–57
    - and species richness 217–18
    - and WORLDMAP computer program 140
  - global priorities 273–84
  - surrogates 217–20
- Biodiversity Action Plan 294

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- Biodiversity Steering Group 294  
*Biodiversity: the UK action plan* (1994) 294  
 biogeography 69–70  
 birds  
   and ecotone habitats 20–1  
   endemism *see* endemism, avian  
   extinction(s) 291  
     risk of 30, 176  
   metapopulations in tropical forests 15, 17  
     and elevation 161–79  
     Neotropics 139–57, 161–79  
   and speciation 20, 21, 152–3  
   number of species 287  
   with small geographical ranges 54  
 Biscayne National Park 56–7, 58  
 Bolivia, Parque Nacional Noel Kempff  
   Mercado, dung beetle surveys  
   187–201  
 Brazil  
   conserving biodiversity 22–3  
   Serra dos Orgãos National Park 177  
 breeding, selective 39–40  
 butterflies  
   distribution patterns 107, 108–15  
   Edith's checkerspot, and climate change  
   10, 11  
   and habitat isolation 124–32  
     on islands 133  
   as indicator species 184, 186, 187  
   marsh fritillary, conservation 15, 16  
   metapopulations 117–24  
   milkweed, metric tree 216  
   population dynamics and the niche  
   model 115–17, 132  
 Cameroon, forest–savanna ecotone habitat  
   20–1  
 Cape Sable seaside-sparrow 7, 53–67  
 carbon dioxide, and the climate 9, 79  
 Caribbean, coral reef faunal collapse 7–8  
 catastrophes, environmental 32–3  
 Central America  
   parks and protected areas 55  
   *see also* Neotropics  
 character richness 215–16, 217  
 charcoal 90  
 Chile, matorral shrubs 99  
 cichlids, species diversity and pollution  
   18–19, 39  
 CITES 183–4, 296  
 climate  
   and butterfly distribution 108–9  
   and butterfly population dynamics  
   115–17  
   change 8–9  
   and choice of area for conservation 24  
   dynamic response of species to 9–13,  
   69–80  
   modelling responses to 74–5  
   and risks of extinction 76–9  
   *see also* global warming  
 clonal species, of plants 95  
 combinatorial scoring systems, for area  
   selection 222  
 complementarity methods, for area  
   selection 224–30, 231, 235, 240  
 computer methods, for conservation area  
   selection 239, 240  
 Conquista 156  
 conservation areas *see* area-selection;  
   reserves  
 coral reefs  
   faunal collapse 7–8  
   recruitment of species to 17–18  
 corridors, between habitats 11, 35  
 Costa Rica, migration of the resplendent  
   quetzal 17  
 cowbirds 38  
 critical patch size 38  
 damming, of rivers 13, 14  
 Darwin Initiative 295, 296  
 databases, on-line 203  
 DDT 32  
 'declining population paradigm' 2, 94  
 deforestation 176  
 degraded landscapes 132–3  
 demographic potential 35  
 demographic stochasticity 37  
 deterministic population models 45  
*Diadema*, and Caribbean reef communities  
   8  
 discounting, economic 30–1  
 disease resistance 44  
 dispersal  
   butterfly 124–32  
   local population 34–7  
 distribution, geographical *see* range of  
   species, geographical  
 disturbance-dependent plant species 13–14,  
   87–102  
 disturbances, anthropogenic 1, 25, 29–32,  
   279–81  
   and disturbance-dependent species  
   13–14, 87–102  
   and neotropical montane bird species  
   176  
 diversity  
   hotspots of 222–3, 230, 231  
   *see also* biodiversity  
 dogs, hybridization 39  
*Drosophila*, inbreeding depression 40

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- dynamic processes, and conservation 2, 3  
dynamic responses, to external challenges  
5, 9–14, 69–80
- Earth Summit, Rio 282
- ecological theory 267–8
- ecological processes, and conservation area  
selection 251–2
- ecological threats to extinction 32–8, 45
- economic discounting 30–1
- Ecuador, protected areas 54–5
- edge effects 38
- emigration *see* migration
- endemism, avian 147, 149, 150, 152, 155,  
156–7, 161  
and extinction/threat 167–8, 175, 178  
and human populations 140, 151, 152, 155  
and montane elevation 161–79
- environment  
changing phenotypes 11–13, 72  
fluctuations and catastrophes 32–4  
*see also* climate, change
- epidemics 33
- 'establishment effect' 36
- eutrophication, and species diversity of  
cichlids 18–19
- Everglades National Park 23  
and the Cape Sable seaside-sparrow 7,  
53–67
- evolution, future of 274–9  
'evolutionary potential', species with 214
- extinction 29, 300  
counter-extinction strategies 79–80  
future episode of 274–5, 277–9, 292  
insect 133  
in isolated populations 124–5, 133  
mass 274–6, 292, 300  
mean time to 32–3, 34, 35, 45  
numbers of recorded 290–1  
and the palaeoecological record 73–4,  
77–8, 79  
probabilities of 5–7, 25, 54, 265  
recovery period from 274–6  
risks 76–9  
across a species' range 260–1  
anthropogenic 1–2, 6, 29–32, 45,  
76–9  
and CITES lists 296  
ecological 32–8, 45  
genetic factors 38–45, 46  
modelling 78–9  
*see also* climate, change
- thresholds 36  
'vortices' 45
- Fagaceae 218
- families, surrogates for gene or character  
richness 218
- fire  
and the Cape Sable seaside-sparrow 63  
fire-adapted species 13–14, 88–9
- fish  
extinctions 291  
overexploitation on coral reefs 7–8  
restocking 39
- fisheries  
overexploitation 30  
subsidies for 282
- fitness, and inbreeding depression 40–1
- floods 13, 14
- flycatchers, New World, South American  
distribution 141, 144
- forestry, subsidies for 282
- forests  
forest–savanna ecotone habitat 20–1  
Pleistocene extinction 74  
tropical  
anthropogenic extinctions 1  
clearing 38  
elevational gradients in bird diversity  
161–79  
generation of new species in 20, 21,  
152–3  
importance of habitat patches to birds  
15, 176–7  
*see also* trees
- fossil fuels, subsidies for 282
- fragmented habitats *see* habitat(s), patches
- Franklin–Soulé number 43–4
- fynbos vegetation 89, 91, 92, 99
- Gap Analyses 142, 148, 150, 151, 154–7, 224  
Oregon Gap Analysis project 226–7
- genera, surrogates for gene or character  
richness 218
- genetics  
and conservation 5, 18–21  
gene richness 215–16  
surrogates for 217–20  
genetic effects in small populations  
38–45  
genetically modified organisms 297  
loss of genetic variation 41–4  
random genetic drift 42, 44
- Ginko biloba* (maidenhair tree) 100
- global conservation 287–92, 300
- Global Environmental Facility 274
- global warming 9, 22, 43, 45  
and choice of area for conservation 24  
and risks of extinction 76–9
- GMOs (genetically modified organisms)  
297

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- goats, degradation attributed to 92  
 grasshoppers, in different habitats 116  
 grasslands 90  
 grazing *see* herbivory  
 greenbul, little, speciation 20–1  
 greenhouse gases, emissions 9, 22
- habitat(s)  
 corridors between 11, 35  
 degraded 132–3  
 and indicator taxa response 185–6  
 and edge effects 38  
 heterogenous 116–17  
 loss  
 on continents versus islands 6, 7  
 and indicator taxa response 185–6  
 and threat to montane avifauna 176  
 patches  
 butterfly response to 121–2  
 and climate change 11  
 and conservation 15–17, 24, 25–6, 131, 132  
 critical patch size 38  
 importance of the matrix between 15, 25–6, 124, 176–7  
 leading to extinctions 107, 124  
 migration between 17, 121–3, 124–32, 176–7  
 occupancy 35–6, 118, 119–21  
 recruitment on coral reefs 17–18  
*see also* metapopulations  
 selection by birds 168  
*see also* range of species, geographical;  
 reserves/parks
- harvesting strategies 31  
 selective 39
- Hawaii, introduced plant species 31
- herbivory, and disturbance processes 13, 92, 93
- hominids, evolution 91
- hotspots  
 of diversity 222–3, 230, 231, 273–4, 275  
 of rarity 223–4, 230, 231
- humans  
 conservation aiding local human populations 25  
 demands for resources 24, 139  
 governmental subsidies 22, 281–3  
 habitat destruction and birds 176  
 human-dominated habitats beyond reserves 25–6  
 populations and avian endemism 140, 151, 152, 155  
*see also* disturbances, anthropogenic
- hurricanes 60, 61, 64
- hybridization, interspecific 38–9
- ibis, white 65
- immigration *see* migration
- inbreeding, depression in fitness 40–1
- Inca Empire 156
- indicator taxa, for biodiversity assessment 22, 181–209, 217–18
- individualism, of species 72–3
- insects  
 extinctions 291  
 as indicators of biodiversity 181–2  
*see also* beetles, dung  
 as pests 278  
 proportion of all species 287
- introduced species  
 on continents versus islands 6–7  
 danger to endemic species 31  
 for restocking 38–9  
 in the UK 297
- islands  
 and extinction 34, 64, 133  
 species–area relationship 54
- IUCN 290–1  
 and threat 5, 6, 97
- jackals, Simien 39
- Kenya, animals outside reserves 25
- kite, snail 58–9
- Kruger National Park, herbivore abundances 254–60, 264–7
- kudu 254, 255
- Lakeside Daisy 38
- land development, and extinction 29, 30, 45
- land systems 253
- landscape ecology 268
- landscape units 253
- landscapes, degraded 132–3
- latitude, and species richness 174
- Levin's rule 267
- lime  
 small-leaved 75–6  
 sprouting 100
- Linnaeus 287
- MacArthur Foundation 274
- maidenhair tree 100
- mammals  
 evolution of herbivorous 91  
 in North American reserves/parks 64–5  
 number of species 287  
 threatened 6–7
- montane shrubs 99
- metapopulations  
 avian *see* birds

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- metapopulations (*cont.*)  
 butterfly 117–24  
 and conservation 15–17, 24, 131  
 emigrations and immigrations 121–3,  
 124–32, 176–7  
*see also* migration  
 extinctions and colonizations 15, 34–7,  
 42, 107, 118–19  
 extinctions 107  
 persistence 267  
*see also* habitat(s), patches
- metric tree 216
- MIGRATE model 75
- migration  
 between habitat patches 17, 121–3,  
 124–32  
 for montane tropical birds 176–7,  
 178–9  
 models of 75–6, 125–32  
 military land 23, 296–7
- Ministry of Defence 23, 296–7
- models  
 ecological 69, 251–2  
 evolutionary 251–2  
 migration 75–6, 125–32  
 probability distribution 234–5  
 risks of extinction 78–9  
 of spatial responses to environmental  
 change 74–6
- montane habitats 154  
 avian diversity and endemism with  
 elevation 161–79  
 butterfly distribution 114
- morphology, changes in 11–13, 72
- mutations 43, 44–5
- Neotropics  
 dung beetles as indicator species 187–201  
 elevational gradients in bird diversity  
 161–79  
*see also* South America
- New South Wales, land systems 253
- Ngorongoro Conservation Area 66
- niche theory/model, and butterfly  
 distribution 107, 108, 109, 115–18,  
 132
- North America  
 parks and protected areas 55, 66  
*see also* Everglades National Park
- North Yukon National Park 66
- oaks, North American ‘climax’ 87  
*Our common inheritance* (1993) 294
- ovenbirds and woodcreepers, South  
 American distribution 141, 143–4,  
 149–51
- overexploitation, resource, by humans 30–1
- owls  
 barred 39  
 northern spotted 36, 39
- palaeoecology  
 and Amazonian bird species 152–3  
 and environmental changes 9–10, 11–12,  
 13, 71–4  
 and extinction 73–4, 77–8, 79
- panther, Florida 41
- parks *see* reserves/parks
- Parque Nacional Noel Kempff Mercado  
 (PNNKM), dung beetle surveys  
 187–201
- parrots, South American distribution 141,  
 143, 149–51
- patches, habitat *see* habitat(s), patches
- persistence  
 butterfly 117  
 plant 94–101, 102
- persistence niche 94–5, 97, 98, 99
- Peru, Manu National Park 147
- ‘perverse subsidies’ 22, 281–3
- pesticides 32
- pests 278
- phenotypes, environment causing changes  
 in 11–13, 45, 72
- Pinaceae 218
- plants  
 disturbance-dependent species 13–14,  
 87–102  
 dynamic responses to external  
 challenges 69–80  
 longevity 95  
 number of species 287  
 persistence 94–101, 102  
 species distribution 274  
 sprouting 95, 96–7, 99–101
- PNNKM (Parque Nacional Noel Kempff  
 Mercado), dung beetle surveys  
 187–201
- poaching 280
- pollution  
 extinction risk from 32  
 subsidies encouraging 282  
 water, and species diversity of cichlids  
 18–19
- population dynamics 15–18, 252–60  
 butterfly 115–17
- populations  
 abundances 254–8  
 ‘bottlenecks’ 42  
 environmental fluctuations and  
 catastrophes 32–4  
 minimum effective size 12–13, 43–4

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- small 45
  - and ecological effects 37–8
  - and genetic effects 38–45, 46
  - source and sink 15, 268
  - for tropical montane birds 177, 178
  - see also* metapopulations
- prairies, remnant 13–14
- precipitation, change in future 79
- priorities
  - area-based 21–2, 212, 237, 251–69
  - global biodiversity 273–84
  - process-related concerns 3, 4–21
  - incorporated into priority-setting procedures 21–2, 251–69
  - recommendations for 21–6
- protected areas 279–81
  - see also* reserves/parks
- questions, asked/answered by conservationists 3–4
- quetzal, resplendant, migration between habitats 17
- rain, acid 32
- range of species, geographical
  - butterfly distribution patterns 107, 108–15
  - and choice of area for conservation 24, 223–4
  - and climate 70–2, 74–6
  - of extinction-threatened birds 54
  - marginal and core 15–17, 108, 109, 114–15, 117
  - shift in 9–11
  - spatial heterogeneity within 260–4, 267–8
  - see also* habitat(s)
- Rapaport's rule 171–4
- rarity hotspots 223–4, 230, 231
- rats, introduced 31
- recruitment 101–2
  - see also* metapopulations
- Red Data Books 163, 290
- regeneration 76
  - of 'climax' oaks 87
  - and plant persistence 95–7
- 'rescue effect' 36
- reserves/parks 53–6, 261
  - external threats to 66
  - as islands 64–6
  - size
    - and environmental catastrophes 3–4
    - and extinctions 64–5
    - small and isolated 25
    - usefulness of large reserves 23–4, 33–4, 64–5
    - see also* area-selection, for conservation; Everglades National Park; habitat(s); protected areas
- restocking 39
- Rio Earth Summit 282
- risk factors, and mean time to extinction 33, 34, 35
- rivers, damming 13, 14
- rodents, diversity along elevational gradients 178
- salmon, restocking 39
- savanna 90, 91
  - forest–savanna ecotone habitat 20–1
  - trees sprouting 96
- scaling laws, for mean time to extinction 33, 34, 35, 45
- scoring systems, combinatorial, for area selection 222
- sea-urchins, and Caribbean reef communities 8
- seaside-sparrow
  - Cape Sable 7, 53–67
  - dusky 59
- Serengeti National Park 66
- Serra dos Orgãos National Park 177
- sites, for conservation *see* area-selection, for conservation
- Sites of Special Scientific Interest (SSSI) 298
- 'small population paradigm' 2, 93–4, 101
- snakes, South African, distribution 261–4, 265, 268
- social interactions, and population sizes 37–8
- South Africa
  - fynbos vegetation 89, 91, 92, 99
  - Kruger National Park, herbivore abundances 254–60, 264–7
  - plants threatened with extinction 93
- South America
  - conservation processes 139–57
  - parks and protected areas 55
  - see also* Neotropics
- sparrows
  - grassland 61
  - see also* seaside-sparrow
- spatial responses
  - to climate change 71–2
  - modelling 74–6
- species
  - average lifetime 291–2
  - goal-essential 238, 239
  - individualism with respect to climate change 72–3
  - introduced *see* introduced species
  - opportunistic 278

Cambridge University Press

978-0-521-63445-8 - Conservation in a Changing World

Edited by Georgina M. Mace, Andrew Balmford and Joshua R. Ginsberg

Index

[More information](#)

- species (*cont.*)  
 richness 217–18, 223  
*see also* biodiversity  
 speciation 19–21  
 birds in South America 152–3  
 during any future mass extinction event 277–8  
 in ecotone habitats 20–1  
 in ecoclimatically stable areas 20, 21  
 species–area relationship 25, 54  
 total number of 287–9  
 ‘species dynamo areas’ 214  
 sprouting, by plants 95, 96–7, 99–101  
 SSSI (Sites of Special Scientific Interest) 298  
 stochastic population models 32–3, 45  
 stork, wood 58–9, 65–6  
 subsidies, governmental 22, 281–3  
 Systematics Forum 295, 297
- taxonomic groups, and conservation 289–91
- terrapins, distribution in southern Africa 261
- threats 5–9  
 and conservation area selection 230–40  
 to protected areas 279–80  
*see also* disturbances, anthropogenic
- tortoises, distribution in southern Africa 261
- transition zones *see* ecotones
- trees  
 climate preferences of European trees 218  
 extinction in the Quaternary 74, 77  
 stem diameter and population status 97, 98
- Tropical Biology Association (TBA) 295–6
- United Kingdom  
 conservation policy 292–300  
 Dependent Territories 298–9  
 distribution of the marsh fritillary 16  
 and global warming 24  
 proportion of the world’s species in 292  
 species extinct 292–3
- United States  
 national parks 53–4  
*see also* Everglades National Park
- United States Agency for International Development (USAID) 181, 185
- vertebrates, number of species 289
- viable areas, for conservation area selection 230–40
- water, subsidies for 282
- Wildlife and Countryside Act 297
- woodcreepers and ovenbirds, South American distribution 141, 143–4, 149–51
- woodrat, bushy-tailed, size and environmental temperature 12
- World Bank 181, 185, 274
- World Wide Web 203
- WORLDMAP software 140, 141, 239
- wrens, South American distribution 141, 144, 147, 149–51