

Index

- 2-ray game, 11, 217–219, 249–253,
 269–271, 274, 300, 304, 309,
 337
- amazing example, 229–232, 246, 255,
 256
- amplitude, 111–115, 134, 136
- anticanonical
 divisor, 8
 map, 197, 253, 299, 301
 model, 103, 131, 186, 193, 218,
 244, 248, 251, 301, 320
 ring, 177, 182–183, 193, 197–
 199, 202, 214, 244, 248, 250,
 251, 265, 266, 310
 system, 80, 182–183, 252
- bad line, 305
- bad link, 11, 186, 203, 212–215, 218,
 232, 244, 248–256, 271
- bending-and-breaking, 334–336
- Big Table, 178, 189, 194–198, 201–
 204, 214–215, 221, 223, 225,
 232–243
- birational rigidity, 9, 10, 13–15, 82,
 177–178, 248, 254, 260–267,
 275, 277, 286, 292–293, 295–
 305, 310
 over a base S , 262–263, 295
- birationally superrigid, 82, 94
- bizarre quartet, 221, 255, 256
- canonical, 180, 185, 187, 208, 265,
 269, 289
 3-fold, 103, 130, 133, 151, 163,
 314, 320, 322
- model, 322, 323, 329, 332
 multiplicity (discrepancy), 79
 ring, 102, 315, 321, 322, 324,
 329, 333, 334, 338
 sheaf, 109, 110
 singularities, 102, 110, 123, 128,
 132, 137, 140, 143, 155, 187,
 217, 219, 252, 268, 313, 318,
 322, 323, 329, 330
 singularity, 315
 surface, 320
 threshold, 187, 269, 273, 274
- centre of a valuation, 78, 187, 208,
 210, 265, 266, 279
- conic bundle, 7–9, 14, 17–18, 51–
 53, 78, 82, 94, 95, 177, 178,
 262, 263, 266, 267, 286–289,
 293–296, 300, 337
- contraction, 325, 337, 339
 theorem, 338–340
- contraction, *see* divisorial, extremal,
 flipping, small
- crepant, 315, 330, 331
- critical point, 55–57, 316
 degenerate, 55
 in positive characteristic, 55
- cyclic cover, 51–55, 57–59
- deformation theory, 8
- del Pezzo
 fibration, 14, 51, 78, 82, 177,
 254, 262, 263, 265–267, 283,
 289, 293, 295–300, 309
 surface over a nonclosed field,
 54, 63–69

346

- discrepancy, 79, 96, 204, 210, 217, 265, 268, 276, 283, 285, 325, 330
- discrepancy, *see* canonical multiplicity
- discrete valuation, *see* valuation
- divisorial contraction, 2, 6, 11, 15–17, 188, 190, 191, 194, 204, 205, 212, 214, 217, 218, 253, 254, 261, 264, 266, 270, 271, 273, 281, 283, 301, 302, 309, 337
- eccentric trio, 219, 245, 256
- effective
 - cone, 329
 - curve, 335, 337
 - divisor, 324, 334, 339
 - threshold, 287, 294
- excluding, 75, 76, 81–83, 87, 90, 186, 189, 194, 196, 197, 202–232, 243, 244, 248, 249, 251–256, 266
- extremal
 - contraction, 6, 11, 16, 188, 190, 191, 204–206, 212, 214, 218, 253, 254, 261, 263, 266, 270, 274, 281, 294, 334, 337
 - extraction, 10, 11, 16, 187, 188, 190, 207, 217, 249, 251, 252, 273
 - ray, 1, 4–7, 10, 11, 184, 186, 213, 215, 217, 261, 270, 274, 294, 334, 337, 338
 - RC fibration, 292
- \mathbb{Q} -factorial, 11, 17, 77, 177, 190, 192, 261, 270, 271, 310, 327
- “famous 95”, 9, 14, 17, 103, 138–140, 155–158, 175–178, 189, 232–243, 250, 261, 263, 267, 281, 300, 310, 323
- Fano
 - 3-fold, 1, 7, 9, 10, 12, 14, 15, 17, 76, 131, 133, 154, 155, 158, 163, 175, 178, 188, 189, 219, 243, 248, 250, 253, 260, 263, 264, 266, 300, 304, 310, 320, 337
 - hypersurface, 198, 219, 249, 263, 310
 - fibration, 76, 78, 82
 - variety, 5, 13, 76, 78, 177, 179, 180, 334
- Fano fibration, *see* Mori fibre space
- fibration, *see* conic bundle, del Pezzo, Fano, Mori fibre space
- flip, 2, 6–8, 15–17, 22, 188, 218, 261, 271, 328, 331, 332, 340
 - conjecture, 7
 - theorem, 6, 313
- flip, *see* inverse flip
- flipping contraction, 16, 218
- fundamental
 - generator, 23, 25, 35, 36, 38, 41
 - simplex, 108, 137, 141, 146, 149
- geometric valuation, *see* valuation
- geometrically
 - irreducible, 61, 66
 - rational, 55
 - ruled, 60
 - ruled, uniruled, etc., 55
- graph method, *see* resolution graph
- Hilbert
 - basis, 23, 37, 38, 47, 48
 - function, 103, 133, 162, 163, 245
- Hodge numbers, 115
- index, 78
- index, *see* quasieffective threshold
- infinitely near maximal singularity, 73, 76, 80, 81, 87, 90
- inverse flip, 11, 188, 218, 219, 245, 248–250, 252, 253, 256, 271

- involution, 67, 86, 250, 255, 264,
 300–302, 305, 307
 Cremona, 13
 Geiser and Bertini, 14, 178, 179,
 181–186, 294
 of Types I and II, 178
 quadratic and elliptic, 178, 193–
 203, 232, 245, 255
- K^2 condition, 263, 265, 288, 293,
 295, 297, 300, 310
- Kawamata blowup, 16, 190–197, 199,
 202, 217, 232, 244–246, 248,
 281, 304
- lattice polytope, 21, 30, 34, 36–39,
 41
- linear system without fixed part, *see*
 mobile linear system
- link, 11–15, 17, 18, 183, 185–187,
 189, 190, 217, 248–250, 252,
 253, 260, 261, 266, 267, 269–
 271, 273–275, 288, 294, 301,
 304, 305, 309, 310
 of Type I–IV, 11, 188, 189, 193,
 197, 250, 269–271, 274, 288
- locus of log canonical singularities,
 278
- log
 canonical, 208–211, 275, 276, 278–
 280, 303, 308
 category, 10, 251, 261, 269, 292,
 325, 326, 332
 surface method, 10, 244, 278
- maverick, 212–216, 218, 253, 256
- maximal
 centre, 183, 186, 189, 190, 194,
 196, 202–204, 206
 cycle, 80–83, 85–87, 94
 multiplicity, 74
 point, 83, 87
- singularity, 12, 76, 77, 80, 87,
 90, 93, 180, 186–188, 190,
 194, 206
 triple, 74
- method of maximal singularities, *see*
 maximal singularity
- mini-definition of rigidity, 82, 177,
 248
- minimal model, 323–333
- Minkowski
 decomposition, 30, 32, 44
 mixed volume, 123, 125, 127
 sum, 8, 25, 29, 30, 39, 41, 48
 generalised, 26
 summand, 21, 25–28, 35
- mobile linear system, 12, 13, 73, 77,
 79, 82–84, 87, 90, 96, 180,
 181, 183–185, 187–189, 209–
 211, 265–267, 273, 275, 278–
 280, 283, 284, 289, 293, 296,
 303, 328
- Mori
 category, 2, 3, 6, 7, 10, 11, 186–
 188, 190, 191, 193, 204, 217,
 219, 252, 261, 269–271, 294
 cone, 3–5, 184, 188, 204, 212,
 213, 263, 270, 272, 295, 323,
 333–340
 fibre space, 2, 5, 7, 8, 11–15, 17,
 18, 175, 177, 180, 188, 189,
 217, 251, 260–263, 265–267,
 269–274, 286, 287, 289, 293,
 296, 302, 304, 310, 337
 flip, 333
 theory, 1–8, 10, 11, 15, 177, 179,
 183, 186, 251, 260, 261, 265,
 313, 327, 332, 337
- Morse lemma in positive character-
 istic, 56
- nef, 1, 4, 5, 7, 8, 184, 193, 204, 205,
 215, 250, 252, 253, 272, 273,

- 278, 290, 294, 295, 301, 302, 321, 323–324, 328, 330, 332, 335, 337–339
- threshold, 185, 294, 339
- Newton polyhedron (polygon), 125, 127, 128, 198, 220
- Noether–Fano–Iskovskikh inequalities, 12, 74, 179, 180, 265, 267, 272, 289–291, 296, 304
- Noether’s inequality, 74
- nonrational variety, 9, 51, 52, 54, 295
- nonruled variety, 51–54
- pliability, 14, 15
- plurigenus formula, 162, 245, 321
- Poincaré series, *see* Hilbert function
- projection, 10, 12, 17, 18, 32, 51, 52, 54, 60, 67, 84, 86, 96, 181, 193, 201, 211, 219, 246, 288, 301, 309, 331
- quasieffective, 272, 287, 289–291, 294, 324
 - threshold, 78, 80, 185
- quasireflection, 107, 133
- quasismooth, 105, 109, 111–123, 129, 130, 133, 136, 137, 141–143, 145–150, 154, 155, 158, 168, 169, 177, 192, 195–197, 199, 203, 211, 220, 232, 245, 253, 254, 264, 302
- quotient singularity, 2–4, 24, 26, 27, 29, 36, 102, 105, 108, 110, 137, 141, 145, 146, 149, 167, 281, 288, 315, 318–323, 340
- rainbow, 251–253
- rational
 - over F , 54
 - variety, 54, 293, 294
- rationality problem, 9, 15, 51, 52, 54, 64, 65, 78, 262, 293
- rationaly connected, 9, 15, 51, 59, 292
- realisation of a valuation, 79
- regular versus smooth, 54, 55, 64–66, 68
- renegade, 208, 210, 219, 256
- resolution
 - graph, 88–90, 92, 97, 246, 260, 266
 - of a valuation, 88
 - of singularities, 80, 315, 316, 318, 323, 326, 330
- rigid, *see* birational rigidity (infinitesimally), 46
 - boundary, 14–15, 180, 250–251, 309–310
- Russian matrix, 182, 185, 194
- Sarkisov
 - category, 193, 250, 262, 275
 - degree, 12, 13, 189, 267–269
 - decreases, 274
 - isomorphism, 262, 272, 273
 - link, *see* link
 - program, 9–17, 76, 179, 186, 187, 189, 217, 248, 251, 252, 260, 261, 265–275, 289, 290, 302, 305
 - theorem on conic bundles, 14, 52, 94, 178
- semistable
 - degeneration, 331–332
 - del Pezzo fibration, 295, 298–300
 - flip, 332
- Shokurov connectedness, 9, 208–210, 260, 261, 264, 266, 275, 277–279, 283
- simultaneous resolution, 318, 326, 328, 329, 331
- small
 - contraction, 6, 7, 270, 271

- resolution, 315, 317, 318, 323, 327, 328, 331
- special surface, 214–217, 223–225, 254, 256
- square birational map, 14, 262, 272, 287–289, 293–296, 299, 300
- standard conic bundle, 94, 287–288, 293–295
- starred monomial, 196, 197, 256
- strict Mori fibre space, 2, 7, 8, 10, 11, 78, 178, 250, 267, 310
- strong maximal
 - centre, 193
 - singularity, 187–189
- superrigid, *see* birationally super-rigid
- table method, 162, 163, 165
- terminal
 - quotient sing. $\frac{1}{r}(1, a, r - a)$, 2, 3, 124, 145, 147, 151, 167, 177, 189, 191–193, 202, 281, 315, 318, 319, 322, 323
 - singularities, 2–3, 6, 7, 11, 15, 17, 77, 123, 130, 131, 147, 148, 150, 154, 155, 168, 177, 178, 186, 190, 191, 193, 250, 260, 261, 270, 271, 281, 295, 309, 310, 315, 330, 338
- test
 - class, 203, 204, 206, 207, 212, 213, 219, 225, 227–229, 244, 251, 256
 - method, 76, 203–213, 216, 252–254
 - pair, 77–82
 - surface, 211, 303
- threshold, *see* canonical, nef, quasi-effective
- toric
 - blowup, 192
 - deformation, 22, 29, 30, 32
- Gorenstein singularities, 8, 9
- modification, 218
- stratum, 108, 117, 120, 128
- variety, 8, 21–24, 29, 30, 32–34, 247
- uniformisation of a valuation, 268
- unprojection, 33, 246–248
- untwisting, 12–13, 74, 76, 81, 82, 86, 87, 179, 183, 185, 186, 189, 190, 193–202, 232, 243, 249, 251, 252, 254–256, 260, 266, 267, 272–274, 307
- valuation, 78–80, 87, 97, 187, 188, 190, 191, 210, 265, 266, 268, 269, 273, 276, 279, 281–283, 285
- very general, 51
- weak maximal singularity, 187, 191
- weighted
 - blowup, 16, 191, 197, 199, 281, 283, 300, 309
 - hypersurfaces and c.i., 102–171, 177, 192, 261, 264, 267, 314, 321
 - their cohomology, 114–116
 - projective space, 22, 38, 325
- well formed, 105, 107, 110–113, 129, 130, 133, 134, 136, 137, 141–143, 146–148, 150
- Zariski decomposition, 323–325