

Cambridge University Press

0521640970 - The Evolution of Neogene Terrestrial Ecosystems in Europe

Edited by Jorge Agusti, Lorenzo Rook and Peter Andrews

Index

[More information](#)

Index

- Abies*, 382, 383
 Abruzzi-Apulia palaeobioprovince, 191–3, 197
 Aceraceae, 184
Aceratherium, 217, 221, 223
Aceratherium incisivum, 167, 170
Aceratherium kiliasi, 212
Aceritherium incisivum, 119
Aceritherium tetradactylum, 119
Acerorhinus, 253, 261
Acteocemas, 96, 98
Adcrocuta, 104, 114, 209, 212
Adcrocuta eximia, 118, 167, 173, 209, 211, 214, 215, 218, 220, 222, 230, 449
 Aden, Gulf of, Pliocene tephra correlation, 24, 31, 31–51
 Aegean, rodent faunas, 17
 aeolian deposits, Upper Valdarno basin, 363–5
 Aepycerotini, 444
 Afghanistan, Miocene primate taxa, 458
 Africa
 climate, 62–4
 climate/vegetation relationship, 64–8, 290, 292
 correspondence analysis, recent faunas, 419–29
 palaeoenvironment reconstruction, 290, 292
 Pliocene environmental change, 66–77, 446
 savanna fauna evolution, 437–8, 446–9
 Africa-Eurasia palaeogeography, 14–17
 African entrants into Europe, 96, 98, 99, 101, 106, 115, 197, 271, 291, 297, 406
 African monsoon, 62
 Afromontane vegetation, 293
Afropithecus, 463–73
 Agenian, 90
Agnotherium antiquus, 116
Albanensia, 104, 146, 181
Albanensia grimmi, 157, 158
Albanohyus, 403
Albanohyus pygmaeus, 119
 Alcelaphini, 444
 algal symbionts, 282–3, 311, 315
Alicornops alfambrense, 119, 173
Alicornops simorreense, 114, 119
Alilepus, 145, 198–9
Allohyaena kadici, 173
 Allosoricinae, 392, 394
Allospalax, 152
 alluvial sediments
 NE Spain, 398–9
 Sinap, 243–7
 Tuscany, 365–8
 Alpine foredeep, 13, 15
 altitudinal position, 89–90
 altitudinal trees, 379, 383
Altomiramys, 96
Alveolinella, 291
Amblyopterus, 267, 268, 270, 393
 American mammal immigration to Europe
 9, 13, 17, 446; *see also* Bering
 landbridge
 American shrews, 392, 393, 394–5
Ammonia, 291
Amphechinus, 265
 amphibians, Italy, 191
Amphicyon, 14, 103
Amphicyon castellanus, 116
Amphicyon major, 116, 172
 amphicyonids, 103, 104, 172, 174, 403
Amphilagus, 267
Amphilagus sarmaticus, 265, 266
Amphimoschus-like cervid, Italy, 192
Amphiope bioculata, 278
Amphipraxis, 104
Amphiprox anocerus, 120, 170
Amphitragulus, 94, 100
Anacus arvernensis, 116, 173
Anapithecus, 116, 295, 460–1, 477

- Anapithecus cf. hernyaki*, 169, 174, 461
- Anapithecus hernyaki*, 169
- Anatolia, Turkey *see* Sinap Formation
- Anatolian plate, 14–17
- Anchitherium*, 13, 90, 96, 113, 119, 133, 252
- Anchitherium aurelianensis*, 172
- Anchitherium sampelayoi*, 119
- Ancyclotherium pentelici*, 119
- Ancyloterium*, 212, 415
- Ancyloterium pentelicum*, 218, 220, 221
- Andegameryx*, 94, 96, 98
- Angustidens*, 178
- Ankarapithecus*, 252, 261, 295, 465–76
- Ankarapithecus metelai*, 461
- anoa, 445
- anomalomyids, 105, 149, 150–2, 182
- Anomalomys*, 105, 150, 182, 265, 267
- Anomalomys cf. gaudryi*, 157
- Anomalomys gaillardi*, 158
- Anourosorex*, 178, 184
- Anourosorex kormosi*, 162
- Anourosorex squamipes*, 393
- Anourosoricini, 393, 395
- Antarctic ice, 17, 68, 403
- antelopes, 436, 444
- Antemus*, 402
- Anthracoglis*, 195
- Anthracoglis cf. marinoi*, 195
- Anthracoglis marinoi*, 194, 195
- Anthracomys lorenzi*, 198–9
- Anthracomys majori*, 195, 196
- anthracotherids, 95, 105–6, 195
- Anthracotheirus*, 11
- Apodemus*, 106, 151, 271
- Apodemus aff. primaevus*, 89
- Apodemus etruscus*, 198–9
- Apodemus gudrunae*, 151, 164, 200
- Apula amberti*, 341, 342
- Apula escoffierae*, 338, 340
- Apula koehnei*, 345
- Aquitanian vegetation, 380–1
- Arabian plate, 14–17
- Arabian Sea, Pliocene tephra correlations, 23–51
- Aragonian
 - MN units, Spain, 86, 86–7, 96–102
 - rodent assemblages, Spain, 127–38
 - shrews, 392
- Aragonian-Vallesian transition, 113–24
- Aragoral mudejar*, 121
- Archaeodesmana*, 145, 176, 178, 184
- Archaeodesmana cf. pontica*, 163
- Archaeodesmana vinea*, 157, 158, 161, 162, 163
- Arctaphicyon*, 173
- Ardipithecus*, 467, 473
- Ardroverictis schmidtkit.*, 117
- aridity, 24, 28, 357–65, 407–8, 437
 - Africa, 64, 68, 69, 70, 71–3, 77, 446, 447
 - mock aridity, 69, 70, 73
- Armantomys*, 94, 96, 136
- Artemisia* steppe, 379, 383, 477
- artiodactyls, 94, 96, 98, 100–1, 106, 119
 - Central Europe, 170
 - Greece, 206, 208
 - Italy, 192, 197, 198
 - Spain, 403
- Arvicolidae, 152, 162
- Asellia*, 145
- Asellia cf. mariatheresae*, 158, 200
- Asia, correspondence analysis, recent faunas, 419–29
- Asian entrants into Europe, 95, 98, 99, 101, 106, 178–81, 197, 271, 406
- Asoriculus*, 176, 177, 393
- Asoriculus gibberodon*, 393
- Asteraceae, 382
- Atlantoxerus*, 136, 252
- Atlantoxerus cf. rhodius*, 200
- atmospheric circulation, 59–62, 372, 397, 407
- Aureliachoerus*, 96
- Australopithecus*, 449
- Austria
 - Miocene primate taxa, 457
 - non-marine molluscs, 334–5, 336–7, 339
 - see also* Central Europe
- Austroportax*, 101, 102, 106, 121
- Avicennia* mangrove, 380, 381, 383
- Axis axis*, 445
- Baranogale adroveri*, 117
- Baranogale cf. adroveri*, 173
- Barberahyus*, 114
- Barberahyus castellensis*, 1194
- basin correlations, Eurasia, 85–90, 258–9

Index

490

- basin facies analysis, Tuscany, 355–72
- beavers 103, 104, 105, 166, 169, 181, 184;
 see also Castoridae
- Begertherium*, 253
- Belbus*, 252
- Belbus beaumonti*, 218, 449
- Bensonomys gileyi*, 402
- benthonic foraminifera, 282–93, 477
- Beremendia*, 394
- Beremendia fissidens*, 394
- Beremendia minor*, 394
- Beremendiini*, 394, 395
- Bering landbridge, 11, 17, 287, 290, 293,
 296, 298, 393
- Beryslavsky mammalian complex, 268–70
- Betulaceae, 184
- Bilkynsky mammalian complex, 270–1
- biochronology
 - hominoid primates, 455–63
 - non-marine molluscs, 329
- biodiversity, and sorcids, 391
- biogeography
 - and coral data, 312–14
 - hominoid primates, 454–81
- biome method, 380
- biostratigraphy
 - Late Miocene, Central Europe, 167–74,
 178–82
 - Miocene, Spain, 84–107
 - MN mammal units, 84–107
 - Oligocene-Miocene, W Eurasia, 274–98
 - Upper Miocene, France, 153–4
- Birgerbohlina*, 105, 121
- Bison bison athabascaae*, 445
- Bithinia*, 366
- Bitlis Zone, 16
- bivalves, Paratethys, 12, 278
- Blackia*, 146, 181, 265
- Blackia miocaenica*, 157, 158, 162
- Blarinella*, 176, 393
- Blarinellini*, 392–3, 394
- Blarinini*, 393
- Blarinoides*, 145, 164, 393
- Bohlinia*, 253, 261
- Bohlinia attica*, 211, 213, 215, 221, 223, 230,
 441, 449
- Bohlinia nikitiae*, 213
- Bos gaurus* (gaur), 445
- boselaphine bovids, 113, 212, 224
- bovids, 98, 99, 101, 102, 104, 106–7, 113,
 114, 425, 441
- Greece, 206, 208–9, 212, 224, 227, 228,
 229, 230, 231, 415, 418, 422, 429
- Italy, 195, 198, 200
- Siwaliks, 405
- Turkey, 254
- Brachyodus*, 95, 96
- Brachyodus onoideus*, 205, 210
- Brachypotherium*, 119, 253, 404
- Brachypotherium goldfussi*, 167, 173
- Bransatoglis*, 96, 104, 134, 403
- Bubalus quarlesi* (mountain anoa), 445
- Budorcas* (takins), 445
- Bunolistriodon*, 13, 98, 100, 206, 253
- Bunolistriodon lockarti*, 210
- Byzantinia*, 252, 270
- Cainotherium*, 96, 100
- Calatayud-Daroca Basin, 127–38
- Calatayud-Teruel Basin, 113–24
- Calligonum*, 382
- Calomyscus*, 86
- Camelopardis attica*, 230
- camels, 445
- Can Vilella, Spain, 89
- Canalicia*, 332, 333
- Canalicia attracta*, 332
- Canis cipio*, 116
- '*Caprotragoides*', 99
- Cardium lipoldi*, 12
- Carnivora
 - Late Miocene, Central Europe, 174
 - Vallesian, Spain, 116–18, 403
- Carychiopsis schwageri*, 332
- Carychium* (*Carychiella*) *puisseguri*, 342
- Carychium* (*Saraphia*) *nouleti*, 335
- Carychium* (*Saraphia*) *pachychilum*, 342,
 344
- Carychium* (*Saraphia*) *pseudotetrodon*, 344
- Caspicyclotus*, 333
- Castillomys*, 106, 198–9
- Castor*, 181
- Castor* cf. *praefiber*, 198–9
- Castoridae 145–6, 402, 403, 424; *see also*
 beavers
- Castromys*, 151, 164

Cathaya, 379, 382, 383
Cedrus, 379, 382, 383
Celadensia, 153
Celadensia grossetana, 157
 cenogram analysis, faunal diversity, 122–3
 Central Europe
 filler > Late Miocene faunal province, 417–18
 Late Miocene mammals, 165–85
 Miocene primate taxa, 457
 palaeoclimate change and non-marine molluscs, 328–49
Centralomys benericettii, 200
 ‘*Cepaea*’, 333
 ‘*Cepaea*’ *concludensis*, 338
 ‘*Cepaea*’ *moroguesi*, 331
 ‘*Cepaea*’ *silvana silvana*, 331
 ‘*Cepaea*’ *subsulcosa*, 331
Ceratonia, 382
Ceratotherium, 252, 261, 449
Ceratotherium neumayri, 212, 214, 216, 217, 221, 223
 cercopithecids 169, 214, 216, 223, 224, 225, 296, 405, 413, 414; *see also*
 Mesopithecus
Cervavitus mimus, 173
 cervids, 96, 99, 101, 104, 105, 107, 441, 444
 Central Europe, 172, 173, 174
 Greece, 415, 417
 Italy, 192, 198, 200
 Turkey, 252, 261
Cervus canadensis (wapiti), 444, 445
Cervus unicolor (sambar), 444, 445
Chalicomys, 103, 104, 146, 403
Chalicomys jaegeri, 157, 158, 161, 163, 176
 Chalicoteriidae as palaeoenvironmental indicators, 415–19
 Chalicotheriinae, 214, 415
Chalicotherium, 98, 415
Chalicotherium goldfussi, 170, 217, 223
Chalicotherium grande, 119
Chasmaporthetes, 225
Chasmaporthetes bonisi, 214, 223
 chelonians, Italy, 192
 Cherevychansky mammalian complex, 271
Chilotherium, 253, 261
Chilotherium persiae, 218
 China, 182, 426, 443, 459
 Chiroptera, 145, 157–64, 195
 chitals, 445
Chlamys albina, 278
Chlamys submalviniae, 278
Choerolophodon, 254
Choerolophodon chioticus, 206, 210
Choerolophodon pentelici, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 223, 224, 225, 230
 Chondrinidae, 329, 333
 chronostratigraphy, 48–51, 84–5
 hominoid primates, 455–63
 lignites, Tuscany, 365–8
 macromammals, Spain, 123
 non-marine molluscs, 329
 Oligocene-Miocene, W Eurasia, 274–98
 Sinap Formation, 247–9
 Vallès-Penedès Basin, 397–408
Circamustela dechaseauxi, 117
Cistus, 379
 cladograms, 463–74
Clausilia, 335
Clausilia baudoni, 342
Clausilia baudoni baudoni, 345
Clausilia baudoni tillensis, 345
Clausilia hollabrunnensis, 340
Clausilia portisi, 345
Clausilia produbia, 345
Clausilia rolfbrendti, 345
Clausilia strauchiana, 345
 Clausilioidea, 329–47
 climate, Late Miocene, France, 153
 climate change, and mammal turnover, Late Miocene, Spain, 397–408
 climate change and faunal succession, 88–9
 climate parameters, 55–77
 climate-modifying factors, 60–6
 climate/vegetation relationship, 64–6, 71–7
 climatostratigraphy, Oligocene-Miocene, W Eurasia, 274–98
 cluster analysis, Vallesian large mammals, 114–15
Clypeaster, 278
Clypeaster intermedius, 277
Clypeaster martini, 278
 coccolithophorids, 48
Cochlodina, 333, 335

Index

- 492
- Cochlodina berthaudi*, 342
 - Cochlodina laminata*, 345
 - Cochlodina oppoliensis*, 339–40
 - Cochlodina perforata*, 332
 - Cochlodina prolaminata*, 345
 - Cochlostoma*, 333, 334, 343
 - commonality, foraminifera assemblages, 285–94, 298
 - Completeness Index, 251–7
 - coniferous forests, 271, 380
 - Connochaetes taurinus* (wildebeest), 445
 - Conohyus*, 99, 104
 - Conohyus simorrensis*, 172
 - Constricta*, 332, 333
 - Constricta tenuisculpa*, 332
 - Convolvulus*, 382
 - corals, Miocene, 293, 309–24, 398, 477, 478
 - Correspondence Factor Analysis, 419–29
 - Craspedopoma*, 335, 341
 - Craspedopoma conoidale*, 342
 - Cremohipparium matthewi*, 441
 - Cremohipparium mediterraneum*, 441
 - Cremohipparium proboscideum*, 440, 441
 - Creneatachea*, 336
 - cricetids, 11, 86–8, 88, 91, 97–100, 103, 104, 105, 131, 133, 134, 402–8
 - Central Europe, 181
 - France, 149–50, 153–4
 - Ukraine, 265–71
 - Cricetodon*, 97, 102, 134
 - Cricetodon albanensis*, 102
 - Cricetodon lavocati*, 102
 - Cricetodon versteegae*, 98
 - Cricetodontinae, 87
 - Cricetulodon*, 87, 103, 104, 150, 181, 402–8
 - Cricetulodon complicidens*, 266
 - Cricetulodon hartenbergeri*, 87
 - ‘Cricetum vacuum’, 95, 97
 - Cricetus*, 17, 106
 - Cricetus* cf. *barrierei*, 200
 - Criotherium*, 254
 - Criotherium argalioides*, 217, 441
 - Crocidosorex*, 195
 - Crocidosorex antiquus*, 191
 - Crocidosoricinae, 391–2, 395
 - Crocidura*, 394
 - Crocidurinae, 394
 - crocodiles, Italy, 192
 - Crocota crocuta*, 449
 - crouzelines, 169, 295, 460, 461
 - Crusafontina*, 178, 184, 265, 266
 - Crusafontina endemica*, 157, 393
 - Crusafontina kormosi*, 144, 157, 158, 161, 163
 - ctenodactylids, 192
 - Cupressaceae, 379
 - Cyclophoridae, 333
 - Cyperacea marshes, 382
 - Cyrtochilus*, 332, 333, 336
 - Czech Republic, non-marine molluscs, 332
 - Dacian Basin, 17
 - dambos, 72, 290, 293, 295
 - Danish–Polish Strait, 11
 - De Geer Route, 9
 - Deamaninae, 268
 - Decennatherium*, 103, 208, 209, 253
 - Decennatherium macedoniae*, 209, 212
 - Decennatherium pachecoi*, 121, 209
 - deciduous forests, 381, 382
 - Deep-Sea Drilling Project (DSDP), 23
 - deer, modern 173, 444; *see also* cervids
 - Deinotherium*, 14, 98, 103, 404
 - Central Europe, 165, 167, 170–2
 - Greece, 210, 211, 219, 230, 417, 418
 - Turkey, 254
 - Deinotherium bavaricum*, 165, 170
 - Deinotherium giganteum*, 116, 165, 167, 170–2, 172, 218, 220, 221
 - Deinotherium gigantissimum*, 170–2
 - Deinotherium levius*, 170
 - Deinsdorfia*, 392
 - Democricetodon*, 87, 91, 95–7, 133, 140, 150, 181, 252
 - Democricetodon* cf. *nemoralis*, 157
 - Democricetodon freisingensis*, 102
 - Democricetodon galliardi*, 134
 - Democricetodon hispanicus*, 133
 - Deperetomys hagni*, 102
 - desertification, 407
 - deserts, Africa 69; *see also* aridity
 - Desmana*, 176, 267, 268, 270
 - Desmanella*, 145, 158, 159–60, 160, 178, 185
 - Desmanella* cf. *crusafonti*, 161, 162, 163
 - Desmanella crusafonti*, 161, 162, 163, 164
 - Desmanella stehlini*, 157

Dibolia, 176
 ‘*Dicerorhinus*’, 198
Dicerorhinus cf. *megarhinus*, 198, 200
Dicerorhinus orientalis, 207, 217, 230
Dicerorhinus pikermiensis, 217, 220, 221
 ‘*Dicerorhinus*’ *steinheimensis*, 104, 119, 403
Diceros, 449
Diceros cf. *pachygnathus*, 198
Diceros pachygnathus, 207, 438
Dicroceros elegans, 172
 dietary reconstructions, Pikermian
 ungulates, 439, 444–6
 Dimylids, 144, 266
 ‘*Dinarica*’ *dalpiazi*, 339
Dinocrocota, 173, 226, 252
Dinocrocota gigantea, 209, 212
Dinocrocota salonicae, 213
Dinofelis, 449
Dinosorex, 144, 178, 185, 265, 266
Dinosorex cf. *pachygnathus*, 157, 158
Dinosorex pachygnathus, 157
 Dionysopithecinae, 459, 468, 475
 Diplommatinidae, 333
 Dipodidae, 270
Dipoides, 146, 181
Dipoides problematicus, 161, 163, 198–9
Discostrobilops, 333
Discostrobilops uniplicatus, 331
Discus (*Discus*) *euglyphusi*, 332
Discus (*Discus*) *vireti*, 331
Discus laetumbilicus, 344
Discus pantanelli, 344
 diversity
 Aragonian rodent faunas, 127, 127–38
 foraminiferal assemblages, 284–98
 Spanish Vallesian, 115–24
 Vallesian macromammals, 115–24
Dolichopithecus, 297
Domninoidea, 265
Dorcatherium, 96, 103, 106, 114, 206, 208, 210, 221
Dorcatherium crassum, 120
Dorcatherium nauai, 120, 170
Dorcatherium penecki, 210
Dorcatherium puyhauberti, 215, 223, 224
 dryopithecines, 294
Dryopithecus, 16, 101, 103, 104, 169, 172, 174, 294, 403, 417, 456–61, 463–80
Dryopithecus brancoi, 169, 461
Dryopithecus carinthiacus, 169, 460, 461
Dryopithecus crusafonti, 116, 460, 461
Dryopithecus fontani, 460
Dryopithecus laietanus, 116, 460, 461
Dryopithecus rhenanus, 169
 East Africa, Pliocene tephra correlations, 23–51
 Eastern Europe, Vallesian 240, 261; *see also* Eurasia
Ebromys autolensis, 93
 echinoids, 278
Echinolampas, 278
Echinolampas hemisphaericus, 278
 Echinisoricinae, 144, 162
 EKR and LKR, 135
Eliomys, 146–7, 158, 182, 403
Eliomys truci, 164
 Ellobiidae, 331
 endemic lineages, 85–90
 endemism, corals, 313
 endemism, Italy, 192–7, 197
 energy hypothesis, 309–24, 477
 energy and water regimes, 55–6, 64–6, 75–7, 447
Engelhardia, 381, 383
Enhydriodon laticeps, 222
 eolian dust variations,
 Pliocene–Pleistocene, 27–8, 34, 68
Eomellivora wimanni, 170
Eomuscardinus, 104, 146, 182, 403
Eomuscardinus cf. *sansaniensis*, 157
 eomyids, 11, 88–9, 91, 94, 95, 134, 147, 149, 182–3
Eomyops, 89, 134, 182, 265, 266
Eomyops catalaunicus, 147, 157, 158, 159, 160, 162, 164
Eostrobilops, 333, 341, 343, 347
Eostrobilops aloisii, 344
Eostrobilops duvali, 342
Eostrobilops patuliformis, 344
Eotragus, 98, 101, 121, 206, 210
Eozapus, 178, 182, 268, 270
Eozapus intermedius, 150, 159, 160, 161, 164
Epimeriones, 150, 167, 181
Epimeriones aff. *austriacus*, 89, 162, 164

Index

- 494** *Episoriculus*, 176, 265, 266
Episoriculus aff. *gibberodon*, 200
Eptesicus cf. *campanensis*, 145, 158, 162
Eptesicus cf. *noctuloïdes*, 145, 158, 162
 equids 96, 102, 103, 113, 133, 417, 418, 422, 430, 441; *see also* *Hipparion*
 equitability, Aragonian rodent faunas, 127, 128–9, 136–7
Equus burchelli, 444
Equus grevyi, 444
 Ericaceae moors, 381
 Erinaceidae, 142–4, 198–9, 266
Erinaceus, 177
 Ethiopia, tephra correlations, 23, 31, 48, 49
Etruria viallii, 195
Eualopia, 332, 333
Eualopia bulimoides, 332
Euboictis aliverensis, 206, 210
Eucricetodon, 90–2, 94, 95
Eucricetodon aquitanicus, 90, 91, 92, 94
Eucricetodon collatus, 91
Eucricetodon gerandianus, 90, 91, 92, 94
Eucricetodon hesperius, 91, 92
Eucricetodon infralactorensis, 90, 91, 92, 94, 95
Eucyon, 198–9
Eucyon monticinensis, 200
Eumaiochoerus etruscus, 195, 196
Eumyarion, 97, 98, 104, 150, 181
Eumyarion cf. *latior*, 157
Euprox, 106
Euprox dicranocerus, 120, 172
Euprox elsanus, 198
Euprox furcatus, 120, 172
Euprox minimus, 120
 Eurasia
 Eocene plate tectonics, 9
 Late Miocene, Ukraine, 265–71
 late Miocene palaeoecology, 436–49
 mammal turnover and climate change, 403, 405
 Miocene hominoid primates, 454–81
 Oligocene, faunal exchange, 12–17
 Oligocene–Miocene palaeogeography, 274–308
 Vallesian, 261, 403
Eurolagus fontannesii, 145, 159
Eurolistriodon, 98
 Europe *see* Central Europe; Eastern Europe; Western Europe
Euroxenomys, 104, 403
Eusmilus, 11
Eustroilops fischeri, 332
 Euxinian Basin, 17
 evaporites, 293, 357–63, 371–2
 evapotranspiration, 61, 62, 64–5, 66, 76, 477
 evergreen woodland, 174, 295, 442, 476
 facies analysis, 355–72
 FAD and LAD, 85–107, 134, 171, 174
Fahlbuschia, 97, 103, 136
Fahlbuschia crusafonti, 102, 103
 felids, 95, 102, 103, 114, 222, 449
Felis, 438
Felis antediluviana, 118
Felis attica, 173, 218, 222
Felis ex. gr. *attica-christoli*, 200
 fir, 379
Flabellipecten larteti, 278
 flood-dominated deposits, Tuscany, 368–71, 371
 flora 166, 167, 170–71 174, 184–5, 440–43; *see also* palaeobotany; vegetation
 fluvio-deltaic deposits, Tuscany, 369
 fluvio-lacustrine deposits, Tuscany, 363–5
 flying squirrels, 103, 104, 105, 146, 153, 184, 402, 403
 FO and LO, 135
 foraminifera, 9, 12–13, 16, 276–308, 320, 477, 478
 forest habitats, 413, 422–4, 439–46, 475–9
 Central Europe, 169–70, 174, 184–5
 Western and circum-Mediterranean Europe, 379–84, 399–408
 forest-steppes, Ukraine, 271
Forsythia, 265
Fortuna, 343
Fortuna seringi, 342
 France
 Miocene primate taxa, 456
 non-marine molluscs, 331–2, 334, 337, 338, 340–1, 343, 346, 347
 Upper Miocene micromammals, 140–54
Frechenia, 343
Frechenia ducrosti, 341, 345

Frechenia nayliesi, 341, 342, 345
Frechenia quadrifasciata, 342
Frechenia reichenbachii, 345
 fruit production, and climate change, 383

Galactochilus, 332, 333, 339, 341
Galactochilus leobersdorfensis, 337
Galactochilus locardi, 338, 340
Galerix, 142, 144, 157, 159, 160, 161, 162, 163, 164, 177, 267, 270
Galerix aff. *depereti*, 200
Galerix cf. *socialis*, 157, 158, 198–9
Galerix iberica, 158
Gastrocopta, 337
Gastrocopta (Albinula), 332, 336, 337, 338, 339, 340, 341, 343, 347
Gastrocopta (Albinula) acuminata, 336
Gastrocopta (Albinula) acuminata acuminata, 335
Gastrocopta (Albinula) acuminata fossanensis, 344
Gastrocopta (Albinula) dupuy, 342
Gastrocopta (Albinula) edlaueri, 336
Gastrocopta (Albinula) turgida, 331–2
Gastrocopta (Sinalbinula), 332, 333, 334, 335, 336, 338, 339, 340, 346
Gastrocopta (Sinalbinula) baudoni, 342
Gastrocopta (Sinalbinula) larteti, 335
Gastrocopta (Sinalbinula) nouletiana, 335, 337
Gastrocopta (Sinalbinula) serotina, 336
Gastrocopta (Vercopsis) dehmi, 344
Gastrocoptinae, 329, 331, 333
 gastropods, terrestrial, 191
 gaur, 445
 Gauss Gilbert palaeomagnetic reversal, 50
Gazella, 106, 212, 213, 214, 217, 218, 219, 222, 224, 230, 231, 254, 444
Gazella capricornis, 221, 228, 438
Gazella capricornis-gaudryi, 441
Gazella cf. *gaudryi*, 216, 230, 231
Gazella deperdita, 121, 216, 218, 223, 228, 230
Gazella granti, 445
Gazella pilgrimi, 214, 215, 216, 217, 227, 228
 General Circulation Models (GCMs), 28, 379

Gentrytragus, 99, 101
 genus richness, Sinap Formation, Turkey, 257–8, 260–1
Georgiomeryx georgalasi, 207, 210
Geotrypus oschiriensis, 191
 Geraniaceae, 382
 Gerbillidae, 106, 198–9
 Germany
 Miocene primate taxa, 457
 non-marine molluscs, 331, 332, 334, 335, 343
 see also Central Europe
Gigantopithecus, 463, 467, 468
Giraffa attica, 438
 giraffes, modern, 437, 449
 giraffids, 95, 99, 101, 102, 103, 105, 113, 195
 Greece, 415, 417, 418, 422, 424
 Italy, 195, 207, 208, 228
 Pikermian Biome, 436, 441, 445, 448–9
 Turkey, 253
Giraffokeryx, 449
 glacial cycles, 28, 73, 76, 397
Glirudinus, 147
 glirids, 88–9, 92, 94, 95–6, 103–40, 134, 136, 402–3
 Central Europe, 182–3
 France, 146–7
 Greece, 211
 Italy, 191, 195
 Siwaliks, 404
 Ukraine, 266–7
Glirudinus, 146
Glirudinus glirulus, 96
Glirudinus gracilis, 96
Glirudinus undosus, 157
Glirulus, 104, 142, 147, 182
Glirulus cf. *diremptus*, 147, 157, 159, 161
Glirulus cf. *lissiensis*, 158, 159, 160, 162, 163
Glirulus lissiensis, 147
Glis, 147, 176–8, 182
Glis major, 191
Glis minor, 164
Glis vallesiensis, 265
 global climate change, and mammal turnover, 397–408
Globigerina marl facies, Paratethys, 9

Index

496

Globigerinoides extremus, 277
Globigerinoides ruber, 277
Globigerinoides subquadratus, 277
Globorotalia conomiozea, 358, 359
Globorotalia (Fohsella), 278–81
Globorotalia (Fohsella) fohsi, 278–81
Globorotalia (Fohsella) fohsi lobata, 278
Globorotalia (Fohsella) fohsi robusta, 278
Globorotalia (Fohsella) peripheroacuta, 278–81
Globorotalia (Fohsella) peripheroronda, 277
Globorotalia (Fohsella) praefohsi, 278–81
Globorotalia mayeri, 277
Globorotalia menardii, 277
 Gomphotheridae, 14, 96, 200
Gomphotherium, 14–15, 192, 210, 254
Gomphotherium angustidens, 116, 172
Gomphotherium landbridge, 14–17, 191, 291
 Gorilla, 449, 465–73
Graecopithecus, 295, 449, 461, 462, 463–74
Graecopithecus freybergi, 217, 230
 Grand Coupure, 9, 392
Graphiurops, 147, 182
Graphiurops austriacus, 159, 160, 161–2
 grass pollen as aridity indicator, 71–3, 77
 grassland habitats, 71–3, 290, 404–5, 422–4, 436, 438, 439–43
 Greco-Iranian faunal province, 417, 424, 426–31
 Greece, Miocene
 macromammals, 205–31
 micromammals, 206, 207, 208
 primate taxa, 458
Griphopithecus, 16, 294, 455, 459, 460, 463–77
 Grytsivsky mammalian complex, 265–7
 gypsum units, Tuscany, 357–63
 halite, 357, 363
Helicella (Xerotracha), 339
Helicigona, 340
Helicigona chaignoni, 341, 345
Helicigona schwarzbachi, 345
Helicigona truci, 342
Helicodonta hecklei, 332
 Helicoidea, 329–47
Heliopithecus, 466, 467
 ‘*Helix*’ *bolivari*, 338
 ‘*Helix*’ *vilanovai*, 338
Helladorcus, 429
Helladorcus geraadsi, 212
Helladotherium, 211, 253, 2219
Helladotherium cf. *duvernoyi*, 231
Helladotherium duvernoyi, 213, 214, 216, 217, 219, 220, 221, 230, 441
Helladotherium mediterraneum, 229
Hemicyon, 96, 252
Hemisorex, 392
Herpestes dissimilis, 117
Heterocricetodon, 13
Heteroprox, 99, 101
Heteroprox larteti, 120, 172
 Heterosoricids, 144, 266
Heteroxerus, 136, 145–6, 162
Heteroxerus griuensis, 157, 159
Heteroxerus huerzleriei, 158, 161
Hexaprotodon crusafonti, 339
Hexaprotodon pantanelli, 198
Hexaprotodon succulus, 198
Hipparion, 17, 101, 102, 113, 114
 France, 140
 Greece, 209, 212, 213, 219, 225, 226, 227, 230, 231, 429–30, 430
 Italy, 198
 Turkey, 240, 252
 Ukraine, 198
Hipparion brachypus, 21, 221, 229, 230
Hipparion catalaunicum, 119
Hipparion concudense, 119
 ‘*Hipparion Datum*’, 460
Hipparion dietrichi, 214, 215, 216, 217, 219, 227, 228, 440, 441
 ‘*Hipparion event*’, 296, 401
 ‘hipparion faunas’, 436–7, 443
Hipparion gromovae, 119
Hipparion koenigswaldi, 229–30
Hipparion macedonicum, 211, 212, 213, 214, 215, 216, 226, 227, 228
Hipparion matthewi, 217, 223, 224, 230
Hipparion mediterraneum, 119, 217, 219, 220, 221, 222, 223, 224, 228, 229, 230
Hipparion periafricanum, 223, 229
Hipparion primigenium, 119, 208, 211, 212, 266

Hipparion proboscium, 214, 217, 227, 228
 hippopotamids, 17, 339
Hippopotamodon, 253, 261
Hippopotamus, 106
Hipposideros, 145
Hipposideros cf. *collongensis*, 158
Hippotherium, 102–3, 401
Hippotherium giganteum, 440, 441
Hippotherium primigenium, 166–7, 170, 430
 Hippotragini, 444
Hispanodorcus, 106, 121
Hispanomeryx, 100–1, 104, 120
Hispanomys, 86, 102, 105, 106, 149, 150, 163, 267
Hispanomys aragoniensis, 86
Hispanomys bijugatus, 86, 157
Hispanomys cf. *mediterraneus*, 159, 160
Hispanomys cf. *peralensis*, 162
Hispanomys decedens, 86
Hispanomys dispectus, 86
Hispanomys mediterraneus, 86, 158, 161, 1529
Hispanomys nombrevilliae, 86
Hispanomys thaleri, 86
Hispanopithecus, 469
Hispanotherium, 98, 99, 100, 133
 hominid localities, tephra correlations, 23–51
 hominoids, 101, 103
 biogeography and palaeoecology, 454–81
 Central Europe, 169, 172, 174
 and climate change, 397, 403, 404–5
 disappearance, 296, 383
 Greece, 208, 209, 212, 213, 226
 Italy, 193–5, 197, 365
 Oligocene–Miocene land migration, 290, 292, 293–4, 296
 palaeoenvironment, Macedonia, 413–31
 phylogenetic hypotheses, 463–74
 Pikermian–African correlations, 448–9
 Siwaliks, 404–5
 Turkey, 253, 261
Homo, 465–71
 homoplasy, 472, 480
Honanotherium schlosseri, 441
Hoplitomeryx, 192
Hoploaceratherium, 253
Huerzelerimys, 105, 106, 153
Huerzelerimys minor, 151, 152, 160, 161
Huerzelerimys oreopithecii, 195, 196
Huerzelerimys vireti, 105, 142, 151, 154, 162, 163, 194, 195
 humidity
 Late Miocene, France, 153
 and rodent habitats, Aragonian, 132–8
 and shrews, 391, 395–6
 and species diversity, 477
 Vallesian, Spain, 122–3
 western Europe, 424
 Hungary, Miocene primate taxa, 457
Hyaena abronia, 449
Hyaena chaereticus, 438
Hyaena eximia, 438
Hyaena hyaena, 449
Hyaena salonicae, 226
Hyaenictis, 104
Hyaenictis almerae, 118
Hyaenictis graeca, 222
Hyaenictitherium hyaenoides, 218, 222
 hyaenids, 101, 102, 104, 114, 167, 173, 174, 198–9, 209, 403, 436, 449
Hyaenotherium, 252
Hyaenotherium wongi, 215, 218, 222
Hydrocena, 343, 346
Hydrocena dubrueilliana, 342, 344
 hydrological cycle, 58, 61, 70
Hylobates, 463, 465–74
Hylopetes, 146, 157, 159, 160, 181, 200
Hyootherium, 13
Hyootherium soemmeringi, 172
Hypolagus, 198–9
Hyposioderos (*Syndemostis*) cf. *vetus*, 200
Hypsodontus, 253
 hypsodonty, 194, 436, 438, 444
 Hyracoidea, 119, 424, 436
Hystrix, 182
Hystrix primigenia, 198–9, 200, 219, 221, 222, 224, 229, 438
 Iberian peninsula landbridge, 297
Iberus, 340
Iberus dupuydelomei, 337, 338
 ice age cycles, 28, 73, 76, 397
Ictitherium, 167, 252
Ictitherium pannonicum, 118

Index

- 498
- Ictitherium viverrinum*, 214, 215, 216, 218, 222
- Indarctos*, 102, 103, 114, 252
- Indarctos anthracitis*, 195
- Indarctos arctoides*, 170
- Indarctos atticus*, 116, 218, 221
- Indarctos laurillardi*, 196
- Indarctos vireti*, 116
- Indian monsoon, 24, 26–8, 34
- Indo-Pacific gateway, 15–16
- insectivores, 88, 104
- Central Europe, 175, 178–81
- France, 142–5, 157–64
- Italy, 198–9
- Ukraine, 265–71
- insolation, and climate change, 56–7, 66–8
- insular endemism, Italy, 192–7, 197
- Intertropical Convergence Zone (ITCZ), 60, 62, 64, 70, 371
- Iran, Miocene primate taxa, 458
- Iranian plate, 13
- Ischymomys*, 270, 404
- Ischymomys quadriradicatus*, 267
- Ischyriacus petteri*, 117
- isotopic research, 48–51, 249, 320–4, 406, 438–40
- Italy
- facies analysis, 355–72
- Miocene land mammals, 191–7
- Miocene primate taxa, 458
- non-marine molluscs, 339, 341, 346
- Janschinella*, 12
- Janulus*, 333, 334, 336, 340, 341, 342, 343
- Janulus angustiumbolicatus*, 344
- Janulus densestriatus*, 332
- Janulus olisipponensis*, 338
- Janulus supracostus*, 335
- Juglandaceae, 381
- Kalfynsky mammalian complex, 267
- Kenya, tephra correlations, 23, 31, 37–51
- kenyapithecines, 294, 473
- Kenyapithecus*, 463–77
- Keramidomys*, 89, 147, 182, 265
- Keramidomys* cf. *pertesunatoi*, 164
- Keramidomys pertesunatoi*, 159, 160
- Klikia*, 332, 333
- Korynochoerus palaeochoerus*, 225
- Korynochoerus provincialis*, 198, 200
- Kowalskia*, 105, 150, 167, 181, 195, 270
- Kowalskia* aff. *lavocati*, 89
- Kowalskia* cf. *fahlbuschia*, 270
- Kowalskia nestori*, 198–9
- Kowalskia progressa*, 270
- Kubanochoerus*, 99, 253
- lacustrine sediments
- Sinap, 243–7
- Tuscany, 365–8
- Lago Mare* biofacies, 357–8
- Lagomeryx*, 96, 99, 210
- Lagomorphs, 11, 13, 15–57, 88, 104, 145, 157–64, 198–9, 265–71, 424
- Laminifera (Laminiplica)*, 343
- Laminifera (Laminiplica)* *cesseyensis*, 345
- Laminifera (Laminiplica)* *meini*, 342
- Laminifera (Laminiplica)* *villafranchiana*, 345
- Laminifera mira*, 332
- Langhian vegetation, 381
- Lanthanotherium*, 178, 185, 265, 266
- Lanthanotherium sanmigueli*, 144, 157, 158, 159, 160, 161, 162
- Lartetomys*, 97
- Lartetotherium sansaniense*, 104, 119, 403
- Lartetotherium schleiermacheri*, 170
- latitudinal position, 88–9
- laurel forests, 478
- leafy flora, Vallesian Central Europe, 166, 167, 170
- Leiostyla*, 334, 335, 347
- Leiostyla capellinii*, 344
- Leiostyla gottschicki*, 344
- Leiostyla (Leiostyla)*, 332, 333, 343
- Leiostyla (Leiostyla)* *austriaca*, 336
- Leiostyla priscilla*, 342
- leporids, 145, 270
- Leptopelsictis aurelianensis*, 117
- Leucochoopsis*, 332, 333, 335
- Leucochoopsis apicalis*, 332
- Leucochoopsis dufrenoyi*, 337
- Leucochoopsis kleini*, 335, 337
- Leucochoopsis leptoloma leptoloma*, 331
- Leucochoopsis pisum*, 331, 336
- Leucochoopsis v. semenazensis*, 338

Leucochoropsis valentinensis, 338, 340
Ligerimys, 90, 92, 94, 95
lignites, Tuscany, 365–8
Limnocardidae, 340
Limnoecinae, 394
Liquidambar europaea, 478
Listriodon, 98, 99, 100, 104, 114, 210, 253, 403
Listriodon splendens, 119, 172
lithostratigraphy, Oligocene-Miocene, W Eurasia, 274–98
Lokochot Tuff, 42, 45, 49–51
Lomogol Tuff, 41, 44–5, 49–51
Lophiomyidae, 271
Lophocricetinae, 270
Lophocricetus, 265, 266, 271
Lophocricetus complicitens, 268
Lophocricetus maeoticus, 270
Lophocricetus sarmaticus, 270
Lophocyon paraskevaidsi, 207, 210
Lucentia, 105, 106, 120
Lufengpithecus, 463, 463–74
Lutra affinis, 225
lutrine carnivore, Italy, 192
Lycyaena, 114
Lycyaena chaeretis, 118, 218, 222
Lygeum, 382

Macaca, 17, 106, 297
Macedonia
 Andrews's collection, London, 213, 226, 413
 Arambourg collection, Paris, 413
 macromammal succession, 208–26, 226
 primate localities, 413–31
Machairodus, 102, 103, 114, 214, 215
Machairodus alberdiae, 118
Machairodus aphanistus, 118, 170
Machairodus giganteus, 118, 198, 218, 220, 222
Macrogaster, 335
Macrogaster densestriata, 344
Macrogaster loryi, 342, 344
Macrogaster multistriata, 344
Macrogaster schlickumi, 344
Macrogaster sessenheimensis, 345
macromammals
 Central Europe, Vallesian, 165–74
 Greece, 205–31, 414
 Spain, Vallesian, 113–24
 Turkey, 257–8
 Western Europe, 106–7
Macrotherium, 415
Macrotherium macedonicum, 224
Macrozonites casteti, 342
Macrozonites collongeni, 342
Mafia, 393
magnetobiostratigraphy, 93, 127, 207
magnetostratigraphy
 lignites, Tuscany, 365–8
 Oligocene-Miocene, W Eurasia, 274–98
mangroves, 291, 320, 380, 399, 477
Maragheh, Iran, 443
Marcetia santigae, 117
Maremmia haupti, 195, 196
Maremmia lorenzi, 195, 196
marine connections of Tethys, Middle Miocene, 277–81
marine excursion, Oligocene-Miocene, 12–14
marine faunal similarities,
 Mediterranean-Paratethys, 8–17
marine invertebrate palaeogeography,
 274–308
marine sediments
 NE Spain, 398, 399
 Tuscany, 357–63, 368–71, 371
Martes, 117
Martes andersoni, 117
Martes basilii, 117
Martes burdigaliensis, 117
Martes lefkonensis, 225
Martes mellibula, 117
Martes munki, 117
Martes paleosinensis, 117
Martes woodwardi, 222
masticatory morphology, ungulates, 437, 444–5
Mastodon pentelici, 230
mastodons, 191, 436
Mediterranean areas, Neogene vegetation changes, 378–84
Mediterranean palaeogeography, 8–17
Mediterranean xerophytic vegetation, 379, 382, 383
Mediterranean-Indian Ocean gateway, 13

Index

500	<i>Megacricetodon</i>, 86, 95–100, 103, 104, 140, 150, 181, 402, 405 <i>Megacricetodon</i> cf. <i>freudenthali</i>, 157 <i>Megacricetodon collongensis</i>, 97–9, 133, 137 <i>Megacricetodon crusafonti</i>, 86, 97, 100, 103 <i>Megacricetodon germanicus</i>, 86 <i>Megacricetodon gersii</i>, 97, 100, 103, 137 <i>Megacricetodon gregarius</i>, 86 <i>Megacricetodon ibericus</i>, 86, 87, 102, 103 <i>Megacricetodon minor</i>, 134 <i>Megacricetodon minor-debruijini</i>, 137 <i>Megacricetodon primitivus</i>, 97, 98 <i>Megacricetodon rafaeli</i>, 134 <i>Megaderma</i>, 142, 145 <i>Megaderma</i> cf. <i>mediterraneum</i>, 200 <i>Megaderma</i> cf. <i>vireti</i>, 158 <i>Megaderma vireti</i>, 164 <i>Megalotachea</i>, 333, 334, 337, 338 <i>Megalotachea christoli</i>, 337 <i>Megalotachea delphinensis</i>, 340 <i>Megalotachea delphinensis tersannensis</i>, 338 <i>Megalotachea gualinoi</i>, 338, 340 <i>Megalotachea turonensis</i>, 331, 336 <i>Megalotachea turonensis larteti</i>, 335 <i>Melanoides</i>, 339, 340, 346 Melanopsidae, 340 <i>Melanopsis</i>, 328, 332, 337, 339, 340, 346 <i>Melanopsis kleini</i>, 338, 340 <i>Melanopsis laevigata</i>, 337, 338 <i>Melanopsis narzolina</i>, 337 <i>Melanopsis narzolina gigantea</i>, 338 <i>Melanopsis reuquensis</i>, 338 <i>Melissiodon</i>, 12, 90, 91, 95 <i>Melissiodon</i> cf. <i>dominans</i>, 94 <i>Melissiodon schröderi</i>, 90 <i>Mellivora benfieldi</i>, 200 <i>Meomyini</i>, 393 Meotian, Ukraine, 270–1 <i>Mesembriacerus</i>, 208, 209, 429 <i>Mesembriacerus melentisi</i>, 210, 211 <i>Mesodontopsis</i>, 343 <i>Mesodontopsis chaixi</i>, 341, 342, 345 <i>Mesodontopsis doderleini</i>, 339 <i>Mesodontopsis heriacensis</i>, 338, 340 <i>Mesodontopsis ludovici</i>, 335 <i>Mesodontopsis nehringi</i>, 345 mesoloph(id) length, rodents, 132–3	<i>Mesomephitis medius</i>, 117 <i>Mesopithecus</i>, 142, 163, 198–9, 296, 414, 418, 449, 456–9, 462, 463 <i>Mesopithecus</i> aff. <i>pentelicus</i>, 223, 224 <i>Mesopithecus</i> cf. <i>montspessulanus</i>, 224 <i>Mesopithecus</i> cf. <i>pentelicus</i>, 225 <i>Mesopithecus delsoni</i>, 214, 227 <i>Mesopithecus monspessulanus</i>, 229 <i>Mesopithecus pentelicus</i>, 198–9, 200, 221, 229, 230, 462, 463 <i>Mesopithecus pentelicus microdon</i>, 223 <i>Mesopithecus pentelicus pentelicus</i>, 223 Messinian Eurasia, 297–8 evaporites, Tuscany, 357–63, 371–2 Italy, 193, 196–7 non-marine molluscs, 339, 340, 348 salinity crisis, 86–7, 297, 322, 357–63, 381, 406 <i>Metailurus</i>, 438, 449 <i>Metailurus major</i>, 118, 198, 218, 220, 222 <i>Metailurus parvulus</i>, 118, 198, 218, 220, 222 <i>Microdryomys</i> aff. <i>koenigswaldi</i>, 191 <i>Microdryomis</i>, 146, 182 <i>Microdryomis complicatus</i>, 134, 137, 158 <i>Microlophiomys vorontsovi</i>, 271 micromammals Late Miocene Central Europe, 167, 174–85 France, 140–54 Ukraine, 265–71 Late Vallesian, Spain, 123 Miocene, Greece, 206, 207, 208 <i>Micromeryx</i>, 99, 106, 120, 173 <i>Microstonyx</i>, 104, 107, 219, 230, 253, 261 <i>Microstonyx antiquus</i>, 172 <i>Microstonyx erymanthus</i>, 120, 173 <i>Microstonyx erymanthus brevidens</i>, 173 <i>Microstonyx major</i>, 120, 173, 198, 213, 215, 217, 220, 222, 226 <i>Microstonyx major erymanthus</i>, 214, 215, 216, 219, 221, 227 <i>Microstonyx major major</i>, 223, 229 <i>Microtia</i> fauna, Italy, 193 <i>Microtocricetus</i>, 150, 181, 266, 267, 404 <i>Microtocricetus</i> cf. <i>molassicus</i>, 157 <i>Microtoscoptes</i>, 270, 271
-----	--	--

migration	macromammals, Vallesian, Spain, 115	501
Africa-Eurasia-Africa, 8–17, 274, 281–2, 285–94, 437–8, 446–9	non-marine molluscs, 328–49	
America-Europe 9, 13, 17, 446; <i>see also</i> Bering landbridge	soricids, 391–4	
Milankovitch cycles, 58, 66–7, 76	Moiti Tuff, 38–9, 47, 48	
Miliolida, 283	molluscs, 9, 11, 12, 166, 167, 278, 328–49, 366	
<i>Mimomys pliocaenatus</i> zone, 346	<i>Monoptychia monoptyx</i> , 344	
<i>Miniopterus</i> , 158	<i>Monosaulax</i> , 265, 270	
<i>Miniopterus</i> cf. <i>fossilis</i> , 164	monsoonal circulation, 24, 26–8, 34, 60, 61, 62, 405, 408	
<i>Miniopterus fossilis</i> , 145	<i>Mormopterus</i> , 145	
Miocene	<i>Mormopterus helvetica</i> , 157	
chronology and mammal faunas, Sinap Formation, 238–61	morphology cladograms, 463–74	
corals, 309–24	moschids, 99, 100–1, 104, 198	
land mammals, Italy, 140–54	mountain anoa, 445	
macromammals, Spain, 113–24	multivariate analysis, late Miocene primate localities, 419–29	
mammals, Central Europe, 165–85	<i>Muntiacus</i> , 441	
micromammals, France, 140–54	murids, 104, 105, 106, 296, 402–8, 405, 407	
micromammals, Ukraine, 265–71	Central Europe, 182–3	
MN units, Western Europe, 84–107	France, 151–5, 162	
non-marine molluscs, 331–40	Turkey, 261	
palaeogeography, 8–22	Ukraine, 267, 270	
plate tectonics, 8–17	<i>Muscardinus</i> , 104, 134, 146, 182, 198–9, 200, 270, 403	
rodent assemblages, Spain, 127–38	<i>Muscardinus</i> aff. <i>vireti</i> , 89, 198–9	
shrews and palaeoclimate, 392–6	<i>Muscardinus austriacus</i> , 157, 159, 160, 161, 162	
Miocene-Pliocene facies analysis, Tuscany, 355–72	<i>Muscardinus davidi</i> , 164	
<i>Miodyromys</i> , 266, 403	<i>Muscardinus hispanicus</i> , 157, 158	
<i>Miodyromys aegerci</i> , 93	<i>Muscardinus thaleri-hispanicus</i> , 137	
<i>Miodyromys gricivienensis</i> , 265	<i>Muscardinus topachevskii</i> , 265	
<i>Miodyromys hugueneyae</i> , 93	<i>Mustela majori</i> , 195	
<i>Miogypsina intermedia</i> , 291	mustelids, 209, 212, 449	
<i>Miogypsina tani</i> , 288	<i>Mygalinia</i> , 267, 268	
<i>Miomachairodus</i> , 252	Mykhailivsky mammalian complex, 267–8	
<i>Miopetaurista</i> , 104, 146, 181, 265, 266	<i>Myocricetodon</i> , 86, 252	
<i>Miopetaurista</i> cf. <i>crusafonti</i> , 162	<i>Myoglis</i> , 89, 104, 134, 146, 181, 266, 403	
<i>Miosorex</i> , 142, 144, 270	<i>Myoglis meini</i> , 137, 157, 159	
<i>Miosorex</i> cf. <i>grivensis</i> , 157, 158	<i>Myoglis ucrainicus</i> , 265	
<i>Miotragocerus</i> , 99, 104, 404, 441	Myomiminae, 136	
<i>Miotragocerus monacensis</i> , 121	<i>Myomimus</i> , 136, 147, 182, 252, 403	
<i>Miotragocerus pannoniae</i> , 121, 167, 170	<i>Myomimus dehmi</i> , 134, 158, 162	
MN mammalian units, re-evaluation, 84–107, 455	<i>Myotis</i> , 145, 157, 159, 162, 163, 164	
MN zones	<i>Myotis antiquus</i> , 157, 158–9	
Aragonian rodent assemblages, 127–38	<i>Myotis boyeri</i> , 161, 164	
hominoid primates, 455–63	<i>Myotis</i> cf. <i>boyeri</i> , 158, 200	
macromammals, Greece, 205–31	<i>Myotis</i> cf. <i>murinoides</i> , 159	

Index

502	<i>Myotis murinoides</i>, 158 <i>Myoxos</i>, 178 nannoplankton, calcareous, 276 <i>Nannospalax</i>, 270, 271 <i>Nannospalax compositodontus</i>, 271 <i>Negulus</i>, 332, 333, 334, 335, 339, 341, 343, 347 <i>Negulus bleicheri</i>, 342 <i>Negulus raricostatus</i>, 332 <i>Negulus suturalis gracilis</i>, 336 <i>Negulus truci</i>, 344 <i>Negulus villafranchianus</i>, 344 <i>Neocricetodon</i>, 105, 106, 142, 157, 158, 159, 163, 164 <i>Neocricetodon grangeri</i>, 150 <i>Neocricetodon lavocati</i>, 150, 164 <i>Neocricetodon lucentensis</i>, 164 <i>Neocricetodon skofleki</i>, 150, 159, 161, 162, 163 Neomyini, 393, 395 '<i>Neopithecus</i>' <i>brancoi</i>, 478 Neritaea, 346, 347 Neritidae, 340 Nesiotites, 393 Neumayria, 346 Neurada, 382 nimravids, 103, 104, 403 <i>Nisidorcas</i>, 229 <i>Nisidorcas planicornis</i>, 213, 214, 215, 217, 227 <i>Nitraria</i>, 382 <i>Norbertia hellenica</i>, 224 <i>Nordsieckia</i>, 340 <i>Nordsieckia fischeri</i>, 342 <i>Nuragha schreuderae</i>, 191 obsidian, 29, 31 <i>Occitanomys</i>, 105, 106, 151, 152, 271 <i>Occitanomys adroveri</i>, 164 <i>Occitanomys</i> cf. <i>adroveri</i>, 151, 164 <i>Occitanomys clauzoni</i>, 151, 152, 159, 160, 161, 162 <i>Occitanomys faillati</i>, 142 <i>Occitanomys hispanicus</i>, 105, 150, 151, 152, 157, 159, 161, 404 <i>Occitanomys sondaari</i>, 105, 150, 151, 154, 161, 162 Ocean Drilling Program, 23–4 oceanic circulation, Miocene, 397, 399–401, 402 oceanic currents, Africa, 61, 64, 68 Ochotonidae, 267, 270 <i>Oioceros</i>, 213, 429, 444 <i>Oioceros</i> aff. <i>atropatanes</i>, 213 <i>Oioceros rothi</i>, 221, 228 <i>Oioceros wegneri</i>, 217, 228, 441 okapi, 437, 443 <i>Olea</i>, 379, 382, 383 Oleacinidae, 329, 331 Oligocene, plate tectonics, 8–17, 391–2 Oligocene-Miocene palaeogeography, 8–22, 274–308 <i>Omphalosagda subrugulosa</i>, 331 <i>Opeas</i>, 336, 339 <i>Opeas minutum</i>, 335 open-habitat vegetation, 406, 413–31, 418, 426, 481 orbitally tuned ages, 48–51 <i>Orbulina</i>, 277 <i>Orbulina universa</i>, 277, 278 <i>Oreopithecus</i>, 462–81 <i>Oreopithecus bambolii</i>, 193, 194, 195, 197, 365, 463 <i>Orycteropus</i>, 254, 436 <i>Orycteropus</i> cf. <i>gaudryi</i>, 200 <i>Orycteropus gaudryi</i>, 218, 223, 438 <i>Orycteropus pottieri</i>, 209, 213 <i>Oryx</i>, 449 ostracods, 363 <i>Otavipithecus</i>, 467 <i>Otonycteris</i>, 145, 158 <i>Ouranopithecus</i>, 295–6, 414, 461, 462 <i>Ouranopithecus macedoniensis</i>, 208, 209, 211, 212, 213, 226 <i>Ouranopithecus-Graecopithecus</i>, 449 <i>Ouzocerus</i>, 209, 211, 213, 429 <i>Ouzocerus</i> cf. <i>gracilis</i>, 224 <i>Ouzocerus gracilis</i>, 209, 211 <i>Ouzocerus pentalophosi</i>, 212 Owen Ridge, Arabian Sea, 25–6 oxide chemistry, tephra, 25, 37–51 <i>Pachytragus</i>, 254, 445 <i>Pachytragus crassicornis</i>, 441 <i>Pachytragus laticeps</i>, 441
-----	--

Paenelimnoecus, 144, 178, 392
Paenelimnoecus crouzeli, 157
Paenelimnoecus repenningi, 157, 158,
 159–60, 161, 162
Paidopithecus rhenanus, 169
 Pakistan, Dera Bughti, 13
 palaeobotany, 288–90, 478–9
 Africa, 69, 71–3, 76
 Central Europe, 166, 167, 170, 174, 184–5
 Mediterranean Miocene, 440–3
 United States, 74–6
Palaeochoerus, 13
 palaeoclimate, 25, 27–8
 Central Europe, 166–7, 174, 184–5
 France, 153
 marine invertebrate evidence, 274–98
 Spain, 122–3, 397–408
 palaeoclimate analysis, Aragonian rodent
 assemblages, 127–38
 palaeoclimate change, 477
 and mammal turnover, 397–408
 non-marine mollusc evidence, 328–49
 soricids as indicators, 390–6
 palaeoclimate reconstruction
 by pollen records, 378–84
 by sedimentary facies analysis, 355–72
 palaeodietary research, Pikermian
 ungulates, 439, 444–5
 palaeoecology
 hominoid primates, 474–9
 Pikermian Biome, 436–49
 rodent assemblages, 127–38
 palaeoenvironmental change
 and faunal diversity, 115–24
 Late Miocene, France, 153
 and mammal turnover, 404–8
 palaeoenvironmental differences,
 correlation, 87–8
 palaeoenvironmental reconstruction,
 climatic perspectives, 55–77
 palaeoenvironments
 Late Miocene, Ukraine, 265–71
 Late Miocene primate localities, 413
Palaeogale, 206, 210
 palaeogeography, 8–79
 marine invertebrate evidence, 274–308
 Oligocene-Miocene, 8–22, 274–308
 Ukraine, 271
Palaeoglandina, 332, 334, 337, 338, 341,
 347
Palaeoglandina aquensis, 331
Palaeoglandina gracilis, 331, 335
Palaeoglandina montenati, 346
Palaeoglandina paladilhei, 342
 Palaeolaginae, 267
 palaeolakes, Africa, 69, 70
 palaeomagnetic analysis, Eastern Ebro
 Basin, 93
 palaeomagnetic data, Aragonian rodent
 assemblages, 127
 palaeomagnetic reversal stratigraphy,
 Sinap Formation, 247–9
Palaeomanis, 438
 palaeomerycids, 96, 100
Palaeomeryx, 96, 172, 206
palaeomeryx cf. *kaupi*, 210
Palaeomeryx magnus, 121
Palaeomys, 176, 181, 265
Palaeomys castoroides, 176
Palaeoplatyceros hispanicus, 120
Palaeoreas, 216, 254, 261, 444
Palaeoreas lindermayeri, 214, 220, 221, 223,
 441
Palaeoreas zouvei, 213, 227
Palaeoryx, 106, 211, 212, 229, 438, 445
Palaeoryx ‘aff. *stutzeli*’, 219
Palaeoryx cf. *pallasi*, 219
Palaeoryx pallasi, 121, 217, 219, 220, 221,
 228, 441, 449
 palaeosols, 290, 292, 293, 295, 369, 438–40
 palaeotemperatures
 from Miocene coral record, 309–24
 Oligocene-Miocene, W Eurasia, 274–98
 sea water, 8, 284, 293, 309–24
Palaeotragus, 101, 102, 121, 253, 449
Palaeotragus cf. *coelophrys*, 211
Palaeotragus coelophrys, 212, 217, 441, 445
 ‘*Palaeotragus*’ *primaevus*, 449
Palaeotragus quadricornis, 441
Palaeotragus rouenii, 211, 213, 214, 217,
 221, 223, 441, 445, 449
 palaeovegetation, 478–9
 mapping, 378–84
 see also vegetation
Palaina, 334, 335, 336, 339
Palerinaceus, 211

Index

- 504
- Paludolotra* aff. *etruria*, 195
Paludolotra campanii, 195, 196
Paludolotra maremmana, 195
Paludotona cf. *etruria*, 195
Paludotona etruria, 194, 195
 palustrine deposits, Tuscany, 363–5, 367
Pan, 449, 465–73
 Pannonian Basin, 17
Pannonicola, 142
Papyrotheca, 335
Parabos, 107, 198, 200
Paracamelus, 106
Paracervelus, 198
Parachleuastochoerus, 101, 104, 119–20, 404
Paracricetodon, 12
Paraethomys, 106, 198–9
Paraethomys anomalus, 200
Paraethomys cf. *anomalus*, 198–9
Paragilirulus, 89, 104, 146, 182, 266, 403
Paragilirulus cf. *werenfelsi*, 265
Paragilirulus werenfelsi, 134, 157, 158, 159
Paralutra, 117
Paramachaerodus ogygius, 170
Paramachairodus, 114
Paramachairodus ogygia, 118
Paramachairodus orientalis, 118, 173, 222
Parapodemus
 Central Europe, 167, 182
 Ukraine, 267, 270, 271
 Western Europe, 105, 106, 151, 152, 159, 195, 196
Parapodemus barbarae, 105, 151, 164
Parapodemus cf. *barbarae*, 153
Parapodemus gaudryi, 270
Parapodemus lugdunensis, 105, 151, 152, 153, 159–63, 267, 270
Parapodemus pasquieri, 151, 153, 160, 162, 163
Parapodemus schaubi, 216, 227
Parasaidomys, 106
Parataxidia maraghana, 218
Paratethys, 9–17, 268–71, 291, 293
Pareptesicus, 145
Pareptesicus priscus, 158–9
Parmacella, 334, 339, 340, 346, 347
Parmacella sayni, 338, 340
 Parmacellidae, 340
Parurmatherium rugosifrons, 441
 peatland formation, 367–8, 372
 Pecora, 253
 peracrotids, 167, 173, 174
Peridyromys, 252
Peridyromys murinus, 93, 94
 perissodactyls, 98, 119, 170, 198, 403, 417
 Persian Gulf, 16
 Petauristinae, 266–7, 270
Petenya, 144, 176, 178
Petenya dubia, 158, 159–60, 161, 162, 164, 176
Phillyrea, 382
 photosynthetic symbionts, 282–3, 311, 315
 phylogenetic hypotheses, Miocene
 hominoid primates, 463–74
Picea, 382, 383
 Pikeri, 226, 228–9, 437
 Pikerian Biome, 436–9
 Pikerian Province flora, 296
Pilocervus pentelici, 217
 Pinaceae, pollen, 378–9
Pipistrellus, 145, 161
Pireddamys rayi, 191
Pistacia, 379, 382
 planktonic foraminifera, 277–81
Planorbarius, 338
Planorbarius aff. *villatoyensis*, 337
Planorbarius villatoyensis, 337
 plant remains, Vallesian, Central Europe, 166, 167
 plant species prediction, 73–5
Platanus, 478
 plate tectonics, 8–17, 70–1, 405, 407, 475, 481
Platycarya, 381, 383
 Pleistocene
 aeolian deposits, 363–5
 plate tectonics, 70–1
 shrews, 393–4, 395
Plesiodimylus, 178, 185, 265
Plesiodimylus cf. *chantrei*, 157, 158, 160, 161
Plesiodimylus chantrei, 144, 157
Plesiogulo, 117, 222
Plesiogulo crassa, 198, 215
Plesiomeles cajali, 117
Plesiomeles pachecoi, 117

Plesiopliopithecus, 16, 459
Plesiopliopithecus auscitanensis, 459
Plesiopliopithecus lockeri, 459
Plesiopliopithecus rhodanica, 460
Pleurodiscus, 335
Pleurodiscus falciferus, 332
 Pliocene
 aeolian deposits, 363–5
 environmental change, Africa, 66–77, 447
 marine transgression, 17
 non-marine molluscs, 340–9
 shrews, 393, 395
 tephra correlations, 23–51
 vegetation changes, 406
Pliocervus, 106–7, 220
Pliocervus graecus, 224
Pliocervus pentelici, 221, 222, 223, 441
Pliohyrax, 438
Pliohyrax graecus, 119, 218, 220, 221
Pliopetaurista, 105, 146, 167, 175, 181
Pliopetaurista bressana, 157, 159, 160, 162, 163
Pliopetes, 181
Pliopithecus, 16, 99, 142, 292, 459
Pliopithecus antiquus, 116, 455, 460
Pliopithecus platyodon, 455
Pliopithecus priensis, 461
Pliopithecus vindobonensis, 459
 pliolethricids, 169, 172, 174, 292, 417, 456–61, 477
Pliosapalax, 17, 252
Plioviverrops, 118
Plioviverrops cf. *guerini*, 215
Plioviverrops faventinus, 200
Plioviverrops orbignyi, 214, 215, 216, 218, 222
Plithocyon armagnacensis, 116
 Poaceae, 382
 Poland
 Gomphotherium, 15
 Miocene primate taxa, 457
 non-marine molluscs, 333, 335
 Polar Sea, 9
 pollen
 Africa, 69, 71–3
 as evidence for palaeoclimates, 288, 292, 293, 295, 297, 365
 Tuscan sediments, 363, 365, 371, 372
 Vallesian, Central Europe, 167
 in vegetation mapping, 378–84
Polloneria, 343
Polloneria pliocenica, 345
Pomatias, 333, 334, 335, 339
Pomatias conicus, 336
 Pomatiasidae, 331
Pongo, 463, 466
Postpalerinaceus, 200
Postpalerinaceus vireti, 144, 158, 160, 164
Postpotamochoerus, 438
 Potwar Plateau *see* Siwaliks
Praearmantomys, 96
Praeorbulinia, 277
 precipitation, 55, 58–60, 62–4, 66–73, 477
 primates
 Greece, 211, 212–17, 223, 224, 227, 229, 231, 413–31
 Late Miocene, France, 142
 Messinian, Italy, 198–9
 migration waves, 14, 16
 Turkey, 252, 261
 Vallesian, Spain, 114, 116, 403, 404–5
 see also hominoids
 proboscideans, 96, 98, 116, 198, 206, 404
 ‘Proboscidian Datum’, 475
Procapreolus, 173, 198
Procervulus, 96
Proconsul, 290, 449, 465–73
Prodamaliscus, 438
Progenetta, 104
Progiraffa, 95
Progonomys, 88, 104, 151, 153, 161, 167, 182, 252, 261, 267, 403
Progonomys castillae, 181
Progonomys cathalai, 152, 157, 209, 211
Progonomys cf. *cathalai*, 152, 159
Progonomys woelferi, 404
Prolagus, 89, 198–9, 268, 270, 271
Prolagus cf. *sorbinii*, 200
Prolagus crusafonti, 89, 157, 158, 159, 161, 162, 163, 164
Prolagus michauxi, 89, 198–9
Prolagus ningensis, 157
Promeles, 117, 173
Promeles macedonicus, 225
Promeles palaeattica, 173, 218, 222

Index

506

- Promephitis*, 225
- Promephitis larteti*, 218, 222
- Promephitis pristinidens*, 117
- Promimomys*, 182
- Proochonota*, 252, 267, 268
- Propotamochoerus*, 101, 219, 253
- Propotamochoerus* cf. *hysudricus*, 214, 217, 227, 228
- Propotamochoerus palaeochoerus*, 120, 172
- Proputorius*, 117
- Proscapanus*, 265
- Prosinotragus*, 444
- Prosinotragus kuhlmanni*, 441
- Prososthenia*, 337, 346, 347
- Prospalax*, 150, 182, 271
- Prospalax petteri*, 159, 160, 161, 162, 163
- Prostrepsiceros*, 220, 226, 229, 254, 261, 429, 438, 444
- Prostrepsiceros* aff. *houtumschindleri*, 218, 230
- Prostrepsiceros houtumschindleri*, 441
- Prostrepsiceros houtumschindleri syridesi*, 213
- Prostrepsiceros rotundicornis*, 214, 220, 221
- Prostrepsiceros valliensis*, 211
- Prostrepsiceros woodwardi*, 220, 231
- Prostrepsiceros zitteli*, 214, 215, 216, 217, 228
- Protatera*, 17, 86, 106
- Protictitherium*, 100, 104, 252
- Protictitherium* aff. *gaillardi*, 211
- Protictitherium* cf. *crassum*, 212
- Protictitherium crassum*, 118, 173, 224
- Protodrepanostoma*, 332, 333, 335, 343
- Protodrepanostoma bernardii*, 342, 345
- Protodrepanostoma nordsiecki*, 332
- Protodrepanostoma plioauriculatum*, 345
- Protoryx*, 209, 212, 215, 217, 253, 254, 438
- Protoryx carolinae*, 209, 221, 228
- Protoryx crassicornis*, 209, 228
- Protoryx laticeps*, 209, 217, 228
- Protoryx solignaci*, 209
- Protozapus*, 178
- Protragelaphus*, 217, 438, 444
- Protragelaphus skouzesi*, 220, 221, 229, 441
- Protragelaphus theodori*, 223, 224, 229
- Protragocerus*, 101, 102, 104, 121
- Pseudaelurus*, 206, 252
- Pseudaelurus* cf. *lorteti*, 210
- Pseudaelurus lorteti*, 103, 118
- Pseudaelurus quadridentatus*, 103, 118, 210
- Pseudaelurus transitorius*, 95
- Pseudaelurus turnauensis*, 95
- Pseudarctos*, 116
- Pseudarctos bavaricus*, 172
- Pseudidyla*, 335, 340
- Pseudidyla moersingensis*, 335
- Pseudochloritis*, 332, 333
- Pseudochloritis incrassatus*, 335
- Pseudochloritis mollenensis*, 338, 340
- Pseudocricetus*, 270, 271
- Pseudocricetus antiquus*, 270
- Pseudocricetus kormosi*, 271
- Pseudocricetus orienteuropaeus*, 270
- Pseudocyon sansaniensis*, 172
- Pseudodryomys ibericus*, 94, 95
- Pseudodryomys simplicidens* group, 94, 95
- Pseudofahlbuschia*, 136
- Pseudoleacina*, 335
- Pseudoleacina (Paraglandina) christoliana*, 339
- Pseudoleacina (Paraglandina) oligotropha*, 332
- Pseudomeriones*, 86, 106, 182, 271
- Pseudomeriones abbreviatus*, 271
- Pseudomonacha*, 336
- Pseudomonacha zippei*, 332
- Pseudooleacina (Paraglandina) christoliana*, 331
- Pseudorotalia*, 291
- Pseudotheridomys*, 91, 94
- Pseudotragus*, 254
- Pseudotragus capricornis*, 217, 441
- Puisseguria*, 343
- Puisseguria idanica*, 341
- Puisseguria kowalczyki*, 345
- Puisseguria zilchi*, 345
- Pupillidae*, 329
- Quercus ilex*, 382
- radioisotopic dating, 48–51, 249
- ramapithecines, 293–4
- Ramapithecus*, 293–4
- Ramblian, 85, 90–4, 392
- Ramys*, 147

<i>Ramys multicrustatus</i> , 157, 162	Ukraine, 265–71
rarefaction method, 131	Rotaliida, 283
reciprocal of Simpson’s index, 127	<i>Rotundomys</i> , 104, 105, 150, 163, 404
Red Sea graben, 13	<i>Rotundomys bressanus</i> , 159, 160, 161
Reduncini, 106, 444	<i>Rotundomys</i> cf. <i>bressanus</i> , 161
‘reef corals’, 313	<i>Rotundomys</i> cf. <i>montisrotundi</i> , 157
reef patterns, Miocene, 322, 324	<i>Rotundomys montisrotundi</i> , 158
<i>Regiclausilia</i> , 335	<i>Rudapithecus</i> , 464
reptiles, Italy, 191	<i>Ruemkalia</i> , 176
<i>Reticulofenestra pseudoumbilica</i> , 48	<i>Rumina</i> , 340, 346
<i>Rhagapodemus</i> , 151	<i>Rumina</i> cf. <i>decollata</i> , 339
<i>Rhagapodemus primaevus</i> , 164	<i>Rumina decollata</i> , 339
<i>Rhamnus</i> , 379	Ruminantia, 200
<i>Rhenopithecus epplesheimensis</i> , 169, 174	Ruscinian, 150, 172, 194, 196, 340–2, 393
Rhinegraben, 13, 15	<i>Ruscinomys</i> , 154
rhinoceroses, 14, 172, 173, 403, 404, 444	<i>Ruscinomys</i> cf. <i>lasallei</i> , 200
rhinocerotids, 11, 98, 99, 104, 114, 133, 422	<i>Ruscinomys schaubi</i> , 150, 164
Eurasia, 417, 436	<i>Sabdelictus crusafonti</i> , 117
Greece, 207, 210, 211, 212, 213, 215, 216, 219	sabkhisation, 362
<i>Rhinolophus</i> , 145, 200	salinity, 17, 86–7, 293, 297, 322, 357–63, 381
<i>Rhinolophus</i> cf. <i>kowalskii</i> , 200	sambar, 444, 445
<i>Rhinolophus csakvarensis</i> , 145, 157, 158, 160, 161, 163, 164	Samos, 217–18, 227–8, 437, 439–40
<i>Rhinolophus lissiensis</i> , 145, 164	<i>Samotherium</i> , 443
<i>Rhizospalax</i> , 13	<i>Samotherium boissieri</i> , 215, 217, 228, 441, 445
<i>Rhodanomys oscensis</i> , 92	<i>Samotherium</i> cf. <i>boissieri</i> , 224
<i>Rhodanomys schlosseri</i> , 90, 92	<i>Samotherium major</i> , 440, 445
<i>Rhodanomys transiens</i> , 90, 92, 93	<i>Samotherium neumayri</i> , 441
<i>Rhodanomys-Ritteneria</i> lineage, 90, 92–3	‘ <i>Samotherium</i> ’ <i>pamiri</i> , 209
Rhône Valley, Upper Miocene	<i>Samotragus</i> , 429
micromammals, 140–54	<i>Samotragus crassicornis</i> , 209
richness, 64–9, 74–6	<i>Samotragus occidentalis</i> , 200
fossil corals, 309–24	<i>Samotragus pilgrimi</i> , 121
non-marine molluscs, 328	<i>Samotragus praecursor</i> , 209, 210, 211, 212
Sinap Formation, Turkey, 257–8, 260–1	<i>Sanitherium</i> , 206
<i>see also</i> species richness	<i>Sanitherium slagintweiti</i> , 210
<i>Ritteneria manca</i> , 90, 92, 94	<i>Sansanosmilus</i> , 103, 252
<i>Ritteneria molinae</i> , 92, 94	<i>Sansanosmilus jourdani</i> , 118
rodent dental features, 132–3	Sapotaceae, 383
rodent habitat preferences, 132–8	<i>Sardomys antoniettae</i> , 191
rodents	<i>Sardomys dausoni</i> , 191
Aegean, 17	Sarmatian, Ukraine, 265–71
Central Europe, 167, 175–8, 181–3	<i>Sarmatomys podolicus</i> , 266
France, 157–64	savannas, 295, 422–4, 436–49, 479
Greece, 227	Savic tectonic phase, 14
Italy, 194, 198–9	<i>Scaptonyx</i> , 177
Spain, 84–107, 127–38, 402–8	<i>Schizochœrus</i> , 104, 106, 120, 253

Index

- 508
- Schizogalerix*, 142, 175, 178, 252, 265
 - Schizogalerix zapfei*, 142–4, 159, 160
 - Schizotheriinae, 415–19
 - Schlickumia*, 333, 341, 343, 347
 - Schlickumia alicantensis*, 346
 - Schlickumia aquensis*, 331, 336, 337
 - Schlickumia bottinii*, 345
 - Schlickumia gaspardiana*, 342
 - Schreuderia*, 105
 - Sciuridae 136, 145–6, 153; *see also* flying squirrels
 - Sciurotamias* 265, 267, 270; *see also* *Spermophilinus*
 - Scleractinia, 309–24
 - Scutella lusitanica*, 278
 - Scutella rotundaeformis*, 278
 - sea levels, Miocene, 322, 399–401
 - sea water palaeotemperatures, 8, 284, 293, 309–24
 - seasonality, 58, 60, 323, 371, 408, 447, 463, 475–6, 480, 481
 - sediment distributions, and palaeogeography, 8
 - sedimentary facies analysis, 355–72
 - sedimentation rates, 127
 - sediments, Sinap Formation, 243–7, 258–60
 - Semigenetta ripol*, 117
 - Semnopithecus eppelsheimensis*, 169
 - Sequoia*, 380, 382, 477, 478
 - Serravallian regression, 16
 - Serrulastra*, 333, 335
 - Serrulastra amphiodon*, 332
 - Serrulastra brandti*, 339
 - Serrulastra michaudi*, 342
 - Serrulastra polyodon*, 332
 - Serrulella*, 333, 335, 343
 - Serrulella anodon*, 344
 - Serrulella clessini*, 335
 - Serrulella decomplicata*, 344
 - Serrulella michelottii*, 342
 - Serrulella schwageri*, 332
 - Serrulella truci*, 344
 - Shanxi, China, 443
 - shrews *see* soricids
 - ‘sigmodon event’, 404
 - Similarity Coefficient (SC), 37–8, 47
 - similarity measurements, Vallesian large mammals, 114–15
 - Simocyon primigenius*, 117, 220, 222
 - Simocyon simpsoni*, 116
 - Sinap Formation, 238–61
 - chronology, 247–9
 - geology, 241–7
 - mammal succession, 250–8
 - richness, 257–8, 260–1
 - sediments, 243–7
 - turnover, 257–8
 - Sinapodorcus*, 254
 - Sinictis pentelici*, 222
 - Sivaonyx lluecai*, 117
 - Sivapithecus*, 294, 404–5, 463–78
 - Sivatherine giraffids, 113
 - Siwaliks, 14, 397, 401, 402, 404–5, 405, 408, 454
 - Slovakia
 - Miocene primate taxa, 457
 - non-marine molluscs, 339
 - Sminthozapus*, 178
 - Sminthozapus janossy*, 89
 - soil carbonates, 438–40
 - solar radiation, and climate change, 57–8, 66–8
 - Soosia godarti*, 342
 - Soosia monikae*, 345
 - Soosia pseudopalnorbis*, 341
 - Sorex*, 392
 - soricids, 144–5, 164, 178, 191, 194, 195, 200, 266, 271
 - as palaeoclimatic indicators, 390–6
 - Soricinae, 392–4
 - Soricini, 392, 394, 395
 - Soriculus*, 176
 - Spain
 - mammal turnover and global climate change, 397–408
 - Miocene primate taxa, 456
 - MN mammal units, 84–107
 - non-marine molluscs, 331, 337–8, 341, 346, 347
 - species numbers
 - Aragonian rodent fauna, 131, 135–8
 - Late Miocene, Central Europe, 183–4
 - species richness, 64–6, 74–6, 240
 - Aragonian rodent faunas, 127, 130–8
 - Central European micromammals, 178–81, 182–3

woody-plants, 64–6, 74–7, 477	Italy, 195
<i>Spermophilinus</i> 145, 181, 211, 252; <i>see also</i>	Turkey, 261
<i>Sciurotamias</i>	<i>Sulimskia</i> , 268, 393
<i>Spermophilinus</i> cf. <i>bredai</i> , 157, 158, 159, 160	Switzerland, non-marine molluscs, 335
<i>Spermophilinus</i> cf. <i>turolensis</i> , 163–4	symbiosis, 282–3, 311, 315
<i>Spermophilinus turolensis</i> , 162	synchronism, 87–8
<i>Sphaeoidinellopsis</i> Zone, 196	
<i>Sporadotragus parvidens</i> , 217, 221, 228, 442	<i>Tacheocampylaea</i> , 346
spruce, 379	takins, 445
Squared Chord Distance Parameter, 47	<i>Talpa</i> , 178, 185
<i>Stegolophodon wahlheimensis</i> , 172	<i>Talpa</i> cf. <i>minuta</i> , 157
<i>Stegotetrolodon lehmanni</i> , 172	<i>Talpa gilothi</i> , 157, 158, 159, 160, 161, 163, 164
<i>Stehlinocerus</i> , 101, 120	talpids, 145, 191, 267, 270
<i>Stenailurus teilhardi</i> , 118	<i>Tamias</i> , 145, 159, 160, 163
<i>steneofiber</i> , 265	Tanzania, tephra correlations, 23
<i>Steneofiber jaegeri</i> , 224, 231	<i>Taphozous</i> , 145, 158
<i>Stephanomys</i> , 106, 151	tapirids, 103, 114, 173, 402–4, 417, 418, 422
<i>Stephanomys debruijnii</i> , 200	<i>Tapiriscus pannonicus</i> , 167, 173
<i>Stephanomys primaevus</i> , 151	<i>Tapirus arvernensis</i> , 198
<i>Stephanomys ramblensis</i> , 105, 151, 164	<i>Tapirus</i> cf. <i>arvernensis</i> , 198
<i>Stephanomys stadii</i> , 151, 164	<i>Tapirus priscus</i> , 119, 170
<i>Stephanorhinus</i> , 119, 253	<i>Tasodon sansaniensis</i> , 117
steppes, 271, 298, 379, 383	<i>Taucanamo</i> , 253
stratigraphic correlations, 9, 276	Taxodiaceae, 382–3
<i>Strobilops</i> , 335, 337	<i>Taxodium</i> swamps, 380, 381, 382, 383, 477
<i>Strobilops (Strobilops)</i> , 332, 333, 334, 335, 336, 338, 339, 340, 341	taxonomic comparisons, late Miocene primate localities, 414–31
<i>Strobilops (Strobilops) costatus</i> , 335	taxonomic richness, fossil corals, 309–24
<i>Strobilops (Strobilops) labyrinthicus</i> , 342	tayassuids, 14
<i>Strobilops (Strobilops) pappi</i> , 337	tectonic subsidence, 368, 372
<i>Strobilops (Strobilops) romani</i> , 342	teeth
<i>Strobilops (Strobilops) tiarulus</i> , 337	analysis for dietary intake, 439–40
<i>Strobilopsidae</i> , 329, 331, 333, 340	microwear analysis, 437, 445–6
<i>Struthio caratheodori</i> , 438	rodents, 404
<i>Stylocricetus</i> , 267	ungulates, 436, 437, 444–6
<i>Stylocricetus meoticus</i> , 270	temperature
Subtropical High Pressure Cells (STHP), 60, 68	and climate change, 55–6, 76–7
subtropical vegetation	and rodent habitats, 132–4
Neogene NE Spain, 398–9, 403	<i>see also</i> palaeotemperatures
Neogene Southwestern Europe, 379, 383	tephra correlations, Pliocene, 23–51
Subulinidae, 333	terrestrialisation, 367, 372
Succineidae, 335	<i>Teruelia</i> , 95, 96
suids, 95, 96, 98, 101, 104, 114, 403, 424	<i>Teruelia adroveri</i> , 95
Central Europe, 172, 173, 174	Tethys Ocean, 8, 9, 70, 274, 276–8, 313, 407, 475
Greece, 226, 227, 228, 229, 415, 417, 418	<i>Tethytragus</i> , 99, 100–1, 254
	<i>Tethytragus</i> cf. <i>koheri</i> , 210

Index

- 510
- Tethytragus langai*, 121

Tetralophodon, 102, 103, 211, 213

Tetralophodon atticus, 221

Tetralophodon longirostris, 116, 170

Thalassictis, 101, 102, 114, 118, 252

Thalassictis gr. *chaeretis-macrostoma*, 200

Thalassictis hipparionum, 118, 198–9

Thalassictis hyaenoides, 198–9

Thalassictis montadai, 118

Thalassictis robusta, 118, 170

Thalassictis wongi, 211

Thaumastocyon dirus, 116

Theodoxus, 346, 347

Thiaridae, 340

Tibetan Plateau uplift, 405, 407–8

Tiliaceae, 185

Titthodomus, 332, 336

Titthodomus koeneni, 332

Tortonian transgression, 17

Tournouerina, 346

Tragoportax, 104, 114, 213, 226, 227, 253, 261, 444

Tragoportax amalthea, 216, 219, 220, 221, 228, 229, 230, 441

Tragoportax cf. *amalthea*, 224

Tragoportax gaudryi, 121, 221, 222, 224, 228

Tragoportax rugosifrons, 213, 215, 217, 227, 228, 441

Tragoreas oryxoides, 217, 218

tragulids, 96, 103, 402, 405, 415, 417, 418, 422, 424

Triceromeryx, 100

Triptychia, 343

Triptychia geisserti, 344

Triptychia leobersdorffensis, 337, 339

Triptychia mastodontoohila, 344

Triptychia (Milneedwardsia) lageti, 338, 340

Triptychia (Milneedwardsia) lartei, 335

Triptychia (Milneedwardsia) sinestrorsa, 342

Triptychia (Milneedwardsia) terveri, 342

Triptychia schlickumi, 344

Triptychia (Triptychia) bacillifera, 335

Triptychia (Triptychia) bourguignati, 338, 340

Triptychia (Triptychia) grandis, 335

Trischizolagus cf. *maritzae*, 200

Trocharion albanense, 117

Trochictis narchisoi, 117

Trogontherium, 146, 181

Trogontherium minutum, 146, 157, 161

Trogontherium rhenanum, 157, 159, 162, 163

Trolliella, 335

tropical coral, 309

tropical marine excursions, Oligocene-Miocene, 12–14

tropical vegetation, 381, 383, 398–9

Tropidomphalus, 332, 333

Truciella ballesioi, 342

Tsuga, 383

Tubulidentata, 413, 424

Tudorella, 333, 338, 340, 341

Tudorella baudoni, 342

Tudorella draparnaudi, 331, 338

Tudorella draparnaudi minor, 337

tuffs, East Africa, 24, 25, 31–51

fñl-Tulu Bor Tuff, 43, 45–7, 49–51

Turcocerus, 253

Turgai Strait, 9, 11, 287

Turriacemas, 106, 107, 120

Turkana Basin tuffs, 24, 25, 37–51, 69

Turkey, Miocene primate taxa 458; *see also* Sinap Formation

Turkomys, 86

turnover and global climate change, NE Spain, 397–408

turnover statistics, macromammals, Turkey, 257–8

Turolian

Central Europe

macromammals, 165–74

micromammals, 167, 174–85

Eurasia, 296

France, micromammals, 140–54

Germany, 170

Greece, macromammals, 205–31

Italy, 191–7

Macedonia, primate palaeoenvironments, 413–31

non-marine molluscs, 337–40

Southern Europe, 86

Spain, MN units, 85, 87, 88–9, 105–7

Tusco-Sardinia palaeobioprovince, 191, 193–6, 197

<i>Tyrrenolutra helbingi</i> , 195, 196	and climate, 64–6, 71–3
<i>Tyrrenotragus</i> , 195	and mammal turnover, 404–8
<i>Tyrrenotragus</i> aff. <i>gracillimus</i> , 194	mosaic, Africa, 290, 292, 293
<i>Tyrrenotragus gracillimus</i> , 194, 195	Vallesian, Central Europe, 166, 167
	<i>see also</i> palaeovegetation
Uganda, tephra correlations, 23, 50	‘Ventian’ faunas, 86
Ukraine, late Miocene small mammals, 265–71	Vertiginidae, 329, 333, 340
Ulmaceae, 184–5	<i>Vertigo (Vertigo) diversidens</i> , 335
<i>Ulmus</i> , 381	<i>Vertigo (Vertigo) nouleti</i> , 342, 344
<i>Umbrotherium azzarolii</i> , 195	Vespertilionidae, 145, 160, 163
United States, species richness prediction, 74–6	<i>Veterilepus</i> , 268, 270
upwelling indices, 34	<i>Veterilepus hungaricus</i> , 271
Urotrichini, 265	<i>Veterilepus lascarevi</i> , 270
<i>Urotrichus</i> cf. <i>dolichochir</i> , 145, 157	vicariance biogeography, hominoid primates, 454–81
<i>Ursavus</i> , 114, 218	Villafranchian faunal remains, Tuscany, 363, 366, 369
<i>Ursavus brevirohinus</i> , 116	<i>Viverra</i> , 198–9
<i>Ursavus depereti</i> , 116, 167, 173	<i>Viverra sansanensis</i> , 118
<i>Ursavus primaevus</i> , 116, 170	viverrids, 198–9, 207
ursids, 96, 102, 114	volcanic ash correlation, Pliocene, 23–51
<i>Valerymys</i> , 214	wapiti, 444, 445
<i>Valerymys turolensis</i> , 195	Wargolo Tuff, 38–40, 44, 48
Valès-Penedès Basin, 113–24, 397–408, 461	water-energy dynamics, 56, 64–6, 76–7, 477
Vallesian	<i>Wenzia</i> , 333
Central Europe	<i>Wenzia ramondi</i> , 331
macromammals, 165–74	Western Europe
micromammals, 167, 174–84	Late Miocene faunal province, 418, 424–6, 430
Crisis, 2, 88–9, 104, 240, 403, 405, 418–19	Miocene primate taxa, 456
France, micromammals, 140–54	Neogene vegetation changes, 378–84
Greece, macromammals, 205–31	palaeoclimate change and non-marine molluscs, 328–49
Italy, 191, 192	Vallesian crisis, 2, 88–9, 104, 240, 403, 405
Macedonia, primate palaeoenvironments, 413–31	wet and dry provinces, Spain, 96
MN unit re-evaluation, 85, 87–9, 102–5	wet and dry rodents, Aragonian, Spain, 132–8
non-marine molluscs, 336–9	wildebeest, 445
shrews, 394–5	wind influence on African climate, 62–4, 68
Spain, macromammals, 113–24	woodland habitats, 174, 261, 295, 403, 406–8
Turkey, 261	African, 72, 290, 293, 422–4, 480
Ukraine, 265–71	Asian, 295, 422–5
<i>Vasseuromys</i> , 92–3, 147, 182	Eurasian, 174, 261, 481
<i>Vasseuromys pannonicus</i> , 161, 164	Pikermian Biome, 436–46
<i>Vasseuromys rugosus</i> , 93	
‘ <i>Vasseuromys</i> ’ <i>thenii</i> , 93	
vegetation	
change to open-habitat, 406	

Index

512	woody-plant species richness, 64–6, 74–6, 477	<i>Zarafa</i> , 207
		<i>Zelkova</i> , 381
		<i>Zizyphus</i> , 382
		Zonitidae, 329, 331
		<i>Zonitoides wenzii</i> , 338
		zooxanthellate corals (z-corals), 282, 310–24, 477, 478
		<i>Zygolophodon borsonii</i> , 198
	<i>Xenohyus</i> , 95, 96	
	<i>Xerotricha</i> , 339	
	Zanclean vegetation, 381–5	
	Zapodidae, 12, 149, 150, 270	