

Index

- adolescence
 - aggression development, 47–8, 74, 79
 - cortisol effects, 34
 - homicide, *see* filicide
 - hormonal effects, 29–32
 - parricide risk, *see* parricide
- adrenal androgens, antisocial
 - behavior relationship, 32–3
- adult violence, prediction, 66–85
 - behavioral predictors, 74–6, 90
 - Cambridge Study in Delinquent Development, 68–70
 - conviction records, 70–2, 74, 95, 263
 - explanatory predictors, 76–8
 - multivariate analysis, 78–80
 - overview, 66, 83–5
 - previous analysis, 72–4
 - research, 67–8
 - risk scores, 81–3
- age (*See also* adolescence; middle childhood years; preschool years)
 - age–crime curve, 47–50
 - alcoholism, 201
 - filicide victims, 159–60
 - risk assessment relationship, 7
- aggression (*See also* intimate partner homicide)
 - prediction, 47–61
 - adolescent years, 47–8, 74, 79
 - correlations, 48–50, 55–9
 - middle childhood years, 48–51
 - overview, 59–61
 - preschool years, 51–5
- alcohol use
 - alcohol-related crimes, 202–5, 264–6
 - antisocial behavior relationship, 205–8
 - conceptual issues, 208–10
 - criminal behavior link, 196–202
 - historical perspectives, 197–9
 - overview, 195
 - recidivistic violent behavior, 121, 123, 131
 - short-term dangerousness
 - prediction, 115–16
- antisocial behavior (*See also* violent behavior)
 - alcohol use relationship, 205–8
 - antisocial parricide perpetrator, 190–1
 - antisocial personality disorder, 104–5
 - biological systems effects, 28–38
 - adrenal androgens, 32–3
 - cortisol, 33–4
 - endocrine system, 29

- antisocial behavior (*continued*)
 - estrogen, 31–2
 - neurotransmitters, 34–7
 - psychophysiology, 37–8, 115
 - serotonin, 34–7, 104, 106, 272
 - testosterone, 29–31
- clinical implications, 38–40
- developmental models, 25–6
- examples, 26–7
- overview, 23–4
- personality scales, 83
- assessment, *see* risk assessment
- axis II disorders, 103–18
 - antisocial personality disorder, 104–5
 - borderline personality disorder, 105–7
 - histrionic personality disorder, 107–8
 - narcissistic personality disorder, 108–10
 - overview, 103–4, 118
 - paranoid personality disorder, 110–11
- short-term dangerousness
 - prediction factors, 111–17
 - alcohol use, 115–16
 - background, 116–17
 - degree of formulation, 113
 - history, 114–15
 - information sources, 113
 - intent, 113
 - organicity, 116
 - psychosis, 115
 - substance abuse, 115–16
 - treatment compliance, 117
 - victim availability, 114
 - weapons, 114
- threats toward clinicians, 117–18
- battering, *see* intimate partner homicide
- behavioral predictors, *see* prediction; risk assessment
- behaviors, *see* antisocial behavior; specific behaviors
- biological processes
 - antisocial behavior
 - biological systems, 28–38
 - adrenal androgens, 32–3
 - cortisol, 33–4
 - endocrine system, 29
 - estrogen, 31–2
 - neurotransmitters, 34–7
 - psychophysiology, 37–8, 115
 - serotonin, 34–7, 104, 106, 272
 - testosterone, 29–31
 - clinical implications, 38–40
 - developmental models, 25–6
 - examples, 26–7
 - behavioral domains, 23–4
 - overview, 23
- borderline personality disorder, description, 105–7
- Cambridge Study in Delinquent Development, adult violence prediction, 68–70
- child abuse
 - filicide risk, 158–78
 - neonaticide, 162–5
 - overview, 158–9, 176–8
 - perpetrators
 - characteristics, 170–2
 - fathers, 165
 - gender, 165–76
 - mental illness role, 174–6
 - mothers, 165
 - Munchausen syndrome by proxy, 172–3
 - predictors, 173–4
 - stepfathers, 165–6
 - typologies, 166–70
- victim characteristics, 159–62

- age, 159–60
- gender, 160–1
- obstetric risk factors, 161–2
- parricide response, 184–5
- childhood, *see* adolescence; middle childhood years; preschool years
- clinical assessment, *see* risk assessment
- conviction records, adult violence prediction, 70–2, 74, 95, 263
- cortisol, antisocial behavior relationship, 33–4
- criminal harassment, *see* stalking
- criminal records, adult violence prediction, 70–2, 74, 95, 263

- dangerousness (*See also* specific aspects)
 - definition, 2–7
- domestic violence, *see* intimate partner homicide; stalking
- driving fatalities, alcohol use link, 204
- drugs, *see* alcohol use; pharmacology; substance abuse

- economic crime
 - parricide motivation, 191–2
 - socioeconomic status role, 7, 76, 79, 266
 - substance abuse association, 220, 228–30
- education, risk assessment relationship, 76, 266
- endocrine system, antisocial behavior relationship, 29–32
- epidemiology, mental illness
 - future research directions, 97–9
 - overview, 89, 99–100
 - violence, 89–94

- estrogen, antisocial behavior relationship, 31–2
- explanatory predictors, *see* prediction; risk assessment

- femicide (*See also* intimate partner homicide)
 - risk assessment, 141–6
- filicide, parental risk, 158–78
 - neonaticide, 162–5
 - overview, 158–9, 176–8
- perpetrators
 - characteristics, 170–2
 - fathers, 165
 - gender, 165–76
 - mental illness role, 174–6
 - mothers, 165
 - Munchausen syndrome by proxy, 172–3
 - predictors, 173–4
 - stepfathers, 165–6
 - typologies, 166–70
- victim characteristics, 159–62
 - age, 159–60
 - gender, 160–1
 - obstetric risk factors, 161–2

- gender
 - childhood aggression development, 48–51
 - estrogen effects, 31–2
 - filicide risk
 - perpetrators, 165–76
 - victims, 160–1
 - mental illness relationship, 94
 - overkill, 140–1
 - partner homicide, *see* intimate partner homicide
 - restraining order effectiveness, 252
 - risk assessment relationship, 7, 68, 94

- gender (*continued*)
- stalking
 - typologies, 243–4
 - victims, 245–6
 - substance abuse association, 232–3
 - testosterone effects, 29–31
- harassment, *see* stalking
- historical factors
- criminal history, 70–2, 74, 95, 263
 - medical history, 8, 258–61
 - personal history, 266
 - professional history, 266
 - psychiatric history, 8, 244–5, 261–3
 - psychosexual history, 267
 - relational history, 266–7
 - risk assessment relationship, 8, 114–15, 263
 - short-term prediction, 114–15
 - social history, 266–7
- histrionic personality disorder, description, 107–8
- homicide, *see* filicide; intimate partner homicide; parricide; suicide
- hormones, 29–32
- hospitalization, risk management, 269–70
- infants, *see* filicide; preschool years
- intimate partner homicide
- restraining orders, 251–3
 - risk assessment, 136–53
 - danger assessment, 146–52
 - domestic femicide, 141–6
 - homicide-suicide, 141–6
 - K-SID, 146–52
 - lethality risk domestic violence instruments, 145–6
 - mental disorders, 142
 - overview, 136–7, 152–3
 - perpetrators, 139–40
 - recidivism, 145–6
 - risk factors, 142–4
 - SARA, 146–52
 - substance abuse, 142
 - victim–perpetrator relationship, 138–9, 141–6
 - weapons, 140–1
 - stalking, 248, 251
- K-SID, intimate partner homicide risk assessment, 146–52
- legal considerations, risk management, 270–1
- medical history, risk assessment, 8, 258–61
- mental illness
- axis II disorders, 103–18
 - antisocial personality disorder, 104–5
 - borderline personality disorder, 105–7
 - histrionic personality disorder, 107–8
 - narcissistic personality disorder, 108–10
 - overview, 103–4, 118
 - paranoid personality disorder, 110–11
 - short-term dangerousness
 - prediction factors, 111–17
 - alcohol use, 115–16
 - background, 116–17
 - degree of formulation, 113
 - history, 114–15
 - information sources, 113
 - intent, 113
 - organicity, 116

- psychosis, 115
 - substance abuse, 99, 115–16
 - treatment compliance, 117
 - victim availability, 114
 - weapons, 114
- threats toward clinicians, 117–18
- epidemiology
 - future research directions, 97–9
 - overview, 89, 99–100
 - violence, 89–94
- recidivistic violent behavior, 121–32
 - association, 122–5
 - overview, 121–2, 131–2
 - predictors, 126–31
 - prevention, 126–31
- risk assessment
 - filicide risk, 174–6
 - future research directions, 18, 97–9
 - intimate partner homicide, 142
 - overview, 3–5, 9, 89, 99–100
 - parricide, 188–90
 - psychiatric history, 8, 261–3
 - violence, 94–7
- middle childhood years
 - aggression development, 48–51
 - homicide risk, *see* filicide
- multivariate analysis, adult violence
 - prediction, 78–80
- Munchausen syndrome by proxy, filicide risk, 172–3

- narcissistic personality disorder, description, 108–10
- neonaticide (*See also* filicide)
 - parental risk, 162–5
- neurological pathways, substance abuse effects, 12–13
- neurotransmitters, antisocial behavior relationship, 34–7

- outpatient follow-up, risk management, 270–1

- paranoid personality disorder, description, 110–11
- parricide, 181–93
 - antisocial parricide perpetrator, 190–1
 - child abuse response, 184–5
 - economical motivation, 191–2
 - family conspiracy, 186–8
 - incidence, 183–4
 - mental illness association, 188–90
 - overview, 181–3
 - perpetrator–victim relationship, 184
 - risk assessment, 192–3
 - risk factors, 185–6
- personality disorders
 - antisocial, 104–5
 - borderline, 105–7
 - histrionic, 107–8
 - narcissistic, 108–10
 - paranoid, 110–11
- pharmacology
 - psychopharmacological violence, 220, 224–8
 - risk management, 272
 - treatment compliance, 117
- physical aggression, *see* aggression; intimate partner homicide
- prediction (*See also* risk assessment)
 - adult violence, 66–85
 - behavioral predictors, 74–6, 90
 - Cambridge Study in Delinquent Development, 68–70
 - conviction records, 70–2, 74, 95, 263
 - explanatory predictors, 76–8
 - multivariate analysis, 78–80
 - overview, 66, 83–5
 - previous analysis, 72–4

- prediction (*continued*)
- previous relevant research, 67–8
 - risk scores, 81–3
 - aggression development, 47–61
 - adolescent years, 47–8, 74, 79
 - correlations, 48–50, 55–9
 - middle childhood years, 48–51
 - overview, 59–61
 - preschool years, 51–5
 - clinical issues
 - alcohol use, 264–6
 - criminal history, 263
 - education, 76, 266
 - future violent behavior
 - diagnoses association, 267
 - medical history, 8, 258–61
 - personal history, 266
 - professional history, 266
 - psychiatric history, 261–3
 - psychosexual history, 267
 - relational history, 266–7
 - social history, 266–7
 - sociodemographic data, 7, 116–17, 258
 - substance abuse, 264–6
 - violence characteristics, 268–73
 - filicide risk, 173–4
 - overview, 5–7
 - short-term dangerousness
 - prediction, axis II disorders, 111–17
 - alcohol use, 115–16
 - background, 116–17
 - degree of formulation, 113
 - history, 114–15
 - information sources, 113
 - intent, 113
 - organicity, 116
 - psychosis, 115
 - substance abuse, 115–16
 - treatment compliance, 117
 - victim availability, 114
 - weapons, 114
 - stalking behavior, 253–4
 - preschool years
 - aggression development, 51–5
 - homicide risk, *see* filicide
 - psychiatric history
 - clinical issues, 8, 261–3
 - stalking behavior, 244–5
 - psychophysiology, antisocial
 - behavior relationship, 37–8, 115
 - psychosexual history, risk
 - assessment relationship, 267
 - race
 - alcoholism, 201
 - intimate partner homicide, 150
 - parricide risk, 184, 193
 - risk assessment relationship, 7, 68, 116
 - recidivistic violent behavior, 121–32
 - intimate partner homicide risk
 - assessment, 145–6
 - mental disorder association, 122–5
 - overview, 121–2, 131–2
 - persons without major mental disorders association, 125–6, 130–1
 - predictors, 126–31
 - prevention, 126–31
 - risk assessment (*See also* prediction)
 - clinical issues
 - alcohol use, 264–6
 - criminal history, 263
 - education, 76, 266
 - future violent behavior
 - diagnoses association, 267
 - management strategies, 269–73
 - administrative considerations, 271
 - collaboration, 271
 - counseling considerations, 272
 - hospitalization, 269–70

- institutional considerations, 271
- legal considerations, 270–1
- outpatient follow-up, 270–1
- pharmacological
 - considerations, 272
 - reevaluation, 270
- medical history, 8, 258–61
- overview, 14–17, 258
- personal history, 266
- professional history, 266
- psychiatric history, 261–3
- psychosexual history, 267
- relational history, 266–7
- social history, 266–7
- sociodemographic data, 7, 116–17, 258
- substance abuse, 264–6
- violence characteristics, 268–73
- dangerousness definition, 2–7
- equation components, 7
- future research directions, 18, 97–9
- intimate partner homicide, *see* intimate partner homicide
- intimate partner homicide
 - intimate partner homicide
- mental illness relationship, *see* mental illness
- mental illness
- methods, 13–14
- overview, 1–2, 17–18
- parricide, 185–6, 192–3
- risk scores, 81–3
- situational factors, 8–9
- substance abuse, *see* substance abuse
- substance abuse
 - abuse
- SARA, intimate partner homicide
 - risk assessment, 146–52
- serotonin, antisocial behavior
 - relationship, 34–7, 104, 106, 272
- sex, *see* gender; psychosexual history
- social history, risk assessment
 - relationship, 266–7
- sociodemographics, risk assessment
 - relationship, 7, 116–17, 258
- socioeconomic status, risk
 - assessment relationship, 7, 76, 79, 266
- spousal abuse, *see* intimate partner
 - homicide
- stalking
 - demographics, 242–3
 - dramatic moments, 250–1
 - escalation, 251
 - motivations, 246–7
 - overview, 238–9, 254
 - predictive factors, 253–4
 - property damage, 251
 - protection, 251–3
 - psychiatric diagnosis, 244–5
 - pursuit characteristics, 246
 - threats, 239–42
 - typologies, 243–4
 - victims, 245–6
 - violence, 247–51
- stepfathers
 - filicide risk, 165–6
 - parricide risk, 184
- substance abuse
 - abuser profile, 221–2
 - economic crime, 220, 228–30
 - gender association, 232–3
 - genetics, 11–12
 - intimate partner homicide risk
 - assessment, 142
 - mental illness relationship, 99, 115–16
 - neurological pathways, 12–13
 - organic factors, 11
 - overview, 216–18, 233–5
 - psychopharmacological violence, 220, 224–8
 - short-term dangerousness
 - prediction, 115–16
 - systemic violence, 230–2
 - theoretical assumptions, 218–24

- substance abuse (*continued*)
 - violence conditions, 222–4, 264–6
- suicide
 - borderline personality disorder, 105–7
 - histrionic personality disorder, 107–8
 - homicide-suicide risk, 141–6
 - short-term prediction, 114–15
- testosterone, antisocial behavior
 - relationship, 29–31
- third-party violence, 249–50
- threatening communication
 - clinician threats, 117–18
 - evaluation, 241–2
 - research limitations, 241
 - stalking relationship, 239–42
- violent behavior (*See also* antisocial behavior)
 - alcohol use link, *see* alcohol use
 - characteristics, 268–73
 - mental disorder link, *see* mental illness
 - prediction, *see* prediction; risk assessment
 - recidivism, 121–32
 - mental disorder association, 122–6
 - overview, 121–2, 131–2
 - prevention, 126–31
 - stalking-related violence, 247–51
 - substance abuse link, *see* substance abuse
- weapons
 - intimate partner homicide risk
 - assessment, 140–1
 - short-term dangerousness
 - prediction, 114
- wife battering, *see* intimate partner homicide