

Index

Remember to look at the contents for larger topics. Abbreviations used in this index: m.g.f. = moment generating function; p.g.f. = probability generating function.

- abnormality, 305
- absolute convergence, 125
- acceptance sampling, 147
- addition rule for E, 267
 - extended, 268
- addition rule for P, 41
 - extended, 42
- alarms, 46
- American roulette, 6
- Arbutnot, J., 19, 118
- archery, 224
- arcsin density, 203, 237
- asteroid, 81
- averages, law of, 279
- axioms, 42

- Banach's matchboxes, 119
- batsmen, leading, 211
- Bayes' rule (theorem), 57
- bell-shaped curve, 164, 178
- Benford's distribution, 18, 132, 135, 243
- Berkeley, 84
- Bernoulli pin, 11
- Bernoulli random variable, *see* indicator
- Bernoulli trials, 37, 131, 240, 252
 - non-homogeneous, 270
 - Poisson number of, 281
 - sequence of, 131, 316
- Bertrand's paradox, 237
- Bertrand's other paradox, 83
- beta density, 203, 236
- Bienaymé, I.J., 321
- binary tree, 68
- binomial coefficient, 99, 101, 124
- binomial distribution, 139
 - mean, 149
 - mode, 169
 - p.g.f., 312
 - variance, 154, 274
- binomial random variables, 240
 - sums of, 261, 263
- binormal density, 295
- binormal random variable, 295, 332
- birthdays, 105
- bivariate density, *see* joint density
- bivariate distribution, *see* joint distribution
- bivariate log normal density, 296
- bivariate normal density, 295
 - standard, 295
- body-mass index, 191, 296
- Boole's inequality, 47, 272
- branching process, 321
 - extinction, 322
 - geometric, 322
- bridge, 106
- Bristol, 157
- Buffon's needle, 304
- bumping, 158, 169
- Buridan's mule, 27

- calculus, fundamental theorem, 177
- capek, 66
- capture-recapture, 147
- Cardano, 8, 11
- cardinality, 26
- Carroll, Lewis, 82
- casino, 79, 331
- Cauchy density, 202, 237
 - characteristic function, 334
- Cauchy-Schwarz inequality, 279
- c.d.f., *see* cumulative distribution function
- central heating, 60
- central limit theorem, 323
- centre of gravity, 148
- change of units, 198, 216
- change of variables, 298
- characteristic function, 334
- cheating with crooked die, 168
- Chebyshev's inequality, 217
- chi-squared density, 308
- coloured sphere, 92
- combinations, 99
- complement, 25, 44
- compounding, 319, 333
- Conan Doyle, A., 280
- conditional
 - density, 226, 286
 - distribution, 218, 226, 280
 - expectation, 220, 228, 282
 - independence, 64
 - key rule, 219, 227, 282
 - law of the unconscious statistician, 283
 - probability, 49
- conditioning rule, 49
- constant random variable, 192, 194
- continuity, 176
- continuity correction, 166
- continuity theorem, 315
- continuous partition rule, 290
- continuous random variable, 192, 199
- convergence, 125
 - absolute, 125
- convolution rule, 261, 290
- correlation, 276
- correspondence rule, 94
- coupons, 268, 272, 274, 302, 327, 330
- covariance, 275
- craps, 71
- cumulants, 331
- cumulative distribution function, 197

- darts, 269
- degraded signal, 77, 136
- de Méré, 114
- de Méré's problem, 45
- de Moivre, A., 20, 77, 164, 309
- de Moivre trials, 172, 182, 240, 328
- density, 135, 170, 199

- density, *cont.*
 arcsin, 203, 237
 beta, 203, 236
 Cauchy, 202, 237
 chi-squared, 308
 conditional, 226, 286
 doubly exponential, 202
 exponential, 171, 200
 gamma, 203, 260
 joint, 245, 248
 key rule for, 171, 199
 log normal, 296, 304
 marginal, 247
 of maximum, 305
 normal, 171, 200, 202
 Student's t -, 308
 triangular, 257
 uniform, 170, 200
- derangement, 96, 120, 121, 285
 derivative, 177
 determinism, 28
 deuce, 74
 die, 75
 difference, 25
 difference equation, 87
 difference rule, 45
 discrete random variable, 192, 193
 disjoint events, 35
 disjoint sets, 25
 dispersion, 150
 distribution, 42
 arcsin, 237
 Benford's, 18, 132, 243
 binomial, 139
 bivariate, *see* joint distribution
 conditional, 218, 226, 280
 empirical, 132
 exponential, 202
 function, 134, 197, 201, 244
 geometric, 137
 hypergeometric, 146
 joint, 239
 key rule for, 134
 limiting, 315
 marginal, 240
 negative-binomial, 143
 normal, 202
 planar, 173
 Poisson, 156
 probability, 42, 131
 triangular, 194
 trinomial, 172
 trivariate, 240
 trivial, 194
 uniform, 134, 194, 202
- doctor's paradox, 297
 dominance, 215
 doubly exponential, 202
 drunkard's walk, 326
 duration of play, 225
- embarrassment, 70
 empirical distribution, 132
- empty set, 24
 equivalence, 40
 Euler, L., 309
 Euler's constant, 275
 evens, 79
 event, 34
 examination, 57
 expectation, 9, 13, 147, 207
 addition rule for, 267
 conditional, 220, 282
 linearity of, 214
 of functions, 213
 product rule for, 273
 experiment, 32
 exponential limit, 126
 exponential random variable, 200
 density, 171, 200
 doubly exponential, 202
 two-sided, 200
 distribution, 202
 m.g.f. for, 313
 moments for, 310
 extinction, 322
- factorial moments, 311
 factorials, 97
 fairness, 9, 14
 fallacy
 gambler's, 138, 279
 prosecutor's, 53
 falling factorial power, 97
 false positives, 55, 57
 families, 183
 fashion retailer, 217
 first moment, *see* mean
 fixed die, 78
 friendly function, 205
 function of random variable,
 191, 255
 expectation of, 213
 functions, 27
 fundamental theorem of
 calculus, 177
- Galileo, 39, 47
 Galton, F., 296
 paradox of, 82
 Galton–Watson process, 321, 331
 gambler's fallacy, 138, 279
 gambler's ruin, 116, 225, 285
 gamma density, 203, 260, 267
 m.g.f., 318
 generating functions, 310
 cumulant, 330
 joint, 328
 m.g.f., 310
 p.g.f., 310
 Genoese lottery, 110
 geometric branching, 322
 geometric random variable, 198
 distribution, 137
 mean, 150, 210
 mode, 153
- p.g.f., 312, 313
 variance, 154
 goats and cars, 84
 Graunt, J., 12
 gravity, 149
- histogram, 133
 Holmes, Sherlock, 280
 house, 304
 Huygens' problem, 73, 326, 330
 hypergeometric random variable
 distribution, 146, 155
 mean, 270
 mode, 182
- impossible event, 24
 inclusion, 24
 inclusion–exclusion, 46, 95, 271
 inclusion inequality, 47
 independence, 59, 219, 273
 conditional, 64
 key rule for, 251
 pairwise, 333
 of random variables, 250
 index, body–mass, 191, 296
 indicator, 27, 193, 194
 inequality
 Boole's, 47, 272
 Chebyshev's, 217
 dominance, 215
 inclusion, 47
 Markov's, 216
 insurance, 58, 319
 intersection, 25
 inverse function, 27
 inversion theorem, 311
- joint density, 245
 key rule for, 245
 joint distribution, 239, 244, 245,
 248
 key rule for, 240
 joint generating functions, 328
 jointly uniform, 246
- key rule
 conditional, 219, 227, 282
 for densities, 171
 for distributions, 134, 195
 for independent case, 251
 for joint densities, 245
 for joint distributions, 240
 kidney stones, 48, 83
 krakens, 143
 kurtosis, 307
- lack of memory, 227
 lamina, 43
 law
 Benford's, 18, 132, 135
 of averages, 279
 of large numbers (weak), 278

- of unconscious statistician, 214, 267, 283
- Stigler's, 18
- leading batsmen, 211
- limits, 125, 176
 - binomial limit of
 - hypergeometric distribution, 155
 - central, 323
 - exponential limit of geometric distribution, 161, 316
 - local, 167
 - normal, 179, 324
 - normal limit of binomial distribution, 178
 - Poisson limit of binomial distribution, 156, 181, 183, 318, 330
- linearity of expectation E, 214
- local limit theorem, 167
- log normal density, 296, 304
 - bivariate, 296
- lottery, 16, 110
- marginal densities, 247
- marginal distribution, 240
- Markov, A.A., 12, 28
- Markov inequality, 216
- matching, 128, 272, 285
- maximum of geometrics, 258
- mean, 147, 207
 - binomial, 149, 270
 - exponential, 209
 - gamma, 314
 - geometric, 150
 - hypergeometric, 270
 - log normal, 296, 304
 - negative binomial, 268
 - normal, 209
 - Poisson, 154
 - uniform, 154, 209
- median, 153
- meteorite, 157
- method of indicators, 270
- m.g.f., 310
 - binormal, 332
 - exponential, 313
 - gamma, 314
 - normal, 313
- Mills' ratio, 167
- minimum
 - of exponential random variables, 258
 - of geometric random variables, 257, 258
- mode, 153
 - binomial, 169
 - geometric, 153
 - hypergeometric, 182
- modelling, 14, 16
- moment generating function, *see* m.g.f.
- moments
 - factorial, 331
 - second, 151
 - Monopoly, 136
 - Montmort, 118
 - Monty Hall problem, 84
 - multinomial, 99, 124, 182, 329
 - multinormal, 334
 - multiplication rule, 52, 95
 - extended, 52
 - Mythy Island, 92
 - negative binomial distribution,
 - 143, 266
 - theorem, 125
 - Newcomb, S., 18
 - Newton, I., 47
 - non-homogeneous Bernoulli trials, 270
 - normal limit theorem, 179, 323
 - normal
 - approximation, 164
 - density, 171, 200
 - bivariate, 295
 - m.g.f. for, 313
 - mean of, 209
 - standard, 171, 206
 - variance of, 216
 - distribution, 202
 - limit, 323
 - random variable, independent, 252
 - sample, 335
 - sum, 264
 - occupancy, 120
 - odds, 78
 - one-to-one function, 196, 204
 - opinion, 14
 - opinion poll, 154
 - order-statistics, 299
 - pairwise independence, 333
 - paradox
 - Bertrand's, 236
 - Bertrand's other, 83
 - Carroll's, 82
 - doctor's, 297
 - Galton's, 82
 - prisoners, 86
 - Simpson's, 83
 - switching, 84
 - voter, 245
 - parimutuel betting, 80
 - partition, 26, 36
 - partition rule, 54, 222, 280
 - continuous, 290
 - extended, 56
 - Pascal, B., 102, 114
 - Pearson, K., 325
 - Pepys' problem, 47
 - extended, 265
 - permutation, 97
 - Petersburg problem, 218
 - p.g.f., 310
 - pirates, 54
 - pizza problem, 127
 - placebo, 297
 - planar distribution, 173
 - plane, random walk in, 333
 - plates, 308
 - plutocrat, 9, 50
 - points, problem of, 113, 118, 128
 - Poisson–Bernoulli trials, 281
 - Poisson–de Moivre trials, 329, 334
 - Poisson
 - distribution, 156
 - generating function, 313
 - mean, 154
 - mode, 158
 - process, 201, 289
 - sum, 263, 318
 - variance, 180
 - poker, 107, 127
 - polling, 154
 - potatoes, 293
 - powers of random variables, 206
 - prisoners paradox, 86
 - probability, 22
 - conditional, 49
 - probability density, 170, 199
 - probability distribution, 42, 131, 194
 - probability generating function, *see* p.g.f.
 - probability scale, 2
 - problem of the points, 113, 118, 128
 - product of two sets, 25
 - product rule, 59, 273
 - prophylaxis, 66
 - prosecutor's fallacy, 53
 - protocol, 85
 - Pythagoras, 304
 - Quetelet index, *see* body mass index
 - quiz, 182, 223, 332
 - random
 - sample, 209
 - stakes, 307
 - sum, 284, 320
 - random variable, 190
 - Cauchy, 202, 237
 - continuous, 192, 199
 - discrete, 192, 193
 - doubly exponential, 202
 - exponential, 200
 - gamma, 203, 260
 - geometric, 198
 - indicator, 193, 194
 - log normal, 296
 - normal, 200
 - triangular, 194
 - trivial, 192, 194
 - two-sided exponential, 200

- random variable *cont.*
 uniform, 194, 200
- random walk, 324
 in plane, 333
 on triangle, 333
- Rayleigh, 326
- recurrence, 88
- red ace, 58
- regression, 297
- ringing, 277
- risk, 28
- rivets, 168
- Robbins' formula, 124
- robot, 66, 303
- roulette, 6
- rounding errors, 324
- ruin, gamblers', 116, 225, 285
- rule,
 addition, 94
 extended, 42
 for E, 267
 for P, 41
 Bayes', 57
 conditional key, 219, 282
 conditional partition, 54
 conditioning, 49
 continuous partition, 290
 convolution, 261, 290
 correspondence, 94
 difference, 45
 inclusion–exclusion, 45, 95
 key
 conditional, 219, 227, 282
 for densities, 171
 for distribution, 134, 195
 for independent case, 251
 for joint density, 245
 for joint distribution, 240
 multiplication, 52, 95
 partition, 54, 222, 280
 product, 59
- runs, 111, 181, 220, 303
- St Petersburg problem, 218
- sample, normal, 335
- sample mean, 148, 149
- sample space, 33
- scaling, 204
- Schwarz, *see* Cauchy–Schwarz
 inequality
- seeds, 293
- sequence, 95, 131
- set, 24
- sex ratio, 12
- shapes, 107
- Sherlock Holmes, 280
- shifting, 204
- significant digits, 18
- simple random walk, 324
- Simpson's paradox, 83
- size, 26
- skewness, 235, 279
- sparse sampling, 156
- squared normal random
 variable, 314
- standard deviation, 151
 normal, 171, 206
 bivariate, 295
- Steffensen, J.F., 321
- Stigler's law, 18
- Stirling's formula, 122
- stones, 48, 83
- Student's *t*-density, 308
- sudden death, 138
- sums of independent random
 variables, 316
 binomial, 261, 263
 continuous, 262
 discrete, 261
 exponential, 264, 267, 320
 gamma, 318
 geometric, 263, 266, 317
 log normal, 296
 normal, 264, 296, 318
 Poisson, 263, 318
 random, 284, 320
 uniform, 256, 264
 variance, 273
- survival function, 197
- switch, 195
- switching paradox, 84
- symmetric difference, 25
- symmetric distribution, 303
- table of generating functions,
 329–30
- tables of means and variances, 231
- tagging, 181
- tail, left and right, 198
- tail generating function, 327, 331
- tail integral, 210
- tail sum, 210, 271
- tennis, 71, 108, 225
 real, 109
- test, 55, 57, 69
- thistles, 293
- tote, 80
- tree, 67
 binary, 68
- trial
- Bernoulli, 37, 131
 de Moivre, 172
- triangle random walk on, 333
- triangular random variable,
 194, 257
- trinomial, random variable, 172
- trivariate random variable, 240
- trivial random variable, 192
- two-sided random variable,
 197, 200
- unconscious statistician, laws of,
 214, 267, 283
- uncorrelated random variables,
 275
- uniform random variables,
 194, 202
 jointly uniform, 246, 253
 sums of, 256
- union, 25
- uniqueness theorem, 311
- unordered sample, 99
- unsavoury function (Ω is not
 countable), 191
- urns, 41
- utopia, 183
- value, 9, 13, 148
- Van der Monde's formula, 103
- variance, 151, 215
 Bernoulli, 151
 binomial, 154, 274
 exponential, 310
 geometric, 154
 normal, 216
 Poisson, 180
 of sum, 273
 uniform, 154
- vending machine, 14
- Venn diagram, 25, 36
- voter paradox, 245
- waiting, 201
- waiting times, 268
- Waldegrave's problem, 77, 91,
 224, 294, 326, 329
- Wald's equation, 284
- weak law of large numbers, 278
- wildlife, 146
- Yarborough, 127
- Zodiac, 126