

Index

- Abelian group, 13, 21, 103
 finitely generated, 206, 207
 additive functor, **195**, 196–198
 adjoint (matrix), $\text{Adj } A$, **246**, 248
 adjugate matrix, $\text{Adj } A$, **246**, 248
 adjunction
 field, **224**, 225, 230
 ring, 6, 225
 affine (K -)algebra, **264**, 266, 269, 270, 274, 276, 281–286
 (R -)algebra, **5**
 affine, **264**, 266, 269, 270, 274, 276, 281–286
 commutative, 149
 finitely generated, **149**, 252, 264, 265, 343
 homomorphism, **86**, 149
 isomorphism, **86**
 algebraic closure (in an extension field), **231**
 algebraic element, **226**, 232, 260
 algebraic field extension, **230**, 240, 266
 finite, 266
 algebraically closed field, 216, 218, 219, 267, 269, 280
 algebraically dependent, **234**, 235–238
 algebraically equivalent, **237**, 239
 algebraically independent, **8**, 9, **26**, 233, 237–240, 270, 272–274, 276
 almost all, 116, 168
 annihilator, **29**, **106**, 173, 176–178, 191, 194, 205, 213, 217
 Artinian commutative ring, **125**, 133, 163–166, 279, 304, 333
 local, 166, 343
 Artinian module, **124**, 126, 128, 130, 132–134, 138, 166, 173, 184
 ascending chain condition, **47**, 124
 associate, 46
 Associated prime ideal(s), $\text{Ass}(M)$, **180**, 181–184, 316, 324
 associated prime ideal(s), $\text{ass } I$, **71**, 154, 156, 180, 184, 292, 296, 323, 329
 embedded, **73**, 162, 329
 isolated, **73**
 minimal, **73**
 automorphism (of a ring), **258**
 Axiom of Choice, 40
 base, **118**, 119–121, 185–189, 191, 326
 basis, transcendence, **239**, 240
 canonical epimorphism, **110**
 canonical form
 Jordan, **217**, 218, 219
 rational, **214**, 215, 219
 canonical injection, **116**
 canonical projection, **116**
 canonical ring homomorphism, **22**
 category, 195
 catenary ring, **343**
 universally, **343**
 Cayley–Hamilton Theorem, 215
 chain of prime ideals, 258, 261, **276**, 277–279, 326, 335, 338
 maximal, **277**, 284

saturated, **276**, 283, 286, 303,
 333–335, 343
 change of rings, **107**
 characteristic of a field, char K , **223**,
 303
 characteristic polynomial, **211**, 215,
 216, 219
 coefficient, 3, 263
 cofactor, **246**, 247, 248
 Cohen–Macaulay module, **335**
 Cohen–Macaulay ring, **329**, 330–336,
 341–344
 Cohen’s Theorem, 150
 comaximal ideals, **55**
 pairwise, **55**, 56, 193, 200
 commutative ring, *see* ring, commut-
 ative
 companion matrix, **212**, 213
 composition factors, **139**
 composition series, **136**, 140
 isomorphic, **139**, 140
 length of, 138
 content (ideal), **186**, 187
 continuous functions, *see* ring of con-
 tinuous functions
 contracted ideal, **34**
 contraction of an ideal, **33**, 253, 256,
 258
 contravariant functor, **195**
 coprime ideals, **55**
 coset, 20
 covariant functor, **195**, 197
 cyclic group(s), 207, 228
 free, 207
 cyclic module, **105**, 191, 194, 205,
 213, 217

 decomposable ideal, **68**, 155
 decomposable submodule, **178**, 179
 Dedekind domain, **306**, 309, 310
 degree function of a Euclidean do-
 main, **16**
 degree of a field extension, **228**
 degree of a polynomial, 4
 degree of transcendence, **239**, 240,
 242, 282, 286

degree, total, **9**
 Degrees Theorem, 228
 depth of a module, **319**, 324–326,
 335, 343
 descending chain condition, **124**
 on prime ideals, 292
 determinant, **244**, 245–248
 dimension of a commutative ring, dim R ,
 277, 278–282, 284–286, 291,
 296–301, 303, 305, 306, 311,
 312, 324, 333, 338, 343
 dimension of a module, **298**, 326,
 335
 dimension, vector space, $\text{vdim}_K V$,
 128, 143, 159, 169, 227, 228,
 298–300
 direct product of modules, **114**
 direct product of rings, **20**, 56, 166,
 253
 direct sum of modules, **114**, **115**,
 132, 166, 191, 194, 205
 external, **114**
 internal, **115**
 discrete valuation, 306
 ring (DVR), 306
 domain, *see* integral domain,
 Dedekind, **306**, 309, 310
 Euclidean, **16**, 30
 integrally closed, **254**, 260, 261,
 280, 305, 306
 DVR, *see* discrete valuation ring,

 Eisenstein’s Irreducibility Criterion,
 231
 element
 algebraic, **226**, 232, 260
 integral, **250**, 251, 252, 263
 irreducible, **16**, 49, 197, 198,
 204, 279
 maximal, **39**
 nilpotent, **15**, 156
 prime, **46**, 49
 transcendental, **227**, 232, 234
 elementary Jordan matrix, **216**, 217,
 219

INDEX

349

- embedded prime (ideal), **73**, 162, 329
 endomorphism, **208**
 epimorphism, **109**
 canonical, **110**
 natural, **110**
 Euclidean domain, **16**, 30
 evaluation (homomorphism), **10**, 312
 exact sequence, **112**, 171, 176, 198, 307
 short, **117**, 132, 142, 184
 Exchange Theorem, 238
 Expansion Theorem, 247
 extended ideal, **34**
 extension of an ideal, **33**, 172, 258
 extension of fields, **221**
 external direct sum, **114**
- factor group, 21
 factor module, **108**
 factor ring, **21**
 faithful module, **250**, 251
 family, 1
 algebraically independent, **8**
- field, **13**, 37, 255, 266, 279
 adjunction, **224**, 225, 230
 algebraically closed, 216, 218, 219, 267, 269, 280
 extension, **221**
 algebraic, **230**, 240, 266
 finite, **228**, 229, 266
 finitely generated, **224**, 239, 240
 pure transcendental, **239**
 simple, **225**
 simple algebraic, **230**
 finite, 228, 232, 233
 homomorphism, **221**
 intermediate, **221**, 224, 231
 generation of, **224**
 of fractions of an integral domain, 14, 15, 83, 232, 250, 254, 260, 303
 of rational functions, **221**
 prime, **223**
 residue, **41**
 splitting, **231**, 232
 finite field, 228, 232, 233
 finite field extension, **228**, 229, 266
 finite free resolution, **307**, 309
 finite length, **138**, 139, 140, 142–144, 298
 finitely generated Abelian group, 206, 207
 finitely generated algebra, **149**, 252, 264, 265, 343
 finitely generated extension field, **224**, 239, 240
 finitely generated ideal, **26**, 146
 finitely generated module, **105**, 158, 168, 173, 176, 177, 183, 191, 194, 200–202, 205, 249, 251, 252, 265, 270, 276, 307, 312–319, 323–327, 335
 finitely generated subalgebra, **149**
 finitely generated submodule, **105**, 129
 First Isomorphism Theorem for Modules, 111
 First Uniqueness Theorem for Primary Decomposition, 70, 178
- form, **11**
 formal derivative, **232**
 formal power series ring, *see* ring of formal power series
 free cyclic group, 207
 free module, **118**, 119–121, 185–189, 191, 199, 307, 326
 rank of, **121**, 191, 199
 Frobenius homomorphism, **224**
- functor, 171
 from R -modules to S -modules, 196
 additive, **195**, 196–198
 contravariant, **195**
 covariant, **195**, 197
 I -torsion, Γ_I , **197**, 198
 left exact, **198**
 torsion, **197**, 198
 Fundamental Theorem of Algebra, 216

- Fundamental Theorem on Abelian Groups,
 207, 228
- GCD, *see* greatest common divisor
- Generalized Principal Ideal Theorem,
 290, 293
- Going-down Theorem, 261
- Going-up Theorem, 258
- Gorenstein local ring, **343**, 344
- grade of an ideal, **319**, 320–324, 326,
 328–331, 343
- (M -)grade of an ideal, **318**, 326
- greatest common divisor (GCD), **45**
- height of a prime ideal, **277**, 278–
 281, 285, 286, 289–292, 294–
 296, 302, 328, 329, 331, 333,
 334, 339, 340
- (M -)height of a prime ideal, **335**
- height of an ideal, **292**, 293, 294,
 320, 328, 329, 342
- (M -)height of an ideal, **335**
- highest common factor, **45**
- Hilbert ring, **268**
- Hilbert's Basis Theorem, 148
- Hilbert's Nullstellensatz (Zeros The-
 orem), 267, 300
- Hilbert's Syzygy Theorem, 307
- homogeneous polynomial, **11**
- homomorphism
 Frobenius, **224**
 of algebras, **86**, 149
 of fields, **221**
 of modules, **109**
 injective, 109, 175
 surjective, 109, 175
 zero, **109**, 171, 208
 of rings, **5**
 canonical, **22**
 integral, **250**, 253
 natural, **22**, **81**, **86**
- homomorphisms of modules, sum of,
109, 208
- ideal, **19**
 content, **186**, 187
 contracted, **34**
 decomposable, **68**, 155
 extended, **34**
 finitely generated, **26**, 146
 improper, **23**
 irreducible **77**, 96, 159, 343, 344
 maximal, **38**, 40, 41, 47, 51,
 134, 135, 163–166, 175, 184,
 256, 266–268, 277, 279, 281,
 285, 341
 nilpotent, **165**
 primary, **62**, 63, 64, 77, 95, 177,
 296
 prime, **43**, 45, 47, 49–52, 54,
 94, 154, 163, 165, 175, 177,
 179, 181, 268, 279, 290, 292,
 302, 311, 326, 337–340
 principal, **24**, 30, 272, 289, 302,
 304
 proper, **23**, 290, 295, 312
 quotient, **29**
 radical of, **19**, 27, 51, 155, 156,
 159, 259, 260, 267, 269
 unmixed **329**, 342
 zero, **23**
- ideals
 comaximal, **55**
 coprime, **55**
 generation of, **24**
 intersection of, **24**
 of a residue class ring, 31
 product of, **28**
 sum of, **27**
- image of a module homomorphism,
110
- image of a ring homomorphism, **5**
- improper ideal, **23**
- Incomparability Theorem, 256
- independent, algebraically, **8**, **9**, **26**,
 233, 237–240, 270, 272–274,
 276
- integral closure, **254**
- integral closure (in an extension ring),
252, 253, 254
- integral domain, **12**, 43, 254, 260,

INDEX

351

- 261, 280, 282, 284, 285, 302, 338
 local, 305
 Noetherian, 306, 340
 integral element (over a ring), **250**, 251, 252, 263
 integral (ring) homomorphism, **250**, 253
 integral ring (over a subring), **250**, 253, 255–261, 265, 269, 272–274, 276, 280
 integrally closed domain, **254**, 260, 261, 280, 305, 306
 integrally closed (in an extension ring), **252**, 253, 254
 integrally closed ring, **254**
 integrally dependent on, *see* integral over
 intermediate field, **221**, 224, 231
 finitely generated, 240
 generation of, **224**
 internal direct sum, **115**
 invariant subspace, **210**
 inverse, **13**
 invertible matrix, **248**
 irreducible element(s), **16**, 49, 197, 198, 204, 279
 pairwise non-associate, **200**, 201, 205
 irreducible ideal, **77**, 96, 159, 343, 344
 irreducible polynomial, 221, 222, 225, 226
 isolated (associated) prime ideal, **73**
 isolated subset of $\text{ass } I$, **99**
 isomorphism of algebras, **86**
 isomorphism of fields, 231
 isomorphism of modules, **109**, 171
 isomorphism of rings, **5**
 Isomorphism Theorem
 for Commutative Rings, **22**
 for Modules
 First, 111
 Second, 111
 Third, 112
 for I -torsion functor, **197**, 198
 Jacobson radical, **42**, 158, 159, 168, 250, 257, 315, 327, 336
 Jacobson ring, **268**
 Jordan canonical form, **217**, 218, 219
 Jordan Canonical Form Theorem, 218
 Jordan–Hölder Theorem, 140
 kernel of a module homomorphism, **110**
 kernel of a ring homomorphism, **18**, 19
 Krull’s Generalized Principal Ideal Theorem, 290, 293
 Krull’s Intersection Theorem, 159
 Krull’s Principal Ideal Theorem, 289
 K -space, 102, 143, 168
 Lagrange’s Theorem, 232
 left exact functor, **198**
 length, **138**, 142–144
 finite, **138**, 139, 140, 142–144, 298
 of chain of prime ideals, **276**, 284, 286
 of primary chain, **166**
 of (M) -sequence, **312**, 318, 319
 of strict-chain, **136**
 local ring, **159**, 162, 166, 291, 296–298, 300, 302, 304, 305, 311, 319, 333, 335, 343, 344
 Gorenstein, **343**, 344
 regular, **299**, 300–307, 311, 312, 328, 330, 331, 336
 semi-regular, **330**, 336
 localization, **89**, **170**
 Lying-over Theorem, 257
 matrices, similar, **211**, 215, 218, 219
 matrix
 companion, **212**, 213
 elementary Jordan, **216**, 217, 219
 invertible, **248**
 rational canonical, **214**, 215

- representing an endomorphism
 - of a vector space, 210
- maximal chain of prime ideals, **277**, 284
- maximal condition, **47**, 124
- maximal element, **39**
- maximal ideal, **38**, 40, 41, 47, 51, 134, 135, 163–166, 175, 184, 256, 266–268, 277, 279, 281, 285, 341
- maximal (M -)sequence, **316**, 317–319, 327
- metric, 160
 - space, 160
- minimal associated prime ideal, **73**
- minimal condition, **124**
- minimal generating set, **167**, 169
- minimal polynomial, **210**, 211, 212, 215, 216, 219, **226**, 232, 260
- minimal primary decomposition, **68**, **178**, 179, 180
- minimal prime ideal, **53**, 54, 72, **73**, 83, 154, 277, 286, 288–290, 292, 293, 302, 323, 328
- minor, **246**
- module, **101**
 - Artinian, **124**, 126, 128, 130, 132–134, 138, 166, 173, 184
 - Cohen–Macaulay, **335**
 - cyclic, **105**, 191, 194, 205, 213, 217
 - faithful, **250**, 251
 - finitely generated, **105**, 158, 168, 173, 176, 177, 183, 191, 194, 200–202, 205, 249, 251, 252, 265, 270, 276, 307, 312–319, 323–327, 335
 - free, **118**, 119–121, 185–189, 191, 199, 307, 326
 - homomorphism, **109**
 - Noetherian, **124**, 128–130, 132–134, 138, 173, 179
 - of fractions, **170**
 - simple, **135**
 - torsion-free, **197**
- modules
 - direct product of, **114**
 - direct sum of, **114**, **115**, 132, 166, 191, 194, 205
 - isomorphic, **110**
 - monic polynomial, 210, 262
 - monomorphism (of R -modules), **109**
 - multiplicatively closed subset, **50**, 81, 85, 87, 169–173, 176, 177, 182, 196, 253, 254, 278, 288, 323, 324
 - saturated, **84**
 - saturation of, **84**
- Nakayama’s Lemma, 158, 167, 168, 250
- natural epimorphism, **110**
- natural ring homomorphism, **22**, **81**, **86**
- nilpotent element, **15**, 156
- nilpotent ideal, **165**
- nilradical, **19**, 52, 164, 165
- Noether normalizing family, **276**, 281, 283
- Noetherian commutative ring, **48**, 77, 78, 96, 125, 133, 145–151, 153–157, 159, 162, 165, 166, 180–184, 197, 198, 264, 265, 286, 288–296, 312–337, 340–343
- Noetherian integral domain, 306, 340
- Noetherian module, **124**, 128–130, 132–134, 138, 173, 179
- Noether’s Normalization Theorem, 274, 276
- non-zero-divisor of a commutative ring, **12**, 254, 296
- non-zero-divisor on a module, **154**, 311, 312, 314
- Nullstellensatz, 267, 300
- open set, 160
- pairwise comaximal (family of ideals), **55**, 56, 193, 200

INDEX

353

- pairwise non-associate irreducible elements, **200**, 201, 205
- parameters, system of, *see* system of parameters
- partial order, **39**
- partially ordered set, **39**
- permutation, 244, 314, 315
- PID, *see* Principal Ideal Domain
- polynomial
- characteristic, **211**, 215, 216, 219
 - homogeneous, **11**
 - irreducible, 221, 222, 225, 226
 - minimal, **210**, 211, 212, 215, 216, 219, **226**, 232, 260
 - monic, 210, 262
- polynomial ring, *see* ring of polynomials
- power series ring, *see* ring of formal power series
- primary chain, **166**
- primary decomposition, **68**, 78, 154, 178
- First Uniqueness Theorem for, 70, 178
 - minimal, **68**, **178**, 179, 180
 - normal, 69
 - reduced, 69
 - Second Uniqueness Theorem for, 75, 98, 179
- primary ideal, **62**, 63, 64, 77, 95, 177, 296
- primary submodule, **178**, 179
- Prime Avoidance Theorem, 56, 58, 290, 316
- prime element, **46**, 49
- prime field, **223**
- prime ideal, **43**, 45, 47, 49–52, 54, 94, 154, 163, 165, 175, 177, 179, 181, 268, 279, 290, 292, 302, 311, 326, 337–340
- Associated, **180**, 181–184, 316, 324
 - associated, **71**, 154, 156, 180, 184, 292, 296, 323, 329
 - embedded, **73**, 162, 329
 - isolated, **73**
 - minimal, **53**, 54, 72, **73**, 83, 154, 277, 286, 288–290, 292, 293, 302, 323, 328
- prime number, 13
- prime spectrum, **44**, 257, 258, 333
- principal ideal, **24**, 30, 272, 289, 302, 304
- principal ideal domain (PID), **31**, 45–49, 187–189, 191, 193, 194, 197, 198, 200–205, 279, 305
- Principal Ideal Theorem, 289
- Generalized, 290, 293
- proper ideal, **23**, 290, 295, 312
- proper submodule, **126**, 179
- pure transcendental (field) extension, **239**
- quasi-local ring, **41**, 43, 168, 278
- quasi-semi-local ring, **95**
- radical, Jacobson, **42**, 158, 159, 168, 250, 257, 315, 327, 336
- radical (of an ideal), **19**, 27, 51, 155, 156, 159, 259, 260, 267, 269
- rank
- of a finitely generated free module, **121**, 191, 199
 - torsion free, **199**, 200, 205, 206
- rational canonical form, **214**, 215, 219
- Rational Canonical Form Theorem, 214
- rational canonical matrix, **214**, 215
- reduced ring, **52**
- regular local ring, **299**, 300–307, 311, 312, 328, 330, 331, 336
- regular sequence, *see* (M -)sequence
- regular system of parameters, **303**, 304, 311, 312
- residue class group, 21
- residue class module, **108**
- residue class ring, **21**
- residue field, **41**
- restriction of scalars, **103**, 147, 249–251

ring, **2**

- adjunction, 6, 225
- catenary, **343**
 - universally, **343**
- Cohen–Macaulay, **329**, 330–336, 341–344
- commutative, **2**
 - Artinian, **125**, 133, 163–166, 279, 304, 333, 343
 - Noetherian, **48**, 77, 78, 96, 125, 133, 145–151, 153–157, 159, 162, 165, 166, 180–184, 197, 198, 264, 265, 286, 288–296, 312–337, 340–343
- discrete valuation, 306
- Hilbert, **268**
- homomorphism, **5**
 - canonical, **22**
 - integral, **250**, 253
 - natural, **22**, **81**, **86**
- integrally closed, **254**
- isomorphism, **5**
- Jacobson, **268**
- local, **159**, 162, 166, 291, 296–298, 300, 302, 304, 305, 311, 319, 333, 335, 343, 344
- of continuous functions, $C[0, 1]$, 3, 43, 76
- of formal power series, 3, **11**, 17, 43, 151, 153, 300, 335, 336
- of fractions, **81**, 98, 146, 170, 332
- of Gaussian integers, **2**
- of polynomials, **4**, 9, 15, 17, **26**, 35, 79, 90, 148, 267, 272, 273, 285, 303, 312, 314, 324, 326, 327, 328, 336–343
- of residue classes of integers, 3, 13, 22
- quasi-local, **41**, 43, 168, 278
- quasi-semi-local, **95**
- reduced, **52**
- regular local, **299**, 300–307, 311, 312, 328, 330, 331, 336

semi-local, **159**, 163semi-regular local, **330**, 336trivial, **3**universally catenary, **343**rings, direct product of, **20**, 56, 166, 253

Rule of False Cofactors, 248

saturated chain of prime ideals, **276**, 283, 286, 303, 333–335, 343saturated multiplicatively closed subset, **84**saturation (of a multiplicatively closed subset), **84**

Second Isomorphism Theorem for Modules, 111

Second Uniqueness Theorem for Primary Decomposition, 75, 98, 179

semi-local ring, **159**, 163semi-regular local ring, **330**, 336 (M) -sequence, **312**, 313, 316, 319, 323, 326, 335length of, **312**maximal, **316**, 317–319, 327

length of, 318, 319

 (R) -sequence, **312**, 314, 320, 321, 323, 336, 337, 343

set, 1

minimal generating, **167**, 169partially ordered, **39**totally ordered, **39**short exact sequence, **117**, 132, 142, 184split, **117**sign of a permutation, $\text{sgn } \sigma$, 244similar matrices, **211**, 215, 218, 219simple algebraic (field) extension, **230**simple field extension, **225**simple module, **135** (K) -space, 102, 143, 168

space, metric, 160

spectrum of a commutative ring, $\text{Spec}(R)$, **44**, 257, 258, 333split (short) exact sequence, **117**splitting field, **231**, 232

INDEX

355

- strict-chain (of submodules), **136**
- subalgebra, **149**
 - finitely generated, **149**
- subfield, **221**
- Subfield Criterion, **222**
- submodule, **104**
 - decomposable, **178**, **179**
 - finitely generated, **105**, **129**
 - generated by, **105**
 - primary, **178**, **179**
 - proper, **126**, **179**
 - zero, **104**
- Submodule Criterion, **104**
- submodules
 - generation of, **105**
 - intersection of, **105**
 - of a factor module, **108**
 - sums of, **106**
- subring, **4**
- Subring Criterion, **5**
- subspace, invariant, **210**
- support of a module, $\text{Supp}(G)$, **174**,
 176, 177, 183, 326
- symbolic power (of a prime ideal),
100, **162**
- system of parameters, **297**, **343**, **344**
 - regular, **303**, **304**, **311**, **312**
- Szyzyg Theorem, **307**

- Third Isomorphism Theorem for Mod-
 ules, **112**
- torsion functor, **197**, **198**
- torsion-free module, **197**
- torsion-free rank, **199**, **200**, **205**, **206**
- totally ordered set, **39**
- transcendence basis, **239**, **240**
- transcendence degree, **239**, **240**, **242**,
 282, 286
- transcendental element, **227**, **232**, **234**
- transpose of a matrix, **219**
- trivial ring, **3**

- UFD, *see* unique factorization domain
- unique factorization domain (UFD),
16, **17**, **49**, **250**, **279**, **326**
- unit, **13**, **17**, **24**, **41**, **257**

- universal property, **7**, **9**, **87**
- universally catenary ring, **343**
- unmixed ideal, **329**, **342**
- upper bound, **39**

- variety of an ideal, $\text{Var}(I)$, **52**, **53**,
 72, 176, 292, 296
- vector space, **102**, **128**, **143**, **228**
 - dimension, $\text{vdim}_K V$, **128**, **143**,
 159, 169, 227, 228, 298–
 300

- zero homomorphism, **109**, **171**, **208**
- zero ideal, **23**
- zero submodule, **104**
- zerodivisor in a commutative ring,
12, **15**, **156**, **341**
- zerodivisor on a module, **154**, **155**,
 178, 179, 181
- Zeros Theorem, **267**, **300**
- Zorn's Lemma, **40**