

Index

- Bender, H., 1, 94, 97
 Burnside, W., 1
- canonical form, 102
 central extension, 139, 141, 142
 character
 regular, 7, 22
 virtual, 3
 characteristic, 137
 coherent, 25, 144
 compatibly, 93
 sub-, 93
 Collins, M. J., 93
 complement, 45
 component
 p -, 99
 p' -, 99
 π -, 99
 π' -, 99
- Dade, E. C., 93
 distinguished involution, 102
 doubly transitive, 97
- exponent, 3
- faithful, 97
 Feit, W., 1, 93, 94, 144
 fixed points, without, 4
 fixed-point-freely, 4
- Glauberman, G., 1, 2, 94
 group
 CA-, 1
 CN-, 1
 Frobenius, 31, 33, 42, 44, 47,
 50, 54, 60, 70, 71, 75, 84,
 93, 94, 108, 109, 117, 145
 generalized quaternion, 137
 inertia, 3
 minimal simple, of odd order,
 44
 p -, 99
 π -, 99
 quaternion, 109, 110
 σ -, 3
 Suzuki, 99
 Suzuki 2-, 98, 104, 107, 116, 117,
 119, 139, 141
 Zassenhaus, 97, 115
- Hall, M., 1, 108
 Hering, C., 97
 Higman, G., 98, 141
 Huppert, B., 135
- involution, 99, 100
 distinguished, 102
 Isaacs, I. M., 93
 isometry, 144
 Dade, 11
 linear, 10, 144
- Kantor, W. M., 97, 98
- mapping
 \mathbf{F}_2 -bilinear, 140
 \mathbf{F}_2 -linear, 140
 \mathbf{F}_2 -quadratic, 140
- near-field, 108, 137
- Peterfalvi, T., 1, 98
 Puig, L., 93
- quadratic, 139
- Seitz, G. M., 97, 98
 Sibley, D. A., 1, 2, 93, 98, 144
 Smith, S. D., 93
 split BN-pair of rank 1, 97, 122
 strongly real, 106
 structure equation, 102
 subgroup
 Frattni, 4
 maximal, 93
 supports, 48

Suzuki, M., 1, 93, 97, 98, 122

'tamely imbedded', 93

theorem

Brauer-Suzuki, 137

coherence, 144

Feit-Sibley, 115, 144

Feit-Thompson, 1, 93, 136, 137

Hall-Wielandt, 108

Huppert's, 135

Odd Order, 1

Sibley's, 93

Sibley's Coherence, 98

Uniqueness, 1

Wielandt's fixed point, 50, 98,
109

Thompson, J. G., 1, 93, 94

TI-subset, 3, 93

type

A, 116, 141

B, 107, 116, 119, 141

C, 117, 142

D, 117, 142

\mathcal{F} , 44

\mathcal{P} , 45

I, 45

II, 46

III, 46

IV, 46

V, 46

weakly closed, 108

Wielandt, H., 98, 108, 109

Zassenhaus, H., 137