

Index

- acoustic emission 261
- advances in fractography 40
- alumina reinforced with silicon carbide
 - whiskers, fatigue of 283–4
- aluminium alloy (metal matrix composite) 318–19
- aluminium alloys,
 - corrosion fatigue 290
 - fatigue striations 259–60, 280–2
- aluminium, polycrystalline, chisel-edge fracture 225–6
- amorphous metals 243–4
- amorphous thermoplastics 41
- anti-plane shear (mode III loading) 74
 - multiple cracking in 104
- applications, of fractography 293–338
- argonite 214–6
- archaeology 38
- atlas, fractographic 5, 8
- atomic force microscopy (AFM)
 - correlation with other techniques (epoxy resins) 147–51
 - image of mica 163
 - roughness measurements 132
- Auger electron spectroscopy (AES and SAM) 209
- back-scattered SEM image, E-glass 298
- basalt 39
- basalt columns 284–6
- basic longitudinal texture 248
- beach marks 332
- beetle shell 9
- bifurcation 124–5
 - epoxy resins 130
 - glass plates 330–2
 - inorganic glass 145–6
 - micro-bifurcation, macro-bifurcation 125
 - Yoffe condition 145
- binocular vision 3
- bismuth, cleavage and twinning in 170
- blisters, in mica 165–6
- body-centred cubic (b.c.c.) metals
 - cleavage of 183–7
 - polycrystalline fracture 191–4
 - progressive roughening in single crystals 186–7
- bowing of cracks 98–102
 - epoxy resin 110
 - silicon carbide 110
- brittle films 21, 291
- bulging cracks 89
- calcite 41, 43
 - crystallographic cleavage of 171–5
 - micritic 44
 - river lines on 171–5
- calcium carbonate 43
- Cantor set 100
- carbon fibre reinforced plastic (c.f.r.p.) 9
 - fatigue striations 282
 - inter-laminar fracture 325
 - inter-phase and interface fracture in transverse tension 203
 - intra-laminar fracture 282, 320–3
 - longitudinal fracture, weakly bonded 314
 - paths of fracture 202
 - toughness of 312–27
 - transverse fracture 202–3, 319–23
- carbon fibres, microstructure of 298–9
- carbon replica TEM 306–7
- carbon–carbon composites, microstructure of 300–1
- case study of failure of storage tank 335–8
- chemical analysis of surfaces 207–11
- chemical composition gradient 297–8
- chevron patterns 8, 246
- chip formation 71–3
- chisel-edge fractures
 - polycrystalline material 225
 - single crystals 224
- chlorine-induced stress corrosion 333
- chocolate, microstructure of 305
- chopped strand mat 337
- classification of fracture features, in rocks 251–2

- cleavage fracture of metals 41
 coast-line of Britain 10
 cold drawing of polymers 228–9, 241
 columnar joints 286
 Comet aircraft, fatigue of 295
 compact tension (CT) test 22, 253–7, 273–5
 conchoidal fracture surfaces 37, 71–3, 297
 concrete 118–19
 confocal scanning light microscopy 56–7
 polyethylene, fracture of 253–6
 conic markings 140
 conical spiral cracks 69–71
 conjugate fracture surfaces
 C–Mn weld metal 310
 dimples 237–8, 248
 high strength steels 253–7
 polystyrene 179
 tungsten, polycrystalline 193
 contour map 4–5, 54
 determined by scanning laser confocal
 microscopy 254–7
 copper, creep cavities in polycrystalline 235,
 237
 corrosion fatigue 290
 crack
 mechanics of 23–33
 micro-mechanics of 23–33
 models of 15
 nucleation mechanisms 18–23
 origin of 17
 pre-existing 18
 round bends 87–90
 what is a? 14
 crack arrest, fracture toughness 276
 crack bridging, mechanisms 325–7
 crack evolution 16
 crack front pinning 279
 crack growth
 stable 33
 sub-critical 33
 unstable 33
 crack opening displacement (COD) 254
 crack opening modes 31
 crack speed, determination of
 other methods of measuring 270–2
 using stress wave fractography 268–70
 using Wallner lines 261–7
 crack tip unit vectors 16–17, 76–80
 craze microstructure 221, 339–43
 crazing 20
 and fracture of polystyrene,
 interpretation of 339–43
 fracture associated with 242–3
 creep 235–7
 critical energy release rate 30
 cryo-fractography 303–6
 crystal structures
 body-centred cubic (b.c.c.) 161
 hexagonal close-packed (h.c.p.) 162
 layer structures (mica) 162
 zinc blende 161
 crystallographic cleavage 19, 157–94
 cup-and-cone fracture 230–5
 cyclic loading 279–87
 damage mechanics 23–4
 damage zone 27
 dark-field microscopy
 calcite 173
 epoxy resin 278
 gallium arsenide 117
 principles of 172
 de Fremenville 40, 84
 depth–composition profiling 210
 dessication cracks 87
 development of new materials 309–27
 diagenic processes 43
 diagnostic fractography 327–38
 diamond 41
 dimples 234–8
 on matching surfaces 248–9
 disappearing phases 288
 dislocations 19, 94–8
 double cantilever beam (DCB) test 268–9
 double curvature 69
 growth of cracks with 90
 ductile fracture 219–58
 at tip of growing crack 244–9
 meaning of 219–23
 ductile striations 282
 ductile–brittle transition 28, 219–23
 compact tension tests 253–7
 role of inclusions 310–11
 dye penetration 142
 damage development in c.f.r.p. 325
 dynamic effects 33, 259–91
 dynamic stress intensity 128–130
 echelon cracks 85–6
 composite materials 321–3
 rocks 251–2
 edge-notched compact tension test 32
 elastic incompatibility 18
 electron back-scattering diffraction (EBSD)
 209
 electron-beam heating 288
 elliptical-shaped cracks, stresses around
 25–6

- energy dispersive X-ray analysis (EDX) 59, 209
 E-glass fibres 297–9
 environmental craze fracture 20
 environmental effects 289–91
 environmental SEM (ESEM) 305–6
 environmental stress cracking 180, 243
 epoxy resin
 AFM observations 147–9
 bowed-out crack fronts 110
 chip cracks in 72
 correlation of roughness and microscopic observations 152–5
 crack bifurcation in 129–31
 fracture in composite materials 319–23
 mixed-mode I/III loading patterns 107
 river patterns in 92, 115
 roughness profiles of fracture surface 134
 stop-go crack growth 273–9
 Wallner lines 264–7
 equiaxed dimples 235–7
- fatigue pre-cracks 22, 311–12, 245
 fatigue striations, aluminium alloys, c.f.r.p. 280–83
 fatigue,
 aluminium alloy undercarriage 334
 Comet aircraft 295
 failure of heart valve 333
 failure of steel crank-shaft 332
 mechanical 21
 feather fractures 252
 fibre pull-out 316
 fibrillated fracture surfaces
 oriented polystyrene 229–30
 TPX 220
 fibrillation in polymers 241–2
 fibrous fracture 253
 fibrous-cleavage transition 253
 filaments 108
 prismatic-shaped 109
 Fingal's Cave, Staffa 286
 fingering 243–4
 models for surface texture 248
 fixed-grip condition 28
 flint 6, 73
 chemical composition gradient 297
 flint-knapping 71–3
 flutes, fluted river lines 116, 118
 formula 1 Grand Prix 295
 fossilised nano-bacteria 294
 four-point bend test 88
 fractal dimension 11
 fractal geometry 10–12
 fractals 8
 Cantor set 100
 river lines 93
 roughness measurements 135
 fractographic sections 55
 fracture appearance transition temperature (FATT) 295, 310–11
 fracture mechanics 23–33
 fracture toughness 31
 fragmentation 251
 FRASTA 57, 255–7
 freeze-fracture 303–6
 carbon replica TEM 307
 fretting 285
- gallium arsenide 117
 crystal structure 161–2
 fracture of single crystals 180–3
 geological equivalent 250–3
 geometrical constraint 76–79
 Giant's Causeway 39
 glass fibre reinforced plastics (g.r.p.)
 failure of tubes 325–6
 fracture paths 203
 river lines 115
 short-fibre reinforcement 322–4
 stress corrosion in (*see* stress corrosion)
 toughness of 312–27
 transverse fracture 202–3
- glass, inorganic
 AR-glass 105
 back-scattered SEM image 298
 E-glass fibres 21, 124
 mirror and mist topography 146
 soda-lime-silica, tensile tests on rods 121
 static fatigue 290–1, 316
 ultrasonically modulated surfaces 269
 Wallner lines 264–7
- glassy solids 40
 Gombrich, *Art and Illusion* 3
 grain boundaries 195–6
 embrittlement 197
 graphite 8
 Griffith 24
 equation 28–30
 moving Griffith cracks 145
 size of mirror zones 125
 growth of cracks in mixed-mode I/II 81–7
- hackle, fracture surfaces 121–55
 stress intensity hackle 123, 128
 twist hackle 123, 128

- Hertz 71
 cracks 22
 high impact strength polystyrene, roughness
 of fracture surfaces 137–9
 high-speed photography 271
 history of fractography 37–42
 hole-joining fracture 221
 quenched-and-tempered steels 313
 hole growth, at crack tip 247–8
 Hooke, Robert 35
 observations on Ketton stone 44–5
 Hopkinson bar test 261
 hydrides 289
 hydrogen embrittlement 197
 hydrostatic stress 227–34

 ice-cream, microstructure of 305–6
 ideal strength 21
 impact modifiers 307–8
 in-plane shear (mode II loading) 74
 inclusions, role of, in brittleness of steels
 309–12
 indentation cracks 22, 71
 Inglis 25
 injection moulded polymers
 hole-joining fracture 238–9
 microstructure 219–21
 TPX 219–21
 inter-granular fracture, segregation of
 species 211
 intermetallic inclusion 235–7
 inter-phase 195–9
 fracture at 198–204
 structure 199–200
 interface fracture 195–217
 composites 312–27
 interference microscopy
 blisters on mica 176–7
 craze films on polymer fracture surfaces
 178–9
 inorganic glass 106
 interpretation of patterns 175
 measurements with 109–13
 inter-granular fracture 197–8
 intersection of cracks 84
 intra-laminar shear 115
 ion sputtering 210
 iron–3% silicon
 chisel-edge fracture 224–5
 crack nucleation in 231–2
 deformation twinning 143
 necking in single crystals 224
 twinning and cleavage fracture of single
 crystals 185

 iron silicide, atomic scale image 184
 Irwin 28
 father of fracture mechanics 310

 joints 251–2
 nomenclature 14

 Ketting-stone 36
 Ketton stone 35
 formation of 42–4
 Hooke's observations 44–5
 microstructure 43
 SEM images 64
 Kevlar™ 49, fracture of fibre 242
 kinking, of crack 83
 Knoop hardness indenter 23

 lances 104, 108, 111
 latex particles, suspensions, microstructure
 of 307–8
 level difference lines 93
 light microscopy 45–52
 depth of field 47–49
 free working distance 47
 geometry of optics and specimen 50–1
 history 47
 illumination 51–2
 reflected and transmitted light 52
 resolution 47–9
 lines of curvature 76–9
 on a chip 79
 on prismatic surfaces 79–81
 liquid crystal polymers, microstructure of
 304–5
 liquid metal embrittlement 290
 lithium fluoride 97–8
 longitudinal waves, speed of 261
 low-angle boundaries 95–7

 mackerel pattern 342
 Mandelbrot 10
 Mars, meteorite 293–4
 mechanical fatigue 279–83
 mechanisms of 280
 metal matrix composite (m.m.c.)
 aluminium alloy with Altex™ fibres
 318–19
 inter-phases 198–200
 titanium alloy with SiC fibres 198–200
 metallic glasses 243–4
 mica (muscovite) 41
 AFM image of cleavage surface 163
 cleavage of 94, 163–8
 crystal structure 162

- micritic calcite 53, 64
- micro-branching 144–7
- micro-cracking at a crack tip 27
- Micrographia* 35
- microstructural analysis, application of
 - fractography 296–308
- microstructural dimension 12–14
- microtoming 302
- mirror fracture surfaces 121–55
- mirror zones, shape of 126
 - inorganic materials 126
 - single crystals of b.c.c. metals 126
- mist fracture surfaces 121–55
- mixed-mode cracking 33
- mixed-mode I/III roughening 94
- mixed-mode loading 33, 74–6
 - mode I/III loading in three-point bend test 104
 - mode I/III of a penny-shaped crack (Sommer's experiment) 103–13
- Moiré fringes 110
- molecular weight, effects in polymers 41
- mollusc shell 9
- molybdenum, crystallographic cleavage 158
- mother-of-pearl, interface fracture 213–16
- mud cracking 86
 - soil 87
 - sol–gel 87
- multiple beam interferometry 41, 94
- muscle tissue, microstructure of 302–3

- nacre, interface fracture 213–16
- naked eye 45
- necking 223–5
- Nimonic™ alloys, inter-granular fracture 197
- no-twist condition 76–81
- normal stress law (Sohncke's) 169–70
- notches, stress fields at 227–8
- nuclear pressure vessel steels, safety 310
- nucleation
 - cracks 17–23
 - holes 234–41
 - river lines 117–18
- nylon-6, deformation and fracture 240

- oil/water/surfactant mixtures,
 - microstructure of 308
- oids
 - microstructure of 43
 - SEM images 64–8
- optical sections 52, 57
- orientation of cleavage facets,
 - determination of 181–2
- ozone cracking of rubber 21, 291

- parabola markings
 - cross-linked polyester 248–9
 - geometry of formation 140
 - PMMA 248–9
 - polystyrene 179
 - polyurethane 248–9
 - separation processes at crack tip 247–50
 - shear rupture dimples 238–9
- Paris law 280
- path of fracture 17, 69
 - inter-phase regions, composite materials 201
 - Ketton stone 68
- physical analysis of surfaces 207–11
- plane strain 30
 - definition 225–8
- plane strain fracture 245–7
- plane stress 30
 - definition 225–8
- plane stress fracture 245–7
- plastic cavities 20, 232–4
- plastic deformation 19
- plastic instability, load–displacement curve 223
- plastic zone 27
- plate-like composites 9
- plumes 251–2
 - patterns in basalt columns 285
- plumose lines 251–2
- polycarbonate–glass bead composites 323
- polyester, cross-linked, parabola markings 248–9
- polyether-ether-ketone (PEEK) 321
- polyethylene, extruded 254–7
- polygonal fracture patterns 39
- polymer blends, microstructure of 304–5
- polymer matrix composite materials (*see* c.f.r.p. and g.r.p.)
- polymer matrix particulate composites 323
- polymers
 - amorphous 20
 - semi-crystalline 20
- polymethyl-methacrylate (PMMA) 41
 - crack bifurcation in, roughness of fracture surfaces 137–9
 - echelon cracks in 86
 - four-point bend tests 88
 - stop–go crack propagation 270
 - ultrasonically modulated fracture surfaces 270
 - Wallner line effects 272–3
- polypropylene
 - microstructure of extruded 299–300
 - spherulitic fracture 217

- polystyrene 1, 7
 craze films on fracture surface 179
 crazing and fracture 144
 oriented, fracture of 229–30
 parabolas 141
 interpretation of fracture features 339–43
 post-fracture surface damage 285, 289
 prismatic columns 286
 prismatic surfaces 79–81
 growth of cracks on 89–90
 process variables, effect of microstructure in
 thermoplastics 299–300
 process zone 27
 profilometry 132
 atomic force microscopy 132
 direct contact 132
 laser (non-contact) 132, 134
 programmed loading, in fatigue 280–1
 protein 8

 quantitative fractography 10, 56
 quasi-cleavage 194
 steels 311–12

 Rayleigh surface waves, speed of 261
 replica techniques in fractography 204–7
 direct carbon replicas 204
 extraction replicas 207
 two-stage plastic–carbon replicas 204
 resistance curve (*R*-curve) 326
 river line steps, separation mechanisms
 118–19
 river lines 91–119
 on amorphous brittle solids 103–13
 on crystalline cleavage 94–101
 steps on 102
 topographical features 91–3
 rock
 compressive shear failure 250–2
 echelon cracks 252
 echelon cracks in graywacke 86
 flint, chemical composition gradient 297
 fragmentation in 251
 Ketton stone (*see* Ketton stone)
 multiple secondary cracking in granite
 142
 source of tensile stresses 250
 surface markings on shale 82
 tribolites in shales 214–16
 root mean square roughness 130
 roughness measurements 131–4, 152–4
 roughness parameters 134–6
 average 135
 root mean square 136

 roughness profiles 129–36
 roughness
 micro-cracking 140–2
 origins of 139–47
 parabolas 140
 plastic deformation (twinning and slip),
 crazing 143
 secondary cracking 141
 rubber
 carbon-filled 208
 multiple cracking 104
 ozone cracking 291
 Wallner lines 264–7

 scale marker 8
 scaling 6–9
 scanning electron microscopy (SEM) 58
 back-scattered electrons 58–60
 characteristic X-rays 59
 contrast effects 61
 cryo-fractography 303–6
 environmental SEM 305–6
 geometrical factors 62–3
 image formation 59
 interaction volume 58
 resolution, magnification and depth of
 field 62
 secondary electron 58–60
 scanning transmission electron microscopy
 (STEM) 298–9
 scanning tunnelling microscope (STM) 132
 iron silicide 184
 secondary electrons (*see* SEM)
 secondary ion mass spectroscopy (SIMS)
 210
 sections 55
 seeing, aspects of 1
 self-similarity 11–12
 semi-crystalline polymers 219–21, 238–41
 serial sections 55
 shear bands, in amorphous metals 243
 shear lip
 cup-and-cone fracture 233–4
 zones in plate tests 246
 shear yielding 20
 short-fibre reinforced composites 324
 shrinkage cracks 70
 shrinkage-driven cracking 283–7
 side edge-notch compact tension test 129–31
 silicate glasses 22
 silicon carbide 8
 bowed-out crack fronts 110
 fibres 199
 silicon, chip cracks in 71–3

- slickensides 250
- slip 19
 - permanent slip band 21
- smoothly curving cracks 69
- soft materials, microstructure of 301–8
- soft tissue, microstructure of 302–3
- soil, mud cracks in 87
- sol–gel 9, 69
 - mud cracks in 86–7
- Sommer's experiment 103–13
- spalling 261
- spark-induced cracking 23, 158
- speed of sound 259–61
- spherulite 21, 217
 - crystallisation 221
 - deformation and fracture of 240
 - inter-spherulitic fracture 217
- stable crack growth 33
- static fatigue of inorganic glass fibres 290–1, 316
- steel
 - 410 stainless, shear rupture dimples 239
 - C–Mn, appearance at FATT 311
 - C–Mn weld metal, inclusion in 310–11
 - cup-and-cone fracture 233
 - dimples, at non-metallic inclusions 235–7
 - high-strength carbon, roughness of fracture surfaces 137–9
 - high-strength, stretch zones in 254
 - low-alloy 9
 - quenched-and-tempered, quasi-cleavage 194
 - rotor, temper-brittle 3%Cr, 1%Mo, intergranular fracture 197, 212
- steering column failure 295
- stereo-section fractography (SSF) 310–12
- stereo microscopy 64
 - determination of topography in steels 253–5
 - gallium arsenide 187–8
 - orientation of planar facets in Fe–3%Si 189–91
- stick–slip (*see* stop–go crack growth)
- stone tools, flaked 37
- stop–go crack growth 262
 - basalt lava flows 284–7
 - experimental observations in epoxy resin 273–9
 - extruded polyethylene 255–7
 - PMMA 270
- strain-induced crystallisation 139
- stress corrosion
 - case study 335–8
 - glass reinforced plastics 314–19
 - titanium alloys 116
- stress cracking, of polymers 290
- stress intensity factor 30
- stress intensity roughening 94
- stress whitening 240
- stress-wave fractography 267–70
- stretch zone 253–7
- striations
 - fatigue, aluminium alloy 259–60, 279–81
 - fatigue, c.f.r.p. 282
 - parallel to direction of crack evolution 248
- sub-critical crack growth 33
- surface energy 30
- surface mapping 132
- surface reconstruction 288
- surface roughening 94
- surface roughness 121–55
 - increase with crack speed and dynamic stress intensity 136–9
 - roughness transitions 127
- Takahashi experiment 129–31
- taper section 55
- temper embrittlement 212
- tensile test 13, 268
- theoretical cohesive strength 21
- three-dimensional topography 35
- three-point bend test 104
 - gallium arsenide single crystals 180–1
- through-field focusing 54
- tilt (crack tilting), definitions 76–9
- tilt boundaries 96
- tilting cracks 69–90
- titanium alloy
 - as matrix for metal matrix composites 199–200
 - river lines 116
 - stress corrosion 115–16
- Tolansky 41, 110
- toughness of composite materials 312–27
- transformation toughening 139
- transient fracture surfaces 180, 287–9
 - use of carbon replica TEM 306–7
- transverse fracture 202–3, 319–23
- transverse shear waves, speed of 261
- transverse tensile fracture in aligned fibre composites, fracture path 202
- tribolite 214–16
- triple point 21
- tungsten
 - inter-granular fracture 195–8
 - polycrystalline fracture 191–4

- tungsten (*cont.*)
 single crystals 186–7
 Wallner lines 264–7, 272–3
- tungsten–carbon alloy, roughness of
 fracture surfaces 137–8
- twin–matrix interface cracks, b.c.c., metals
 184–5
- twinning deformation, interaction with
 cracks
 bismuth 170
 iron–3% silicon 143, 184–6, 190
 zinc single crystals 166–70
- twinning, mechanical, deformation 10
- twist (crack twisting), definitions 76–9
- twist boundaries 97
- two-stage carbon replica, polycrystalline
 tungsten 195–6
- ultrasonically modulated fracture surfaces
 269
- unstable crack growth 33
- unzipping of cracks
 basalt columns 285
 epoxy resins 276–9
 single crystals 159–60
- vectors, at crack tip 16, 76–80, 164
- vein patterns 243–4
- void growth, mechanics of 222–3
- Wallner lines 262–7
 other Wallner line effects 272–3
- whisker single crystals 21
- wood
 birch (*Betula*), microstructure of
 301–1
 river lines, on redwood tree 114
 structure of 14
- X-ray photo-electron spectroscopy (XPS,
 SAXPS, iXPS) 210
- Yoffe, moving Griffith cracks 145
- zinc
 crystallographic cleavage 166–71
 deformation twinning of 166–71
- zirconium alloy (metallic glass) 244
- zirconium carbide, inter-granular fracture
 238