

Index

A

Amberg–Homsy model, 350, 359
 Anderson–Worster model, 352–357
 Anisotropy, 86–161
 attachment kinetics, 92, 98, 102–103,
 106–110, 124, 228–229
 Brattkus–Davis equation, 94, 103, 105
 Burgers equation, 137
 capillarity and, 100
 coarsening and, 152–156
 coefficients of, 94, 102, 117–119
 corners and, 121, 125, 130
 dendrites and, 228
 faceting and, 139–152
 fingers and, 228
 fourfold, 68, 89–94, 106–108
 Kuramoto–Sivashinsky equation, 119–120
 large, 89, 121–139, 229
 microscopic solvability theory (MST) and,
 229–230, 238–239, 372
 needles and, 229–230
 phase-field, theory and, 372–374
 Sivashinsky equation, 92, 100
 small, 89, 91–121
 step-wise growth, 97–105, 121–124
 surface energy, 86–91, 97, 105, 110–122,
 138–146, 230, 236–238
 symmetry and, 82–83, 131, 145, 238
 thin-interface limit and, 374–375
 travelling waves and, 234–237
 unconstrained growth and, 105–139
 See also specific models, parameters
 Antikinks, 126, 128–129
 Approximate selection of dendrites,
 221–229
 of eutectics, 261–267
 Aqueous solutions, 325–326
 Asymptotic suction profile, 293–294

Attachment kinetics, 18, 164, 181–183, 196
 anisotropy and. *See* Anisotropy
 fingers and, 228
 growth and, 138
 high speeds and, 203
 Ivantsov solution, 251–252
 step density and, 97
See also specific model, parameters

B

Bands, 162–163, 171, 177, 204, 205, 208
 Bénard convection, 72, 74, 280–283, 301
 pulsations, 190–203
 Bifurcation, 62, 94, 265
 anisotropy on, 94–97
 coupling and, 288–289
 degenerate, 206
 dimension and, 78–89
 directional solidification and, 62–85
 free boundary problems and, 76
 interfacial shape and, 101
 Landau coefficient and, 70, 73, 101,
 181–183
 nonlinear theory, 62–85
 subcritical, 64, 76, 199, 265, 283
 three-dimensional theory, 72–75
 tilting cells and, 266
 tip-splitting and, 265
 transition point, 64
 two-dimensional theory, 62–71, 181–183
 Binary substances, 42–61
 approximate models, 46–48
 directional solidification, 45–56
 linear instability, 48–56
 model for, 42–45
 morphological instability, 56–57
 See also specific alloys, effects
 Binodal points, 126–127

- Boundary conditions, 21–26
 Boundary-integral methods, 71
 Boundary-layer effects, 285, 293, 346.
See also specific effects, parameters
 Boundary-layer mode, 346
 Boussinesq approximation, 276–277, 304, 341
 Brattkus-Davis equation, 80–82, 94, 303
 anisotropy, 103, 105
 Buoyancy, 331
 convective effects, 162, 275, 287, 341–349
 directional solidification and, 287–292
 instabilities, 280, 341–349
 mushy zones and, 341–349
 solutal, 288, 289
- C**
- Cahn-Hilliard equation, 126, 131, 134, 144, 157
 Capillarity, anisotropy and, 100
 Capillary number (C), 36
 Capillary undercooling, 24, 57
 Cellular-dendritic transition, 245
 Cellular modes, in FTA, 181–183
 Chaotic states, 82, 188, 272, 295
 Chemical potential, 123
 Chiareli–Worster limit, 340
 Chimneys, 5, 357–363
 Coarsening, 134, 144, 152–156
 Cold-boundary condition, 171
 Compatibility conditions, 142, 145, 192, 195, 199–200
 Composite structures, 311
 Concentration boundary-layer thickness, 47
 Constitutional undercooling, 44, 51, 54, 57, 59, 287
 Contact angle, 21, 82–83, 259
 Continuity, equation of, 341
 Continuity of temperature, 39, 59
 Continuous-growth model, 166–167
 Convection
 Bénard, 280–283
 binodal points, 127
 buoyancy and, 3, 275, 287–292, 341–349
 cellular, 304–311
 coarsening and, 134–135, 154
 directional solidification and, 283–287
 free, 279–280
 mesoscale fluid flow, 341–357
 oscillatory instability, 341–356
 thermal boundary layer and, 289–291
 thermocapillary, 275
 volume-change, 275, 283–287
 weakly nonlinear, 356–357
 Corners, 121, 125, 130
 Couette flow, 283, 293
 Coupling effects, 205, 288–270, 205, 288
- Critical nucleation radius, 30, 34, 215–221
 Cross-gap curvatures, 83
 Curved interfaces, 21–39
 boundary conditions, 21–26
 undercooling and, 26–39
- D**
- Darcy’s law, 334–335, 338, 342
 Darcy number, 360
 Dendrites, 215–254
 approximate selection, 221–229
 banded transition, 179
 critical radius, 215–221
 crystals, 217–221
 definition of, 215
 mushy zones and, 330–334, 350–352
 needles. *See* Needles
 prediction of, 215
 selection theories, 221–237
See specific types, conditions, parameters
- Diffusion
 diffusivity ratios, 172
 double-diffusive effects, 353
 interdiffusion coefficient, 257
 modified problem of, 296
 thermodynamics and, 1
- Directional solidification, 45–46, 275
 anisotropy and, 91–105
 binary substances and, 45–46, 48–56
 buoyancy-driven convection, 287–292
 cellular convection and, 304–311
 forced flows and, 292–304
 microscale fluid flow and, 283–311
 nonlinear theory for, 62–85
 volume-change convection, 283–287
- Disequilibrium, 156, 190, 199, 162–214
 bifurcation theory, 181–189
 cellular modes, in FTA, 181–183
 linear stability theory, 167–181
 mode coupling, 204–208
 nonlinear pulsations, 189–204
 oscillatory–cellular interactions, 204–206
 oscillatory modes, in FTA, 183–189
 oscillatory–pulsatile interactions, 206–208
 parameter, 181
 phenomenological models, 208–211
 pulsatile–cellular interactions, 204–205
 rapid solidification and, 164–167
 thermal effects, 171–181
 undercooling and, 166
- Distribution coefficient. *See* segregation coefficient
 Double-diffusive effects, 353
 Double-well free energy, 126–127
 Drop-shaped roots, 71
 Droplets, 280
 Dufour effect, 221

E

- Eckhaus instability, 67–68, 72, 187–190, 267–268
 Emms-Fowler model, 359
 End effects, 298
 Epitaxial growth, 156
 Equilibrium distribution coefficient, 165
 Equilibrium shape, 88, 89
 Euler-Lagrange equation, 23, 87
 Eutectics, 255–273
 approximate theories for, 261–267
 eutectic point, 255
 hypereutectic, 272, 326–328
 hypoeutectic, 272, 326–328
 lamellar, 255
 rod, 255
 selection models, 261–267
 See also specific effects
 Evaporation-condensation model, 138, 152, 156
 Evolution equations, 14, 62, 77, 82, 113, 124
 anisotropic, 92, 101, 113–114, 119, 125–126, 137–139, 144, 147
 See
 Kardar-Parisi-Zhang
 Korteweg-de Vries
 Cahn-Hilliard
 Brattkus-Davis
 Riley-Davis
 Sivashinsky
 Kuramoto-Sivashinsky
- F**
- Faceting, 138
 anisotropy and, 139–152
 constant driving force, 139–152
 line tension and, 127
 spinodal decomposition and, 127, 130
 Fickian law, 42
 Finger growth, 25–26, 106, 228. *See also*
 Needles
 Fisher approximation, 220
 Floquet theory, 69, 81, 188, 247, 299, 306
 Flow-induced instabilities, 274, 296
 Forced flows, 274, 292–304
 Fourfold symmetry, 68, 89–91, 108
 Fourier's law, 8
 Fowler model, 340
 Freckles, 3, 357
 Free convection, 279–280
 Free energy, 127
 Frozen temperature approximation (FTA), 47, 55–57, 76, 92, 181–189, 287–288
 FTA. *See* Frozen temperature approximation

G

- G-jitter effect, 274
 Gaussian curvature, 139
 Gibbs free energy, 23
 Gibbs-Thomson equation, 24–25, 27, 29, 40, 44, 59
 anisotropy and, 88, 157
 disequilibrium, 166
 Ginzburg-Landau equation
 bifurcation and, 66
 Eckhaus limit for, 190
 Grashof number, 279, 314
 Greengard-Strain method, 203
 Groove structures, 148
 Growth models, 30–39, 166–167, 261–267.
 See specific models

H

- Heat balance, 26, 39, 44, 59
 Heat equation, 8–10, 37, 42
 Hele-Shaw cell, 46, 62, 72, 82–83, 237
 Helical growth, 189
 Helmholtz free energy, 21
 Hemispherical-needle approximation, 220
 Herring model, 88
 Hexagonal structures, 73–75, 79–82, 95–97, 282, 356–358
 Hole solutions, 189
 Hong-Langer model, 238
 Hopf bifurcations, 206–208
 Hydrodynamic effects, 134
 Hypercooling, 20, 35, 106–161, 138–139

I

- Imposed cellular convection, 304
 Imposed flows, 275
 Instabilities
 absolute-stability limit, 52–58, 80–82, 102–104, 169, 177, 294, 303
 buoyancy-driven, 280, 292
 chaotic states, 82, 188, 272, 295
 coarsening and, 152–156
 convective, 291
 critical radius for, 34
 Eckhaus, 67–68, 72, 187–190, 267–268
 eutectics, 267–269
 flow-induced, 274
 latent-heat effects, 57–59, 172–183
 long-scale theories, 76–82
 mechanism of, 56–57
 morphological, 46–49, 55–60, 271, 292, 302–303
 mushy zones and, 340–347
 shrinkage and, 285
 soluto-convective, 288

- Instabilities (*Cont.*)
 subharmonic, 251
See also Linear stability theory
- Interdiffusion coefficient, 257
- Interfaces
 anisotropy. *See* Anisotropy
 boundary conditions, 37–40, 59, 88, 164–166
 attachment coefficient, 97
 heat balance at, 25, 58
 diffuse, 366–378
 no-slip condition, 277, 285, 349
 stretching, 25
 thin-interface limit, 366–367
See also specific parameters, effects
- Interfacial wave theory (IWT), 228, 236–238, 252
- Isolated needles, 217–221, 228
- IWT. *See* Interfacial wave theory
- Ivantsov solutions, 251–252
 needles and, 210, 246–247, 311–319
 Peclet number and, 231, 314
 Xu basic state and, 232
- J**
- Jackson–Hunt model, 261, 264–267
- K**
- Kardar–Parisi–Zhang (KPZ) equation, 137
 KPZ. *See* Kardar–Parisi–Zhang equation
 KdV. *See* Korteweg–de Vries operator
- Kinetic coefficient, 17, 371
- Kinks, 126, 128–130
 antikinks and, 129
 coarsening and, 134–135
 facets and, 127
 phase separation and, 131
 symmetry and, 131
- Korteweg–de Vries (KdV) equation, 113, 120
- Kuramoto–Sivashinsky equation, 113, 114, 118–119, 295
- Kurz–Fisher system, 219
- Kuzmak–Luke procedure, 193
- L**
- Lamellar eutectics, 255
- Landau coefficient, 63, 70–73, 101, 181–183
- Landau equations, 251, 304
 bifurcation types, 62–64
 coupled, 205
 regular planforms and, 72
- Langer–Muller–Krumbhaar model, 224, 228, 231
- Large anisotropy, 89, 121–139, 229
- Latent heat effects, 7, 57–58, 171
 pulling speed and, 210
- Lateral transport effects, 274, 286
 convective effects, 288
- Leading-order problem, 340
- Line tension, 121, 127
- Linear stability theory, 36, 38, 108, 282
 basic state, 167–171
 curved interfaces and, 32–35
 directional solidification, 48–56
 disequilibrium, 167–181
 fingers and, 223–225
 Floquet theory and, 301
 Jackson–Hunt model and, 267–268
 marginal stability, 224
 Warren–Langer model, 250
See also Instabilities
- Liquid phase epitaxy, 140
- Long-scale theories
See Evolution equations, 82
- M**
- Maximum velocity hypothesis, 222
- Mesoscale fluid flow, 324–365
 buoyancy effects, 341–349
 chimneys, 357–363
 convective instability, 341–356
 formulation, 325–326
 mushy-zone models, 331–349
 nonlinear convection, 356–357
 oscillatory mode, 349–356
 volume-change convection, 336–341
- Microscale fluid flow, 274–323
 Bénard convection, 280–283
 buoyancy-driven convection, 287–292
 cellular convection, 304–311
 directional solidification, 283–311
 equations for, 276–279
 forced flows, 292–304
 free convection, 279–280
 Ivantsov needles, 311–319
 prototype flows, 276–279
 volume-change convection, 283–287
- Microscopic solvability theory (MST), 234–238, 249
- Mobility parameter, 126, 372
- Mode coupling
 disequilibrium, 204–208
 oscillatory–cellular interactions, 204–206
 oscillatory–pulsatile interactions, 206–208
 pulsatile–cellular interactions, 204–205
- Models, 70
 binary substances, 42–48, 57–59
 disequilibrium, 208–211
 phase-field, 366–376
 phenomenological, 208–211
See also specific effects, models
- Modulational stability, 187–189
- Morphological instability. *See* Instabilities

- Morphological number, 49, 260
 MST. *See* Microscopic solvability theory
 Mullins–Sekerka theory, 66, 103, 162, 223, 232, 296
 Mushy zones, 311, 324
 buoyancy and, 341–349
 convective instability, 341–349
 mesoscale fluid flow, 336–349
 models for, 331–336
 with volume-change convection, 336–341
- N**
- Natural parameters, 53
 Needles, 210, 216, 228, 231
 arrays of, 237–251
 dendrites, 216–221, 237–251
 hemispherical-needle approximation, 220
 Ivantsov needles, 220, 311–319
 kinetics and, 228–230
 See Isolated needles
 sidebranching, 225–227, 233, 249
 Stokes flow, 317
 tilting, 317–318
 See also specific effects, systems
 Newell–Whitehead–Segel equation, 62, 72, 295
 Nucleate growth, 7–40, 215
 critical nucleation radius, 30, 34, 215–221
 linearized instability, 32–35
 Numerical simulation methods, 69–70, 190–203, 367, 375
- O**
- Oldfield model, 224, 231
 Optical mode, 82
 Order parameter, 126, 127, 134
 phase separation and, 130
 Oscillatory behavior, 167–173, 177, 182, 299, 353
 bifurcation and, 183–189
 cellular interactions, 204–206
 convective instability, 341–356
 disequilibrium, 183–189, 204–208
 FTA and, 183–189
 mesoscale fluid flow, 349–356
 mode coupling, 204–208
 pulsatile interactions, 206–208
 Overgrowth instability, 251
- P**
- Partial solute trapping, 165
 Peclet number, 223, 227, 241
 interfacial, 373
 Ivantsov solution, 312–314
 selection criteria and, 263
 undercooling and, 218–219
- Permeability, 338–339
 Phase-evolution equation, 67, 196
 Phase-field models, 366–376
 Phase separation, 130
 Prandtl number, 275, 279, 280, 293, 347
 Prototype flows, 275
 Pulsatile instabilities, 169
 Pulsatile modes, 184–186, 204–208
 Pulsatile–oscillatory interactions, 206–208
 Pulsations, 190–203
 Pyramids, 140–143
 cones and, 156
 magic slopes, 144
 rhombic, 148, 150–154
- Q**
- Quasi-periodic motion, 188
 Quasi-steady linear stability analysis, 250
 Quenched interfaces, 74
- R**
- Rapid solidification, 164, 189–214
 Rayleigh numbers, 275, 278, 282, 288, 347
 Rejection, of solute, 163
 Reynolds number, 278
 Riley–Davis equation, 78–80
 Rhombic pyramids, 150–154
 Rod eutectics, 255
 Roots, 71
 Rounded corners, 129–130
- S**
- Saffman–Taylor problem, 237, 238
 Sausage structures, 119
 Scheil approximation, 246–247
 Scheil region, 240
 Schmidt number, 278, 295
 Schulze–Davis model, 299
 Schulze–Worster model, 360
 SCN. *See* Succinonitrile
 Segregation coefficient, 42, 45, 59, 197, 198, 286, 289
 Semiconductors, 165, 256, 292, 316
 Shocklike solutions, 189
 Shortwave cutoff, 121, 137, 167, 169
 Shrinkage, instability and, 285
 Sideband disturbances, 189
 Sidebranches, 225–227, 233, 249
 Similarity solutions, 10, 12, 15–16, 221
 Simulation methods, 69–70, 190–203, 367, 375
 Sivashinsky equation, 77–78, 92, 100
 Slender-body theory, 240
 Snowflake formation, 2, 34
 Solitary waves, 189
 Solute balance, 44

- Solute bands, 171
 Solute rejection, 44, 163–165
 Solute trapping, 165
 Soluto-convective instability, 288
 Soret effect, 221, 283
 Spencer–Huppert model, 243–248, 249
 Spinodal decomposition, 126–127, 130–131
 Spiral modes, 280
 Square patterns, 283
 Square pyramids, 145
 Squares, 73, 94
 Stability
 absolute-stability limit, 52–58, 80–82, 102–104, 164, 177, 294
 Datye–Langer theory, 271
 modulational, 189
 nearly absolute, 80–82
 window of, 171
 See Instabilities
 Stagnation-point flow, 295–296, 298
 Stationary cells, 109, 111, 120
 Steady cellular mode, 173
 Steady growth, 261–267
 Stefan number, 11, 28, 47, 111, 112, 119, 127, 314, 350
 anisotropy and, 112
 Stefan problem, 333, 336
 Step density, 97, 121
 Stepwise growth, 97–105
 Stretching, interfacial, 25
 Subharmonic instability, 251
 Succinonitrile (SCN), 29, 222
 acetone alloys, 55, 66
 ethanol and, 289
 Surface energy, 34, 109
 anisotropy and, 86–91, 97, 100, 105, 106, 111–112, 117, 122, 230, 236
 corners and, 121
 curvature-dependent, 125
 diffusion and, 154
 homogenization and, 288
 Ivantsov function, 252
 kinetics and, 86–91
 parameter, 28, 36, 49, 260
 segregation coefficient and, 78–80
 Spencer–Huppert theory and, 248
 undercooling and, 44
 weighted, 90, 106
 WKB approximation, 231
 Xu basic state and, 232
 zero value, 151
 Swirl, 275
 Symmetry, 42, 82–83, 268
 aspect ratio and, 145
 Cahn–Hilliard equation and, 131
 kinks and, 131
 surface energy and, 237–238
 symmetry-breaking, 238
 See also Anisotropy
- T**
- Tertiary arms, 249
 Thermal boundary layer, 155
 Thermal conductivity ratio, 28, 171
 Thermal-diffusivity ratio, 28
 Thermal length, 336
 Thermodynamically instability, 137, 138
 Thermosoluto-capillary convection, 275
 Thin-interface limit, 367
 Tilted cells, 94, 97, 116
 Tip splitting
 anisotropy and, 105
 bifurcation and, 265
 chaotic states and, 272
 instabilities and, 249
 Jackson–Hunt theory, 264
 steady growth and, 264
 supercriticality and, 69–70
 surface tension and, 225
 symmetry and, 69–70
 Total grand potential, 24
 Transition point, 64
 Trapping, of solute, 165
 Travelling-wave mode, 20, 93, 97, 109–120, 234–237
 Triangular pyramids, 145
 Trijunction conditions, 259
 Trivedi–Kurz parameter, 244
- U**
- Ultraviolet forcing, 251
 Unconstrained growth, 26–34, 105–161
 large anisotropy, 121–139, 161
 Undercooling, 13, 17
 anisotropy and, 92, 98, 102–103, 106, 109, 124
 capillary, 57
 constitutional, 44, 51, 59, 287
 curved interfaces and, 26–32, 35–39
 equilibrium and, 166
 Gibbs–Thomson relation and, 25, 35, 44, 218
 instability and, 35
 Ivantsov analysis and, 237
 kinetic, 18–20, 25, 35, 92, 124
 linearized instability, 35–39
 nucleus growth, 26–32
 Peclet number, 218
 solute rejection, 163
 surface energy and, 17, 44, 92
 unit undercooling, 17
 See specific models

V

Volume-change convection, 275, 286
mushy-zones and, 334–341

W

Warren–Langer model, 60, 249–250
Weakly nonlinear systems, 62, 77, 124,
356–357
WKB approximation, 231, 232

Wollkind–Segel model, 64

Wulff construction, 89–90, 121

X

Xu model, 231–237

Y

Young–Laplace equation, 24, 88