

## Index

- abdomen, pendulous 135
- abdominal fat *see* intra-abdominal (visceral) fat
- abdominal obesity *see* central obesity
- abdominoplasty 355
- abstract thinking 161, 162
- acanthosis nigricans (AN) 135, 141, 202–3
- acne 135
- acrocephalo-polysyndactyly type II 183
- adenosine antagonists 348–9
- adipocytes 55
  - differentiation 60, 61
    - hormonal and nutritional regulation 62–5, 198
    - methods of study 62–3
    - in PPAR $\gamma$ -2 deficiency 54
    - stimulation by human serum 61–2
  - lipogenesis 58–9
  - lipolysis 59
  - number 4, 5, 56, 57–8
    - protein intake and 78
  - secretory function 65–6
  - size (volume) 4, 5, 57–8
- adipose tissue
  - development
    - changes during 55–7
    - critical periods 56, 57–8, 61, 66
    - hormonal/nutritional factors regulating 62–5, 198
    - methods of study 62–3
  - hyperplasia/hypertrophy 58
  - lipid storage 58–9
  - preadipocytes in human 60
  - regulation of energy stores 55
  - surgical resection 355
  - see also* body fat
- adiposity
  - definition 3
  - food intake behaviour and 79–83, 85
  - lifestyle and 83–5
  - measurement 3, 4–14
  - natural history 4
  - nutritional intake and 74–9, 85
  - predicting morbidity and mortality 14–15
  - pubertal changes 155
  - reduced physical activity predicting 99–100
  - tracking (persistence) 14, 143, 155, 234
  - weight/height<sup>p</sup> and 9
    - see also* body fat; fat mass
- adiposity rebound, age at 56
  - nutritional determinants 76–7, 78
  - predicting adult obesity 14, 42–4
- adolescence
  - as critical period for developing obesity 44, 155
  - definition of obesity 390
  - eating disorders *see* eating disorders
  - promoting physical activity 253
  - psyche 161–2
  - socioeconomic status and obesity development 110
    - see also* puberty
- adolescents, obese 154–66
  - with additional problems 163–4
  - bariatric surgery 357–8
  - biophysical factors 154–60
  - body composition and energy expenditure 155–6
  - cardiovascular risk factors 157–8
  - complications of obesity 159–60
  - day-care programmes 164–5
  - dieting 272, 299–301, 365
  - eating patterns 272
  - endocrine disorders and contraception 158–9
  - psychological aspects 160–6
    - approach to 162–3
    - important issues for 162
      - self-esteem 116, 117
    - psychotherapy 334, 339–40
    - risk of becoming obese adults 143, 155
    - vitamin and mineral status 159
- adoption studies 39
- adrenarche 191
- adrenocorticotrophin (ACTH) 54, 62, 191
- adult life
  - morbidity and mortality 15, 145, 146, 157, 234–5
  - persistence of obesity 14, 143, 155, 234
  - psychosocial problems 122–3, 143–4
- adults, definition of obesity/overweight 16
- adverse effects of obesity
  - in adolescence 159–60
  - immediate 131–42
  - intermediate 142–4

**404** Index

- adverse effects of obesity (*cont.*)  
 long-term 145, 146
- advertising  
 food 251–2, 261, 262–3, 397–8  
 indirect 262–3  
 to promote physical activity 256
- aerobic capacity ( $VO_{2max}$ ) 101–2, 312, 313
- aerobic exercise 309, 314, 316, 382
- aerobics 318
- age  
 anthropometric indices and 8–9  
 of menarche 134, 192, 208
- alanine aminotransferase, serum 137, 157–8
- Alstrom syndrome 182
- amino acid metabolism 393
- aminophylline 351
- amphetamines 282, 345–6
- amylobarbitol 282
- anaerobic threshold 309
- androgens  
 adrenal 191, 192  
 leptin interactions 156, 207  
 in overweight girls 136, 192–4  
 in polycystic ovary syndrome 136, 158
- android fat pattern *see* central obesity
- anorexia nervosa 165, 248  
 as complication of obesity 273, 298  
 leptin levels 207
- anthropometry 6–14  
 circumferences and diameters 13  
 ethnic differences 391–3  
 indices based on weight/height centiles 10–12  
 measurement technique 6–7  
 percent of median, centiles and Z-scores 7  
*see also* body mass index; height; skinfold thickness; weight; weight/height<sup>p</sup>
- anxiety 118, 142, 383
- aortic atherosclerosis 157
- apnoea–hypopnoea syndrome 177
- apolipoproteins 291–2
- appearance, physical  
 discontent with 115–16, 117–18  
 peer-group appraisal 117
- appetite  
 excessive, in Prader–Willi syndrome 176, 177  
 postexercise 309  
 regulation 50, 51–2
- appetite suppressants 345–8
- arthritis 145, 146, 160
- assertiveness training 368–9
- asthma 138, 333
- atherosclerosis 145, 146, 157, 221
- attitudes  
 helpful, in obese children 276  
 to obesity 111–15, 123
- attractiveness, peer-group appraisal 117
- attributions of health 112–14
- authoritarian attitudes 362–3
- balanced low-calorie diet (BLCD) 284–6  
 guidelines for use 300, 301  
 negative effects 293–9
- positive effects 288, 290–3  
 in residential programmes 380
- balanced normal-calorie diet 284
- Bardet–Biedl syndrome (BBS) 180, 181
- bariatric surgery 355  
 in adolescence 357–8  
 complications 356–7  
 techniques 355–6
- basal metabolic rate (BMR) 95–6, 195
- behaviour therapy 329–31, 338  
 in outpatient programmes 366–7  
 in residential programmes 383  
 school-based 332
- behavioural change 361–3
- behavioural problems, in Prader–Willi syndrome  
 175, 177, 178
- benzphetamine 346
- $\beta_3$  receptor agonists 346, 349
- Biemond syndrome 182
- biliary–pancreatic diversion (BPD) 356, 357
- binge eating 81  
 as complication of dieting 298  
 day-care programmes 164–5  
*see also* bulimia nervosa
- binge-eating disorder (BED) 165–6
- bioelectrical impedance analysis (BIA) 5–6
- biological factors 50–66
- blood pressure  
 association with obesity/overweight 144, 157,  
 224–5, 228  
 benefits of dieting 292–3
- Blount’s disease 136
- BMI *see* body mass index
- body composition  
 in Prader–Willi syndrome 178  
 pubertal changes 155–6  
*see also* body fat; fat mass; lean body mass
- body fat  
 amount *see* adiposity  
 balance, fat oxidation and 102–3, 104  
 distribution 3  
 after dietary therapy 290–1  
 assessment 12  
 cardiovascular risk factors and 141–2, 230–3  
 changes during development 57  
 in definition of obesity 390–1  
 ethnic differences 391–2  
 gender differences 57, 156  
 in insulin resistance 200  
 leptin and 206  
 macronutrient intake and 78–9  
*see also* body shape; central obesity
- measurement 3, 4–14  
 anthropometry 6–14  
 research methods 4–6  
*see also* adipose tissue; fat mass
- body image, disturbed 142
- body mass index (BMI) 9–10, 56, 222  
 adiposity rebound point *see* adiposity rebound,  
 age at  
 cardiovascular risk factors and 225, 226  
 centiles 10, 16–17, 18–22

**405**      **Index**

- definition of obesity 3, 16–22
  - cut-offs 16–17, 30, 222, 223, 389–90
  - in epidemiological studies 28, 29–30
  - IOTF 18–22, 389
  - WHO 17–18
- distribution 35–9
- indicating bariatric surgery 357, 358
- mean values 31
- natural history 4, 5, 10
- North–South gradient 31, 34
- as predictor of morbidity and mortality 15
- reference populations 16, 20
- secular trends 223
- self-worth and 116, 117
- tracking 14, 234
- Z-score 11–12
- body shape
  - attitudes to 111–12, 113
  - attributions of health and 112–14
  - discontent 115–16, 118
  - see also* body fat, distribution
- body weight *see* weight
- Bogalusa Heart Study 141, 221, 223–4, 226
- bone age 134, 191
- bone mass, peak 159
- bone mineral content 159
- Borjeson–Forssman–Lehmann syndrome (BFLS) 182
- bread 278, 279
- breakfast 79–80, 257–8
- breast cancer 157
- breast milk, leptin in 209
- breastfeeding 390, 395–6
- breathing exercises 318–19
- bronchial hyper-reactivity 138
- bulimia nervosa 165
  - as complication of obesity 118, 331
  - day-care programmes 164–5
  - as side effect of prevention 248
  - see also* binge eating
- bullying 121–2
- butabindide 350
- C-peptide, serum 199
- C/EBP family proteins 63
- caffeine 346, 348–9, 351
- callisthenics 318
- Candida* infections 135
- carbohydrate intake
  - adiposity and 75, 76, 77, 85
  - in diets 284, 285, 286, 287
  - physical activity and 85, 86
  - secular trends 70, 71, 72
- carbohydrate oxidation 103
- carboxypeptidase E (CPE) 53–4
- cardiac abnormalities 160, 181
- cardiac failure, in Prader–Willi syndrome 177
- cardiovascular disease (CVD)
  - in adult life 145, 146, 234–5
  - see also* coronary heart disease; hypertension
- cardiovascular risk factors 140, 144, 221–35
  - associations of obesity/overweight 224–30
  - body fat distribution and 141–2, 230–3
  - clustering 227–8, 229
  - longitudinal analyses 234–5
  - in obese adolescents 157–8
- Carpenter syndrome 183
- catecholamines 59
- centiles 7
- central obesity (trunk, android fat pattern) 3, 156
  - cardiovascular risk 141–2, 230–3
  - effects of dieting 290–1
  - effects of exercise 312–13
  - ethnic differences 391–2
  - in insulin resistance 200
  - protein intake and 78–9
  - reproductive function and 192, 194
  - role of cortisol 191
  - see also* intra-abdominal (visceral) fat
- cereals 279
- chest circumference, cardiovascular risk and 230
- child abuse 370
- childhood obesity
  - assessment 389–91
  - definition 15–22, 28, 29–30, 389–90
  - persistence into adult life 14, 143, 155, 234
  - psychotherapy 338–9
- children
  - degree of responsibility 249–50
  - perception of obesity 111–12
- cholecystokinin (CCK) 350
- cholelithiasis (gallstones) 137–8, 298–9
- cholesterol, serum total (TC) 141
  - association with obesity/overweight 225, 226, 227, 228
  - effects of dieting 291
  - parental, as screening guide 229–30
- chromosomal disorders 171, 172
  - see also* Prader–Willi syndrome
- chylomicrons 58
- circadian patterns, food intake 79–80, 85
- circumferences 7, 13
- clinical examination 131, 133
- clinical features of obesity 131–42
- clinical history 132
- clothing 6, 162
- cognitive behavioural therapy 330–1, 339
- cognitive therapy 329–31, 337
  - binge-eating disorder 165
- Cohen syndrome 183
- colorectal cancer 145, 146, 157
- community programmes 256, 263
- competition 253
- compliance
  - dietary therapy 301
  - physical activity programmes 320–1, 366
- complications of obesity *see* adverse effects of obesity
- computer games 257, 275, 277, 314, 396
- computer tomography 4
- contraception 158–9
- cooking
  - methods 278, 279, 396
  - teaching 257, 381

**406**      **Index**

- Cooley, Charles 116–17
- coronary heart disease (CHD) 146, 157, 234–5  
risk factors *see* cardiovascular risk factors
- cortisol 173–4, 190–1, 391–2
- cosmetic problems 135
- counselling, simple nutritional (SNC) 284, 299, 300
- craniopharyngioma 174
- critical periods  
adipose tissue development 56, 57–8, 61, 66  
for development of obesity 42–4, 156
- cryptorchidism, in Prader–Willi syndrome 176, 180
- Cushing's syndrome 64, 173–4, 392  
vs. simple obesity 189
- cycling  
benefits 311, 318  
to prevent obesity 254, 255, 256  
in slimming programmes 276
- dancing 311, 317–18
- day-care programmes  
obese adolescents 164–5  
recommended use 339, 340
- deafness 182
- dehydroepiandrosterone (DHEA) 156, 191
- Department of Health and Human Services (US) 255
- depression 118, 383
- developing countries  
anthropometry 391–3  
defining obesity 390–1  
prevalence of obesity 33, 34  
socioeconomic status and obesity 40, 109
- dexedrine sulphate 282
- dexfenfluramine 346, 347–8, 351
- diabetes mellitus  
body fat patterning and 230  
non-insulin-dependent *see* non-insulin-dependent diabetes mellitus
- diacylglycerol 59
- diameters 13
- diet  
balanced normal-calorie 284  
healthy *see* healthy eating  
low-calorie *see* low-calorie diet  
as risk factor for obesity 245  
in slimming programmes 277–80  
traffic light 285, 365  
very-low-calorie *see* very-low-calorie diets  
*see also* eating; food intake; nutrition
- dietary reference values (DRV) 284
- dietary surveys 69
- dietary treatment (slimming) 282–302  
approaches 284–7  
eating disorders as complication 118, 273, 298, 365  
family therapy with 333–4, 338  
goals 270–1, 274, 283  
guidelines 299–301  
history 282–3  
home-based 270–80  
imposed 84  
in interdisciplinary outpatient programmes 365  
modifying lifestyle to encourage 273–5  
negative effects 273, 293–9  
parental 119, 120  
physiological 271  
positive effects 290–3  
programmes  
aims 274–5  
benefits of formal 271  
recommendations 275–80  
in residential programmes 380–1  
role of family 272–3, 276–7  
simple nutritional counselling (SNC) 284  
*see also* weight reduction
- diethylpropion 346
- dietician, primary health care 338
- digestive inhibitors 346, 349–50
- dinitrophenol 345, 348
- diurnal patterns, food intake 79–80, 85
- DNA methylation test 178
- domestic activities 276–7, 308
- doubly labelled water technique ( $^2\text{H}_2^{18}\text{O}$ ) 93–4, 95, 97, 98, 100
- Down's syndrome 173, 245
- drinks 278–9, 397
- drug therapy 282, 345–52
- dual energy X-ray absorptiometry (DEXA) 4
- dyslipidaemia 141–2, 198  
*see also* lipids, serum profiles
- eating  
habits, early 395–6  
healthy *see* healthy eating  
parental control 84, 86, 119–20, 249–50, 363  
patterns 79–82, 85  
adolescents 272  
to aid slimming 277–8  
behaviour therapy and 329  
speed 82  
*see also* diet; food intake; meals
- eating disorders 154, 165–6, 327  
cognitive therapy and 331  
as complication of dieting 118, 273, 298, 365  
day-care programmes 164–5  
not otherwise specified 165  
parental 119, 370  
psychotherapy 165–6, 339, 340  
as side effect of prevention 248  
weight-related teasing and 122  
*see also* anorexia nervosa; binge eating; bulimia nervosa
- educational level 41, 143–4
- educational support, in residential programmes 384
- elevators (lifts) 254, 276, 308
- endocrine disorders  
monogenetic, causing obesity 52–4  
in obesity 136, 158–9, 189–209  
in Prader–Willi syndrome 179  
secondary obesity 171–4

**407**      **Index**

- endogenous (secondary) obesity 171–84  
 endurance training 312–13  
 energy balance  
   fat oxidation and 102–3  
   lifestyle influences 84–5  
   in prevention strategies 245–6  
   regulation 50, 66  
   in slimming programmes 274  
 energy expenditure  
   activity-related 97–8  
   increasing  
     in obese children 276–7, 308–9  
     to prevent obesity 245–6  
     *see also* physical activity  
   lean body mass and 310  
   lifestyle influences 84–5  
   low  
     impact of television 100  
     as predictor of weight gain 99–100  
     vs. excess energy intake 98–100  
   physical activity 97–8, 310–12  
   in Prader–Willi syndrome 178  
   pubertal changes 155–6  
   regulation 52  
   resting/basal (REE/BEE) 95–6, 310, 311  
     after exercise training 312  
     during television viewing 100  
   total (TEE)  
     assessment 93–4  
     components 95–8, 308  
     in obese children 95, 104  
     to REE ratio 97–8  
   vs. energy intake 94–5, 274  
 energy intake  
   adiposity and 75  
   assessment 94–5  
   in balanced low-calorie diets 284, 285, 380  
   excess, vs. low energy expenditure 98–100  
   reducing  
     to prevent obesity 245–7  
     in slimming programmes 277–80  
   secular trends 70–4, 85  
   self-regulation in children 84, 86, 120  
   in very-low-calorie diets 286, 287  
   vs. energy expenditure 94–5, 274  
   *see also* food intake  
 energy stores, regulation 55  
 enjoyment, physical activity 252–3  
 environmental therapy 338  
 ephedrine 345, 346, 348–9, 351  
 epidemiology 28–45  
   methods 28–30  
   risk factors for obesity 39–44  
   *see also* prevalence of obesity  
 epidermal growth factor (EGF) 65  
 erythrocyte sedimentation rate (ESR) 140  
 ethnic differences  
   anthropometry 391–3  
   definition of obesity and 390  
   insulin sensitivity 199–200  
   risk of obesity 40, 41–2  
   thrifty genotype hypothesis 393  
  
 European Childhood Obesity Group (ECOG) 18, 29  
 examination, clinical 131, 133  
 exercise  
   aerobic 309, 314, 316, 382  
   definition 307  
   food intake after 309, 310  
   in outpatient management 365–6  
   postural 316–17, 318–20  
   recommendations 309–10  
   training 102, 314–20  
     effects on fat mass 310–13  
     in residential programmes 381–3  
   traumatic side effects 310  
   *see also* physical activity  
 exogenous (simple) obesity 131, 171  
  
 ‘faddy’ children 278  
 family  
   changing structure 396–7  
   diet, changing 278  
   dynamics, during slimming 275  
   dysfunction 120–1, 329  
   influences on physical activity 252–3  
   interaction 120–1  
   meals 246, 257, 277  
   obese adolescents 160–1  
   physical activity programmes and 316, 321–2  
   prevention of obesity 249–50  
   promotion of healthy eating 257–9, 272  
   in psychotherapeutic approaches 331  
   residential management and 378, 384–5  
   role in slimming 272–3, 276–7  
   *see also* parents  
 Family Environment Scale 120  
 family therapy 160–1, 331, 333–5  
   definition 337  
   in outpatient programmes 370  
   questions 335–7  
   recommendations for use 338–40  
 farming policies 261  
 fat  
   body *see* body fat  
   cells *see* adipocytes  
   substitutes 350  
   *see also* lipids  
 fat-free mass *see* lean body mass  
 fat intake  
   adiposity and 75, 76–7, 85  
   in diets 279, 284, 285, 286, 287  
   obese children 82, 95  
   secular trends 70–4  
 fat mass 3  
   age-related trends 4, 5  
   changes during development 55–7  
   fat oxidation and 103  
   pubertal development and 156  
   reduction, dietary therapy 290–1  
   *see also* adiposity  
 fat oxidation  
   fat balance and 102–3, 104  
   physical activity and 307, 313

**408** Index

- fat oxidation (*cont.*)  
 rate, in obese children 103, 104
- fat/fat-mouse 54
- fatty acids 64  
 free 58, 59, 200, 286
- fatty foods 82, 85–6, 95, 262
- fatty liver 137, 157–8
- feeding *see* eating
- femoral epiphysis, slipped capital (SCFE) 136, 137, 159–60, 379
- fenfluramine 346, 347, 351
- fetus  
 adipose tissue development 55  
 leptin function 208, 209  
 metabolic programming 391–2, 393
- figdgeting 276, 334
- 'filling periods' 55–7
- films, advertising in 262–3
- fitness *see* physical fitness
- flats, high-rise 254
- fluorescent in situ hybridization (FISH) 178
- fluoxetine 346, 348
- flvoxamine 348
- food  
 advertising 251–2, 261, 262–3, 397–8  
 availability 261  
 exchange systems 365  
 good quality 258–9  
 policy 261  
 preferences 82–6  
 as reward 83, 280  
 sheets (diaries) 365  
 in slimming programmes 277–8, 279
- food-(guide) pyramid 262, 285
- food industry 395–6, 397, 398–9  
 promoting healthy eating 262, 263  
 role in prevention 251–2
- food intake  
 assessment 69, 94–5  
 behaviour 79–83, 85  
 circadian distribution 79–80, 85  
 external control 84  
 impact of television 100  
 postexercise 309, 310  
 secular trends 69–74, 85  
 self-regulation 84, 86, 119–20  
*see also* eating; energy intake; meals
- foster homes 164
- friends 142, 161  
*see also* peer group
- fruit 260, 279, 380, 395–6, 398
- gallstones 137–8, 298–9
- gardening 277
- gastric banding (GB) 355–6  
 laparoscopic 356, 357
- gastrointestinal bariatric surgery *see* bariatric surgery
- gastrointestinal problems 137–8, 176
- gastroplasty, vertical (VGP) 356
- gender differences  
 adipose tissue development 55–6
- attitudes to obesity 111, 112
- body fat distribution 57, 156
- family functioning 121
- insulin sensitivity 201
- leptin and 206–7
- long-term effects of obesity 145, 146, 234–5
- parental control of eating 120
- psychosocial consequences 123, 143–4
- pubertal changes in body composition 155–6
- risk of obesity 42
- secular trends in nutrition 70
- socioeconomic status and obesity development 40–1, 109
- genetic disorders  
 with secondary obesity 171, 172, 180–4  
*see also* monogenetic forms of obesity
- genetic factors  
 in body weight regulation 52  
 in obesity 39–40, 156
- genitalia  
 apparent hypoplasia 135  
 hypoplasia, in Prader–Willi syndrome 179
- genu valgum 318
- GH *see* growth hormone
- glucagon-like peptide (GLP)-1 54
- 'gluco-stat' hypothesis 51
- glucocorticoids  
 in adipose tissue development 62, 63, 64  
 leptin interactions 208  
 in lipogenesis 59  
 in obesity 190–1  
*see also* cortisol
- glucose  
 intolerance 200  
 benefits of dieting 291–2  
 ethnic differences 392  
 in lipogenesis 59, 102  
 metabolism, in Prader–Willi syndrome 177  
 transport 54, 199
- GLUT 4 glucose transporter 59, 199
- glycogen depletion 293–7, 309
- gonadal function 190, 192–4
- gout 145, 146
- government  
 breastfeeding policies 395  
 devising and implementing new policies 399–401  
 health promotion 254–6, 261, 397–401  
 role in prevention 251
- group activities, participation in 162
- group therapy 331–2, 370, 372
- growth  
 catch-up, in early life 392–3  
 dietary restriction and 198, 297  
 monitoring 264  
 obese children 133–4, 196
- growth hormone (GH)  
 in adipose tissue development 63–4, 65, 198  
 body fat distribution and 79  
 deficiency 63–4, 174, 198  
 in Prader–Willi syndrome 179  
 leptin interactions 196, 198, 207

**409**      **Index**

- in lipogenesis/lipolysis 59
- metabolic syndrome and 142
- nutrition and 77–8
- in obese children 195–8
- treatment, Prader–Willi syndrome 180, 351
- growth hormone-binding protein (GHBP) 195–6, 198
- growth hormone–insulin-like growth factor (GH–IGF) axis 190, 195–8
- gynaecomastia, benign pubertal 135
- gynoid fat pattern 3
- ‘halo effect’ 115
- handicap 163–4, 245
  - see also* intellectual impairment
- HDL *see* high-density-lipoprotein
- head circumference 13
- health, attributions 112–14
- health education 255
- Health Education Authority 255
- health professionals
  - health promotion role 253–4, 260–1, 399–400
  - role in prevention 250–1
- health promotion 397–401
  - by government 254–6, 261, 397
  - by health professionals 253–4, 260–1, 399–400
  - by industry 256, 262
  - new policies 399–401
  - in schools 250, 253, 259–60, 397, 400–1
  - on television 257
- health services 256
- health visitors 253–4
- healthy eating 246–7
  - promoting 250, 257–63
  - in slimming programmes 277–80
  - within family 257–9, 272
- healthy lifestyle
  - as goal of slimming 270–1
  - promotion 250, 255, 260–1, 272
  - psychotherapeutic approaches 328–9, 331
  - in slimming programmes 272, 275–80
- heart rate monitoring 94, 382
- heating levels, home 277
- height
  - centiles 10–12
  - children on weight-reducing diets 198
  - measurement 6
  - obese children 133–4, 195
  - secular trends 70, 74
  - self-reported 6
  - short *see* short stature
  - velocity 134
  - weight/height<sup>n</sup> and 8–9
- heritability of obesity 39–40
- high-density-lipoprotein (HDL) cholesterol
  - association with obesity/overweight 141, 157, 225, 228
  - body fat distribution and 231–2, 233
  - in metabolic syndrome 200
- hip circumference 13
- hirsutism 135, 136, 192
- history, clinical 132
- hobbies 277
- home
  - based management 270–80
  - heating levels 277
- hormone replacement therapy, in Prader–Willi syndrome 180
- hormone sensitive lipase (HSL) 59
- hormones
  - analogues/antagonists 346, 350–1
  - changes in obesity 136, 158–9, 189–209
  - regulating adipose differentiation 62–5
  - see also* endocrine disorders; *specific hormones*
- housing quality 110
- hunger *see* appetite
- hydroxyacyl-coenzyme A (HOAD) 313
- 17-hydroxysteroids 191
- 25-hydroxyvitamin D (25OH vitamin D) 159
- hyperadrenocorticism 173–4
- hyperandrogenism 192–4
- hyperinsulinaemia 140–1, 189–90, 198–203
  - benefits of dieting 291–2
  - body fat distribution and 231
  - immune function and 140
  - in obese adolescents 157
  - ovarian function and 192
  - relative weight and 224–5, 226, 227, 228
- hyperphagia
  - in Prader–Willi syndrome 176, 177
  - in single gene defects 53, 54
- hypertension
  - in adult life 146
  - ethnic differences 391–3
  - in metabolic syndrome 200
  - in obesity/overweight 144, 157, 224–5, 228
  - in pregnancy 146
- hyperuricaemia 298
- hypogonadism
  - in Bardet–Biedl syndrome 181
  - hypogonadotrophic, in massively obese men 194
  - in Prader–Willi syndrome 175, 179
  - pseudo, in simple obesity 135, 189
- hypopnoea 160
- hypothalamic–pituitary–adrenal (HPA) axis 190–1
- hypothalamus 50
  - body weight regulation 51, 205
  - dysfunction, in Prader–Willi syndrome 176, 179
- hypothyroidism 63, 171–3, 195
  - slipped capital femoral epiphysis 137
- hypotonia, neonatal 174–6
- IGF *see* insulin-like growth factor
- immunological problems 139–40
- industry 398–9
  - promoting healthy eating 262
  - promoting physical activity 256
  - role in prevention 251–2
  - see also* food industry
- infants
  - adipose tissue development 55, 56

**410** Index

- infants (*cont.*)  
 feeding, parental control 119  
 food intake 70, 72–4, 76–7  
 weaning practices 395–6
- infections 139
- infertility 146, 193
- inpatient management 340, 377–8  
*see also* residential management
- insulin 350  
 in adipose tissue development 63, 64  
 leptin interactions 208  
 in lipid metabolism 58, 59  
 mechanism of action 199  
 ovarian effects 192  
 plasma  
 benefits of dieting 291–2  
 high *see* hyperinsulinaemia  
 relative weight and 224–5, 226, 227, 228  
 protein-sparing modified fast and 286  
 resistance 103, 140–1, 198–203  
 acanthosis nigricans (AN) 135  
 ethnic differences 392, 393  
 in obese adolescents 157  
 sensitivity 103, 199–200, 292
- insulin-like growth factor binding protein (IGFBP)-1 196
- insulin-like growth factor binding protein (IGFBP)-3 62, 196, 197
- insulin-like growth factor binding proteins (IGFBP) 192, 195, 196, 197–8
- insulin-like growth factor (IGF)-1  
 in adipose tissue development 62, 64, 198  
 leptin interactions 207  
 nutrition and 77–8  
 in obese children 196–8  
 treatment 198
- insulin-like growth factor (IGF)-1 receptors 64
- insulin-like growth factor (IGF)-2 196
- insulin-like growth factors (IGFs) 195–8
- insulin receptor 199
- insulinoma 164
- intellectual impairment (mental retardation) 245  
 in obese adolescents 163–4  
 in other obesity syndromes 181, 183  
 in Prader–Willi syndrome 177  
 psychotherapeutic approaches 339, 340
- interdisciplinary outpatient management 361–74  
 goal and general philosophy 361–4  
 organization 370–3  
 collaboration problems 373–4  
 individually tailored approach 371  
 integrated approach 372–3  
 standardized treatment 371–2  
 treatment programmes 364–70
- interdisciplinary residential management 380–5
- interdisciplinary team approach 361
- International Obesity TaskForce (IOTF),  
 definition of obesity 18–22, 389
- intertrigo 135
- intestinal bypass operations 355, 356
- intra-abdominal (visceral) fat  
 cardiovascular risk and 230–3
- dyslipidaemia and 141–2  
 in insulin resistance 200  
 measurement 12, 13  
 NIDDM risk 141  
*see also* central obesity
- iris coloboma 182
- iron deficiency 159
- James, William 116–17
- 'junk' food 81, 262
- ketosis, starvation 286
- kyphosis 320
- lactate 59
- laparoscopic gastric banding (GB) 356, 357
- Laron's syndrome 198
- latitudinal gradient, BMI 31, 34
- Laurence–Moon syndrome 180–1, 182
- lawn mowing 277
- LDL *see* low-density-lipoprotein
- lean body mass (LBM, fat-free mass)  
 energy expenditure and 310, 312  
 loss, caused by dieting 293–7  
 in obese children 96, 134  
 pubertal changes 155  
*see also* muscle mass
- learning, food likes and dislikes 83–4
- left atrial enlargement 160
- leisure time, physical activity programmes 314–15
- length, measurement 6
- leptin 203–9  
 body fat distribution and 206  
 body weight regulation 51–2, 204–6  
 gene mutations (deficiency) 52–3, 156, 206  
 GH–IGF axis interactions 196, 198, 207  
 immune function and 140  
 lipolytic effect 59  
 obesity and 204–6  
 other functions 208–9  
 in Prader–Willi syndrome 179  
 in pubertal development 57, 134, 156, 207–8  
 regulation of secretion 65–6  
 resistance 205  
 sexual dimorphism and 206–7  
 single-gene defects affecting 39, 52–4, 172, 184  
 treatment 205, 206, 350–1
- leptin receptors (OBR) 203–4, 205  
 gene mutations (deficiency) 53, 156, 205, 208
- lifestyle 83–5  
 healthy *see* healthy lifestyle  
 modification principles 273–5
- lifts (elevators) 254, 276, 308
- lipase inhibitor (orlistat) 346, 349–50, 351–2
- lipids  
 mobilization 59  
 oxidation *see* fat oxidation  
 serum profiles 141–2, 157  
 body fat distribution and 231–3  
 effects of dieting 291–2  
 in metabolic syndrome 200  
 relative weight and 224–6, 227



**411**      **Index**

- role of GH 198
  - screening guidelines 229–30
  - storage in adipose tissue 58–9
- lipogenesis 58–9, 102
- lipolysis 59
- lipoprotein lipase 58, 59
- liposuction 355, 356
- liver, fatty 137, 157–8
- liver enzymes (aminotransferases) 137, 157–8
- LMS method 19, 20
- local government
  - health promotion 254, 261, 400–1
  - role in prevention 251
- lordosis 320
- low-calorie diet (LCD) 282–3, 365
  - balanced *see* balanced low-calorie diet
  - positive effects 288, 290–3
  - see also* dietary treatment
- low-density-lipoprotein (LDL) cholesterol
  - association with obesity/overweight 141, 225, 226, 228
  - benefits of dieting 291
  - body fat distribution and 231–2
  - screening 230
- lower extremity exercises 319–20
- lung disease, obstructive 138
- lung function 138
- luteal phase deficiency 193–4
  
- macrosomic babies 44
- magnetic resonance imaging (MRI) 4
- margarines 279
- mastoplasty 355
- mazindol 346
- meal-induced thermogenesis (MIT) 96
- meals
  - family 246, 257, 277
  - number per day 80–1
  - regular, to prevent obesity 246–7, 257–8
  - in residential programmes 380
  - school 260, 279, 397
  - skipping 80, 257–8
  - in slimming programmes 277
  - see also* diet; eating; food intake
- measurement techniques 6–7
- median, percent of 7
- melanocortin-4 receptor 54
  - defect 54
- $\alpha$ -melanocyte-stimulating hormone ( $\alpha$ -MSH) 54
- menarche, age of 134, 192, 208
- menstrual cycles, anovulatory 192
- menstrual problems
  - in adult life 145, 146, 192, 193
  - in obese girls 136, 158
- metabolic changes in obesity 140–2, 189–209
- metabolic rate
  - basal (BMR) 95–6, 195
  - during television watching 256
  - resting, regulation 52
  - while playing computer games 257
- metabolic syndrome (multi-metabolic syndrome)
  - 142, 200, 201, 208
- metamphetamine 345–6
- micronutrient supplements 286–7
- mid-upper arm circumference 13
- milk 70, 259, 279
- minerals 159, 286–7
- molecular factors 50–66
- monogenetic forms of obesity 39, 52–4, 172, 184
- morbid obesity, bariatric surgery 357–8
- morbidity
  - in adult life 15, 145, 146, 157, 234–5
  - in childhood/adolescence 14–15
- mortality
  - in adult life 15, 145, 146, 234–5
  - in childhood/adolescence 14–15
- mothers *see* parents
- Motivation Enhancement Therapy 368
- multidisciplinary approach 361
- muscle mass
  - effects of exercise 312
  - obese children 70, 134
  - see also* lean body mass
  
- naloxone 351
- National Center for Health Statistics (NCHS) 17, 18
- National Health and Nutrition Examination Surveys (NHANES) 32, 34, 224
- neglect, parental 44, 110, 249, 370
- neonates
  - fat metabolism 59
  - leptin levels 208, 209
  - Prader–Willi syndrome 174–6
- nesidioblastosis 164
- neurological problems 139
- neuropeptide Y (NPY) 205, 207
  - inhibitors 350
- neutropenia 183
- 'night eating syndrome' 80
- nitrogen balance 293–7
- non-insulin-dependent diabetes mellitus (NIDDM)
  - in Bardet–Biedl syndrome 181
  - ethnic differences 392–3
  - in obese children/adolescents 140–1, 157, 202–3, 224
  - pathogenesis 201–2
  - in Prader–Willi syndrome 177
- nonpathological (simple) obesity 131, 171
- noradrenergic agents 345–6
- noradrenergic/serotonergic agents 348
- North–South gradient, BMI 31, 34
- nutrient intakes *see* carbohydrate (CHO) intake; energy intake; fat intake; protein intake
- nutrition 69–86
  - adipose differentiation and 62–5
  - adiposity and 74–9
    - cross-sectional studies 74–5
    - retrospective/longitudinal studies 76–8
  - assessment of intake behaviour 79–83
  - body fat distribution and 78–9
  - data collection 69
  - documentation of status 254

**412** Index

- nutrition (*cont.*)  
   education 259, 261, 381  
   lifestyle factors 83–5  
   secular trends 69–74  
   *see also* food intake  
 Nutrition Council 400  
 nutritional counselling, simple (SNC) 284, 299, 300
- ob-17 cells 62–3  
 ob/ob mice 51, 203, 205  
 obesity  
   in adults 16  
   childhood *see* childhood obesity  
   definition 3, 15–22, 28, 29–30, 222, 389–90  
   prevalence *see* prevalence of obesity/overweight  
   risk factors for 39–44, 245  
 obesity syndromes 164, 171–84  
 ‘obesogenic’ environment 396–7  
 obstructive sleep apnoea 138–9, 160, 357–8, 379  
 oestrogens 156, 158, 194  
 Olestra 346, 350  
 oral contraceptive pill 158  
 orlistat 346, 349–50, 351–2  
 orthopaedic problems  
   exercise training and 315–16, 320  
   in obesity 136–7, 159–60  
   in Prader–Willi syndrome 176  
 osteoarthritis 145, 146, 160  
 outpatient programmes 340, 361–74  
   cognitive behavioural therapy 330–1  
   interdisciplinary *see* interdisciplinary outpatient management  
 ovarian function 192–4  
 overweight  
   in adults 16  
   definition 15–22, 28, 222  
   prevalence *see* prevalence of obesity/overweight  
 oxygen uptake, maximal ( $\text{VO}_{2\text{max}}$ ) 101–2, 312, 313
- pancreas, endocrine 190  
   *see also* insulin  
 parabiatic experiments 51  
 parents 118–22  
   control of eating 84, 86, 119–20, 249–50, 363  
   eating disorders 119, 370  
   influence on food preferences 83–4  
   neglect by 44, 110, 249, 370  
   obese 249  
     adult obesity risk 155  
     childhood obesity risk 39  
     infant feeding 119  
     nutrition and 83  
     physical activity and 98  
   obese adolescents 160–1, 162  
   physical activity programmes and 316  
   prevention of obesity 249  
   promotion of physical activity 252, 255  
   residential management and 378, 381, 384–5  
   restriction of television viewing 256–7  
   role in child’s slimming 272–3, 276–7
- total cholesterol (TC), as screening guide 229–30  
   training 367–8  
   *see also* family
- pathological (secondary) obesity 171–84  
 peer group  
   attitudes to obesity/overweight 117, 142  
   behaviour 121–2  
   importance 162  
   influence on food choices 83, 249–50  
   relationship problems 142, 161  
 Pepper syndrome 183  
 percent of median 7  
 peroxisome-proliferator-activated receptor (PPAR) 63  
    $\gamma$ -2 (PPAR $\gamma$ -2) defect 54  
 persistence (tracking) of obesity 14, 143, 155, 234  
 pharmacotherapy 282, 345–52  
 phenmetrazine 345–6  
 phentermine 346, 347  
 phenylpropranolamine 346  
 photographs, measurements using 13  
 physical activity 93–104, 245  
   assessment 94  
   definition 307  
   energy costs 97–8, 310–12  
   family therapy approaches 334  
   guidelines 255  
   impact of television 100  
   increasing  
     in obese children 275–6  
     to prevent obesity 245–6, 252–7  
   nutrition and 84–5, 86  
   political initiatives 400  
   as proportion of day 98  
   reduced, predicting weight gain 99–100  
   in residential programmes 381–3  
   treatment programmes 307–23, 365–6  
     aims 308–10  
     choice of exercise 315–18  
     efficacy in lowering fat mass 310–13  
     factors affecting outcome 309  
     general principles 313  
     improving compliance 320–1  
     leisure time 314–15  
     in practice 314–20  
     progressive postural exercises 318–20  
     role of family 321–2  
   *see also* exercise; sedentary lifestyle  
   Physical Activity Level (PAL) 98, 99–100  
   physical appearance *see* appearance, physical  
   Physical Appearance Related Teasing Scale (PARTS) 122  
   physical education 255, 315–16  
   physical fitness  
     definition 307  
     improving 321  
     obese children 101–2  
   Pickwick syndrome 139, 177  
   picture-rating task 111  
   Pima Indians 201–2, 365  
   pituitary–adrenal axis 190–1

**413**      **Index**

- pituitary–gonadal axis 190, 192–4  
 pituitary–thyroid axis 190, 194–5  
 placenta, leptin secretion 208–9  
 plastic surgery 355  
 plate model 259  
 platelet derived growth factor (PDGF) 65  
 play therapy 370  
 playing outside 254, 275, 308, 396  
 polycystic ovary syndrome (PCOS) 136, 158, 194  
 polydactyly 181, 183  
 popularity, peer-nominated 117  
 population-based prevention 244–5  
 populations, reference 16, 20, 30  
 postural exercises 316–17, 318–20  
 potassium loss 293–7  
 Prader–Willi syndrome (PWS) 174–80, 245  
   adolescence 163, 164  
   clinical features 174–8  
   childhood 176–8  
   perinatal 174–6  
   diagnosis 178, 183  
   endocrine abnormalities 179  
   management 179–80, 340, 351  
 preadipocyte factor-1 63  
 preadipocytes 60  
   cell lines 62–3  
   differentiation *see* adipocytes, differentiation  
   proliferation 61  
 pregnancy  
   fetal metabolic programming 391–2, 393  
   hypertension in 146  
   leptin in 208–9  
 prevalence of obesity/overweight 34–9  
   BMI distribution and 35–9  
   current data 32–3, 34  
   factors affecting 39–44  
   methodological issues 29–30  
   predictions of future 394–5  
   secular trends 35, 36–7, 223–4  
     role of nutrition 69–74  
     in super-obesity 38, 39  
 prevention 243–65  
   monitoring and evaluation 264  
   primary 243–4  
   programmes 263  
   reasons for 243  
   by reducing poor dietary habits 257–63  
   by reducing sedentary activity 252–7  
   responsibilities for 248–52  
   secondary 244  
   side effects 248  
   strategy 245–8  
   target population 244–5  
   target risk factors 245  
   tertiary 244  
 principal components analysis 232  
 problem-solving training 368  
 progesterone 193–4  
 progestogens 158  
 proglucagon 54  
 prohormone convertase 1 (PC 1) defect 53–4  
 pro-opiomelanocortin (POMC) 54  
   deficiency 54  
 protein intake  
   adiposity and 75, 76–8, 85  
   animal vs. vegetable 72  
   body fat distribution and 78–9  
   in diets 284, 285, 286, 287  
   GH and IGF-1 levels and 78  
   obese children 83  
   in pregnancy 391–2  
   secular trends 70, 71, 72–4  
 protein nutritional status (PNS) 293–7  
 protein-sparing modified fast (PSMF) 286–7, 381  
 pseudo-gynaecomastia 135  
 pseudo-hypogonadism 135, 189  
 pseudotumor cerebri (PTC) 139  
 psychodynamic therapy 166, 329, 338  
 psychoeducation 364–5  
 psychological problems  
   management 369–70, 383  
   obese children 118, 142  
 psychosocial factors 109–23, 245  
 psychosocial problems  
   in adult life 143–4  
   management approaches 368–9, 379  
   obese adolescents 160–6  
   obese children 142, 325–6  
   *see also* psychological problems; socioeconomic status  
 psychotherapy 327–41  
   approaches 329–35  
   early 333  
   eating disorders 165–6, 339, 340  
   in outpatient programmes 368, 369–70  
   perspectives 337–40  
   questioning techniques 335–7  
   rationale for 328–9  
   in residential programmes 383  
   *see also* family therapy  
 puberty 155  
   age of 134  
   body composition and energy expenditure 155–6  
   dieting at time of 299–301  
   growth spurt 57  
   IGF-1 and 197  
   insulin sensitivity changes 200–1  
   leptin and 57, 134, 156, 207–8  
   in Prader–Willi syndrome 179  
   precocious 134, 207–8  
   *see also* adolescence  
 pubic hair development 156  
 pulmonary hypertension 160  
 punishment 367  
  
 questions 335–7  
   circular 163, 336  
   linear 162, 335–6  
   reflexive 163, 337  
   strategic 337  
 Quetelet's index *see* body mass index  
  
 racial differences *see* ethnic differences

**414** Index

- recommended dietary allowances (RDA) 284  
reference populations 16, 20, 30  
renal anomalies 181  
reproductive function  
  leptin and 207–8, 209  
  in Prader–Willi syndrome 179  
  in simple obesity 192–4  
research funding 398  
residential management 377–86  
  comprehensive approach 378–85  
  duration of stay 378, 379–80  
  historical background 377–8  
  interdisciplinary approach 380–5  
  physical activity and exercise programmes 314  
  results and outcome 385–6  
  screening 378–80  
  *see also* summer camps  
respiratory problems 138–9, 177–8  
retinitis pigmentosa 181, 182  
retinoids 64  
rewards, food 83, 280  
risk factors  
  cardiovascular *see* cardiovascular risk factors  
  for obesity 39–44, 245  
Rohrer's index *see* weight/height<sup>3</sup>  
role models 321  
Roux-en-Y gastric bypass (RYGP) 356  
running 311
- satiety 82, 84  
  regulation 50, 51–2  
scapegoating 335  
scapulae, winging of 320  
schizophrenia 333  
school  
  behavioural therapy in 332  
  breakfast programmes 258  
  health promotion 250, 253, 259–60, 397, 400–1  
  meals 260, 279, 397  
  performance, poor 41, 143–4, 379  
  in residential programmes 384  
  special 340  
  sports 253, 276  
school nurse 338, 339  
scoliosis 320  
screening  
  for obesity 264  
  for residential management 378–80  
  serum lipids 229–30  
secondary obesity 171–84  
secular trends in obesity/overweight *see*  
  prevalence of obesity/overweight, secular  
  trends  
sedentary lifestyle 396–7  
  obese children 98  
  as predictor of weight gain 99–100  
  reducing  
  to prevent obesity 246, 252–7  
  to promote slimming 276–7  
  *see also* physical activity  
selective serotonin reuptake inhibitors 348  
self-control 362–3  
self-efficacy 252  
self-esteem  
  assessment/conceptualization 116–18  
  enhancing 363, 383  
  obese children 115–16, 117–18, 142, 327–8  
self-monitoring 366–7  
self-perception 115–16  
Self-Perception Profile for Children 117  
self-regulatory skills, acquisition 84, 86, 119–20  
self-worth 115–18  
sensitive periods *see* critical periods  
serotonin 350  
serotonergic agents 346, 347–8  
sertraline 348  
serum, adipogenic activity of human 61–2  
sex differences *see* gender differences  
sex-hormone binding globulin 158, 192, 194  
sex steroids  
  adrenal 191, 192  
  gonadal 192–4  
  *see also* androgens; oestrogens; testosterone  
sexual activity 158–9  
sexual dimorphism  
  leptin and 206–7  
  *see also* gender differences  
short stature  
  in Bardet–Biedl syndrome 181  
  in Cushing's syndrome 173, 189  
  definition of obesity and 390–1  
  in GH deficiency 174  
  in hypothyroidism 171–2, 195  
sibutramine 346, 348, 351–2  
silhouettes, body shape 111–12, 113  
simple obesity 131, 171  
single gene defects 39, 52–4, 172, 184  
skating 318  
skeletal abnormalities 183  
skiing 311, 318  
skinfold thickness 12, 14  
  cardiovascular risk and 230–3  
  in definition of obesity 17–18, 29–30  
  ethnic differences 391  
  measurement 7  
  secular trends 223, 224  
  tracking 14  
  trunk/extremity ratio 12, 13  
skipping rope 320  
sleep apnoea, obstructive 138–9, 160, 357–8, 379  
sleep disorders 138–9  
slimming *see* dietary treatment  
slipped capital femoral epiphysis (SCFE) 136, 137,  
  159–60, 379  
smoking 157, 248  
snacking 81, 247, 396  
  in early life 395–6  
  recommendations 279  
  role of television 262  
snoring 138  
social class *see* socioeconomic status  
social disadvantage  
  obese adolescents 164  
  as risk factor for obesity 40–1, 110–11

**415**      **Index**

- social factors  
  in obesity risk 40–1, 109–11, 245  
  in prevention of obesity 253  
  *see also* socioeconomic status
- social problems *see* psychosocial problems
- social relationships 118–22  
  *see also* parents; peer group
- social-skills training 368–9
- social workers 379, 385
- socioeconomic status (SES)  
  attitudes to obesity and 112–14  
  effects of obesity on 122–3, 143–4  
  as risk factor for obesity 40–1, 109–11
- sodium intake 292
- soft drinks 278–9, 397
- speech delay, in Prader–Willi syndrome 177
- spine, exercises 319
- sports  
  energy costs 311  
  participation by obese children 275–6, 317, 381  
  in prevention of obesity 253, 254, 255–6  
  in residential treatment programmes 381–3
- stadiometers 6
- stairs 254, 276, 308
- starvation 207, 286
- stature *see* height
- steatomastia 134
- Stein–Leventhal (polycystic ovary) syndrome 136, 158, 194
- stereotyping 112, 114–15
- street, playing in 254, 275, 401
- ‘stretching periods’ 55–7
- striae 135
- subfertility 146, 193
- subscapular skinfold thickness 12  
  age-related trends 4, 5  
  in WHO definition of obesity 17  
  *see also* energy balance
- substrate oxidation 102–3
- sucrose consumption 72, 82
- summer camps 377  
  cognitive behavioural therapy 330–1  
  physical activity programmes 314, 317–18, 320–1  
  *see also* residential management
- super-obesity  
  definition 30  
  prevalence 38, 39
- surgical treatment 355–8  
  complications 356–7  
  techniques 355–6
- sweet foods 82, 85–6
- sweets 83, 397
- swimming 254, 311, 316, 318
- sympathetic nervous system 208
- syndactyly 183
- syndrome X *see* metabolic syndrome
- teasing 121–2
- television viewing 84, 275, 314, 396–7  
  effects on diet 262–3
- impact on physical activity 100  
  reducing  
  to prevent obesity 247–8, 256–7  
  to promote slimming 277
- testis 194
- testosterone 194  
  leptin interaction 156, 207  
  in polycystic ovary syndrome 158
- thermodynamics 51
- thermogenesis, meal-induced 96
- thermogenic agents 346, 348–9
- thermoregulatory disturbances 176
- Third World countries *see* developing countries
- 3T3 cells 62
- ‘thrifty genotype’ hypothesis 201–2, 393–4
- thymidine, radioactive-labelled 62
- thymidine kinase 57–8
- thyroid function 137, 194–5
- thyroid hormones 63, 345, 348
- tobacco companies 398
- town planning 401
- tracking (persistence) of obesity 14, 143, 155, 234
- traffic light diet 285, 365
- transforming growth factor (TGF) $\beta$  64–5
- transport  
  policies, national 254–5  
  public 276
- travel industry 256
- triceps skinfold thickness 12  
  cardiovascular risk factors and 226–7  
  ethnic differences 391  
  in WHO definition of obesity 17–18
- triglycerides (TG) 55  
  breakdown 59  
  formation 58–9  
  serum 141, 157, 200  
  association with obesity/overweight 225, 226, 228  
  body fat distribution and 231  
  effects of dieting 291
- triiodothyronine (T3) 63, 194–5
- trisomy 21 (Down’s syndrome) 173, 245
- trunk fat pattern *see* central obesity
- trunk skinfold thickness *see* subscapular skinfold thickness
- trunk/extremity skinfold ratio 12, 13
- tuck shops 259–60
- tumour necrosis factor (TNF) $\alpha$  64–5
- twin studies 39
- underwater weighing 4
- UNICEF 395
- upper extremity exercises 320
- uric acid, raised serum 298
- vegetables 260, 380, 395–6, 398
- very-low-calorie diets (VLCD) 83, 283, 286–7  
  guidelines on use 300, 301  
  negative effects 293–9  
  positive effects 289, 290–3
- very-low-density lipoproteins (VLDL) 58, 102, 200

**416** Index

- videos, watching 257, 275, 277, 396
- visceral fat *see* intra-abdominal (visceral) fat
- visual impairments 181, 182, 183
- vitamin D 159
- vitamins 159, 286–7
- waist circumference 13
  - cardiovascular risk and 230–3
  - insulin resistance and 200
- waist/hip ratio (WHR) 13
  - cardiovascular risk and 230–3
  - insulin resistance and 200
  - tracking 14
- walking
  - benefits 308, 310–11, 314
  - decrease in 275
  - promoting 254, 255
- weaning practices 395–6
- weighing
  - frequency 274–5
  - technique 6
  - underwater 4
- weight 8
  - activity-related energy expenditure and 97, 98
  - centiles 10–12
  - goals, dietary therapy 299–301
  - maintenance, as goal of dieting 274, 299–301
  - regulation 51–2, 204–6
  - relative 8–9, 222
    - cardiovascular risk factors and 224–6, 227
    - secular trends 223–4
    - see also* body mass index; weight/height<sup>3</sup>
  - secular trends 223
  - self-reported 6
- weight-centile-adjusted for height-centile, Z-score of 11
- weight-control programmes *see* dietary treatment
- weight-for-age 8
- weight-for-height 8
  - to define obesity 29–30
  - Z-score 11
- weight reduction
  - bariatric surgery 356
  - effects of exercise 312
  - GH–IGF axis changes 195, 197–8
  - as goal of dieting 274, 283, 300, 301
  - leptin levels 204, 205
  - negative effects 293–9
  - positive effects 141, 202, 290–3
  - in published studies 282, 288–9, 290
  - residential management 378–9, 385
  - see also* dietary treatment
- weight training 312
- weight/height<sup>2</sup> *see* body mass index
- weight/height<sup>3</sup> (Rohrer's index) 8, 9
  - cardiovascular risk factors and 226, 227
  - to define obesity 29–30, 222
  - secular trends 223–4
- weight/height<sup>2</sup> 222
  - correlated with adiposity 9
  - as predictor of morbidity and mortality 14–15
  - uncorrelated with height 8–9
  - see also* body mass index (BMI); weight/height<sup>3</sup>
- weight/ideal weight 29–30
- wholefoods 278, 279
- will-power 362
- working women 261, 396
- World Health Organization (WHO)
  - Baby Friendly Hospital movement 396
  - breastfeeding and 390, 395
  - definition of obesity 17–18
  - Healthy School Initiative 400–1
- xanthines 348–9
- yellow obese mouse 54
- 'yo-yo' syndrome 301
- yoga 318
- yoghurts 279
- Z-scores 7, 11–12