

Cambridge University Press

978-0-521-65261-2 - Microbial Signalling and Communication

Edited by R. R. England, G. Hobbs, N. J. Bainton and D. McL. Roberts

Index

[More information](#)

INDEX

References to tables/figures are shown in italics.

- A-factor (*Myxococcus xanthus*) 142, 144–6, 143
- A-factor (*Streptomyces griseus*) 178–9, 188–90, 179, 189, 190, 193
receptor protein (ArpA) 188–90
- A-signalling (*Myxococcus xanthus*) 141–5
- A/E lesions 197–9, 203, 206, 207–8
- actin pedestal 198–9, 199
- N*-acyl-homoserine lactone (AHL) 3–9, 22, 71–80, 86, 87, 88, 90, 91, 92, 94, 95, 97, 163, 168, 171, 5
- Aeromonas* 85–92
AHL 86, 87, 88, 90, 91, 92
biosensor 86
exoproteases 86, 88, 90–1
metalloproteases 88
serine proteases 88, 90
gene regulation 87–8
lux homologues
ahy system 86, 89
OHHL 87
signalling inhibition 91
- aggregation/streaming 242, 244–7, 248–9, 251–2
- agr* genes 9–11
- AHL (*N*-acyl-homoserine lactone) 3–9, 22, 71–80, 86, 87, 88, 90, 91, 92, 94, 95, 97, 163, 168, 171, 5
in *Aeromonas* 86, 87, 88, 90, 91, 92
in *Erwinia* 163, 168, 171
in Gram-negative bacteria 3–9, 22, 71–80
in *Pseudomonas* 78–9
in *Yersinia* 94, 95, 97
- ahy* system 86, 89
- Alternaria alternata* 7
- antibiotic resistance 55
- antibiotics
carbapenems 161–71, 162
thienamycin 162
clavulanic acid 169–70
Streptomyces clavuligerus 169–70
streptomycin 177, 178, 179, 189–90
virginiamycin 179, 180, 184, 188, 192
- antimicrobial peptides 231
- apoptosis 52–3, 229
- ArpA (A-factor receptor protein) 188–90
- Ascomycetes 316–20
- asg* genes 142, 151
- Atf1 263
- autocrine factors 43
- BarA (virginiae butanolide receptor protein) 184–8, 188
- Basidiomycetes 316–20
- biofilms 36, 78–9, 110
- bioluminescence
autoinduction 72–80
circadian rhythms 345–9
lux gene expression 74
- biosensors (for OHHL/AHL) 3–4, 7, 86
- Botrytis* 309, 310, 325–6
- N*-(butanoyl)-L-homoserine lactone 87, 88, 91, 107–9
- butyrolactone autoregulators 178–194
A-factor 178–9, 188–90, 179, 189, 190, 193
receptor protein (ArpA) 188–90
Gräfe's factors 181–2, 183
IM-2 181, 191–2, 181, 193
function 182
receptor protein (FarA) 191–2
mode of action 184–92
virginiae butanolides (VB) 179–80, 182–8, 180, 193
biosynthesis 182–4, 185, 186
receptor protein (BarA) 184–8, 188
- Byr2 261–3
- C-factor (*Myxococcus xanthus*) 145–51, 153
- C-signalling (*Myxococcus xanthus*) 141, 145–55
- Ca²⁺-mediated signalling 20, 225–6
- cAMP 72, 221
Dictyostelium discoideum 241–52
mathematical modelling 242–4
- car* genes 163, 165, 166, 168, 169, 170, 167
- carbapenems 161–71, 162
thienamycin 162
- cCF10 121, 122, 123, 124, 125, 126, 128, 123
- Cdc proteins 266–7, 268
- CDC2 kinases 344
- cell cycle 266–7, 344–5
- cell division 56–7, 344
- chaperones 200, 218–20
- chemotaxis 241, 248, 249, 251–2
zoospores 290–1
- Chytridiomycetes 314–36
- circadian rhythms 345–50
bioluminescence 345–9
photosynthesis 345–7
swimming 349–50
- clavulanic acid 169–70

Cambridge University Press

978-0-521-65261-2 - Microbial Signalling and Communication

Edited by R. R. England, G. Hobbs, N. J. Bainton and D. McL. Roberts

Index

[More information](#)

362

INDEX

- conjugative transfer (*Enterococcus*) 117–33
 conservation equation 247
csg genes 146–7, 149, 150, 152
 cyclic peptides
 DKP (diketopiperazines) 7
 structure 8
 cyclin-dependent kinases (CDK) 266–7, 344
 cyclins 344
 cytokines 33–59
- Dallon and Othmer model 245–7, 248–9, 251–2
devTRS 151–2
Dictyostelium discoideum (slime mould) 241–52
 cAMP 241–52
 mathematical modelling 241–52
 conservation equation 247
 Dallon and Othmer model 245–7, 248–9, 251–2
 Höfer *et al.* model 247–9, 251–2
 Martiel–Goldbeter model 242–4
 streaming/aggregation 242, 244–7, 248–9, 251–2
 diffusible cell–cell signalling molecules 4
 diffusible extracellular factor (DSF) 6–7
 diketopiperazines (DKP) 7
 dinoflagellates 335–53
 enzyme-linked receptors 339–41
 G-protein 337–9
 lectins 341–2, 343
 dormancy 37–40, 53–4
 DSF (diffusible extracellular factor) 6–7
- E-signalling (*Myxococcus xanthus*) 141, 142
 EBS (enterococcal binding substance) 122, 130
 EHEC (enterohaemorrhagic *Escherichia coli*) 197–209
 electrical signals 295–300
 electro taxis
 zoospores 296–9
 encystment
 dinoflagellates 338–9
 zoospores 289–90, 291–2
 endosymbiosis 350–2
 enterococcal binding substance (EBS) 122, 130
Enterococcus 117–133
 cCF10 121, 122, 123, 124, 125, 126, 128, 123
 conjugation induction 122–3, 119
 conjugative transfer 117–133
 pheromones 118, 120–33
 pheromone plasmids 127–31, 129, 130
 prg system 122, 124–31
 regulatory control/regulation 123–7
 enterohaemorrhagic *Escherichia coli* (EHEC) 197–209
 enteropathogenic *Escherichia coli* (EPEC) 16–20, 197–209, 17
- EPEC (enteropathogenic *Escherichia coli*) 16–20, 197–209, 17
 Type III protein secretion systems 202–3
 translocon 203–6, 204
 EPEC-secreted proteins (Esp) 18, 202, 203–6, 209
 epithelial cells 231
 EPS (exopolysaccharides) 15–16
Erwinia 3, 14, 161–71
Erwinia carotovora 161–71
 AHL 163, 168, 171
 car genes 163, 165, 166, 168, 169, 170, 167
 OHHL 161–71, 161
 rsmA gene 166
 exoenzymes 165–6, 167
esc genes 202
 Esps (EPEC-secreted proteins) 18, 202, 203–6, 209
Euplotes raikovi 44–5
 evolution 58–9
 exopolysaccharides (EPS) 15–16
 exoproteases 86, 88, 90–1
 Aeromonas
 metalloproteases 88
 serine proteases 88, 90
- FarA (IM-2 receptor protein) 191–2
 feeding 342, 344
 flagella
 zoospores 287, 289, 297
 flagellar filaments 204–6
 FruA 148–52
 fruiting bodies
 Myxococcus xanthus 139–41, 143, 155, 140, 156
frz 149–52
 fungal antagonists 324–5
- G-protein 13, 244, 260, 261, 271–2, 312, 319
 dinoflagellates 337–9
 gliding
 Myxococcus xanthus 139, 141
 GM-CSF (granulocyte-macrophage colony stimulating factor) 21, 43
Gonyaulax 339, 346, 347, 349, 350
 Gräfe's factors 181–2, 183
 Gram-negative bacteria
 AHL-mediated signalling 3–9, 22, 71–80
 non-AHL mediated signalling 6–9
 secreted proteins 13–15
 surface polysaccharides 15–16
 Gram-positive bacteria
 signalling molecules 9–11, 34, 10
 granulocyte-macrophage colony stimulating factor (GM-CSF) 21, 43
het genes 312

- N*-(hexanoyl)-L-homoserine lactone 87–8, 95, 97
- Höfer *et al.* model 247–9, 251–2
- Hp90 (Tir) 19, 202, 204, 207
- hyphae 307–28
 - development 325–7
 - interactions 307–28
 - interference 324–5
 - negative autotropism 307–8
 - positive vegetative autotropism 308–13
 - fusions 308–13
 - homing
 - basidiospores 310
 - oidia 310
 - vegetative incompatibility 312–13
 - het* genes 312
 - sexual interactions 313–21
 - Ascomycetes 316–20
 - Basidiomycetes 316–20
 - Chytridiomycetes 314–16
 - intergeneric 320–1
 - Oomycetes 314–16
 - pheromones 313–21
 - Zygomycetes 314–16
- IL-2 (interleukin 2) 21
- IM-2 181, 191–2, 181, 193
 - function 182
 - receptor protein (FarA) 191–2
- interleukin 2 (IL-2) 21
- intimin 198, 207–9
- 'killer factor' 40
- kinases
 - MAP 20
 - MLC 20
 - cyclin-dependent (CDK) 266–7, 344
 - CDC2 344
 - protein 271
- Krp1 257, 260
- lag phase 35–6
- las* system 105–9, 164
- LcrG 225, 226
- LcrV 218, 224–5
- lectins 321, 322
 - dinoflagellates 341–2, 343
- LEE pathogenicity island 199, 202
- legume symbiosis
 - Rhizobium* 12–13, 16, 141
- lipopolysaccharides (LPS) 15–16
- LPS (lipopolysaccharides) 15–16
- lux* genes
 - Vibrio fischeri* 163–6
- lux* homologues 75–8, 79
 - Aeromonas* 86, 89
 - las* system 105–9, 164
 - Pseudomonas aeruginosa* 105–11, 164
 - rhl* system 105–9, 164
 - Yersinia* 95, 97–9, 89
- LuxI 72–80, 106, 163, 73
- LuxR 72–80, 106, 163, 73
- M-factor 256–7, 270–1, 258
- macrophages 222, 228, 229–30
- mammalian hormones 41–2, 43
- MAP (mitogen-activated protein) kinases 20, 261–3, 265, 272–3, 328
- Martiel–Goldbeter model 242–4
- mathematical modelling 241–52
 - conservation equation 247
 - Dallon and Othmer model 245–7, 248–9, 251–2
 - Höfer *et al.* model 247–9, 251–2
 - Martiel–Goldbeter model 242–4
- mating pheromones (*Schizosaccharomyces pombe*) 256–73
 - M-factor 256–7, 270–1, 258
 - P-factor 257, 260, 270, 259
 - receptors 260–1, 271–2
 - phosphorylation 271–2
- mating type (*Schizosaccharomyces pombe*) 255
- meiosis 269–70
- mfm* genes 256–7, 265
- Micrococcus luteus* 39–40, 46, 51
- microvillus-like processes (MLP) 208
- mitogen-activated protein (MAP) kinases 20, 261–3, 265, 272–3, 328
- MLC (myosin light chain) kinase 20
- MPN (most probable number) 34, 52
- Mucor mucedo* 315, 316
- Mycobacterium* 46–50, 51, 47, 50
- mycoparasites 321–4
- myosin light chain (MLC) kinase 20
- myxobacteria 139–56
 - asg* genes 142, 151
 - cell alignment 152–5
 - csg* genes 146–7, 149, 150, 152
 - FruA 148–52
 - sporulation 145, 147–52
 - starvation 143–5
- Myxococcus xanthus*
 - A-factor 142, 144–6, 143
 - A-signalling 141–5
 - C-factor 145–51, 153
 - C-signalling 141, 145–55
 - E-signalling 141, 142
 - fruiting bodies 139–41, 143, 155, 140, 156
 - gliding 139, 141
- negative autotropism 307–8
- Nod factors 12–13
- NodO 14
- non-culturable bacteria 52, 53, 54, 55–6
- noradrenaline (*Escherichia coli*) 21

Cambridge University Press

978-0-521-65261-2 - Microbial Signalling and Communication

Edited by R. R. England, G. Hobbs, N. J. Bainton and D. McL. Roberts

Index

[More information](#)

364

INDEX

- OHHL [*N*-(3-oxohexanoyl)-L-homoserine lactone] 3–9, 87, 95, 97, 161–71, 5, 161
 in *Aeromonas* 87
 in *Erwinia* 161–71
 in Gram-negative bacteria 3–9
 in *Yersinia* 95
 Oomycetes 314–16
 oscillators 350
N-(3-oxododecanoyl)-L-homoserine lactone 106–11
N-(3-oxohexanoyl)-L-homoserine lactone (OHHL) 3–9, 87, 95, 97, 161–71, 5, 161
- P-factor 257, 260, 270, 259
Pfiesteria piscicida 340, 342
 pH taxis
 zoospores 299–300
 pH gradient
 rhizosphere 295, 299–300
 phagocytosis 230
 phospholipid signalling 19–20
 phosphorelay system 149–50
 photosynthesis
 circadian rhythms 345–7
 photosystems I and II 347
Phytophthora 285–301
 PMNs (polymorphonuclear leukocytes) 228, 230–1
 positive vegetative autotropism 308–13
 fusions 308–13
 homing
 basidiospores 310
 oidia 310
 vegetative incompatibility 312–13
het genes 312
prg system 122, 124–31
 protein kinases 271
 protein phosphatases 272–3
 protein secretion systems 199–203
 Type I 13–14, 200
 Type II 13, 14, 200
 Type III 13, 15, 200–3, 216, 217, 218
 EPEC 202–3
Salmonella 200, 201–2
Yersinia 200, 201, 202
 Yops 201
 Type IV 200
Pseudomonas
 biofilms 78–9, 110
 soybean pathogenesis 12
Pseudomonas aeruginosa 2, 105–12, 112
lux homologues
las system 105–9, 164
rhl system 105–9, 164
 virulence factors 109–10
- psi factors 317
Pythium 285–301
- quorum sensing 1–23, 71–80, 85–100, 105–11, 163–9, 112
- Ralstonia* 6, 7
 Ras1 262–8
 resuscitation (*Micrococcus luteus*) 39–40
 resuscitation-promoting factor (Rpf) 45–53, 58
- Rhizobium*
 legume symbiosis 12–13, 16, 141
 rhizosphere
 chemical signals 290–2
 electrical signals 295–300
 pH gradient 295, 299–300
rhl system 105–9, 164
Rhodobacter sphaeroides 79
 Rpf (resuscitation-promoting factor) 45–53, 58
 effects on growth 49
 gene 46, 47
 RTX proteins 223
- Salmonella*
 Type III protein secretion systems 200, 201–2
- Schizosaccharomyces pombe* 255–74
 schmoos 267–8
 SdiA 8–9, 57
sep genes 202
Serratia marcescens 163, 168
 Shk1 262, 263
 siderophores 35
 soybean pathogenesis
Pseudomonas 12
 Spk1 263–4
 sporophagy 324
 sporulation
 myxobacteria 145, 147–52
- Staphylococcus aureus*
 agr genes 9–11
 starvation 36–40, 53
 myxobacteria 143–5
 Ste11 263–5
 STE12 264
 streaming/aggregation 242, 244–7, 248–9, 251–2
- Streptomyces antibioticus* 183–4
Streptomyces clavuligerus
 antibiotics 169–70
Streptomyces griseus 178–9, 181, 188–90
 A-factor 178–9, 188–90, 179, 189, 190, 193
 receptor protein (ArpA) 188–90
Streptomyces lividans 187

- Streptomyces* sp. FRI-5 181, 187, 191
 IM-2 181, 191–2, 181, 193
 function 182
 receptor protein (FarA) 191–2
- Streptomyces virginiae* 179–80, 185, 188
virginiae butanolides (VB) 179–80, 182–8, 180, 193
 biosynthesis 182–4, 185, 186
 receptor protein (BarA) 184–8, 188
- streptomycetes 177–194
 secondary metabolites 177–8
 streptomycin 177, 178, 179, 189–90
 subversion 197, 200, 209
 ‘suicide response’ 39
 swimming 287–9, 297, 349–50, 289
- Syc 218–20
 SycD 220
 SycE 219–20
 SycH 219–20
 syringolides 12
- Tetrahymena* 44
 therapeutics 21–2
 thienamycin 162
 Tir (translocated intimin receptor; EspE; Hp90) 19, 202, 204, 207
 TNF α 229–30
 TraA 127
 translocated intimin receptor (Tir; EspE; Hp90) 19, 202, 204, 207
 translocon (of EPEC) 203–6, 204
Trichoderma 321–2
 TyeA 226
 tyrosine phosphorylation 207
- vaccines 55
 viable but non-culturable bacteria (VBNC) 38
- Vibrio fischeri* 71–3, 163–5, 73
lux genes 163–6
Vibrio harveyi 79
virginiae butanolides (VB) 179–80, 182–8, 180, 193
 biosynthesis 182–4, 185, 186
 receptor protein (BarA) 184–8, 188
 virginiamycin 179, 180, 184, 188, 192
- Xanthomonas campestris* 6–7, 15
- Yersinia* 92–100, 215–233
 AHL 94, 95, 97
inv genes 93
lux homologues (*yps/ype*) 95, 97–9, 89
 OHHL 95
 plague 92–3
 virulence 93–4, 94
 Type III protein secretion systems 200, 201, 202
- Yersinia enterocolitica* 92–3, 221, 223, 229–30, 232
- Yersinia pestis* 92, 93, 94–5, 97, 98–9
- Yersinia pseudotuberculosis* 92, 93, 95, 97, 98, 221, 223, 229–30, 232
- Yops 216–33
 control of release 225–6
 effectors and their targets 226–8
 regulation 232
 secretion 217–20
 translocation 221–6
 Type III protein secretion systems 201
- YopB 218, 219, 220, 221, 223–4
 YopD 218, 219, 220, 221, 223–4
 YopE 217, 218, 219, 221, 222, 226–7
 YopH 217, 219, 221, 222, 227
 YopM 217, 221, 222, 227
 YopN 217, 222, 225
 YopO/YpkA 217, 221, 222, 227–8
 YopP/YopJ 217, 221, 222, 228
 YopQ/YopK 221, 224
 YopT 221, 222, 228
yps/ype genes 95, 97–9, 89
 Ysc 217
- zearalenone A 320–1
 zoospores 285–301
 autoaggregation 292–5
 chemotaxis 290–1
 developmental cycle 287, 289–90
 encystment 289–90, 291–2
 swimming and docking 287–9, 297, 289
 electro taxis 296–9
 flagella 287, 289, 297
 pH taxis 299–300
 Zygomycetes 314–16