

Index

- 3-ovals, 206
- A3GQ, 361
- $\mathcal{A}_{h,g}$, 65
- action
 - effective, 452
 - free, 452
 - transitive, 453
- affine part
 - of cylindrical circle plane, 300
 - of spherical circle plane, 146
 - of toroidal circle plane, 230
- affine plane, 5; *see also* flat affine plane
 - axioms, 5
 - classical, 5
 - derived, 145, 229, 299, 376
- ambient, 121
- antiflag, 20
- antiregular, 360
- Apollonius, *see* problem of Apollonius
- arc, 31
 - maximal, 31
 - topological, 31
- arc plane, 70
 - exponential, 72
 - hyperbolic, 72
- Artzy–Groh plane
 - flat Laguerre plane, 326
 - flat Minkowski plane, 247, 249, 255, 263
- atlas, 435
- automorphism, 21; *see also* collineation
 - central
 - of flat Laguerre plane, 342
 - of flat Minkowski plane, 268
 - of flat Möbius plane, 185
- automorphism group, 21
 - of cylindrical circle plane, 329
 - of flat linear spaces, 44, 56
 - of generalized quadrangle, 364
 - of nested tubular circle plane, 416
 - of spherical circle plane, 169
 - of toroidal circle plane, 255
- axiom, 1
 - A1, A2, 5
 - affine plane, 5
 - B1, B2, B3, B4, 7
 - Benz plane, 7
 - coherence, 150, 235, 303
 - flat circle plane, 14
 - generalized quadrangle, 360
 - J, 14
 - joining, 14, 16
 - K1, 150, 235
 - K2, 235
 - Laguerre plane, 7
 - M1, M2, M3, M4, 429
 - metric space, 429
 - Minkowski plane, 7
 - Möbius plane, 7
 - P1, P2, 2
 - projective plane, 2
 - O1, O2, 8
 - orthogonal array, 8
 - Q1, Q2, 360
 - semiplane, 125
 - S1, S2, S3, 125
- basis, 431
- Beck model, 226
- Benz plane, 6
 - axioms, 7
 - classical, 7
- biaffine plane, 375
- block, 1
- boundary, 430
- brother, 371
- Buekenhout oval, 120
- bundle involution
 - centre, 175

484

Index

- of cylinder, 314
- of hyperbolic quadric, 286
- of oval, 120
- of ovoid, 166
- w.r.t. two points, 175
- bundle of circles, 20
- carrier, 20
- Cartesian plane, 58, 77
 - proper, 78
 - proper projective, 78
- centre
 - of bundle involution, 175
 - of triad, 360
- characterizations
 - of classical flat Laguerre plane, 351
 - of classical flat Minkowski plane, 280
 - of classical flat Möbius plane, 200
- Chebyshev space, 401
- Chebyshev system, 401
- c -homology, 343
- circle, 1
 - oriented, 292, 367
 - topological, 22
- circle plane, 2; *see also* cylindrical circle plane, fibrated circle plane, flat circle plane, spherical circle plane, strip circle plane, toroidal circle plane, tubular circle plane
 - nested, 16, 406
- circle space
 - of cylindrical circle plane, 303
 - of flat Möbius plane, 151
 - of toroidal circle plane, 237
- classification
 - of flat affine planes, 59
 - of flat Laguerre planes, 336
 - of flat Minkowski planes, 262
 - of flat Möbius planes, 178
 - of flat projective planes, 57
 - of Möbius strip planes, 61
 - of \mathbf{R}^2 -planes, 60
- closure, 430
- collinear, 20
- collineation, 21; *see also* automorphism axial, 110 central, 110
- collineation group, 21; *see also* automorphism group
- collineation-preserving, 21
- component
 - connected, 432
- concircular, 20
- configuration
 - closes, 22
 - Desargues, 4, 27
 - Miquel, 196
- Pappus, 3
 - rectangle, 276
- convergence in the sense of Hausdorff, 37
- convex, 17, 28, 420
- coordinate
 - pentacyclic, 140, 219
- coordinate map, 435
- coordinate system, 435
- covering group, 449
 - universal, 57, 449
- covering space, 432
- curve
 - convex, 31
 - hyperbolic, 230
 - parabolic, 300
- cut and paste in
 - cylindrical circle planes, 312
 - flat linear spaces, 80, 83
 - generalized quadrangles, 387
 - spherical circle planes, 163
 - toroidal circle planes, 241
 - tubular circle planes, 422
- cycle, 367
- cycle pencil
 - extended, 368
- cylinder plane, 12
 - modified real dual, 103
 - real, 12
- cylindrical circle plane, 289
 - automorphism group, 329
 - circle space, 303
 - cut and paste, 312
 - flag space, 303
 - flock, 322, 356
 - ovoidal, 304
- daughter, 371
- dense, 432
- Desargues' configuration, 4, 27
- dilatation, 110
- dimension
 - of space, 437
 - small inductive, 437
 - topological, 437
- disk
 - topological, 22
- disk Möbius strip plane, 26, 55, 202; *see also* Möbius strip plane
- distance
 - pseudo-Euclidean, 218
- double cover, 204, 286, 355
- dual, 21
- duality, 21
- dual numbers, 296
- $\mathcal{E}_{c,d}$, *see* skew parabola plane

- $E(v, \alpha, \beta)$, *see* exponential arc plane
 elation, 110, 334
 elation group, 334
 elliptic part, 122
 Euclidean plane, 1
 Ewald's plane, 157
 extension
 projective, 5, 15, 44
- Fano plane, 3
 fibrated circle plane, 397
 fix-configuration, 57
 flag, 20
 flag space
 of cylindrical circle plane, 303
 of flat Möbius plane, 151
 of toroidal circle plane, 237
 of tubular circle plane, 405
- flat affine plane, 11; *see also* affine plane
 classification, 59
 group of projectivities, 112
 integral, 317
 semi-classical, 65
- flat biaffine plane, 375
- flat circle plane, 9, 13; *see also* circle plane
 axiom, 14
 classical, 14
- flat homology semiplane, 127, 375; *see also* homology semiplane and semiplane
- flat Laguerre plane, 16, 289; *see also* Laguerre plane
 circle space, 303
 classical, 15, 290
 characterizations, 351
 classification, 336
 cut and paste, 312
 differentiable, 352
 flag space, 303
 flock, 322, 356
 group of projectivities, 341
 kernel, 332
 locally Miquelian, 352
 Miquelian, 352
 of generalized shear type, 324
 of modified skew parabola type, 325
 of shift type, 328
 of skew parabola type, 325
 of translation type, 325
 ovoidal, 304
 rigid, 309, 352
 semi-classical, 306
- flat linear space; *see also* linear space
 automorphism group, 44, 56
 cut and paste, 80, 83
 ideal, 11
 integral, 316
 locally classical, 36
- flat Minkowski plane, 16, 212; *see also* Minkowski plane
 circle space, 237
 classical, 14, 213
 characterizations, 280
 classification, 262
 differentiable, 282
 flag space, 237
 flock, 283
 group of projectivities, 266
 half of, 238
 locally classical, 275
 locally Miquelian, 276
 kernel, 258
 Miquelian, 275
 modified classical, 251
 rigid, 281
 semi-classical, 242
- flat Möbius plane, 16, 137; *see also* Möbius plane
 circle space, 151
 classical, 14, 137
 characterizations, 200
 classification, 178
 differentiable, 201
 flag space, 151
 flexible, 198
 flock, 206
 group of projectivities, 183
 locally classical, 196
 locally Miquelian, 196
 Miquelian, 196
 ovoidal, 154
 rigid, 201
 semi-classical, 159
- flat projective plane, 12; *see also* projective plane
 classical, 24
 classification, 57
 differentiable, 106
 flexible, 51
 group of projectivities, 111
 recycled, 202, 353
 rigid, 98
 semi-classical, 65
- flock
 bilinear, 207
 linear, 207, 283, 357
 of cylindrical circle plane, 322, 356
 of spherical circle plane, 206
 of toroidal circle plane, 283
- function
 additive, 441
 affine, 441
 concave, 421

- convex, 421
- coordinatizing, 317
- parabolic, 69, 305
- planar, 67
- pre-parabolic, 305
- semi-linear, 254, 441
- skew parabola, 69, 443
- strictly concave, 421
- strictly convex, 421
- strictly parabolic, 69
- strongly parabolic, 325
- generalized quadrangle, 360
 - automorphism group, 364
 - axioms, 360
 - compact, 361
 - cut and paste, 387
 - topological, 361
- general linear group, 445
- geometry, 1
 - derived, 20, 376
 - extended derived, 410
 - finite, 22
 - infinite, 22
 - isomorphism, 21
 - Lie, 366
 - lifted, 368, 370
 - of chains, 141, 222, 296
 - of Euclidean lines and circles, 138
 - of Euclidean lines and hyperbolas, 214
 - of Euclidean lines and parabolas, 290
 - of group of fractional linear maps, 143, 220
 - of oriented lines and circles, 292
 - of plane sections, 137, 213, 290
 - of trigonometric polynomials, 292
 - pseudo-Euclidean, 217
 - rank, 14
 - restricted, 410
 - thick, 1
 - topological, 18, 53
- $GL_n(\mathbf{C})$, $GL_n(\mathbf{R})$, 446
- group; *see also* automorphism group, covering group, Lie group, and transformation group
 - covering, 449
 - elation, 334
 - general linear, 445
 - of affine maps, 112
 - of affine projectivities, 112
 - of fractional linear maps, 111
 - of piecewise projective homeomorphisms, 114
 - of projectivities
 - of abstract oval, 124
 - of flat affine plane, 112
 - of flat Laguerre plane, 341
 - of flat Minkowski plane, 266
 - of flat Möbius plane, 183
 - of flat projective plane, 111
 - projective linear, 446
 - projective special linear, 446
 - projective special unitary, 446
 - special linear, 445
 - special orthogonal, 445
 - special unitary, 445
 - topological, 444
- group dimension, 19, 51
- group-dimension classification, *see* classification
- g -translations, 269
- $H(d, r, s, t)$, *see* hyperbolic arc plane
- \mathcal{H}_t , *see* skew hyperbolic plane
- half of toroidal circle plane, 238
- half-plane, 12
 - closed, 28
 - open, 28
 - upper, 12
- Hartmann plane, 244
 - generalized, 244
- Hausdorff convergence, 37
- Hausdorff limit, 37
- Hausdorff metric, 430
- Hering types, 185
 - classification, 188
- Hermite interpolation, 17, 407
- Hilbert's nonclassical plane, 107
- homeomorphism, 434
 - equivalent, 311
 - inversely semi-multiplicative, 442, 442
 - projectively equivalent, 162
 - semi-affine, 308
 - semi-multiplicative, 162, 442
- homology, 110
- homology semiplane, 126, 375; *see also* flat homology semiplane
- homothety, 110
- hyperbolic part, 122
- hyperbolic plane
 - real, 12
 - skew, 58, 76
- incidence relation, 21
- incident, 21
- integral
 - of flat affine plane, 317
 - of flat linear space, 316
 - of foliation, 79
 - of point Möbius strip plane, 321
 - of \mathbf{R}^2 -plane, 168, 244
 - of unisolvent set, 408
- interpolating set of functions, 395
- interpolation, 16, 395

- Hermite, 17, 407
 Lagrange, 16, 396
 intersection
 stable, 41, 54
 transversal, 17, 22
 interval, 28
 interval Möbius strip plane, 55, 61; *see also* Möbius strip plane
 inversion at circle
 flat Minkowski plane, 277
 flat Möbius plane, 171
 involution
 bundle, *see* bundle involution
 elliptic, 121
 exterior, 243, 286
 hyperbolic, 121
 inner, 166, 204, 314, 355
 Minkowski, 370, 375
 Möbius, 368, 374
 outer, 166, 205, 356, 314
 isomorphism
 local, 448
 of geometries, 21
 of Lie groups, 448
 topological, 21
 isotopy, 133

 kernel, 452
 of flat Laguerre plane, 332
 of flat Minkowski plane, 258
 of nested tubular circle plane, 419
 Kleinwillinghöfer types, 342
 Klein–Kroll types, 268

 L_2 , 70
 $\mathcal{L}(f)$, *see* ovoidal cylindrical circle plane, Artzy–Groh (flat Laguerre) plane, *and* flat Laguerre plane of shift type
 $\mathcal{L}(f, g)$, *see* flat Laguerre plane of translation type
 $\mathcal{L}(f, g, h, k)$, *see* flat Laguerre plane of generalized shear type
 $\mathcal{L}(h_0, h_1, h_2)$, *see* semi-classical flat Laguerre plane
 Lagrange interpolation problem, 16, 396
 Laguerre plane, 7; *see also* flat Laguerre plane
 axioms, 7
 classical, 7
 of generalized shear type, 324
 of modified skew parabola type, 325
 of shift type, 328
 of skew parabola type, 325
 of translation type, 325
 topological, 302
 Laguerre translation, 344

 Lenz–Barlotti types, 110
 Levi's enlargement theorem, 131
 Lie geometry, 366
 Lie group, 19, 445
 almost simple, 450
 covering, 449
 isomorphism, 448
 radical, 451
 representation, 448
 semi-simple, 451
 solvable, 451
 topology, 447
 Lie transformation group, 453
 line, 1
 absolute, 52
 exterior, 31
 generating, 63
 rigid, 54
 secant, 31
 supporting, 31
 tangent, 31
 topological, 22
 variable, 54
 line set, 1
 linear space, 2; *see also* flat linear space
 linear space on surface, 10
 lineation, 115

 $\mathcal{M}(f)$, *see* ovoidal spherical circle plane *and* modified classical flat Minkowski plane
 $\mathcal{M}(f, g)$, 239; *see also* semi-classical flat Möbius plane
 $\mathcal{M}'(f, g)$, *see* Artzy–Groh plane (flat Minkowski plane)
 $\mathcal{M}''(f, g)$, *see* proper toroidal circle plane
 \mathcal{M}_k , *see* original Moulton plane
 $\mathcal{M}(\mathcal{O})$, *see* ovoidal spherical circle plane
 $\mathcal{M}(r_1, s_1; r_2, s_2)$, *see* generalized Hartmann plane
 $\mathcal{M}(s)$, *see* radial Moulton plane
 manifold, 434
 metric, 429
 Euclidean, 429
 Hausdorff, 430
 induced, 430
 metric space, 429
 Minkowski involution, 370, 375
 Minkowski plane, 7; *see also* flat Minkowski plane
 axioms, 7
 classical, 7
 cut and paste, 241
 topological, 234
 Miquelian plane
 flat Laguerre plane, 352

- flat Minkowski plane, 275
- flat Möbius plane, 196
- Miquel's configuration, 196
- Möbius involution, 368, 374
- Möbius plane; *see also* flat Möbius plane
 - axioms, 7
 - classical, 7
 - cut and paste, 163
 - topological, 149
- Möbius strip plane, 12, 55; *see also* disk
 - Möbius strip plane, interval Möbius strip plane, *and* point Möbius strip plane
 - classical, 12, 27, 55
 - classification, 61
- modified classical (flat Minkowski) plane, 251
- modified real dual cylinder plane, 103
- Moulton plane, 63, 66
 - generalized, 65
 - original, 63
 - radial, 66
- multiplication, 441
- neighbourhood, 430
- neighbourhood basis, 432
- n -gon, 29
- n -transitive set, 116
 - invertible sharply, 120
 - sharply, 116
- numbers
 - anormal(-complex), 222
 - dual, 296
- n -unisolvent set
 - half-periodic, 396
 - integral, 408
 - locally, 405
 - periodic, 396
 - unrestricted, 406
- opposite plane, 55
- orbit of transformation group, 452
- order
 - of finite projective plane, 3
 - of interpolation problem, 16
- orthogonal array, 8
 - axioms, 8
 - classical, 9
 - maximal, 9, 403
 - rank, 8
- oval, 31
 - abstract, 120
 - projective, 121
 - Buekenhout, 120
 - topological, 31
- ovoid
 - topological, 155
- $\mathcal{P}_{\alpha,\beta,c}$, *see* Cartesian plane
- $\mathcal{P}_{h,g}$, *see* generalized Moulton plane *and* semi-classical flat projective plane
- $\mathcal{P}(S)$, *see* tubular circle plane over a Chebyshev system
- Pappus' configuration, 3
- parabola model, 67
- parallel class, 20
 - at infinity, 9, 291
 - extended, 366
 - in affine plane, 5
- parallelism, 20
- parametrization
 - local, 435
- part
 - elliptic, 122
 - hyperbolic, 122
- partition
 - transversal, 86
- pasted plane, 88
- pasting sum, 88
 - affine, 58, 91, 92, 93
 - of exponential arc planes, 89
 - of hyperbolic arc planes, 90
- path-connected, 433
- pathwise connected, 433
- pencil, 20
- pentacyclic coordinates, 140, 219
- perp, 360
- perspectivity, 111, 183
- $\text{PGL}_2(\mathbf{C})$, 112, 141
- $\text{PGL}_2(F)$, 112
 - involution in, 121
- $\text{PGL}_2(\mathbf{R})$, 112, 117, 141, 143, 220, 226, 237, 342
- $\text{PGL}_n(\mathbf{R})$, 446
- phunisolvent set, 396
- plane; *see also* arc plane, Artzy-Groh plane, Benz plane, biaffine plane, Cartesian plane, circle plane, cylinder plane, cylindrical circle plane, disk Möbius strip plane, Euclidean plane, Ewald's plane, flat affine plane, flat biaffine plane, flat circle plane, flat Laguerre plane, flat Minkowski plane, flat Möbius plane, flat projective plane, interval Möbius strip plane, Hartmann plane, Laguerre plane, Minkowski plane, Möbius plane, Möbius strip plane, modified classical (flat Minkowski) plane, modified real dual cylinder plane, Moulton plane, point Möbius strip plane, projective plane, \mathbf{R}^2 -plane, radial plane, semi-oval plane, shift plane, skew parabola plane, spherical circle

- plane, stable plane, stretchshift plane, strip circle plane, toroidal circle plane, translation plane, tubular circle plane
- derived, 21, 144, 228, 299
- opposite, 55
- pasted, 88
- symmetric plane
 - flat Minkowski plane, 277
 - flat Möbius plane, 198
- tangent, 154
- universal, 132
- point
 - absolute, 52
 - exterior, 31
 - interior, 31
- point Möbius strip plane, 12; *see also* Möbius strip plane
 - integral, 321
- point set, 1
- polarity, 22
 - elliptic, 52
 - hyperbolic, 52
- Poly(n, F), *see* classical orthogonal array
- Poly(n, \mathbf{R}), *see* strip circle plane
- (p, q) -homothety
 - of flat Laguerre plane, 347
 - of flat Minkowski plane, 272
 - of flat Möbius plane, 188
- problem of Apollonius, 388
- projectable, 71
- projection
 - stereographic, 138, 215, 290
- projective linear group, 446
- projective plane, 2; *see also* flat projective plane
 - axioms, 2
 - classical, 2, 24
 - derived, 145, 229, 299
 - Desarguesian, 5
 - Pappian, 5
 - real, 12, 24
- projective special linear group, 446
- projective special unitary group, 446
- property of unique initial values, 407
- pseudo-Euclidean distance, 218
- pseudo-Euclidean geometry, 217
- pseudoline arrangement, 129
- $\text{PSL}_n(\mathbf{C})$, $\text{PSL}_n(\mathbf{R})$, 5
- $\text{PSU}_n(\mathbf{C})$, $\text{PSU}_n(\mathbf{C}, k)$, 446
- q -translations
 - of flat Minkowski plane, 271
 - of flat Möbius plane, 186
- quadrangle; *see also* generalized quadrangle
 - nondegenerate, 48
 - quasi-sharply-2-transitive set, 120
- \mathbf{R} -line, 10
- \mathbf{R}^2 -plane, 11
 - classical, 12
 - classification, 60
 - integral, 168, 244
- radial plane, 58, 66
- radical of Lie group, 451
- rank
 - of geometry, 14
 - of orthogonal array, 8
- real hyperbolic part, 122
- real hyperbolic plane, 12
- real projective plane, 12, 24
- rectangle configuration, 276
- regular value of a function, 435
- representation
 - of Lie group, 448
 - standard, 231
- resolution
 - of cylindrical circle plane, 356
 - of spherical circle plane, 206
 - of toroidal circle plane, 283
- self-dual, 21
- semibiplane, 125, 375, 385
 - axioms, 125
 - connected, 125
 - cylinder, 127
 - divisible, 125
 - flat homology, 127, 375
 - homology, 126, 375
 - split, 385
 - tactical, 125
- semigroup of continuous lineations, 115
- semioval
 - plane, 58, 98
 - topological, 57, 98
- separating set, 432, *see also* cut and paste
 - X -embedded, 164, 312
- set, *see* interpolating set, n -transitive set, n -unisolvent set, (ph)unisolvent set, unisolvent set *and* separating set
- shift plane, 58, 67
- sister, 371
- skew hyperbolic plane, 58, 76
- skew parabola plane, 58, 69
- \mathbf{S} -line, 10
- $\text{SL}_n(\mathbf{C})$, $\text{SL}_n(\mathbf{R})$, 446
- slope
 - disjoint, 71
 - of a function, 63
 - of a line, 71

- slope supply, 71
 - slp, *see* slope of a function
 - small inductive dimension, 437
 - son, 371
 - $SO_n(\mathbf{C})$, $SO_n(\mathbf{R})$, 446
 - space
 - compact, 432
 - connected, 432
 - covering, 432
 - dimension, 437
 - direct product, 433
 - linear, 2; *see also* flat linear space.
 - locally compact, 433
 - locally connected, 432
 - metric, 429
 - nonindiscrete, 431
 - path-connected, 433
 - pathwise connected, 433
 - separable, 432
 - simply connected, 433
 - topological, 431
 - spear, 226, 373
 - special linear group, 445
 - special orthogonal group, 445
 - special unitary group, 445
 - sphere
 - topological, 22
 - spherical circle plane, 14, 137
 - automorphism group, 169
 - cut and paste, 163
 - flock, 206
 - ovoidal, 154
 - spread
 - of lines, 285
 - of pseudolines, 134
 - stable plane, 54
 - stereographic projection, 138, 215, 290
 - Strambach's $SL_2(\mathbf{R})$ -plane, 78
 - stretchshift plane, 58, 74
 - strip circle plane, 397
 - nested, 415
 - structure
 - derived, 365
 - subbasis, 431
 - subgroup
 - maximal compact, 451
 - stabilizer, 452
 - $SU_n(\mathbf{C})$, $SU_n(\mathbf{C}, k)$, 446
 - sub- \mathbf{R}^2 -plane, 29
 - surface, 436
 - orientable, 436
 - symmetric plane
 - flat Minkowski plane, 277
 - flat Möbius plane, 198
 - tangent pencil
 - extended, 366
 - topology, 431
 - compact-open, 48, 452
 - final, 39
 - interval join, 39
 - natural, 39, 366, 404
 - of convergence, 48
 - open join, 39
 - open meet, 39
 - toroidal circle plane, 14, 212
 - automorphism group, 255
 - circle space, 237
 - cut and paste, 241
 - flag space, 237
 - flock, 283
 - half of, 238
 - proper, 254
- touching
 - proper, 372
 - topological, 17, 22
 - trace, 360
 - transformation group, 451
 - equivalent, 452
 - Lie, 453
 - translation, 110
 - translation plane, 52
 - translation with centre
 - Möbius plane, 186
 - triad, 361
 - triangle, 29
 - triangle plane, 58, 94
 - triode, 149, 233, 301
 - tripod, 45
 - tubular circle plane, 15, 397
 - automorphism group, 416
 - classical, 401; *see also* classical
 - phunisolvent set
 - cut and paste, 422
 - flag space, 405
 - kernel, 419
 - nested, 408
 - over a Chebyshev system, 419
 - unisolvent set, 396
 - universal plane, 132
 - von Staudt's point of view, *see* group of projectivities
 - zero
 - nodal, 402