

Index

- Abel equation, 18
 adapted metric, 322
 affine map, 227
 Ahlfors'
 - 0–1 conjecture, 179
 - 0–1 theorem, 179
 - finiteness theorem, 175
 analytically finite Riemann surface, 175
 attracting
 - basin, 50
 - fixed point, 209
 - periodic point, 49
 - petal, 17
 B-group, 177
 Baker domain, 50
 basin of attraction, 214
 Bers slice, 177
 Bers' area theorem, 175
 bi-infinite symbol sequence, 262
 biholomorphic (map), 203
 Brjuno number, 19
 Böttcher function, 12, 14, 241
 \mathbb{C} -decoration, 108
 canonical potential of genus 0, 272
 canonical quadratic elementary maps, 228
 Cantor bouquet, 99
 Cantor set, 27
 Carathéodory's theorem, 154
 Cauchy's integral formula, 199
 central index, 62
 chain recurrent point, 320
 chain recurrent set, 320
 chaotic, 137
 characteristic function, 55, 56
 chordal
 - distance, 56
 - proximity function, 56
 closed current, 265
 completely branched value, 61
 completely invariant, 8, 50
 complex dilatation, 37
 complex equilibrium measure, 294
 computable over \mathbb{R} , 129
 configuration tree, 109
 conjecture of Thurston, 186
 contraction principle, 219
 convergent, 128
 counting function, 55
 Cremer point, 19, 76
 critical
 - exponent, 191
 - point, 9
 - set, 9
 crown, 99
 current, 265
 - of integration, 269
 - of order 0, 265
 cycle, 49, 50
 cyclic map, 143
 decidable over \mathbb{R} , 130
 decorated exponential
 - family, 107
 - function, 109
 deficiency index, 59
 degree (of a polynomial-like map), 35
 δ -conformal
 - density, 193
 - measure, 191
 dendrite, 5
 Denjoy–Wolff theorem, 51
 density conjecture, 150
 Diophantine, 16
 discrete part, 78
 domain of holomorphy, 208
 elementary, 166
 elementary map, 227

- elliptic, 164
- entire function of bounded singular type, 89
- equilibrium measure, 287
- equivalent, 77
- escaping point, 2, 93, 235
- eventually harmonic, 81
- exceptional point, 67
- expanding, 150, 179
- expanding constant, 150
- exponential covering surface, 109
- exponential part, 108
- external ray, 25
- Fatou
 - component, 47
 - function, 18
 - set, 47
- Fatou–Bieberbach domain, 214
- filled Julia set, 2, 36
- finite singular type, 89
- first fundamental theorem, 70
- foliated equivalent, 83
- foliated part, 78
- fractal
 - domain, 3
 - set, 3
- Friedland–Milnor theorem, 227
- Fuchsian group, 177
 - of the first kind, 177
 - of the second kind, 177
- function group, 177
- fundamental semi-algebraic set, 131
- generalized Hénon map, 227
- generalized ternary set, 27
- generally convergent, 128
- generic set, 19
- geometrically finite, 153, 178
- grand orbit, 77
 - equivalent, 77
- Green function, 32, 282, 287
- halting set, 129
- harmonic, 81, 269
- harmonic λ lemma, 184
- Hausdorff
 - dimension, 27
 - measure, 27
- HD conjecture, 150, 186
- Herman ring, 50, 312
- holomorphic
 - family, 180
 - function, 199
 - map, 201
 - motion, 181
- horseshoe condition, 254
- hyperbolic, 29, 149, 164
 - automorphism, 322
 - component, 105
 - distance, 42
 - domain, 42
 - length, 42
 - metric, 42
 - set, 322
- Hénon map, 227
- immediate basin, 50
- impression, 155
- index (of a hyperbolic set), 322
- index formula, 233
- indifferent periodic point, 49
- infinite symbol sequences, 258
- infinitely renormalizable, 39
- innermost, 149
- invariant, 50
 - Beltrami differential, 77
 - component, 172
- irrationally indifferent, 19
 - periodic point, 49
- J-stable, 180
- Jacobian conjecture, 225
- Jensen's formula, 54
- Julia set, 2, 47
- Jung theorem, 227
- K -qc, 37
- Kleinian group, 164
- Koebe distortion theorem, 32
- λ lemma, 181
- λ_j -weight, 304
- Lattès theorem, 211
- leading part of p in λ_j -weight, 304
- limit point, 164
- limit set, 164
- linearizable, 15
- locally connected, 4
- logarithmic capacity, 33
- logarithmic lift, 119
- loxodromic, 164
- Lyubich measure, 188
- machine over \mathbb{R} , 129
- Mandelbrot set, 20
- maximal dilatation, 37
- maximal term, 62
- mean number of sheets, 56
- measurable Riemann mapping theorem, 38
- minimal growth condition, 277
- Misiurewicz point, 25
- multiplicity, 132
- multiplier, 15, 48
- Möbius transformation, 163

Cambridge University Press

978-0-521-66258-1 - Holomorphic Dynamics

S. Morosawa, Y. Nishimura, M. Taniguchi and T. Ueda

Index

[More information](#)

- N -Cantor bouquet, 98
- n -piece, 142
- Nevanlinna inequality, 60
- Newton kernel, 270
- Newton map, 124
- Newton method, 124
- non-escaping point, 235
- non-wandering, 320
- normal family, 45
- order, 57
- ordinary point, 164
- ordinary set, 164
- parabolic, 164
 - basin, 50
 - periodic point, 49
- Patterson–Sullivan measure, 192
- perfect, 9
- period, 23, 50, 317
- periodic, 317
 - component, 50
 - point, 23
- persistently indifferent, 181
- Petal theorem, 17
- Picard
 - exceptional value, 60
 - group, 173
- pluricomplex Green function, 290
- pluriharmonic, 206
- pluripolar, 291
- plurisubharmonic, 207
- Poincaré’s recurrence theorem, 324
- Poincaré–Lelong formula, 269
- polynomial automorphism, 225
- polynomial-like map, 35
- positive current, 266
- postcritical set, 29
- postcritically stable, 183
- preperiodic, 23, 50
- principle of contraction, 43
- properly discontinuously, 172
- proximity function, 55
- pseudoconvex domain, 208
- pullback, 205, 285
- purely iterative algorithm, 127
- quadratic-like map, 35
- quasi-Fuchsian group, 177
- quasicircle, 37
- quasiconformal map, 36
- quasiconformal stability, 182
- quasiconformal surgery, 142
- quasiconformally conjugate, 77
- quasiconformally equivalent, 80
- quasiregular, 143
- quotient map, 39
- ramification function, 58
- rationaly indifferent, 16
 - periodic point, 49
- real current, 266
- recurrent, 317
- recursively enumerable over \mathbb{R} , 130
- region of discontinuity, 172
- renormalizable, 39
- renormalization, 39
- repelling
 - fixed point, 209
 - periodic point, 49
 - petal, 17
- residual Julia set, 159
- Riemann map, 22
- Riemann–Hurwitz formula for domains, 10
- rigid, 179
- Robin constant, 33, 282, 287
- Runge domain, 218
- saddle type, 220
- Schottky group, 178
- Schröder equation, 15
- second fundamental theorem, 83, 90, 138
- sensitive dependence on initial conditions, 137
- shift, 12, 98, 260
- Siegel disk, 50, 312
- simply connected, 9
- singular value, 73
- snail lemma, 53
- space of sequences of k symbols, 12
- Speiser class, 89
- stable current, 285
- stable manifold, 221
- stable set, 311
- stem, 99
- straightening theorem, 37
- structurally stable, 179, 182
- subhyperbolic, 153
- superattracting periodic point, 49
- symbol sequence, 258
- Teichmüller
 - equivalent, 78
 - Teichmüller space, 78
- ternary set of Cantor, 28
- theorem of coincidence, 199
- theorem of Hubbard and Oberste-Vorth, 244
- topologically complete, 106
- topologically equivalent, 79
- topologically stable, 182
- totally degenerate group, 178
- totally disconnected, 10
- trace, 164
- transitivity property, 137

Cambridge University Press

978-0-521-66258-1 - Holomorphic Dynamics

S. Morosawa, Y. Nishimura, M. Taniguchi and T. Ueda

Index

[More information](#)

338

Index

uniform quasiconformal isotopy, 78
uniformly perfect, 45

wandering, 317, 320
wandering domain, 50
weak second fundamental theorem, 80
weak* topology, 266
weakly repelling (fixed point), 127