

Cambridge University Press

978-0-521-67012-8 - Humanity's Burden: A Global History of Malaria

James L. A. Webb

Index

[More information](#)

Index

- acquired immunities, 33
 as epidemiological differential in
 South Atlantic basin, 77
 immunological gradient in tropical
 Africa, 32–33
 known as “seasoning” in the
 Chesapeake region, 75
 less fully functional in the Caribbean
 than tropical Africa, 83
- Aedes aegypti*, 84, 118, 137
- agro-pastoralism,
 along southern shore of Sahara,
 40
- Anopheles albimanus*, 77–78
- Anopheles aquasalis*, 77–78
- Anopheles darlingi*, 86–87, 89
- Anopheles funestus*,
 breeding in clearings, 32
 specialization in feeding, 38
- Anopheles gambiae*, 160
 breeding in clearings, 32
 introduction into Brazil, 154
 introduction into Egypt, 158
 introduction into Mauritius and
 Réunion, 118
 specialization in feeding, 38
- Anopheles labranchiae*, 160
- Anopheles maculipennis*, 150
- Anopheles maculipennis* var. *aztecus*,
 70
- Anopheles pseudopunctipennis*, 70, 72
- Anopheles quadrimaculatus*, 89–90, 146
- anopheline mosquitoes
 ecological requirements, 7
 feeding, breeding, and resting
 habits, 7
 habitat specializations in tropical
 Eurasia, 44
 subtle attractants, 8
- Artemisia annua*, 61, 177
- artemisinin, 178
- atebrine, 157, 175
- Atharva Veda, 60
- Ayurvedic medicine, 59
- Balfour, Andrew, 152
- Bantu migrations
 chronology of, 34
 explanations for, 36
- bed nets, *See also* insecticide-treated
 bed nets (ITNs)
 use in ancient Rome, 63
- Black Plague, 11, 122
- brazilwood, 72, 92
- Bryson, Alexander, 107
- Cabral, Pedro Álvares, 72
- Caraka, 58
- Carson, Rachel, 174
- cattle corridor,
 in eastern Africa, 39, 54
- Caventou, Joseph Bienaimé, 102
- Celli, Angelo, 135
- ch'ang-shan*, 61–62
- Charles III, 98
- Chinese antimalarial medicine, 59, 61

Cambridge University Press

978-0-521-67012-8 - Humanity's Burden: A Global History of Malaria

James L. A. Webb

Index

[More information](#)

230

Index

- chloroquine
 emergence of resistance, 176
 as wonder drug, 175–177
- cinchona alkaloids, *See also*
 cinchonidine cinchonine quinine
 market for, 112–114
 as poor man's remedy, 116
- cinchona bark
 adulteration of, by drug grinders, 98
 destructive stripping of, in Andes, 101
 earliest recorded antimalarial use, 95
 early therapeutic use of, 95–98
 early use in England, 96
 efficacy of, 95
 elite use in France, Germany,
 Switzerland, and Russia, 96
 export orientation of economic
 activity in the Andes and Amazon,
 101
 exports from Bolivia, 100
 exports from Colombia, 99, 101
 four natural alkaloids of, 94
 Jesuits' treatment of Qing Emperor
 with, 96
 known as "Jesuit's powder," 96
 late eighteenth-century medical
 appreciations of, 97
 Spanish Crown effort to control
 supply of, 99
 supply of, from the Andes, 98–101
 use by East India Company, 97
 use during American War for
 Independence, 97
- Cinchona calisaya*, 104
- cinchona febrifuge. *See* quinetum
- Cinchona micrantha*, 104
- Cinchona nitida*, 104
- Cinchona officinalis*, 104
- cinchona plantations
 in Ceylon, 111
 early Dutch efforts on Java, 112
 early failures, 110
 early twentieth-century production
 on Java, 151
 from the Andes to Asia, 110–112
 and imperial public health, 151–153
 in northern India and Burma, 111
 outside of the Andes, 112
 in Peru and Bolivia, 112
 in southern India, 111, 122
- Cinchona succirubra*, 104
- cinchonidine, 116, *See also* cinchona
 alkaloids
- cinchonine. *See also* cinchona
 alkaloids
 first isolation of, by Pelletier and
 Caventou, 102
- Clements, Frederic, 17
- cocaine, 92
- cochineal dye, 92
- Columbian exchange
 epidemiological consequences of,
 79–85
 land use patterns as a result of, 83
 transfer of Old World domesticated
 livestock animals, 80
- Coronado, Francisco Vásquez, 71
- Cortés, Hernando, 70
- Countess of Chinchon
 legend of, 94
- Coursey, D.G., 30
- Cowan, J.M., 152
- cultural responses to malaria. *See also*
 pastoral nomadism
 housing on stilts, 16
 movement to higher ground, 48
 patterns of avoidance, 14
 strategic retreat to forests, 15
 use of low-status workers, 15
- DDT
 early successes, 161
 and mass drug administration, 175
 resumption of indoor residual
 spraying, 186
 use in Greece, 161
 use on Sardinia, 161
 vexed career of, 172–175
- de Guzman, Nuño, 71
- de Soto, Hernando, 71
- De-La-Warre, Governor, 74
- desiccation of Sahara,
 epidemiological consequences of,
 39–41

- dogwood tree, 93, 109
- domestication of animals
epidemiological transformation
caused by, 51
- double towns, 15, 133
- Dounias, Edmond, 31
- Drake, Daniel, 108
- drought
caused by El Niño, 122
in late nineteenth-century China and India, 122
- Duffy negativity
carried by enslaved Africans
brought to the Americas, 69
as contributor to epidemiological differential in South Atlantic basin, 77
demographic consequence of, 27
gradualist model of, 27
loss of protection in African American populations, 90
selection for, 26
spread of, 21–27
- Edelstein, Stuart, 36
- Ehret, Christopher, 31
- Elton, Charles, 17
- endemic malaria. *See also* malaria zones
along southern Eurasian river systems, 57
in deep U.S. South, 90
in Illinois, 89
lower levels of, in Eurasia than tropical Africa, 43
zones of, 55–58
- English sweating disease, 11
- epidemic malaria,
in Brazil, 155
in Ceylon, 156
in China, 157
in Egypt, 158
in Ethiopia, 166
in Ethiopia, district of Burie, 184
in Haiti, 171
in Italy, 158
on Jamaica, 83
in Madagascar, 184
in Russia, 143
on Saint Domingue, 83
in Soviet Union, 143, 158
- Eurasian dietary influences on malarial burden, 63–64
- Eurasian observations and conceptions of malaria, 58–63
- evolutionary epidemiology, 189
- Ewald, Paul, 189
- explanations of malaria,
disturbance of biome, 17
metaphor of balance, 16
- falciparum malaria. *See also* epidemic malaria *Plasmodium falciparum*
as barrier to European exploration of interior tropical Africa, 85
difficulty in maintaining infection chains, 48
early epidemics, 56
exodus from tropical Africa, 46
influence of yam-based diet, 33
lower levels of transmission in Eurasia than tropical Africa, 46
mortality estimate, 5
transferred to the Americas, 69
transition to endemicity in Afro-Eurasia, 53
zone of predominant infection, 13
- famine
in late nineteenth-century China and India, 122
in the Punjab, 138
- fava beans, 63–64
- Fayrer, Sir Joseph, 122, 124
- Finlay, Carlos, 137
- fire
and early seasonal settlement in tropical Eurasia, 47
in eastern African cattle corridor, 54
as an integral element of communal social life, 45
use in rainforest clearings, 30, 32
- First War for Indian Independence (Indian or “Sepoy” Mutiny), 121

Cambridge University Press

978-0-521-67012-8 - *Humanity's Burden: A Global History of Malaria*

James L. A. Webb

Index

[More information](#)

232

Index

- G6PD hemoglobin mutation, 64
 global eradication campaign, 166–172
 in China, 168
 in the Mediterranean basin, 171
 partial success in India, 172
 reversal in Sri Lanka (Ceylon), 172
 in Soviet Union, 169
 on Taiwan, 170
 gold mining
 in colonial Brazil, 86
 epidemiological consequences, 87
 Grassi, Giovanni Battista, 129–130
- Hackett, Lewis, 148
 helminthic infections, 50
 highland malaria
 in East Africa, 165
 in Ethiopia, 166
 in Ethiopia, district of Burie, 184
 introduction of, in Central America, 70
 introduction of, in South America, 72
 in Madagascar, 184
 in New Guinea, 58
 HIV, 185
 Howards & Sons, 105
 human mobility,
 epidemiological consequences of,
 45–49
 Human-Plant-Parasite (H-P-P)
 complex, 8
 absent in Niger Bend region, 41
 minor significance in South Atlantic
 basin, 81
 yam complex, 33
 Humphreys, Margaret, 154
 Hurricane Flora, 171
 hybrid maize, 184
 hypothesis of adaptive severity, 189
- immunities. *See* acquired immunities
 indentured servants,
 demise of system of, 77
 vulnerability as non-immunes, 76
 insecticide-treated bed nets (ITNs), 187
 intermittent fever
 definition of, 5
 intestinal parasites, 50
- James, S.P., 150
 Japanese antimalarial medicine, 62
 Johnson, James, 106
- Kampala conference, 165
 Kina Bureau, 150
 Klieman, Kairn, 34
 Koch, Robert, 129, 133
- Laveran, Alphonse, 128
 League of Nations. *See* Malaria
 Commission of the League of
 Nations
 lowland malaria
 extended into South and Southeast
 Eurasia, 57
 initial difficulty of introduction in
 eastern South America, 72
 at Jamestown settlement, 74
 in South Atlantic basin, 74
 in the terai, 57
- MacDonald, George, 56, 169
 Maillot, François, 107
 Malaria Commission of the League of
 Nations, 151
 fourth report (1937), 153
 second general report (1927), 150
 third report (1933), 153
 malaria control
 divergent paths to, 129–131
 drainage in ancient Greece and
 Rome, 61, 62
 drainage of Baghdad, 16, 129
 in East African highlands, 165
 mass chemotherapy attempted in
 Dar-es-Salaam, 135
 mass chemotherapy in Italy, 136
 mass chemotherapy in Kaiser-
 Wilhelms-Land, 134
 mosquito brigades, 138
 in Panama Canal Zone, 137
 species sanitation, 146
 malaria frontiers
 in deep U.S. South, 90
 and European settlement, 114–117
 in New World 1700–1800, 85–91

Cambridge University Press

978-0-521-67012-8 - Humanity's Burden: A Global History of Malaria

James L. A. Webb

Index

[More information](#)

Index

233

- in North America compared with tropical Africa, 89
- malaria infections. *See also* malaria zones falciparum malaria vivax malaria
- absent in Americas in pre-Columbian era, 67
- among indigenous peoples of Brazil, 73
- in ancient Greece, 59
- and canals in British India, 122
- deaths from, in British India, 139
- different patterns in tropical Asia than tropical Africa, 57
- difficulty of introduction in northern reaches of Eurasia and the Americas, 67
- early globalization of, 64–65
- ecology of, 3–9
- extension into northern New England and Canada, 76
- fever rhythms, 4
- historical epidemiology of, 9–12
- and human quest for potable water, 44
- introduction of, into Asia and the Mediterranean by African captives, 65
- introduction of, to Australia, 118
- introduction of, to mid-Atlantic colonies of British North America, 87
- late nineteenth-century, in Argentina, 117
- meta-conditions, 12–13
- multiple infections, 5
- New World patterns of, from 1500–1600, 69–74
- New World patterns of, from 1600–1700, 74–79
- paradoxes of, 2–3
- quantitative estimates, 2
- and *quilombos* in Brazil, 87
- regional variation in stability, 57
- relationships between types of, 9
- relationships with other diseases, 9
- as a result of expansion of Islamic civilization, 65
- resurgent in late twentieth and early twenty-first centuries, 184
- suppression of parasite load, 8
- in third-century BCE China, 59
- three great zones, 13–14
- malaria parasites. *See also* *Plasmodium falciparum* *Plasmodium malariae* *Plasmodium ovale* *Plasmodium vivax*
- geographic range, 6
- incubation periods, 4
- interpretation of evidence concerning genomes of, 19–29
- lifecycle, 3
- relapse, 4
- response to biological and seasonal clues, 8
- temperature requirements, 6
- malaria transmission
- African children with high gametocyte levels perceived as threats, 131
- biological constraints in northern Eurasia, 66
- constraints in establishment in the Americas, 69
- influence of tropical deforestation, 47
- stable, 33
- unstable, 26
- malaria zones. *See also* malaria infections falciparum malaria, vivax malaria
- mixed infections, 14
- mixed infections in mid-Atlantic U.S. states, 88
- mixed infections in southern Europe, 68
- mixed infections in upper mid-Atlantic colonies, 76
- surrounding the grasslands of the Sahara and Central Asia, 54
- westward extension in North America, 88
- Manson, Otis F., 127
- medicated salts, 176

- medicinal barks,
 from sasparilla and poplar trees, 93
 Mian Mir, 137
 miasmatic theory, 10, 128
 migration,
 of early hominids out of Africa, 18
 of *Homo sapiens* out of Africa, 42
 mosquito control
 earliest attempts in tropical Africa,
 130
 landscape sanitation, 130
 mosquito brigades, 130
 mosquitoes. *See also* anopheline
 mosquitoes
 and early patterns of human living,
 43–45
 Müller, Reiner, 150
 Neolithic agricultural revolution,
 emergence of chronic infections, 49
 evolution of new technologies
 before, 26
 explanations for, 49
 interpretations of, 19
 and “malaria revolution,” 26
 nineteenth-century medical thinking,
 about “racial” difference, 88
 oil palm, 30
 opium
 and malaria in Asia, 122–124
 Royal Commission on Opium (1895),
 124
 use in North America as
 antimalarial, 108
 paracultivation, 31
 Pare-Taveta, 165
 Paris green, 148, 160
 pastoral nomadism. *See also*
 zoonophylaxis
 in Africa north of the rainforests, 51
 end of, in Central Asia and North
 America, 116
 epidemiological advantages of, 52
 on Eurasian grasslands, 52
 evolution of, 52
 seasonal avoidance of settled
 farming communities, 14
 in Southwest Asia, 51
 vulnerability of pastoral nomads to
 malaria, 53, 55
 Pelletier, Pierre-Joseph, 102, 104
 permanent settlement,
 epidemiological consequences of,
 49–51
 Pizarro, Francisco, 71
 plantain/banana complex, 35
Plasmodium falciparum. *See also*
 malaria parasites
 DNA evidence concerning origins, 29
 temperature requirement, 6, 55
Plasmodium malariae. *See also*
 malaria parasites
Plasmodium malariae
 temperature requirement, 6
Plasmodium ovale, 4. *See also* malaria
 parasites
Plasmodium vivax. *See also* malaria
 parasites
 DNA evidence concerning, 21
 extended incubation period in
 northwestern Europe, 68
 temperature requirement, 6, 55
 Plehn, Friedrich, 134
 Powers & Weightman, 105, 113, 116
 protocultivation, 31
 pyrethrum, 160
 quartan fever
 definition of, 4
 quinetum, 151
 quinine
 abolition of U.S. import duties of, 113
 administered with opium in North
 America, 108
 in British India, 145
 confusion about therapeutic range
 and dosage, 127
 as drug of last resort, 178
 and early pharmaceutical
 companies, 101–105
 early use in Algeria, 107
 early use in British India, 107

- and European conquest of Africa, 124–125
- first isolated by Pelletier and Caventou, 102
- first trials, 102
- industry in Argentina, 146
- as a parasiticide, 129
- as a tonic, 110, 128
- use along West African coast below the Sahara, 107
- use by U.S. Army in Second Seminole War, 109
- use during First World War, 144
- use to 1860, 105–110
- rainforest exploitation
 - early processes of, in tropical Africa, 29–32
 - epidemiological consequences of, 33
- remittent fever
 - definition of, 5
- repellents, 178
 - in ancient Rome, 63
 - use of oils and fragrances, 16
 - use of smoke, 44–45
- residential segregation and “racial hygiene,” 131–133
 - in British tropical Africa, 133
 - by French and Belgians in Africa, 135
 - in Russian-controlled Central Asia, 135
- rice cultivation and malaria,
 - in Asian tropics, 56
 - in South Carolina, 76
 - in West Africa, 40
- river-basin civilizations
 - epidemiological consequences of, 53–55
- Rockefeller Foundation, 145–149
- Rosengarten & Sons, 105, 113
- Ross, Ronald, 128, 130
- Sahul, 47
- Sallares, Robert, 59
- Sappington, John, 108
- sickle cell mutation,
 - contemporary distribution of, 36
 - conveys both costs and benefits, 29
- emergence of, 37
- loss of protection in African-American populations, 90
- and yam-based diet, 33
- smallpox epidemic of 1775–1782, 115
- Soper, Fred, 154, 170
- Sowunmi, A.W., 30
- species eradication, *See also* mosquito control
 - in Brazil, 155
 - in Egypt, 158
 - on Sardinia, 160
- spices
 - as oxidants, 63
- structural adjustment programs
 - negative impact of, on health services, 177
- sugar plantations
 - epidemiological significance of, 74
 - in Northeast Brazil and other South Atlantic lowlands, 73
- sulfadoxine-pyrethimine, 177
- Susruta, 58
- Swellengrebel, N.H., 163–164
- Taiping Rebellion, 121
- Talbor, Robert, 96
- taro, 47
- Tennessee Valley Authority, 153
- tertian fever
 - definition of, 4
- tobacco, 92
- transgenic mosquito, 179
- transport revolution, 117–118
- tropical agriculture
 - diffusionist model, 29
 - paracultivation, 31
 - paracultivation to cultivation, 32
 - paracultivation in Sahul, 48
 - protocultivation, 31
 - West African planting agriculture, 31
- tropical vegetational frontiers, 33–37
- trypanosomiasis
 - as a barrier in tropical Africa, 38
 - and malaria, 37–39
 - zone of infection in tropical Africa, 54
- tsetse fly, 38

- United States Sanitary Commission, 109
- vaccines, 179
- Van Buren, William H., 109
- virulence
 - belief in evolution toward
 - attenuation, 17
 - evolution toward greater, 189
 - persistence of, 17
- vitamins A and E
 - as antioxidants, 63
- vivax malaria. *See also Plasmodium vivax*
 - accommodation to cooler climates, 45
 - anchored in northern Europe, 65
 - comparative survival advantage, 46
 - mortality estimate, 6
 - significance of long dormancy, 68
 - transition to endemicity in
 - Afro-Eurasia, 53
 - unbroken chain of infection, 48
 - zone of predominant infection, 13
- Wafer, Lionel, 96
- war and malaria
 - aftermath of the U.S. Civil War, 120
 - Bolshevik Revolution (1917), 142
 - First War for Indian Independence (Indian or “Sepoy” Mutiny), 121
 - First World War (1914–1918), 140
 - Greek-Turkish War of 1921–1922, 140
 - Napoleonic Wars, 119
 - Russian Civil War (1918–1921), 142
 - Second World War, 158
 - U.S. Civil War, 120
- Watson, Malcolm, 145
- wild-cherry tree, 109
- Wilson, D. Bagster, 165
- Wilson, Margaret, 165
- World Health Organization. *See also*
 - global eradication campaign
 - early pilot projects in Africa, 165
 - and organization of Kampala conference, 161
- yams
 - dietary significance, 33
 - minor significance of, in South Atlantic basin, 81
 - and Neolithic agricultural revolution, 32
 - paracultivation in Southeast Asia, 43
 - in tropical Asia, 47
 - white Guinea yam, 29
 - yellow Guinea yam, 29
- yellow fever. *See also Aedes aegypti*
 - on Barbados, 78
 - as barrier to European laborers on Caribbean islands, 84
 - as barrier to Europeans in tropical Africa, 125
 - in Brazil, 154
 - in Cuba, 137
 - difficult to distinguish from malaria, 127
 - epidemiological differential between Europeans and tropical Africans, 84
 - established in American tropics, 76
 - in Panama Canal Zone, 137
 - possible inherited resistance to, 84
 - and perceived “racial” difference, 88
 - on Saint Domingue/Haiti, 83
- zooprophylaxis
 - definition of, 39
 - employed by Chinese farmers, 57
 - and pastoral nomadism, 53
 - on sugar plantations in French and British Caribbean, 83
 - in Western Europe, 148