

Cambridge University Press

978-0-521-67367-9 - Case Studies in Stroke: Common and Uncommon Presentations

Michael G. Hennerici, Michael Daffertshofer, Louis R. Caplan and Kristina Szabo

Index

[More information](#)

Index

- ACA *see* anterior cerebral artery (ACA)
- aciclovir, 159, 198
- activated recombinant coagulation factor VII, 42
- acute cerebellar stroke, symptoms, 84
- acute disseminated encephalomyelitis (ADEM), treatment, 197–8
- acute embolic infarction
 - in middle cerebral artery territory, 155–7
 - clinical history, 155
 - examination, 155
 - follow-up, 155–6
 - studies, 155
- acute encephalitis, 197–8
- acute hemorrhage, of pons, due to cavernous malformation, 171–3
- acute inferolateral thalamic lesions, 20
- acute ischemia, 61
- acute ischemic distal arm paresis, 130–2
 - clinical history, 130
 - etiology, 131–2
 - examination, 130
 - follow-up, 130
 - lesions, 131
 - studies, 130
- acute ischemic Foix-Chavany-Marie syndrome, 121, 123–5
 - clinical history, 123
 - examination, 123
 - follow-up, 124
 - studies, 123–4
- acute ischemic lesions, 32, 79, 235
- acute lacunar lesions, 15, 16
- acute pontine infarction, 174
- acute stroke
 - and brain edema, 245
 - diagnosis, 1–2
 - diffusion-weighted imaging/perfusion-weighted imaging mismatch
 - clinical history, 255
 - images, 256, 257
 - examination, 255
 - follow-up, 256
 - spontaneous resolution, 255–8
 - studies, 255–6
 - etiology, 1–2
 - in posterior cerebral artery territory, 27–9, 233*
- clinical history, 27
- examination, 27
- follow-up, 27–9
- studies, 27
- symptoms, visual, 28–9
- treatment, issues, 257–8
- see also* bihemispheric acute stroke
- ADEM (acute disseminated encephalomyelitis), 197–8
- alien limb syndrome
- early studies, 108
- etiology, 108
- posterior subtype, and bilateral hemispheric stroke, 106–9
- subtypes, 108–9
- transient, 108
- use of term, 108
- Alzheimer's disease, and microangiopathic lesions, 241
- amaurosis fugax
 - symptoms, 28–9
 - see also* transient monocular blindness
- American Heart Association, Guidelines, 164
- amyloid angiopathy, 159
 - see also* cerebral amyloid angiopathy (CAA)
- Ancient Egypt, intracranial aneurysm
 - studies, 57–8
- aneurysms
 - atrial septum, 28
 - cerebral, 250
 - etiology, 225–6
 - follow-up, long-term, 226
 - giant, 225–6
 - mesenteric artery, 247–8
 - ruptured, and subarachnoid hemorrhage, 56–9
 - saccular, 56, 252–3
 - see also* basilar artery aneurysm growth; carotid aneurysms; intracranial aneurysms
- angiectatic retroauricular neurofibroma, 247
- angiography, 151
 - cerebral, 111–12
 - indications, 5–7
 - intra-arterial, 219
 - and subarachnoid hemorrhage, 7
 - see also* magnetic resonance angiography (MRA)

- angioplasty, 222
 anoxia, 187–8
 anterior cerebral artery (ACA), 25
 hypoperfusion, 72
 occlusion, 72
 ruptured aneurysm, 56
 and subarachnoid hemorrhage, 56–9
 tissue destruction, 148
 anterior cerebral artery stroke, 72
 CT studies, 73
 early studies, 73
 with mutism, hemiparesis and
 hemineglect, 71–4
 clinical history, 71
 CT studies, 73
 examination, 71
 follow-up, 71–2
 studies, 71
 anterior internal optic artery territory *see* polar
 artery territory
 antibiotics, 166, 169
 antibodies, 178–80
 anticardiolipin, 181
 antiphospholipid, 180
 anticoagulants, 102, 169, 222
 in Sneddon syndrome treatment, 179
 vs. antiplatelet agents, 93
 anticoagulation, 226
 antiepileptics, 102
 antiphospholipid syndrome, 102
 differential diagnosis, 181
 treatment, 180
 antiplatelet agents, vs. anticoagulants, 93
 Anton's syndrome, 28
 aphasia, 59, 198, 214, 255
 discrete, 256
 global, 193
 apoplexia, 1
 arm ischemia, recurrent, 213
 arrhythmias, 2–3
 ventricular, 9
 arterial dissection, and stroke, 95
 arterial gas embolism, 187–8
 arterial hypertension, 56
 and intracerebral hemorrhages, 39–40,
 41, 237
 arteriosclerosis, 86
 arteriovenous malformations (AVMs),
 227–9
 clinical history, 227–9
 examination, 227
 follow-up, 227
 hemorrhage risk, 229
 images, 228
 and seizures, 229
 studies, 227
 treatment, 229
 arteritis
 giant cell, 217
 see also Takayasu arteritis
 arthralgia, 186
 ASDs *see* atrial septal defects (ASDs)
 Asians, asymptomatic occlusions, 222
 aspirin, 16, 44, 98–9, 102–3, 182–3, 255
 platelet aggregation inhibition, 106–7
 secondary prophylaxis, 27–9, 35, 68
 secondary stroke prevention, 179
 ataxia, 224
 gait, 68
 ataxic hemiparesis, 17
 atheromas, 3
 atherosclerosis
 and basilar artery occlusions, 176, 225–6
 and multiple brain infarcts, 233
 atherosclerotic middle cerebral artery stenosis
 incidence, 92
 multiple cerebral infarctions in, 90–3
 stroke mechanisms, 92
 atrial fibrillation, 31, 255
 and brain embolism, 33
 and innominate artery occlusion, 210–13
 atrial septal defects (ASDs), 94
 diagnosis, 95
 diagnostic issues, 96
 incidence, 95–6
 treatment, 95, 96
 atrial septum, aneurysms, 28
 aura, 139
 and cortical spreading depression, 194–5
 migraine with, 193, 194–5
 automatic voluntary dissociation, 123, 125
 AVMs *see* arteriovenous malformations (AVMs)
 azathioprine, 201
 Babinski's reflex, 23
 basal ganglia, lesions, 151, 152
 basilar artery, dilated curved, 208
 basilar artery aneurysm growth, 224–6
 clinical history, 224
 examination, 224
 images, 225
 mechanisms, 226
 studies, 224
 basilar artery occlusions, 176, 225–6
 clinical history, 174
 diagnostic criteria, 176
 early studies, 176
 etiology, 176
 examination, 174
 follow-up, 174–5
 images, 175
 long-term risks, 176
 prognosis, 176
 studies, 174
 bihemispheric acute stroke
 due to bilateral carotid artery stenosis, 230–4
 clinical history, 230
 etiology, 233
 examination, 230
 follow-up, 231
 images, 232
 studies, 230–1
 bihemispheric ischemic lesions,
 etiology, 233–4

- bilateral anterior operculum syndrome
 - see* Foix-Chavany-Marie syndrome (FCMS)
- bilateral brain stem infarction, 121
 - and locked-in syndrome, 120–2
- bilateral carotid artery stenosis
 - and bihemispheric acute stroke, 230–4
 - treatment, 233
 - trigger factors, 233
- bilateral hemispheric stroke
 - with posterior subtype alien limb syndrome, 106–9
 - clinical history, 106
 - diagnostic issues, 109
 - diagnosis, 108
 - examination, 106
 - studies, 106–7
- bilateral internal carotid artery dissection, 80
 - mimicking inflammatory demyelinating disease, 79–81
 - clinical history, 79
 - diagnosis, 81
 - examination, 79
 - follow-up, 79–80
 - incidence, 81
 - studies, 79
- bilateral simultaneous middle cerebral artery infarctions
 - simultaneous, 113
 - via paradoxical embolism, 111–14
 - clinical history, 111
 - diagnosis, 113, 114
 - examination, 111
 - studies, 111–12
- bilateral vertebral artery dissections, 182–5
 - clinical history, 182
 - examination, 182
 - follow-up, 182–3
 - and stroke, 184–5
 - studies, 182
- Binswanger disease, 240
 - see also* subcortical vascular encephalopathy (SVE), with acute DWI lesion and sudden clinical deterioration
- bisoprolol, 230
- Blackhall, John, 57–8
- bladder carcinomas, 75
- blood tests, 2
- borderzone infarction, 92
 - use of term, 36–7
- bradycardia, 31
- brain
 - arterial circulation, 175
 - see also* multiple brain infarcts
- brain attacks, 3, 10
 - cardiovascular investigations, 9
- brain edema, and acute stroke, 245
- brain embolism
 - clinical history, 133
 - diagnostic issues, 135
 - etiology, 33
 - examination, 133
 - fatal, and undiagnosed cardiac tumor, 133–5
 - follow-up, 133–4
 - multiple brain infarcts, 134
 - studies, 133
- brain ischemia, recurrent, 213
- brain perfusion, studies, 222
- branch territory cerebellar infarcts, etiology, 69–70
- bruits, left orbital, 252
- bupivacaine, 75–6
- bypass surgery, extra-intracranial, 222
- CAA *see* cerebral amyloid angiopathy (CAA)
- CADASIL *see* cerebral autodominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL)
- café au lait spots, 249
- calcium, 227
- capsular warning syndrome (CWS), symptoms, 99–100
- carcinomas, of bladder, 75
- cardiac tumors
 - diagnostic issues, 135
 - incidence, 134
 - treatment, 134–5
 - undiagnosed, and brain embolism, 133–5
 - see also* myxomas
- cardioembolic stroke, 10
 - multiple brain infarcts in, 31–3
- cardioembolism, 233
 - and basilar artery occlusions, 176
 - and ischemic strokes, 33
 - and multiple brain infarcts, 233
 - and stroke, 95
- cardiovascular investigations, importance of, 9
- carotid aneurysms
 - images, 248, 249
 - and Recklinghausen's disease, 247–50
 - clinical history, 247
 - examination, 247
 - follow-up, 247–8
 - studies, 247
 - surgical resection, 247–8
- carotid artery dissection
 - differential diagnosis, 152–3
 - see also* internal carotid artery dissections (ICADs)
- carotid artery stenosis
 - hemodynamic stroke in, 35–8
 - see also* bilateral carotid artery stenosis
- carotid cavernous fistulae (CCF)
 - classification, 253–4
 - etiology, 254
 - images, 253
 - spontaneous occlusion
 - clinical history, 252
 - examination, 252
 - follow-up, 252–3
 - studies, 252
 - via intracavernous aneurysm of internal carotid artery, 252–4
 - treatment, 254

- carotid endarterectomy, and perioperative stroke, 148–9
- cauda equina, lesions, 76–7
- cavernomas, 171–3
 - characteristics, 172
 - clinical history, 171
 - examination, 171
 - follow-up, 171
 - localization, 172
 - prevalence, 172
 - removal, 171
 - risk factors, 172
 - studies, 171
 - treatment, 173
- cavernous angiomas *see* cavernomas
- cavernous malformations
 - and acute hemorrhage of pons, 171–3
 - cerebral, 172
- cavernous sinus thrombophlebitis (CST), 166–9
 - clinical history, 166
 - diagnostic criteria, 169
 - etiology, 169
 - examination, 166
 - follow-up, 167
 - images, 168
 - incidence, 169
 - mortality rates, 169
 - studies, 166–7
 - treatment, 169
- CBS (cystathione beta synthetase), 104
- CCA (common carotid artery), 146
- CCMs (cerebral cavernous malformations), 172
- CCT *see* cranial computed tomography (CCT)
- ceftriaxone, 167
- cefuroxime, 166
- central nervous system (CNS), isolated angiitis, 197–201
- cerebellar infarction, 174
 - disease course, 164–5
 - management, 164
 - pseudotumoral, 162–5
 - studies, 164–5
 - symptoms, 164
- cerebellar stroke
 - space occupying, 162–5
 - clinical history, 162
 - examination, 162
 - follow-up, 162–3
 - images, 163, 164
 - studies, 162
- cerebellar vermis
 - hemodynamic infarction in, 83, 84
 - and vertebral dissection, 82–5
- cerebral amyloid angiopathy (CAA)
 - characteristics, 160
 - diagnostic criteria, 160
 - incidence, 160
 - and reversible leukoencephalopathy, 158–61
 - clinical history, 158
 - examination, 158
 - follow-up, 159
- studies, 158–9, 160–1
- and white matter changes, 160–1
- cerebral aneurysms, and neurofibromatosis type I, 250
- cerebral autodominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), 137–9
 - clinical history, 137
 - diagnosis, 139
 - differential diagnosis, 139
 - etiology, 139
 - examination, 137
 - markers, 139
 - studies, 137
 - symptoms, 139
 - white matter lesions, 138
- cerebral cavernous malformations (CCMs), localization, 172
- cerebral infarcts, studies, 92
- cerebral ischemia, 193, 231
 - and alien limb syndrome, 108
 - etiology, 37–8, 81
 - symptoms, 152–3
- cerebral vasculitis, 197–201
 - clinical history, 197
 - examination, 197
 - follow-up, 198
 - studies, 197–8
 - see also* isolated angiitis of central nervous system
- cerebral venous thrombosis, 10–11, 47–50
 - clinical history, 47
 - diagnostic issues, 117–18
 - etiology, 50
 - non-infectious, 49
 - examination, 47
 - follow-up, 47
 - in homocystinuria, 102–4
 - clinical history, 102
 - diagnostic issues, 104
 - examination, 102
 - follow-up, 102–3
 - studies, 102
 - treatment, 104
 - non-infectious settings, 50
 - studies, 47
 - treatment, 50
 - use of term, 117
 - see also* subarachnoid hemorrhage (SAH)
- cerebral white matter lesions
 - clinical history, 186
 - and diving, 186–8
 - examination, 186
 - studies, 186
- cerebrospinal fluid (CSF)
 - analysis, 10–11, 137, 158–9, 166–7
 - pleocytosis, 197–8
- Champion, R. H., 180
- chemosis, 166, 254
- chest x-rays, 2
- Chlamydia pneumoniae* (bacteria), 231
- cholecalciferol, 227

- cholecystitis, 141
 cholezystolithiasis, 141
 chronic bronchitis, 230
 chronic microangiopathy, and subcortical vascular encephalopathy, 241
 clopidogrel, 23–4, 91, 130, 219
 collateralization
 leptomeningeal, 222
 Moyamoya type, 249–50
 and stroke risk, 148–9
 common carotid artery (CCA), occlusion, 146
 computed tomography (CT), 244
 hematoma studies, 39
 indications, 3
 infarction studies, 111–12, 162
 non-contrast, 56, 235
 non-contrast cranial, 227
 subarachnoid hemorrhage studies, 116
 thrombosis studies, 166–7
 see also cranial computed tomography (CCT)
 consumptive coagulopathy, 166–7
 contralateral hemiplegia, 73–4
 cortical biopsies, 159
 cortical infarcts, 92
 cortical lesions, 36
 cortical spreading depression, and aura, 194–5
 corticosteroids, 198
 cranial computed tomography (CCT), 86, 255
 hemorrhage studies, 127
 infarction studies, 133, 141
 creatine kinase, levels, 214–15
 CST *see* cavernous sinus thrombophlebitis (CST)
 CT *see* computed tomography (CT)
 CWS (capsular warning syndrome), 99–100
 cyclophosphamide, 198, 201
 cystathionine beta synthetase (CBS),
 mutations, 104
 cystic lesions, 24
 cytomegalovirus, and isolated angiitis of central nervous system, 201
 cytotoxic edema, 190
 decompression sickness (DCS), 186
 and patent foramen ovale, 188
 pathogenesis, 188
 and scuba diving, 187–8
 deep vein thrombosis (DVT), 94, 112
 incidence, 96
 DemTect test, 137
 diamox, 167
 diffusion-weighted imaging (DWI), 90, 155,
 182–3, 257
 acute infarction studies, 151
 acute inferolateral thalamic lesions, 19
 acute ischemic lesion studies, 130, 155
 cerebral infarct studies, 67–8, 92
 hyperintense lesion studies, 106–7
 lesions, and subcortical vascular encephalopathy, 239–42
 transient global amnesia studies, 191
 diffusion-weighted imaging/perfusion-weighted imaging (DWI/PWI) mismatch, 37–8
 advantages, 258
 concept of, 257
 spontaneous resolution, in acute stroke, 255–8
 digoxin, 255
 dilatative arteriopathy
 and stroke, 208–9
 use of term, 209
 see also dolichoectatic basilar artery
 diplopia, 254
 dissection
 arterial, 95
 see also carotid artery dissection; vertebral artery dissections; vertebral dissection
 diving
 and cerebral white matter lesions, 186–8
 see also decompression sickness (DCS)
 dizziness, 86, 193, 197, 224
 see also vertigo
 dolichoectasia, use of term, 208
 dolichoectatic basilar artery, 208–9
 clinical history, 207
 diagnosis, 208
 examination, 207
 studies, 207
 see also dilatative arteriopathy
 Donnan syndrome (capsular warning syndrome), 99–100
 Doppler sonography
 extracranial, 151
 see also transcranial Doppler sonography (TCD)
 dural fistulas, 254
 dural sinus thrombosis, and stroke, 48–9
 DVT *see* deep vein thrombosis (DVT)
 DWI *see* diffusion-weighted imaging (DWI)
 DWI/PWI mismatch *see* diffusion-weighted imaging/perfusion-weighted imaging (DWI/PWI) mismatch
 dysarthria, 86, 90, 98, 120, 162, 182–3, 224
 dysarthria clumsy hand syndrome
 due to lacunar stroke, 15–17
 clinical history, 15
 examination, 15
 follow-up, 16
 studies, 15–16
 dysphagia, 120
 ECG *see* electrocardiography (ECG)
 echocardiography
 indications, 3
 transesophageal, 3, 141, 186, 231, 255–6
 transthoracic, 31, 90, 197–8
 edema, 53
 brain, 245
 cytotoxic, 190
 periorbital, 166
 vasogenic, 235
 EEG *see* electroencephalography (EEG)
 Ehlers-Danlos syndrome, 254
 Ehrmann, S., 180
 electrocardiography (ECG), 2, 86, 155
 indications, 9

- electroencephalography (EEG), 116, 158, 162
 indications, 2–3, 9
- electronystagmography, 82–3, 252–3, 254
- embolic infarction
 etiology, 237
 and long-haul flights, 94–6
 clinical history, 94
 diagnosis, 95, 96
 examination, 94
 follow-up, 94
 studies, 94, 96
see also acute embolic infarction
- embolic ischemic lesions, 214–15
- embolic stroke
 via right atrial primary cardiac lymphoma, 86–8
 clinical history, 86
 etiology, 88
 examination, 86
 follow-up, 86–7
 incidence, 88
 studies, 86
see also recurrent embolic stroke
- embolism
 arterial gas, 187–8
 and branch territory cerebellar infarcts, 69–70
 and hypoperfusion, 92–3
 and infarction, 109
 and innominate artery occlusion, 210–13
 and multiple brain infarcts, 233
see also brain embolism; cardioembolism;
 paradoxical embolism; pulmonary embolism (PE)
- embolization, arteriovenous malformation treatment, 229
- encephalitis
 acute, 197–8
 herpes simplex, 159
 meningoencephalitis, 166–7
- encephalopathies, 201
- epileptic seizures, 102
- Escherichia coli* (bacteria), 231, 233–4
- estrogen substitution, and Sneddon syndrome, 181
- evoked potentials (EP) recordings, indications, 9
- exanthema, 186
- exophthalmia, 254
- extracranial vessels, spontaneous dissection, 81
- eye movements, 120–1
- eyelid movements, 120–1
- facial nerve, transient lesions, and perimesencephalic subarachnoid hemorrhage, 127–9
- FCMS *see* Foix-Chavany-Marie syndrome (FCMS)
- fibrinogen levels, 242
- FLAIR images *see* fluid-attenuated inversion recovery (FLAIR) images
- flights, long-haul, and embolic infarction, 94–6
- fluid-attenuated inversion recovery (FLAIR) images, 19, 158–9, 178–9
- focal sensory seizures, 167
- Foix-Chavany-Marie syndrome (FCMS)
 diagnostic issues, 125
 etiology, 125
 symptoms, 125
see also acute ischemic Foix-Chavany-Marie syndrome
- frontal lobe syndrome, and polar artery territory infarction, 206
- fundoscopy, 39
- gait ataxia, 68
- ganglionic hemorrhages, 53
- gastric ulcers, 189
- giant cell arteritis, differential diagnosis, 217
- Glasgow Coma Scale, 2, 111, 127, 133, 166
- glibenclamide, 255
- Goldmann perimetry, 27
- Goldstein, Kurt, 108
- granulomatous angiitis *see* isolated angiitis of central nervous system
- Handel, George Frederick
 stroke, 1–1
 recovery, 11
- headaches, 56, 162, 166, 197, 201, 224
 bilateral occipital, 227–9
 etiology, 152–3
 holcephalic, 127
 right-side, 235
 and Sneddon syndrome, 178, 180
 and subarachnoid hemorrhage, 58
see also migraine
- Helicobacter pylori* (bacteria), 189
- hematocrit levels, 242
- hematoma evacuation
 indications, 41–2
 surgical issues, 41
- hematomas, 53, 226
 intracerebral, 235
 mural, 182, 183, 184
- hemicraniectomy
 postoperative images, 245
 and space-occupying middle cerebral artery stroke, 244–6
 trials, 246
- hemineglect, and anterior cerebral artery stroke, 71–4
- hemiparesis, 59, 86–7, 146
 and anterior cerebral artery stroke, 71–4
 ataxic, 17
 left-sided, 90, 102, 151, 219
 pure motor, 17
 right-sided, 99, 120, 162, 182–3, 198, 224, 244
 sensorimotor, 235
- hemiplegia, 52
 contralateral, 73–4
- hemisensory syndrome, 21
- hemodynamic infarction, in centre of cerebellar vermis, and vertebral dissection, 82–5
- hemodynamic lesions
 etiology, 37
 occurrence, 36–7

- hemodynamic risk zones, 36, 37
 hemodynamic stress, and aneurysms, 225–6
 hemodynamic stroke
 in carotid artery stenosis, 35–8
 clinical history, 35
 examination, 35
 follow-up, 35
 studies, 35
 hemorrhages
 acute, 171–3
 cerebral, 1–2
 ganglionic, 53
 intracranial, 10–11
 parenchymal, 10–11
 space-occupying, 40
 typical, 237
 see also hypertensive hemorrhages; intracerebral hemorrhages (ICHs); intraparenchymal hemorrhage; spontaneous hypertensive basal ganglionic intracerebral hemorrhage; subarachnoid hemorrhage (SAH)
 heparin, 120, 142, 174, 182–3
 in cerebral venous thrombosis treatment, 50
 herpes simplex encephalitis, 159
 herpes simplex virus, 198
 Heubner, Johann Otto Leonhard, 73
 Hodgkin's disease, 201
 Hollenhorst plaques, 29
 homocysteine blood levels, 102–3, 104
 homocysteine metabolism, 103
 homocystinuria, 102–3
 and cerebral venous thrombosis, 102–4
 homonymous hemianopia, 27, 28–9, 210
 diagnosis, 27
 Horner's syndrome, 44, 60, 62
 differential diagnosis, 152–3
 Hunt and Hess classification, 58, 59
 hydrocephalus
 obstructive, 39
 occlusive, 224
 hydrochlorothiazide, 16
 hypercholesterolemia, 158, 178
 hyperhomocysteinemia, 102
 prevalence, 104
 and vascular disease, 104
 hyperlipoproteinemia, 230
 hypermethionemia, 102–3
 hypertension, 1–25, 203, 207, 225–6, 230, 255
 see also arterial hypertension
 hypertensive hemorrhages
 localization, 41
 pathogenesis, 39–40, 41
 hypoperfusion, 72, 92, 233
 and embolism, 92–3
 and migraine with aura, 195
 pathomechanisms, 160
 hypovolemia, 246
 ICA *see* internal carotid artery (ICA)
 ICADs *see* internal carotid artery dissections (ICADs)
 ICHs *see* intracerebral hemorrhages (ICHs)
 immunosuppressants, 217
 impeding paradoxical embolism (IPE), 114
 incomplete ischemia
 clinical features, 146
 diagnosis, 148
 diagnostic issues, 148–9
 examination, 146
 follow-up, 147
 MR features, 146–9
 studies, 146
 infarction
 acute pontine, 174
 cerebral, 92
 cortical, 92
 and embolism, 109
 hemispheric, 246
 hemodynamic, 82–5
 myocardial, 2–3
 polar artery territory, 203–6
 posterior choroidal, 21
 postoperative, 148–9
 right sensory cortex/subcortex, 108
 territorial, 24–5
 thalamic, 21, 204
 vertebral, 77
 see also bilateral brain stem infarction; bilateral simultaneous middle cerebral artery infarctions; borderzone infarction; cerebellar infarction; embolic infarction; isolated cerebellar infarctions; left inferolateral thalamic infarction; multiple brain infarcts; multiple cerebral infarctions; paramedian thalamic infarct; spinal cord infarction
 inferolateral strokes, 21
 inflammatory demyelinating disease, bilateral
 internal carotid artery dissection
 mimicking, 79–81
 infrarenal aorta, aneurysms, 247–8
 innominate artery occlusion
 from embolism, 210–13
 clinical history, 210
 diagnostic criteria, 212
 etiology, 212
 examination, 210
 incidence, 212
 studies, 210–11
 and Takayasu arteritis, 213
 internal carotid artery dissections
 (ICADs), 44–6
 etiology, 45–6
 spontaneous, 45
 see also bilateral internal carotid artery dissection; right internal carotid artery dissection
 internal carotid artery (ICA)
 atherosclerotic narrowing, 37–8
 intracavernous aneurysms, and spontaneous occlusion of carotid cavernous fistulae, 252–4
 occlusions, 23, 133, 244
 occlusive disease, 37
 stenosis, 25, 37–8, 90, 108, 146

- internal carotid artery (ICA) (*cont.*)
 - bilateral proximal, 230–1
 - traumatic aneurysm
 - early studies, 153
 - and recurrent embolic stroke, 151–3
 - risk factors, 153
- International Cooperative Aneurysm Study, 59
- intracerebral hemorrhages (ICHs)
 - diagnostic issues, 41
 - etiology, 39–40, 41, 53–4, 237
 - under anticoagulant therapy with perifocal
 - edema, 52–5
 - clinical history, 52
 - disease progress, 54
 - etiology, 53–4
 - examination, 52
 - follow-up, 52
 - mechanisms, 54
 - risk factors, 53–4
 - studies, 52
 - treatment, 54–5
 - intracranial aneurysms
 - early studies, 57–8
 - ruptured, 57–8
 - intracranial hemorrhages, 10–11
 - intracranial stenosis, treatment, 93
 - intraparenchymal hemorrhage, 117
 - and isolated cortical vein thrombosis, 116–18
 - ischemia
 - acute, 61
 - arm, 213
 - brain, 213
 - left hemispheric, 255
 - ocular, 254
 - posterior circulation, 183
 - see also* cerebral ischemia; incomplete ischemia
 - ischemic strokes
 - etiology, 33
 - and vascular congestion, 237
 - isolated angiitis of central nervous system, 197–201
 - brain biopsy, 200
 - comorbidity, 201
 - diagnostic criteria, 201
 - symptoms, 201
 - treatment, 198, 201
 - use of term, 201
 - isolated cerebellar infarctions
 - clinical history, 67
 - follow-up, 68
 - outcomes, and supratentorial white matter
 - lesions, 67–70
 - prognosis, 69–70
 - studies, 67–8
 - symptoms, 70
 - isolated cortical vein thrombosis
 - with subarachnoid and intraparenchymal
 - hemorrhage, 116–18
 - clinical history, 116
 - examination, 116
 - follow-up, 116–17
 - studies, 116
 - Jacksonian march, 116
 - Japanese, asymptomatic occlusions, 222
 - Jenkins, Dr, 1
 - la main étrangère* *see* alien limb syndrome
 - laboratory tests, 10–11
 - lacunar ischemic lesions, prognosis, 1–2
 - lacunar lesions, 15
 - lacunar stroke
 - and dysarthria clumsy hand syndrome, 15–17
 - prognosis, 17
 - lacunar syndromes, 17
 - lacunes
 - etiology, 16
 - issues, 16–17
 - studies, 16–17
 - use of term, 16
 - lamotrigine, 167
 - laparoscopy
 - and middle cerebral artery stroke, 141–4
 - procedures, 141
 - risk factors, 144
 - lateral medullary syndrome, 60–3
 - clinical history, 60
 - diagnostic issues, 62–3
 - etiology, 62
 - examination, 60
 - follow-up, 60
 - studies, 60
 - symptoms, 62
 - treatment, 62
 - see also* Wallenberg's syndrome
 - Lausanne Stroke Registry, 32–3, 73
 - left hemispheric ischemia, 255
 - left inferolateral thalamic infarction
 - due to microangiopathy, 19–21
 - clinical history, 19
 - examination, 19
 - follow-up, 19–20
 - studies, 19
 - left occipital lobe, infarcts, 211
 - leptomeningeal biopsies, 159
 - leptomeningeal collateralization, 222
 - lesions
 - acute inferolateral thalamic, 20
 - acute ischemic, 32, 79, 235
 - acute lacunar, 15, 16
 - bihemispheric ischemic, 233–4
 - cortical, 36
 - cystic, 24
 - embolic ischemic, 214–15
 - grading, 229
 - hyperintense, 60, 106–7, 199
 - lacunar, 15
 - lacunar ischemic, 1–2
 - microangiopathic, 241
 - partial hand knob, 132
 - periventricular, 72
 - punctuate, 15
 - subcortical, 36
 - see also* hemodynamic lesions; white matter lesions (WMLs)

- leukoaraiosis *see* subcortical vascular encephalopathy (SVE)
- leukocytosis, 19, 166–7
- leukoencephalopathy
- and cerebral amyloid angiopathy, 158–61
 - etiology, 160
 - lobar, 160–1
 - periventricular, 160–1
 - see also* cerebral autodominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL)
- Lisch nodules, 249
- livedo racemosa, 178–80
- livedo reticularis, 180
- locked-in syndrome
- diagnostic criteria, 122
 - etiology, 121, 122
 - symptoms, 122
 - use of term, 122
 - via bilateral brain stem infarction, 120–2
 - clinical history, 120
 - follow-up, 120–1
 - studies, 120
- lumbar puncture, indications, 10–11
- lumbar spine, 76
- lymphocytosis, 75–6
- lymphohistiocytic perivascular dermatitis, 178–80
- magnetic resonance angiography (MRA), 120, 141, 146, 257
- hematoma studies, 44
 - occlusion studies, 155
 - stenosis studies, 219–20
 - vs. angiography, 5–7
- magnetic resonance imaging (MRI), 162, 174, 208
- acute lesion studies, 15, 71, 151
 - advantages, 3–5
 - basilar artery studies, 224
 - carotid aneurysm studies, 247–8
 - cavernoma studies, 171
 - cranial, 90, 137, 214–15
 - fluid-attenuated inversion recovery images, 158–9, 178–9
 - hyperintense lesion studies, 60
 - infarction studies, 94, 99, 146, 210–11, 219–20
 - ischemia studies, 120
 - migraine studies, 193, 195
 - perfusion, 230–1
 - serial, 189–90
 - stroke protocol, 123–4
 - subarachnoid hemorrhage studies, 116
 - T2-weighted, 79, 227, 235, 239
 - thrombosis studies, 102
 - see also* diffusion-weighted imaging (DWI); perfusion-weighted imaging (PWI)
- magnetic resonance venography, 48, 116, 142
- mannitol, 167, 246
- Massachusetts General Hospital (MGH), 212
- matrix metalloproteinases (MMPs), activation, 233–4
- MCA *see* middle cerebral artery (MCA)
- MCA stroke *see* middle cerebral artery (MCA) stroke
- MCA territory *see* middle cerebral artery (MCA) territory
- MCA/PCA (middle cerebral artery/posterior cerebral artery) borderzone, infarction, 107, 108
- meningoencephalitis, 166–7
- mesenteric artery, aneurysms, 247–8
- metformin, 16
- methotrexate, 217
- methylene-tetrahydrofolate-reductase (MTHFR), mutations, 102, 104
- methylprednisolone, 197–8
- microangiopathic lesions, occurrence, 241
- microangiopathy
- chronic, 241
 - and left inferolateral thalamic infarction, 19–21
- middle cerebral artery (MCA)
- asymmetric perfusion, 194
 - atherosclerotic, 92
 - occlusions, 133, 141, 219–20
 - asymptomatic, 222
 - prognosis, 222
 - stenosis, asymptomatic, 222
- middle cerebral artery (MCA) stroke
- from paradoxical embolism after laparoscopy, 141–4
 - clinical history, 141
 - etiology, 144
 - examination, 141
 - follow-up, 142
 - studies, 141
 - see also* space-occupying middle cerebral artery stroke; territorial middle cerebral artery stroke
- middle cerebral artery (MCA) territory
- acute cortical ischemic lesions, 147
 - acute embolic infarction, 155–7
 - acute ischemic lesions, 179
 - hypodensity, 244
 - infarction, 86, 94, 95, 142, 147, 210–11
 - subcortical, 143
 - territorial, 24
 - paradoxical embolism, 111–14
 - stroke lesions, 123–4
 - T2-hyperintense lesions, 24, 90
 - tissue destruction, 148
- middle cerebral artery/posterior cerebral artery (MCA/PCA) borderzone, infarction, 107, 108
- migraine, 139
- with aura, 193, 197
 - etiology, 194–5
 - and hypoperfusion, 195
 - pathophysiology, 194–5
 - with patent foramen ovale, 193–5
 - clinical history, 193
 - examination, 193
 - studies, 193
- Mini-Mental State Examination, 239

- miosis, 60
- mitral diastolic murmur, 210
- mitral stenosis, and innominate artery occlusion, 210–13
- MMPs (matrix metalloproteinases), 233–4
- monoxide, 255
- motor system, cortical domains, 72
- motor-sensory hemideficits, right-sided, 193
- MRA *see* magnetic resonance angiography (MRA)
- MRI *see* magnetic resonance imaging (MRI)
- MTHFR (methylene-tetrahydrofolate-reductase), 102, 104
- multiple brain infarcts
 - brain embolism, 134
 - in cardioembolic stroke, 31–3
 - clinical history, 31
 - examination, 31
 - follow-up, 31
 - studies, 31
 - and embolism, 233
 - etiology, 32–3, 233
 - studies, 32–3
- multiple cerebral infarctions, 91, 92
 - in atherosclerotic middle cerebral artery stenosis, 90–3
 - clinical history, 90
 - examination, 90
 - follow-up, 91
 - prognosis, 93
 - studies, 90
 - treatment, 93
- multiple sclerosis, 197
- mural hematomas, 182, 183, 184
- mutism, and anterior cerebral artery stroke, 71–4
- myocardial infarction, and stroke, 2–3
- myxomas, 86
 - atrial, 88
 - diagnostic issues, 135
 - incidence, 134
 - removal, 134–5
 - and stroke, 134–5
- National Institutes of Health, Consensus Panel, 249
- National Institutes of Health Stroke Scale (NIHSS), 2, 155, 162–3
- nausea, 162, 182, 193, 207, 227–9
- neurofibromas
 - angiectatic retroauricular, 247
 - peripheral, 249
- neurofibromatosis type I
 - and cerebral aneurysms, 250
 - diagnosis, 250
 - early studies, 249
 - incidence, 249
 - and stroke, 249–50
 - and subarachnoid hemorrhage, 250
 - symptoms, 249
- neurophilic pleocytosis, 166–7
- neuropsychological testing, 137
- nicotine abuse, and Sneddon syndrome, 181
- NIDDM (non-insulin-dependent diabetes mellitus), 255
- NIHSS (National Institutes of Health Stroke Scale), 2, 155, 162–3
- non-insulin-dependent diabetes mellitus (NIDDM), 255
- NOTCH3 gene, mutations, 139
- nystagmus
 - horizontal, 207
 - optokinetic, 27, 82–3
 - spontaneous, 182
- ocular ischemia, 254
- oculomotor disturbances, 254
- ophthalmoscopy, transient monocular blindness studies, 29
- optokinetic nystagmus, 27, 82–3
- osmotherapy, 246
- osteoporosis, 102–3, 227
- palsy, left abducens, 252
- paradoxical embolism
 - in both MCA with thrombolysis but fatal outcome, 111–14
 - etiology, 144
 - and middle cerebral artery stroke, 141–4
- paramedian thalamic infarct, 21
 - right anterior, 203, 207
- paraphasias, 255
- paraplegia, 76–7
 - postoperative, 77–8
- parenchymal hemorrhages, 10–11
- paresis
 - sensorimotor, 214
 - see also* acute ischemic distal arm paresis; hemiparesis
- partial hand knob lesions, 132
- patent foramen ovale (PFO), 3, 28, 113, 141, 191
 - and cerebral white matter lesions, 186–8
 - and decompression sickness, 188
 - and migraine, 193–5
 - prevalence, 144
 - and pulmonary embolism, 113–14, 124
 - and stroke, 144
- PCA *see* posterior cerebral artery (PCA)
- PCA territory *see* posterior cerebral artery (PCA) territory
- PE *see* pulmonary embolism (PE)
- penicillin, 166, 167
- perfusion
 - brain, 222
 - see also* diffusion-weighted imaging/ perfusion-weighted imaging (DWI/PWI) mismatch; hypoperfusion
- perfusion-weighted imaging (PWI), 90, 155, 257
 - see also* diffusion-weighted imaging/ perfusion-weighted imaging (DWI/PWI) mismatch
- pericallosal artery, 72, 73
- perimesencephalic subarachnoid hemorrhage (pSAH), 128
 - diagnostic issues, 129

- etiology, 129
- with transient lesion of facial nerve, 127–9
- clinical history, 127
- examination, 127
- follow-up, 127
- studies, 127
- perioperative stroke, and carotid endarterectomy, 148–9
- periorbital edema, 166
- PFO *see* patent foramen ovale (PFO)
- phenprocoumon, 47, 142
- physiotherapy, and stroke recovery, 11
- PICA *see* posterior inferior cerebellar artery (PICA)
- platelet inhibitors, 222
- pleocytosis, 197–8
- polar artery territory
 - infarction, 203–6, 205
 - clinical history, 203
 - examination, 203
 - and frontal lobe syndrome, 206
 - images, 204–5
 - studies, 203
 - symptoms, 205–6
- polar strokes, 21
- pons, acute hemorrhage due to cavernous malformation, 171–3
- pontine warning syndrome, 98–100, 99
 - clinical history, 98
 - etiology, 100
 - examination, 98–9
 - studies, 99
 - treatment, 100
- posterior cerebral artery (PCA), 21, 227
 - bilateral stenosis, 235
 - disease, 237
- posterior cerebral artery (PCA) territory
 - acute ischemic lesions, 235
 - acute stroke in, 27–9, 233
 - infarction, 210–11
- posterior choroidal infarct, 21
- posterior circulation ischemia, etiology, 183
- posterior fossa, aneurysms, 21
- posterior inferior cerebellar artery (PICA), 60
 - cerebellar infarcts, 162, 212
 - infarcts, 62, 67–8, 69, 210–11, 240
 - occlusion, 62
- postoperative infarctions, mechanisms, 148–9
- primary angiitis of central nervous system
 - see* isolated angiitis of central nervous system
- primary cardiac lymphomas, 86, 87
 - and embolic stroke, 86–8
 - incidence, 88
 - prognosis, 88
 - treatment, 88
- primary motor hand function, MRI studies, 131
- progressive intracranial arterial obstruction of
 - unknown etiology, 219–22
 - clinical history, 219
 - follow-up, 220
 - images, 220, 221
- studies, 219–20
- treatment, 222
- propafenon, 255
- proptosis, 166
- pruritus, 186
- pSAH *see* perimesencephalic subarachnoid hemorrhage (pSAH)
- pseudoaneurysms, 151
- ptosis, 60, 207, 254
- pulmonary embolism (PE), 113
 - and patent foramen ovale, 113–14, 124
 - punctate lesions, 15
 - pure motor hemiparesis, 17
 - pure sensory stroke, 17
- PWI *see* perfusion-weighted imaging (PWI)
- PWI/DWI mismatch *see* diffusion-weighted imaging/perfusion-weighted imaging (DWI/PWI) mismatch
- pyridoxine, 102–3, 104
- Quincke, Heinrich Irenaeus, 57–8
- radiotherapy, arteriovenous malformation treatment, 229
- ramipril, 230
- Recklinghausen, Friedrich von, 249
- Recklinghausen's disease
 - and carotid aneurysms, 247–50
 - early studies, 249
 - and stroke, 249–50
 - vascular complications, 250
 - see also* neurofibromatosis type I
- recombinant tissue plasminogen activator (rt-PA), 258
- recurrent embolic stroke
 - from traumatic aneurysm of internal carotid artery and right subclavian artery, 151–3
 - clinical history, 151
 - examination, 151
 - follow-up, 151
 - studies, 151
- rheumatic fever, 210
- right atrial tumors, 86
- right cerebral hemisphere, infarcts, 211
- right internal carotid artery dissection
 - after cycling, 44–6
 - clinical history, 44
 - examination, 44
 - follow-up, 44
 - studies, 44
- right sensory cortex/subcortex infarction, 108
- right subclavian artery, and recurrent embolic stroke, 151–3
- risedronate, 227
- Rook, A., 180
- rt-PA (recombinant tissue plasminogen activator), 258
- SAH *see* subarachnoid hemorrhage (SAH)
- SCA (superior cerebellar artery), 162
- scleral injection, 254
- scotoma, 254

- scuba diving
 - and cerebral white matter lesions, 186–8
 - risks, 187–8
- secondary hemorrhagic transformations
 - diagnosis, 237
 - of thalamic strokes, 235–7
- seizures
 - and arteriovenous malformation, 229
 - classification, 229
 - epileptic, 102
 - focal sensory, 167
 - risk factors, 229
 - simple partial sensory, 116
 - tonic-clonic, 227–9
 - treatment, 227
- sensorimotor paresis, 214
- septic thrombosis of cavernous sinuses
 - see* cavernous sinus thrombophlebitis (CST)
- sexual activity, and stroke, 144
- simple partial sensory seizures, 116
- simvastatin, 230
- Smith, Christopher, 1
- Sneddon, Ian Bruce, 180
- Sneddon syndrome (SNS), 178–81
 - clinical history, 178
 - comorbidity, 180
 - diagnostic criteria, 179–80
 - differential diagnosis, 181
 - early studies, 180
 - etiology, 180
 - examination, 178
 - follow-up, 179
 - images, 179
 - stroke pathogenesis, 180
 - studies, 178–9
 - treatment, 179, 180
 - triggers, 181
- sonography *see* ultrasound
- space-occupying middle cerebral artery stroke
 - clinical history, 244
 - disease course, 244
 - examination, 244
 - follow-up, 244–5
 - studies, 244
 - and subsequent hemicraniectomy, 244–6
 - surgical issues, 246
 - treatment, 244
- spatial disorientation, 84–5
- speech
 - abnormalities, 214, 227–9
 - decreased volume, 205–6
 - diminished, 241
 - slurred, 15, 86, 174
 - therapy, 62
- Spetzler-Martin scale, 229
- spinal cord infarction, 76
 - after surgery in hyperlordotic position, 75–8
 - clinical history, 75
 - diagnostic issues, 76–7
 - etiology, 77
 - examination, 75
 - studies, 75–6
- surgical issues, 77
- diagnosis, 78
- spontaneous hypertensive basal ganglionic intracerebral hemorrhage, 39–42
 - clinical history, 39
 - examination, 39
 - follow-up, 39–40, 41
 - future perspectives, 42
 - studies, 39
- spontaneous nystagmus, 182
- Staphylococcus aureus* (bacteria), 169
- Staphylococcus aureus* sepsis, 166–7
 - treatment, 167
- stenosis, 174, 219–20
 - intracranial, 93
 - mitral, 210–13
 - see also* atherosclerotic middle cerebral artery stenosis; carotid artery stenosis
- stenting, 222, 233
- steroids, 217
 - corticosteroids, 198
- stroke
 - acute cerebellar, 84
 - biomarkers, 10–11
 - and dilatative arteriopathy, 208–9
 - etiology, 95, 237
 - dural sinus thrombosis, 48–9
 - in hemodynamic risk zones, 37
 - inferolateral, 21
 - and myocardial infarction, 2–3
 - and myxomas, 134–5
 - overview, 1
 - perioperative, 148–9
 - polar, 21
 - pure sensory, 17
 - and Recklinghausen's disease, 249–50
 - recovery, 11
 - mechanisms, 2
 - physiotherapy, 11
 - recurrent embolic, 151–3
 - and sexual activity, 144
 - symptoms, 2, 69–70
 - temporal profiles, 2
 - tests, 2–9
 - and transient ischemic attacks, 3
 - tuberothalamic, 21
 - and vertebral artery dissections, 184–5
 - see also* acute stroke; anterior cerebral artery stroke; bilateral hemispheric stroke; cardioembolic stroke; cerebellar stroke; embolic stroke; hemodynamic stroke; ischemic stroke; lacunar stroke; middle cerebral artery (MCA) stroke; thalamic strokes
 - stroke risk, and collateralization, 148–9
 - subarachnoid hemorrhage (SAH), 10–11
 - angiography, 7
 - classification, 58, 59
 - diagnosis, 58–9
 - due to ruptured aneurysm of anterior cerebral artery, 56–9
 - clinical history, 56

- examination, 56
- follow-up, 56
- images, 57
- studies, 56
- early studies, 57–8
- and headaches, 58
- and isolated cortical vein thrombosis, 116–18
- and neurofibromatosis type I, 250
- symptoms, 57–9, 118
- see also* perimesencephalic subarachnoid hemorrhage (pSAH)
- subcortical hyperintensities, 159, 160
- subcortical ischemic vascular disease, 17
- subcortical lesions, 36
- subcortical vascular encephalopathy (SVE), 1–27, 69–70, 160
 - with acute DWI lesion and sudden clinical deterioration, 239–42
 - clinical history, 239
 - diagnosis, 240
 - differential diagnosis, 242
 - examination, 239
 - follow-up, 239–40
 - management, 242
 - studies, 239
 - comorbidity, 241
 - differential diagnosis, 241
 - functional tests, 241
 - symptoms, 241
- suboccipital craniectomy, 162, 164
- sulfamethoxazole, 166
- superior cerebellar artery (SCA), cerebellar infarcts, 162
- superior sagittal sinus, thrombosis, 47, 102, 103
- superoxide dismutase, 10–11
- supplementary motor area
 - disturbances, 73–4
 - localization, 73
- supratentorial white matter lesions, and isolated cerebellar infarcts, 67–70
- surgical decompression, 244, 246
- surgical resection
 - arteriovenous malformation treatment, 229
 - carotid aneurysms, 247–8
- SVE *see* subcortical vascular encephalopathy (SVE)
- syphilis, 180
- systemic lupus erythematosus, 181
- Takayasu arteritis, 214–18
 - classification, 216–17
 - clinical history, 214
 - diagnosis, 218
 - differential diagnosis, 217
 - disease progress, 217
 - early studies, 216–17
 - examination, 214
 - images, 215, 216
 - and innominate artery occlusion, 213
 - studies, 214–15
 - symptoms, 216–17, 218
 - treatment, 217
- TCD *see* transcranial Doppler sonography (TCD)
- territorial infarction, use of term, 24–5
- territorial middle cerebral artery stroke, 23–5
 - clinical history, 23
 - examination, 23
 - follow-up, 23–4
 - studies, 23
 - surgical issues, 25
- tetraparesis, 174
- TGA *see* transient global amnesia (TGA)
- thalamic infarction, 21, 204
 - see also* left inferolateral thalamic infarction; paramedian thalamic infarct
- thalamic pain syndrome, 21
- thalamic strokes, 21
 - secondary hemorrhagic transformation of, 235–7
 - clinical history, 235
 - examination, 235
 - images, 236
 - studies, 235
- thalamus
 - arterial supplies, 204–5
 - hematomas, 235
 - vascular lesions, 21
 - vascular territories, 20
- thrombendarterectomy, 231, 233
- thrombocytopenia, 181
- thrombolysis, 250
 - effectiveness, 156
 - time factors, 156–7
 - indications, 258
 - intravenous, 247
 - MRI-guided, 155–7
 - advantages, 157
 - trials, 157
- thrombolytics, 257–8
- thrombosis
 - dural sinus, 48–9
 - material, 48
 - venous, 96
 - see also* cerebral venous thrombosis; deep vein thrombosis (DVT); isolated cortical vein thrombosis
- thrombus, 86
- TIA *see* transient ischemic attacks (TIAs)
- tinnitus, 162, 207, 252
 - and right internal carotid artery dissection, 44
 - tonic-clonic seizures, 227–9
- tracheostomy, 167
- transcranial Doppler sonography (TCD), 186, 219, 227, 230–1, 235
 - arterial flow studies, 23
 - dolichoectatic basilar artery studies, 209
 - indications, 3
 - stenosis studies, 120
- transcranial magnetic stimulation, 197–8
- transesophageal echocardiography, 3, 186, 231, 255–6
- transient global amnesia (TGA)
 - clinical history, 189
 - etiology, 191
 - examination, 189

Cambridge University Press

978-0-521-67367-9 - Case Studies in Stroke: Common and Uncommon Presentations

Michael G. Hennerici, Michael Daffertshofer, Louis R. Caplan and Kristina Szabo

Index

[More information](#)**272****Index**

- transient global amnesia (TGA) (*cont.*)
 - follow-up, 190
 - studies, 189–90
 - triggers, 191
 - and upper gastrointestinal endoscopy, 189–91
- transient ischemic attacks (TIAs), 98–9,
 - 139, 174
 - capsular warning syndrome, 99–100
 - repeated, 99–100, 109
 - and stroke, 3
- transient monocular blindness
 - ophthalmoscopy, 29
 - see also* amaurosis fugax
- transthoracic echocardiography, 31, 90, 197–8
- traumatic plaque-rupture, etiology, 45–6
- triamterene, 16
- trimethoprim, 166
- tuberothalamic artery territory *see* polar artery territory
- tuberothalamic strokes, 21
- tumors
 - benign, 88
 - malignant, 88
 - right atrial, 86
 - subcutaneous, 247
 - see also* cardiac tumors
- ulcers, gastric, 189
- ultrasound, 224
 - advantages, 8–9
 - arterial flow studies, 27
 - carotid aneurysm studies, 247–8
 - compression, 94
 - Doppler duplex, 252, 254
 - duplex, 31, 174, 214–15
 - occlusion studies, 23, 133
 - stenosis studies, 35
 - transcranial, 178–9
 - vs. angiography, 5–7
 - see also* Doppler sonography; transcranial Doppler sonography (TCD)
- upper gastrointestinal endoscopy
 - procedure, 189
 - and transient global amnesia, 189–91
- urinary tract infection, 231, 233–4
- valproate, 159, 227
- Valsalva maneuver, 28, 141, 186, 191
- vancomycin, 167
- varicella-zoster virus, and isolated angiitis of central nervous system, 201
- vascular congestion, and ischemic strokes, 237
- vascular dementia, and microangiopathic lesions, 241
- vascular disease, 254
 - risk factors, 104
- vascular hypothesis, 194–5
- vascular nidus, 227
- vasculitis
 - use of term, 201
 - see also* cerebral vasculitis
- vasogenic edema, 235
- venous thrombosis (VT), risk factors, 96
- ventricular arrhythmias, triggers, 9
- vertebral artery, 60
- vertebral artery dissections, 82–3
 - etiology, 184
 - incidence, 183
 - and stroke, 184–5
 - see also* bilateral vertebral artery dissections
- vertebral dissection
 - with hemodynamic infarction in centre of cerebellar vermis, 82–5
 - clinical history, 82
 - diagnostic issues, 84–5
 - examination, 82
 - studies, 82–3
 - symptoms, 84
- vertebral infarctions, 77
- vertigo, 68, 82
 - rotatory, 182
 - sudden onset, 84
 - without motion related patterns, 84–5
 - see also* dizziness
- vestibular neuritis, 182
- viral diseases, and isolated angiitis of central nervous system, 201
- Virchow-Robin spaces, 15
- visual symptoms, in acute stroke, 28–9
- vomiting, 47, 56, 62, 162, 164, 207
- von Recklinghausen's disease
 - see* Recklinghausen's disease
- Wallenberg, Adolf, 62
- Wallenberg's syndrome
 - symptoms, 61
 - use of term, 62
 - see also* lateral medullary syndrome
- warfarin, 224, 256
 - in cerebral venous thrombosis treatment, 50
 - guidelines, 33
 - in Sneddon syndrome treatment, 180
- white matter
 - abnormalities, 208
 - changes, 57
 - and cerebral amyloid angiopathy, 160–1
 - white matter lesions (WMLs), 15, 19, 187
 - detection, 69–70
 - supratentorial, 67–70
 - see also* cerebral white matter lesions
- World Federation of Neurological Surgeons, grading system, 59
- x-rays, chest, 2
- Yamamoto, Rokushu, 216–17
- Zweig, Stefan, *George Frederick Handel's Resurrection*, 1