

## SYSTEMATIC INDEX

*Page references to figures and tables are italicized.*

- abalone, 40  
*Acanthopleura granulata*, 373  
 Acanthuridae, 167  
*Acinonyx jubatus*, 64, 299  
*Acipenser*, 328  
 Acipenseridae, 61  
 Actinopterygii (ray-finned fishes)  
   analysis of, 164, 203, 204, 210, 211, 241–242, 241, 244, 253  
   capture techniques, 268, 270, 272  
   as evidence for past environmental  
   conditions, 320, 322, 323, 328, 345, 350  
   feeding behavior, 94  
   human use of, 131, 150, 253, 257, 265, 301, 347  
   in Hypothetical Collection, 156, 198  
   identification of, 167  
   isotopes, 84, 86  
   larva, 90–91  
   life history patterns, 91  
   locomotion, 54–59  
   morphology, 40, 41, 42, 42, 43, 50–54, 60–64, 371–372  
   nomenclature, 34–35, 35, 37  
   other hard tissue, 62–63  
   recovery of, 148–149, 149, 150, 156  
   seasonal growth, 74–79  
   sex, 79–80  
   site-formation processes and, 136, 137  
   size, 64–67, 68, 187, 187, 264  
   size and age, 73–74  
   standard measurements, 382  
   structures used in feeding, 43, 46, 47, 49  
   survivorship curve, 101
- addax, 299  
*Aepyornis maximus*, 325  
 Agavaceae, 84  
 agave, 84  
 agouti, 138, 298, 300  
*Agouti paca*, 298  
*Ailuropoda melanoleuca*, 92  
 albatross, 60  
*Albula vulpes*, 43  
*Alces alces*, 32  
 algae, 84  
 alligator, American, 46, 80, 90  
 Alligatoridae, 46  
*Alligator mississippiensis*, 80  
 alpaca  
   disease, 309  
   domestication of, 291, 293, 301  
   herd, 395  
   importance of, 301, 313–314  
   ritual, 121  
   taxonomy of, 291  
 amaranth, 84  
*Amaranthus*, 84  
*Amia calva*, 43  
 Amphibia (amphibian)  
   analysis of, 210  
   human use of, 238, 347  
   in Hypothetical Collection, 156  
   morphology, 40, 42, 43, 44, 46, 60–62, 370  
   standard measurements, 382  
   taxonomy, 35  
   vernacular names, 33

- Ananas comosus*, 84  
*Anas platyrhynchos*, 292, 295  
 Anatidae, 54  
 anchovy, 53, 54, 137, 138, 272, 348  
 anglerfish, 79, 92  
 Anguillidae, 90  
 Anomura, 62  
*Anser anser*, 7, 292  
 Anseriformes, 90  
*Antilocapra americana*, 62  
 Anura, 59, 382  
*Apis mellifera*, 292, 301  
*Arachis*, 86  
*Ara macao*, 301  
 Arcidae, 122  
*Arctica islandica*, 77  
 Ardeidae, 60, 104, 123, 123  
 Ariidae, 197, 198, 204, 205  
*Ariopsis felis*, 204, 205, 210  
 ark, 122  
 armadillo, nine-banded, 17, 58, 60  
 Arthropoda, 40, 45, 117, 139, *see also*  
     Crustacea; Malacostraca; Maxillopoda  
 Artiodactyla (artiodactyl)  
     analysis, 212, 237, 238, 253  
     antler and horn, 62  
     dentition, 52, 93, 174, 176  
     identification, 166  
     as taphonomic agents, 135  
     weight, 65  
 ass, African wild, 291  
 ass, domestic, 115, 115, 291, 295, 301, 310  
 Astacidae, 375  
 Atherinopsidae, 104  
 auk, great, 16  
 aurochs, 15, 292  
 aurochs, Indian, 292  
 Aves (bird)  
     analysis of, 203, 210, 212, 237, 244, 253  
     anatomy, 39  
     capture techniques of, 268  
     folk taxonomy, 33  
     function and structure of hard tissue, 45–63  
     habits and habitats, 272  
     human use of, 275, 301, 345, 347  
     in Hypothetical Collection, 156, 173  
     locomotion, 54–60, 59  
     morphology, 40, 42, 60–64, 364  
     other hard tissue, 62–63  
     seasonal growth, 74–79  
     sex, 79–80  
     and site-formation processes, 138, 203  
     size, 64–67, 68  
     size and age, 70–73  
     standard measurements, 380  
     taxonomy, 35  
 baboon, 54  
 bacteria, 93, 139, 140, 143  
*Bagre marinus*, 205, 210  
*Bairdiella chrysoura*, 156, 205  
 Balistidae, 61  
 bamboo, 92  
 banteng, 301  
 barley, 293  
 barnacle, 40, 45, 46, 54, 138, 163, 265  
 barnacle, goose, 45, 138  
 barracouta, 328  
 barracuda, 53  
 bass, sea, 68  
 bass, striped, 371–372  
 bat, 59, 93  
 beans, 86, 96, 349  
 bear, 52, 58, 81–82, 93, 98, 133  
 bear, American black, 90, 166  
 bear, cave, 15, 81–82  
 beaver, American, 48, 52, 52, 135  
 bee, honey, 292, 301  
 beetle, carpet, 380–381  
*Belemnitella*, 83  
 bison, American (buffalo), 15, 66, 120, 275  
*Bison bison*, 66, 275  
 Bivalvia (bivalve)  
     analysis of, 207  
     human use of, 132  
     identification, 163  
     latitudinal diversity, 111  
     morphology, 40, 44–46, 54, 374  
     seasonal growth, 77  
     size, 68  
     standard measurements, 383  
 boar, wild, 291, 304  
 boar, wild Southeast Asian, 291  
 bobwhite, *see* quail  
*Bombyx mandarina*, 292  
*Bombyx mori*, 292, 301

- bonefish, 43  
 bony fishes, *see* Actinopterygii  
*Boonia impressa*, 149  
*Bos gaurus*, 301  
*Bos grunniens*, 296, 301  
*Bos indicus*, 9–10, 289, 292  
*Bos javanicus*, 301  
*Bos nomadicus*, 292  
*Bos primigenius*, 290, 292  
*Bos taurus*, 9–10, 47, 58, 71, 175, 289, 292  
   in Hypothetical Collection, 179  
 bottle gourd, 272, 329  
 Bovidae (bovid)  
   analysis, 193, 212  
   dentition, 69, 176  
   functional morphology of locomotion, 58  
   horn, 62, 73, 79–80, 164, 295  
   taxonomy, 9, 166, 299  
 Bovinae (bovine), 201  
 bowfin, 43  
 boxfish, 61  
 Bromeliaceae, 84  
 bromeliad, 84  
 bryozoan, 138  
*Bubalus arnee*, 291  
*Bubalus bubalis*, 291, 295  
 Buccinidae, 126  
 buffalo, 62, *see also* bison; water buffalo  
*Bufo*, 238  
*Burhinus bistriatus*, 7, 158  
 burro, *see* ass  
*Busycon carica*, 383  
*Busycon sinistrum*, 126, 127  
 butterfly, 33  
 Cactaceae, 84  
 cactus, 84  
*Cairina moschata*, 292, 293  
*Callinectes*, 249  
 camel, wild, 291  
 Camelidae (camelid, camel), 295, 310–311, 326  
 camels and dromedaries, domestic  
   Bactrian, 291  
   domestication of, 297, 301  
   dromedary, 291, 296, 301  
   herd animal, 295–296  
   importance of, 301  
   one-humped, 291, 301  
   role of, 295–296, 297, 310  
   two-humped, 291, 301  
*Camelus*, 291, 295  
*Camelus bactrianus*, 291, 301  
*Camelus dromedarius*, 291, 296, 301  
*Camelus ferus*, 291  
 Canidae (canid), 135, 275, 294  
*Canis familiaris*, 7, 48, 58, 290, 291, 364  
*Canis latrans*, 329  
*Canis lupus*, 98, 290, 291, 294  
*Capra aegagrus*, 290, 292  
*Capra hircus*, 10, 210, 292  
*Capreolus*, 91  
*Capreolus capreolus*, 129  
 Caprinae (caprine), 166, 175, 176, 177, 204, 210,  
   211, 212, 217  
 Carangidae, 74  
*Carassius auratus*, 292, 301  
 Carcharhinidae, 43  
*Carcharodon carcharias*, 53  
 caribou (North American terminology), 15,  
   79, 80, 92, 193, 225, 230, 232, *see also*  
   reindeer  
 Carnivora (carnivore), 53, 80, 135, 136, 301, 326  
 cartilaginous fishes, 41, *see also*  
   Chondrichthyes  
*Castor canadensis*, 48, 52  
 cat, 54, 135  
 cat, domestic  
   barnyard animal, 134, 296–297  
   dentition, 48  
   domestication of, 291, 297, 301  
   feral, 330  
   house animal, 295, 296–297  
   in Hypothetical Collection, 209, 217  
   importance of, 301  
   introduction of, 310  
   population source, 297  
   in ritual, 297  
   role of, 296–297  
   skin, 242, 275  
   taxonomy of, 291  
 cat, wild, 291  
 caterpillar, 267  
 catfish, 68, 167  
 catfish, gafftopsail, 205  
 catfish, hardhead, 204, 205  
 catfish, sea, 197, 198, 205, 210, 246, 263

- cattle, 9–10, 65  
 cattle, domestic, 193, 212  
   Aberdeen Angus, 201  
   age, 72  
   archaeogenetics of, 289  
   beef, 283  
   breed, 179, 201–202, 304, 305  
   bull, 9, 80, 201  
   calf, 103  
   cow, 9, 80, 103, 201  
   dentition of, 47, 175  
   domestication of, 292, 293, 301  
   environmental impact of, 330  
   heifer, 103  
   herd animal, 103, 115, 115, 295–296  
   horn, 303, 305  
   in Hypothetical Collection, 179, 211, 217  
   identification problems, 166, 204  
   importance of, 301  
   introduction of, 314, 331  
   modifications, 242  
   morphology, 58, 71, 303, 304, 305  
   Niatu breed, 304, 305  
   ox, 80, 296, 305  
   polled, 62, 305  
   productivity, 102  
   role of, 310  
   sex, 202  
   size, 303, 331  
   skeletal weight, 65, 186  
   steer, 9, 201  
   survivorship curve, 100–103, 101, 102, 303  
   taxonomy of, 290, 291  
   terminology, 9–10  
   tooth wear, 175  
   zebu, 9–10  
   see also animal products; domestic animal
- Caudata, 33, 382  
*Cavia aperea*, 291  
*Cavia porcellus*, 121, 291  
*Cebus*, 300  
 cedar, red, 329  
*Centropomus*, 91  
 Cephalopoda, 45, 132  
 Cervidae (cervid), 58, 176, 238, 263  
*Cervus elaphus*, 32, 125, 128, 129, 130, 131  
 Cetacea, 57, 57  
 cheetah, 64, 299  
 Cheloniidae, 32–33  
*Chelydra serpentina*, 365  
 Chelydridae, 94  
 chenopod, 84  
*Chenopodium*, 84  
 chicken, domestic  
   age, 71  
   barnyard animal, 134, 295, 296–297  
   in China, 296  
   diseases shared with humans, 331  
   domestication of, 292, 297, 301  
   in Hypothetical Collection, 173, 178, 185, 185, 190, 202  
   importance of, 301  
   introduction to Americas, 157–159, 331  
   introduction to Oceania, 325, 345  
   role of, 134, 296–297  
   sacred, 297  
   seasonality, 79  
   size, 303  
   spur, 80, 178  
   taboo, 296  
   temporal significance, 157–158  
   see also animal products; domestic animal;  
   medullary bone
- Chiroptera, 59  
 chiton, 40, 44, 104, 163, 204  
 chiton, West Indian fuzzy, 373  
 Chitonidae, 104  
 Chondrichthyes, 35, 36, 40, 42, 42, 45, 49, 55, 57, 68, 133  
 Chordata, 35, 39, 40, 42  
 Cirripedia, 40, 163  
*Cittarium pica*, 104, 123  
 clam, 39, 44, 53, 268, 374  
 clam, hard, 77, 198, 199, 263, 263, 327  
   standard measurements, 383  
 clam, Japanese, 77, 152, 324  
 Clupeidae, 131  
 cobra, African spitting, 368  
 coca, 322  
 cockle, 263  
 cod, Atlantic, 64, 78, 350  
*Coenobita clypeatus*, 62, 123, 123  
 Colubridae, 126  
*Columba livia*, 292, 295  
 Columbidae, 325  
 conch, see whelk

- coquina, 89, 320  
 coral, 51, 52  
 cormorant, 7, 137  
*Corylus*, 329  
 cotton, 347  
 cougar, 64, 88  
 coyote, 329  
 crab, 39, 40, 45, 49, 51, 62, 163, 249  
   specimen preparation, 381  
 crab, Florida stone, 49, 50  
 crab, hermit, 62, 123, 123  
 crab, land, 63, 91, 99, 376  
 crab, swimming, 375  
 crane, 60  
*Crassostrea rhizophorae*, 104  
*Crassostrea virginica*, 65, 68, 163, 383  
 crayfish, 45, 49, 375  
*Crepidula*, 249  
 croaker, Atlantic, 198, 200, 205, 327, 327, 350  
 crocodile, West African broad-fronted, 366  
 Crocodylia (crocodilian), 40, 43, 43, 53, 57, 61, 366  
*Crocota crocuta*, 136  
 Crustacea  
   analysis of, 203, 206  
   anatomy, 7, 39  
   in Hypothetical Collection, 155  
   identification, 162–163  
   morphology, 44–46, 49, 54, 61, 375–376  
   nomenclature, 37  
   see also Arthropoda; Malacostraca; Maxillopoda  
*Ctenosaura pectinata*, 367  
*Cucurbita*, 322  
 cuscus, 300  
 cuttlefish, see squid  
*Cynoscion*, 205  
 Cyprinodontidae, 156  
  
*Dasyprocta leporina*, 138, 300  
*Dasyprocta punctata*, 298  
*Dasytus novemcinctus*, 17, 58  
 Decapoda (decapod), 37, 40, 45, 163, 375  
 deer, 58, 62, 79, 91, 310  
 deer, brocket, 91  
 deer, huemal, 91, 326  
 deer, mule, 91–92  
 deer, Père David's, 91  
 deer, red, 32, 90, 91, 125, 125, 128, 129, 130, 131, 196  
 deer, roe, 91, 129  
 deer, white-tailed  
   age, 72  
   biology, 79  
   ecology, 89, 91–92  
   food preferences, 298  
   habitat, 331  
   human use of, 326  
   in Hypothetical Collection, 159, 173, 185, 186, 188, 189, 190, 194, 202, 204, 206, 207, 209, 211, 212, 221, 223, 224, 235, 237, 238, 240, 241, 242, 243, 244, 246, 248, 249  
   reproduction, 192  
   tooth wear, 176  
   venison, 252  
   weight, 186, 237, 238  
   see also age; antler; sex; size  
 Delphinidae, 53, 56  
 Dermestidae, 380–381  
*Dicrodon*, 268  
*Didelphis marsupialis*, 300  
 dingo, 291  
*Dinornis maximus*, 325  
 Diodontidae, 51  
 Diomedidae, 60  
*Dioscorea*, 329  
 dodo, 325  
 dog, domestic  
   anatomical drawing, 364  
   breeds, 304  
   bulldogs, University of Georgia, 282  
   burial, 121, 294, 296, 305  
   changes to, 287–288, 304  
   in China, 296  
   consumption of, 242, 294, 296  
   dentition, 47, 48, 305, 312  
   diseases shared with humans, 331  
   domestication of, 291, 293, 294, 301, 303, 310, 312  
   environmental impact of, 330  
   feral, 314, 330  
   food, 272, 294  
   genetics, 294, 310  
   identification of, 212  
   importance of, 295, 301

- dog, domestic (*cont.*)  
 introduction of, 294, 325  
 locomotion, 56, 58  
 morphology, 58, 58, 294, 304, 305, 364  
 nomenclature, 32, 290  
 pathologies in, 311, 312  
 pekingese, 305  
 role of, 7, 282, 294–297  
 skin, 275  
 taphonomic agent, 56, 134–138, 137, 313  
 taxonomy of, 290  
 totem, 282  
 variability, 287–288, 294, 304  
 vernacular names, 32  
 and wolf, 290, 294, 304  
 worked specimens, 133, 296
- dog, New Guinea singing, 291
- dolphin, 56, 166
- Donacidae, 89
- Donax denticulatus*, 320
- donkey, *see* ass
- dove, rock, 292
- dragon, Komodo, 53
- dromedary, *see* camels and dromedaries
- drum, 51, 52, 68, 74, 205, 212
- drum, black, 205, 238
- drum, red, 91, 187, 187, 205
- duck, 54, 57
- duck, domestic, 292, *see also* mallard
- duck, muscovy, 292, 293
- earthworm, 139
- Echinodermata, 39, 40, 43–44, 77, 162
- Echinoidea, 40, 44
- eel, 90, 265
- eel, freshwater, 90
- egret, 104
- Elaphurus davidianus*, 91
- elephant, 47, 49, 52, 67, 166, 296
- elephant bird, 325
- Elephantidae, 49, 328
- Elephas maximus*, 296
- elk (European terminology), 32, 90, 91
- Engraulidae, 53
- Enhydra lutris*, 61
- Ephippidae, 74
- Equidae (equid), 59, 80, 166, 246
- Equus africanus*, 291
- Equus asinus*, 115, 291
- Equus caballus*, 58, 115, 212, 291
- Equus ferus*, 291
- Erethizontidae, 135
- Erythroxylon coca*, 322
- eucalyptus, 92
- Eumalacostraca, 40
- euphorb, 84
- Euphorbiaceae, 84
- Falconiformes, 60
- Felidae (felid), 54, 135
- Felis catus*, 48, 134, 209, 291
- Felis silvestris*, 291
- fishes, *see* Actinopterygii
- Fissurellidae, 104
- flamingo, 54
- flounder, 68
- fly, stable, 321–322
- fowl, red jungle, 292
- fox, Channel Island, 300
- fox, South American, 121, 294
- frog, 40, 44, 57, 59, 91, 238, 370  
 standard measurements, 382
- fungi, 139, 142
- Gadus morhua*, 64
- Galeichthys peruvianus*, 263
- Galliformes, 80
- Gallinago gallinago*, 209
- Gallus gallus*, 71, 185, 292
- gannet, 98
- gar, 40, 42, 61, 207
- Gastropoda (gastropod)  
 analysis of, 208  
 anatomical drawing, 373  
 dye, 134  
 environmental information, 320–321  
 identification, 163  
 morphology, 40, 44, 68, 373  
 seasonal growth, 77  
 specimen preparation, 381
- gaur, 301
- Gazella subgutturosa*, 270
- gazelle, 62, 299
- gazelle, Persian, 270
- Gecarcinidae, 63, 91, 376
- Geomyidae, 58

- Geomys pinetus*, 33  
 Gnathostomata, 35  
 goat, bezoar, 292  
 goat, domestic  
   age, 72, 73  
   angora, 195, 314  
   cashmere, 314  
   dentition of, 175  
   domestication of, 73, 293, 301  
   environmental impact of, 330  
   herd animal, 115, 115, 295–296, 303  
   horn, 303, 305  
   in Hypothetical Collection, 210, 212  
   identification problems, 166  
   importance of, 301  
   introduction of, 310, 311, 314, 331  
   morphology, 58, 303  
   neat cattle, 10  
   size, 303  
   taxonomy of, 9–10, 290, 292  
   see also animal products; domestic animal  
 goldfish, 292, 301  
 goose, 7  
 goose, domestic, 292, 301  
 goose, graylag, 292  
 gopher, pocket, 33, 58, 139  
*Gopherus agassizii*, 135  
*Gopherus polyphemus*, 33, 80, 81, 209  
 grouper, 53  
 Gruiformes, 60  
 guanaco, 291, 326  
 guinea pig, domestic  
   burial, 121  
   consumption of, 138  
   domestication of, 291, 293, 298, 301  
   importance of, 301  
   in ritual, 297  
   role of, 7, 295, 296–297  
   size, 303  
 guinea pig, wild, 291  
 hare, 310  
 hare, snowshoe, 99  
 hawk, 94  
 hazelnut, 329  
 heron, 60, 123, 123  
 herring, 131, 156, 267  
 Heteromyidae, 59  
*Hippocamelus antisensis*, 91, 326  
*Homo sapiens*, 252  
*Hordeum vulgare*, 293  
 horse, domestic  
   consumption of, 242  
   dentition, 93  
   domestication of, 291, 301, 302  
   herd animal, 115, 115, 295–296  
   identification of, 212  
   introduction of, 311, 314, 331  
   morphology, 58, 59, 80  
   role of, 296, 310–311  
   stabling of, 321–322  
 horse, wild, 291, 328  
 human, 252, see also Topical Index  
 hummingbird, 93  
 hutia, 301  
 Hyaenidae, 135, 299  
 hyena, 135, 299  
 hyena, spotted, 136  
 Hystricidae, 135  
 ibex, 62, 299  
 ibis, 104  
*Iguana*, 369  
 iguana, spiny-tailed, 367  
 Insecta (insect), 5  
   agents of environmental change, 316  
   anatomy, 39  
   environmental indicators, 320–322  
   grubs, 138  
   larva, 321–322, 329  
   morphology, 51, 61–62  
   recovery of, 149  
   as taphonomic agents, 142  
 Invertebrata (invertebrate)  
   analysis of, 164  
   anatomical drawing, 373–376  
   ecology of, 93, 109  
   as evidence for past environmental  
     conditions, 319, 323  
   functional morphology, 44–45, 54, 60–62  
   human use of, 255, 347  
   larval stages, 91  
   pathology, 170  
   seasonal growth, 74–79  
   size and age, 70, 73  
   specimen preparation, 381

- Ischadium recurvum*, 104  
*Isolobodon portoricensis*, 301
- jack, 74  
*Juniperus silicicola*, 329
- kangaroo, 52, 59  
 killifish, 156, 166  
 kingfish, 166, 205  
 koala, 92
- Labroidei, 35  
 Lacertilia (lizard), 43, 367, 381  
*Lagenaria siceraria*, 272  
 Lagomorpha, 7  
*Lama glama*, 54, 291  
*Lama guanicoe*, 291, 326  
*Leiostomus xanthurus*, 205  
*Leopardus pardalis*, 300  
 Lepadidae, 45  
 Lepisosteidae, 40  
*Lepisosteus*, 61  
 Leporidae, 48  
*Lepus americanus*, 99  
 lichen, 106  
 limpet, 40, 104, 138, 265  
 lion, 98  
 liptooth, 151  
*Littorina irrorata*, 203  
 Littorinidae, 68  
 lizard, 40, 43, 138, 367, 369  
     standard measurements, 381  
 lizard, dicrodon, 268  
 lizard, varanid, 135  
 llama, 308, 309  
     dentition, 54  
     disease, 309–310  
     domestication of, 291, 293, 301, 312  
     environmental impact of, 313  
     herd animal, 115, 115, 295–296, 307, 313–314  
     importance of, 301, 313–314  
     pack animal, 295, 296, 307, 309, 313–314, 322  
     ritual, 121, 306, 307, 313  
     taxonomy of, 291  
     see also animal products; domestic animal  
 lobster, 39, 40, 45, 132, 163  
*Lontra canadensis*, 57  
 Lophiiformes, 79
- Lutjanidae, 53  
*Lutjanus griseus*, 91
- macaw, scarlet, 301  
 mackerel, 53, 56  
 Macropodidae, 52  
 maize, 84, 96, 307, 322, 345, 349  
*Malaclemys terrapin*, 209, 209  
 Malacostraca, 40, 45, 375  
 mallard, 292, 295, 301  
 Mammalia (mammal)  
     age, 265  
     analysis of, 164, 203, 210, 212, 237, 244  
     anatomy, 39  
     capture techniques, 268  
     dentition, 170, 195  
     as evidence for past environmental  
         conditions, 328  
     feeding strategy, 93  
     human use of, 257, 275, 347  
     in Hypothetical Collection, 156  
     isotopes, 84, 86  
     locomotion, 54–59  
     morphology, 40, 42, 42, 43, 44, 51–54, 60–64,  
         364  
     nomenclature, 35  
     recovery of, 156  
     richness, 111  
     seasonal growth, 74–79  
     sex, 79–80, 178  
     and site-formation processes, 138, 203  
     size, 64–67, 67, 68  
     size and age, 70–73, 72  
     standard measurements, 380  
     structures used in feeding, 46–48, 47, 48,  
         49, 263  
     trophic level, 93  
 mammoth, woolly, 15, 325, 328  
*Mammuthus primigenius*, 325  
 Mammutidae, 328  
 manatee, West Indian, 49, 52, 56  
 mangrove, 104  
*Marmota monax*, 90  
 Marsupialia (marsupial), 300  
 mastodon, 328  
 Maxillopoda, 40, 45  
*Mazama*, 91  
 Megalonychidae, 328



- Megalops atlanticus*, 43, 43  
*Meleagris gallopavo*, 8, 202, 292  
*Meleagris ocellata*, 202  
 Melonginidae, 126  
*Menippe mercenaria*, 49, 50  
*Menticirrhus*, 166, 205  
*Mercenaria*, 77, 327, 383  
*Mercenaria campechiensis*, 74  
*Mercenaria mercenaria*, 198, 199, 263  
*Meretrix lamarkii*, 77, 324  
*Meretrix lucoria*, 77, 152  
*Metroxylon sagu*, 329  
*Micropogonias undulatus*, 198, 200, 205, 327  
 Microtini, 48  
 millet, 84  
*Mirounga angustirostris*, 98  
 mite, 5, 320  
 moa, great, 325  
 mole, 56, 58, 217  
 Mollusca (mollusc)  
   analysis, 164, 203, 204, 206, 208, 210  
   anatomy, 39  
   dietary contribution, 234  
   as evidence for past environmental  
     conditions, 320, 323, 345  
   as evidence of residential pattern, 265  
   human use of, 275, 347  
   in Hypothetical Collection, 155, 168, 246  
   identification of, 162, 165, 204  
   morphology, 40, 44–45, 51–54, 60–62,  
     373–374  
   nomenclature, 37  
   predation, 122  
   processing techniques of, 274  
   recovery of, 156  
   seasonal growth, 74–79, 176  
   size and age, 73–74, 187, 192, 198  
   specimen preparation, 381  
   standard measurements, 383  
   structures used in feeding, 46  
 monitor lizard, *see* Komodo dragon  
 monkey, capuchin, 300  
*Monodon monoceros*, 47–48  
 moonsnail, 122  
 moose (American terminology), 32, *see also*  
   elk  
*Morone [=Roccus] saxatilis*, 371–372  
*Morus bassanus*, 98  
 moss, 106  
 moth, silk, domestic, 292, 301  
 moth, silk, wild, 292  
 mouflon, Asiatic, 292  
 mouse, 135, 298, 301, 310, 330  
 mouse, house, 152, 398  
 mouse, kangaroo, 59  
 mudsnail, eastern, 68  
*Mugil*, 198, 205  
*Mugil cephalus*, 104  
 mullet, 104, 156, 197, 198, 204, 205, 272  
 murex, 122, 134  
 Muricacea, 122  
 Muricidae, 122  
 Muridae, 135  
*Mus musculus*, 152, 298  
 mussel, 109, 132  
 mussel, hooked, 104  
 Mustelidae (mustelid), 98, 135  
 Myliobatidae, 51  
 Mysticeti, 46  
 Mytilidae, 109  
  
*Naja nigricollis*, 368  
 narwhal, 47–48  
*Nassarius obsoletus*, 68  
 Naticidae, 122  
 nerite, 89, 104  
 Neritidae, 89  
*Neverita duplicata*, 68  
  
 oca, 322  
 ocelot, 300  
 octopus, 45, *see also* squid  
*Odobenus rosmarus*, 48  
*Odocoileus*, 91–92  
*Odocoileus hemionus*, 91–92  
*Odocoileus virginianus*  
   antler growth, 79  
   dentition, 176  
   garden hunting, 298  
   in Hypothetical Collection, 159, 173  
 Odontoceti, 53  
 odostome, impressed, 149  
 opossum, common, 300  
 orchid, 84  
 Orchidaceae, 84  
*Oryctolagus cuniculus*, 100, 291, 295, 310

- oryx, 299  
*Oryza sativa*, 84  
 Osteichthyes, 34, *see also* Actinopterygii  
*Osteolaemus tetraspis*, 366  
 Ostrachiidae, 61  
 otter, Nearctic river, 57  
 otter, sea, 61, 64  
*Ovis aries*, 10, 290, 292  
*Ovis canadensis*, 275  
*Ovis orientalis*, 290, 292  
 owl, 94  
*Oxalis tuberosa*, 322  
 oyster, 69, 77, 149, 164, 239, 246  
 oyster, Caribbean, 104  
 oyster, eastern, 65, 68, 163, 275, 320, 323  
     standard measurements, 383
- paca, 298  
 pademelon, dusky, 300  
 palm, sago, 329  
 panda, giant, 92  
*Pandanus*, 345  
 pandanus, 345  
*Panicum miliaceum*, 84  
 panther, 64, *see also* cougar  
*Panthera leo*, 98  
*Papio*, 54  
 parrot, 60, 94  
 parrotfish, , 272  
 parrotfish, stoplight, 34, 35, 35, 36, 53  
 parrotfish, yellowtail, 36  
*Passer domesticus*, 330  
 pea, 86  
 peafowl, 80  
 peanut, 86  
*Pecari tajacu*, 298  
 peccary, collared, 298  
 Pectinidae, 132  
 Pelecypoda, 44, 373, 383  
*Penaeus*, 50, 104  
 penguin, 57, 60  
 perch, silver, 156, 205  
 Perciformes (perciform), 35, 68  
 Perissodactyla (perissodactyl), 52, 166  
 periwinkle, marsh, 68, 203  
 petrel, 57  
 Phalacrocoracidae, 7  
*Phalacrocorax*, 137  
*Phalanger orientalis*, 300  
*Phascolarctos cinereus*, 92  
*Phaseolus*, 86  
*Phaseolus vulgaris*, 96  
 pheasant, 80  
 Phoenicopteridae, 54  
 pig, domestic  
     age, 72  
     barnyard animal, 295–296, 297, 312  
     in China, 296  
     dentition of, 48, 49, 52, 54, 170, 175, 203, 204  
     domestication of, 291, 293, 301  
     environmental impact of, 313, 330, 331  
     feral, 100, 314, 331  
     food habits, 93  
     in Hypothetical Collection, 217  
     identification of, 203, 204, 212  
     importance of, 100, 301  
     introduction of, 310, 311, 314, 325, 331  
     Middle White breed, 305  
     morphology, 58, 58, 80, 304, 305, 363  
     in Oceania, 345  
     pickled pigs feet, 215  
     pork, 283, 348  
     role of, 7, 296–297, 311  
     size, 303  
     skeletal weight, 65  
     taphonomic agent, 134–135, 136  
     taxonomy of, 291  
     tooth wear, 175  
     weight, 65  
     *see also* animal products; domestic animal
- pigeon, 325, 329  
 pigeon, domestic, 292, 295, 301  
 pigeon, wild, 292  
 pineapple, 84  
*Pinguinus impennis*, 16  
 Pinnipedia, 57  
 piranha, 53, 55  
*Pisaster ochraceus*, 109  
 Pisces, 35  
*Pisum*, 86  
 plankton, 54, 84, 91, 99–100, 107  
*Platax*, 75  
 Pleuronectiformes, 68  
*Pogonias cromis*, 205, 238  
*Polygyra*, 151  
 Polyplacophora, 40, 44, 373

- porcupine, 268  
 porcupine, New World, 135  
 porcupine, Old World, 135  
 porcupinefish, 51, 61  
 porgy, 49, 51, 52, 68  
 porpoise, 53  
 Portunidae, 375  
 potato, 307, 314, 322  
 Primate, 52, 60, 80, 135  
 Procellariiformes, 57  
 Procyonidae, 52  
 pronghorn, 62  
 protozoa, 93  
*Pseudalopex* [= *Dusicyon*] *sechurae*, 121  
 Psittacidae, 60  
 puma, *see* cougar  
*Puma concolor*, 64  
*Python*, 369  
 python, 369
- quahog, 77, 78, *see also* hard clam  
 quahog, ocean, 77  
 quahog, southern, 74  
 quail, 80
- rabbit, 7, 48, 52, 59, 93, 135, 217  
 rabbit, domestic, 291, 295, 301  
 rabbit, European, 100, 291  
 raccoon, 52, 58, 93, 135, 217, 294  
 rail, 325  
 Rallidae, 325  
*Rana*, 238  
 rangia, Atlantic, 78, 327  
*Rangia cuneata*, 78, 327  
*Rangifer tarandus*, 79  
 Ranidae, 44, 370  
*Raphus cucullatus*, 325  
 rat, 134, 135, 136, 217, 298, 301, 330  
 rat, black, 190, 191, 298  
 rat, New Guinea, 300  
 rat, Norway, 190, 191, 298  
 rat, Old World (Eurasian), 8  
 rat, Polynesian, 300  
 rat, rice, 323  
*Rattus exulans*, 300  
*Rattus norvegicus*, 8, 190, 191  
*Rattus praetor*, 300  
*Rattus rattus*, 8, 190, 191
- ray, 43, 44, 156  
 ray, eagle, 51  
 reindeer, domestic (European terminology),  
 80, 92, 295–296, 301  
 Reptilia (reptile)  
 analysis, 203, 210  
 feeding behavior, 93  
 function and structure of hard tissue, 43,  
 46–63  
 hibernation, 90  
 human use of, 347  
 in Hypothetical Collection, 156  
 locomotion, 54–59  
 morphology, 40, 42, 43, 43, 44, 60–64,  
 365–369  
 and site-formation processes, 135, 138,  
 203  
 size, 64–67  
 standard measurements, 381  
 taxonomy, 35  
 rhinoceros, 15  
 rice, 84  
 Rodentia (rodent), 32, 33, 49, 52, 80, 93, 135,  
 137, 138, 268  
*see also* guinea pig; Microtini; mouse;  
 Muridae; rat
- Saccharum*, 84  
 salamander, 33, 40  
 standard measurements, 382  
*see also* pocket gopher  
 salmon, 90, 262  
 Salmonidae, 90  
 sandpiper, 209  
 scallop, 132  
 Scaphopoda, 40, 44  
 Scaridae, 35, 36  
*Scarus viridis*, 34–35, 35  
 Sciaenidae, 51, 68, 205, 212  
*Sciaenops ocellatus*, 91, 187, 205  
 Scuriidae, 135, 138  
*Sciurus carolinensis*, 329  
 Scolopacidae, 209  
 Scombridae, 53  
 sea lion, California, 98, 268, 272  
 seal, 57  
 seal, northern elephant, 98  
 seatrout, 205

- sea urchin, 39, 44, 45, 46, 50, 51, 61, 64, 91, 104, 132, 265  
 sedge, 106  
 Serpentes, 43, 207, 368–369, 381  
 Serranidae, 53, 68  
*Serrasalmus*, 53, 55  
 shark, 43, 43, 44, 46, 133, 156  
 shark, white, 53, 206  
 shark eye, 68  
 sheep, bighorn, 275  
 sheep, domestic  
   age, 72  
   dentition of, 175  
   domestication of, 292, 293, 301, 312  
   environmental impact of, 330  
   herd animal, 115, 115, 295–296  
   horn, 303, 305  
   in Hypothetical Collection, 210  
   identification problems, 166  
   importance of, 301  
   introduction of, 310, 311, 314, 331  
   morphology, 58, 303  
   neat cattle, 10  
   polled, 62, 305  
   size, 303  
   skeletal weight, 65  
   taxonomy of, 9–10, 290, 292, 294  
   weight, 65, 225, 232  
   see also animal products; domestic animal  
 shrew, 66, 67, 310  
 shrimp, 39, 40, 45, 49–50, 104, 148–149  
 Sigmodontinae, 323  
 Siluriformes, 68, 167, 204  
 silverside, 104  
 Sirenia (sirenian), 57  
 slippersnail, 249  
 sloth, giant ground, 328  
 snail, 39, 44, 62  
 snail, land, 138, 139, 149, 151–152, 320–321  
 snake, 40, 43, 53, 57, 68, 90, 152, 207, 368–369  
   standard measurements, 381  
 snake, nonpoisonous, 126  
 snake, pit viper, 53, 126, 208, 209, 209  
 snapper, 53, 104  
 snapper, gray, 91  
 snipe, common, 209  
 snook, 91, 104  
*Solanum*, 322  
 sorghum, 84  
*Sorghum vulgare*, 84  
 Soricidae, 66  
 spadefish, 74, 75  
 Sparidae, 49, 68  
*Sparisoma*, 35  
*Sparisoma rubripinne*, 36  
 Sparisomatinae, 35  
*Sparisoma viride*, 34, 35, 36, 53  
 sparrow, English or house, 330  
*Spermophilus*, 90  
 Sphenisciformes, 57  
 Sphyaenidae, 53  
 spider, 320  
*Spisula solidissima*, 77  
 Spondylidae, 134  
*Spondylus calcifer*, 320  
 spot, 205  
 Squamata, see Lacertilia; Serpentes  
 squash, 322, 349  
 squid, 44, 132  
 squirrel, 135, 138  
 squirrel, gray, 329  
 squirrel, ground, 90  
 starfish, ochre, 109  
 starling, 330  
*Sterna*, 98  
*Sterna paradisaea*, 90  
 stingray, 268  
*Stomoxys calcitrans*, 321–322  
 Strigiformes, 94  
 sturgeon, 61, 265, 328  
*Sturnus vulgaris*, 330  
 sugarcane, 84  
 Suidae (suid), 49, 80  
 surfclam, Atlantic, 77  
 surgeonfish, 167  
*Sus domesticus*, 7, 48, 58, 170, 175, 291–292, 363  
*Sus scrofa*, 291–292  
*Sus scrofa vittatus*, 291  
 swine, see pig  
  
*Tagelus plebeius*, 68  
 tagelus, stout, 68  
 Talpidae, 56  
 tarpon, 43, 43, 91, 104  
 tern, 98  
 tern, Arctic, 90

- Terrapene carolina*, 61, 90  
 terrapin, diamondback, 209, 209  
 Testudines, 57, 61, 133, 178, 381  
 Testudinidae, 61  
 thick-knee, double-striped, 7, 158  
 thorny-oyster, Pacific, 134, 320  
 Threskiornithidae, 104  
*Thylogale brunii*, 300  
*Thyrsites atun*, 328  
 toad, 40, 59, 91, 138, 152, 238  
     standard measurements, 382  
 topshell, West Indian, 104, 123, 123  
 tortoise, 61, 299  
 tortoise, desert, 135  
 tortoise, gopher, 33, 80, 81, 90, 249, 265,  
     320  
     in Hypothetical Collection, 178, 209,  
     209  
*Trachycardium procerum*, 263  
*Trichechus manatus*, 49, 56  
 triggerfish, 61, 167  
 Trionychidae, 79  
*Triticum aestivum*, 84  
 Trochilidae, 93  
 turkey, 8, 80, 173  
 turkey, domestic, 292, 293, 295, 301  
 turkey, ocellated, 202  
 turkey, wild northern, 202, 292, 331  
 turtle, 40, 41, 42, 46, 57, 60–61, 68, 80, 207,  
     244, 262, 365  
     standard measurements, 381  
 turtle, eastern box, 61, 80, 90  
 turtle, sea, 32–33, 57, 80, 138, 166, 261  
 turtle, snapping, 94, 365  
 turtle, softshell, 79  
 tuskshell, 44  
 ungulate, *see* Artiodactyla; Perissodactyla  
*Urocyon littoralis*, 300  
 Ursidae, 52  
*Ursus americanus*, 90  
*Ursus spelaeus*, 81  
  
*Vanilla*, 84  
 vanilla, 84  
 Varanidae, 135  
*Varanus komodoensis*, 53  
  
 Vertebrata (vertebrate)  
     anatomical drawings, 363–372  
     anatomy, 39  
     directional terms, 363  
     as evidence for past environmental  
         conditions, 319, 323  
     human use of, 255  
     in Hypothetical Collection, 165  
     identification, 168  
     locomotion, 54–59  
     morphology, 42–44, 60–62, 93  
     nomenclature, 35  
     seasonal growth, 74–79  
     size and age, 70, 73  
     specimen preparation, 380–381  
     standard measurements, 380–382  
*Vicugna pacos*, 121, 291  
*Vicugna vicugna*, 64, 291  
 vicuña, 64, 291, 326  
 Viperidae, 53  
 vole, 48  
  
 walrus, 48  
 wapiti, North American, 32, *see also* red deer  
 water buffalo, Asian wild, 291  
 water buffalo, domestic, 291, 295–296, 301, 310,  
     313  
 weasel, 98, 135, 310  
 whale, 54, 57, 57, 138  
 whale, baleen, 46, 107  
 whale, toothed, 44, 53  
 wheat, 84, 293  
 whelk, 126, 134  
 whelk, knobbed, standard measurements, 383  
 whelk, lightning, 126, 127  
 wolf, 99, 304  
 wolf, gray, 98, 290, 291, 294  
 woodchuck, 90  
 wrass, 35  
  
 yak, 296, 301  
 yam, 329  
  
*Zalophus californianus*, 98  
 zamia, 329  
*Zamia integrifolia*, 329  
*Zea mays*, 84, 96, 322

## TOPICAL INDEX

*Page references to figures and tables are italicized.*

- abiotic processes, 119, 134, 139–145
- Aborigine, 329
- accession number, 158
- acculturation, 280
- activity area, 213, *see also* archaeological context
- actualistic study, 22, 28, 143–144
- adaptation
  - biological, 79
  - cultural, 10, 13–14, 18, 20–21, 29
- adenine, 81
- aerobic condition, 140
- aestivation, 90
- Afghanistan, 303–304
- Africa, 3, 4, 144, 193, 226, 347
  - and domestic animals, 101, 102, 102, 158, 291–292, 293, 295, 296, 305, 310, 330, 331
- age, 166, 192–199
  - absolute, 72, 74, 77, 172, 192, 196, 266
  - anatomical features of, 54–56, 62–63, 69–74, 158, 164, 172–179
  - classes, 72, 153, 172, 182, 192–199, 264
  - and cranial sutures, 60, 72, 172–173, 196
  - at death, 28, 75, 77–78, 173, 176, 192, 193, 196, 197, 200, 263, 266, 278, 309
  - with determinate growth, 70–73, 79–80, 193–196
  - distribution, 101–102, 309
  - and domestication, 297, 303, 304, 306–310, 312
  - and environmental reconstruction, 319, 322, 323, 324, 350
- epiphyseal fusion, 70–73, 71, 72, 172, 173–174, 180, 184, 193–195, 195, 232, 263
- estimation of, 154
- with indeterminate growth, 73–74, 79, 197–198
- and MNI, 206, 210, 210
- and morphology, 54–56, 60, 62–63, 164, 172
- relative, 72, 74, 172, 196
- response to stress, 318
- and seasonal growth, 74–79
- and sex, 65, 172, 174, 178, 194, 199, 202
- and size, 65, 69–74, 180, 183–185, 186, 197–198, 238
- structure, 100–103, 194
- and subsistence strategies, 267
- tooth development, 43–44, 72–73, 171, 172, 174, 195, 196
- tooth eruption sequence, 72–73, 172, 174, 193, 195–196, 263, 309
- and tools, 185
- see also* antler; increments; sex; size; tooth wear
- aggregation of animals, 98, 254
- Aitutaki Island, Southern Cook Islands, 328
- Alaska (USA), 3, 225, 273
- Albarella, U., 168
- Aleutian shell mound (USA), 3, 15, 15
- Ali Kosh (Iran), 3, 305
- alleg, 132
- Allen, M. S., 328
- Alligator Ware, 283
- allometry, 66–69, 67, 234–235, 235, 236, 238

- dimensional, 187, 187, 234, 235  
 formula, 68, 187, 187, 235, 236, 239, 241  
 power function, 239  
*see also* biomass; estimate of body  
 dimension; estimate of dietary  
 contribution; isometric relationship
- Alps, 90  
 altitude, 84, 86, 106, 255, 318  
 Amazon Basin, 3, 322  
 Ambient Inhalable Reservoir (AIR), 83, 85,  
 86  
 American Fisheries Society, 34, 37  
 Americas, 2, 4, 8, 348  
 and domestic animals, 291–292, 293, 294,  
 296, 311  
 post-Columbian colonization of, 100, 158,  
 311, 330, 331  
 anadromous, 90, 262  
 anaerobic condition, 140  
 analogy, 39, 45, 266, 267, 343–344  
 Anasazi (Colorado, USA), 3, 298  
 anatomical drawing  
 bass, 371–372  
 bird, 59, 364  
 chiton, 373  
 clam, 374  
 cobra, 368  
 crab, 375, 376  
 crayfish, 375  
 crocodile, 366  
 dog, 364  
 frog, 370  
 gastropod, 373  
 iguana, 367, 369  
 mammal foot, 58  
 pig, 363  
 python, 369  
 sea urchin, 45  
 turtle, 365  
 whale, 57  
 anatomical region, 216–219  
 anatomy, 31, 38–41, 40  
 directional terms, 46, 363  
 invertebrate, 44–45, 49–50, 61–62, 73–77  
 structure and function in, 38–39, 45, 54, 56  
 vertebrate, 42–44  
 anatomical variation, 63–80
- Andes, 3, 88, 121, 134  
 and domestic animals, 291–292, 297, 298,  
 308, 309, 310–311, 313–314  
 exchange systems, 320, 322  
 slaughter traditions, 126
- Anglo-Norman, 283  
 Anglo-Saxon, 312  
 animal attribute, 272, 279, 280  
 animal husbandry  
 and agriculture, 314  
 anatomical features of age and sex, 172, 199  
 artifacts of, 270, 301, 313  
 culling, 326  
 environmental impact of, 330–331, 349–350  
 and ethnoarchaeology, 144  
 and residue on tools, 274  
 and zooarchaeological research, 5, 287, 330,  
 348  
 practices, 103, 306–307, 311–312  
*see also* domestic animal; pathology; tools
- animal products, 275–276, 348  
 blood, 86, 103, 192, 306  
 bone, 230, 233, 295, 348  
 bone meal, 215  
 brain, 6, 215, 233  
 bristle, 296  
 building material, 7, 275, 295  
 candles, 95, 133, 276  
 cheese, 314  
 and domestic animals, 295–297, 300  
 down, 275  
 dung, 7, 295, 314, 321–322  
 egg, 6, 296, 348  
 fat, 7, 95, 133, 225, 232, 274  
 feather, 5, 32, 61, 275, 296, 301, 348  
 fertilizer, 7, 295, 314  
 fiber, 296, 313, 314  
 fuel, 7, 132, 254, 295, 314  
 fur, 32, 127, 215, 275, 295  
 gelatin, 7, 204  
 glue, 7, 133, 204, 215, 275, 348  
 grease, 133, 204, 226, 230, 274, 275, 348  
 hair, 5, 7, 41, 192  
 hide, 5, 7, 127, 215, 233–234, 295, 331, 348  
 honey, 84  
 jelly, 274  
 lubricant, 133, 275  
 manure, 7  
 marrow, 56, 226, 227, 230, 232, 233, 274

- animal products (*cont.*)  
 milk, 86, 95, 103, 192, 295–296, 306, 310, 314, 348  
 and nutrition, 95–97  
 oil, 7, 95, 133, 204, 274, 275–276  
 organ meat, 95, 215  
 pigment, 275  
 plaster, 295  
 pomade, 275  
 powder horn, 295  
 progeny, 306  
 services, 295–296, 306, 348  
 shampoo, 275  
 sinew, 268  
 skin, 32, 61, 233–234, 275  
 and technology, 266  
 tongue, 233  
 turtle shell, 133  
 viscera, 6, 233  
 waterproofing, 133  
 wool, 7, 103, 192, 295, 306, 314, 344  
 yogurt, 314  
*see also* antler; horn; meat; nutrition; tools
- animal roles  
 in agriculture, 296  
 burden-bearing, 7, 103, 213, 243, 295–296, 297, 306, 310, 312, 313, 344  
 ceremonial, 281–284, 285, 348  
 companionship, 248  
 guard animal, 7  
 nonfood, 7, 10, 25–26, 203, 213  
 recreation, 281  
 sacred, 297  
 service, 103, 295  
 as social marker, 278–285, 335, 348  
 traction, 7, 103, 243, 295–296, 306, 310  
 transportation, 243, 344  
 walking larder, 301–302  
 and zooarchaeological research, 7, 286, 297, 310–311, 335, 348  
*see also* animal products; domestic animal; ritual; tools
- annual cycle, 79, 89, 260, 266  
 Antarctic, 90  
 Antelope House (Arizona, USA), 321  
 anthropological theory, 12–14  
 cultural ecology, 12, 13–14, 18, 20  
 functionalism, 18, 20, 25  
 ecological anthropology, 12, 13–14, 20, 21, 29  
 environmental determinism, 12, 26, 317  
 environmental possibilism, 13–14, 17, 29  
 historical ecology, 12, 29  
 historical particularism, 13  
 human ecology, 14, 345, 346, 347, 350–351  
 postprocessualism, 26  
 processualism, 20, 25  
 structuralism, 20–21, 25–26  
 symbolic anthropology, 20–21, 26
- Antilles, 3, 299, 300–301, 322, 348
- antler  
 and age, 196  
 anatomical features of, 64, 73, 172  
 biological characteristics of, 47, 62  
 human use of, 6, 127, 133, 233–234, 275  
 and seasonality, 79, 178, 263  
 sexual dimorphism, 80, 200  
 velvet, 62, 79  
*see also* animal products; element types
- apatite, 85, 118  
 Arabia, 291–292  
 aragonite, 39, 61, 63  
 archaeobotany, 30, 386  
 archaeogenetics, 28, 29, 80–82, 244, 288–290, 344, 350, *see also* DNA; genetics; genome
- archaeological context  
 base camp, 265  
 burial, 25, 146, 147, 192, 262, 282, 296, 305  
 butchery, 22, 23  
 camp, 25, 120, 255, 258  
 ceremonial, 134  
 closed, 264  
 column sample, 147  
 commercial, 225  
 consumption, 22, 23, 204, 225  
 crypt, 140, 143  
 and domestication, 299–300  
 and environmental reconstruction, 322  
 extractive, 255, 264, 265  
 and first-order changes, 124, 134  
 feature, 147, 264  
 fishing station, 25, 120, 265  
 footing trench, 147  
 hearth, 147, 264  
 home base, 259, 299  
 house, 9, 147, 264  
 informal structure, 264



- kill, 9, 22, 23, 120, 146, 200, 204, 215, 225, 226
- latrine, 136, 140, 321
- long-term, 120–121
- midden, 9, 147, 203, 264, 321, 329
- and MNI, 209
- monument, 279, 347
- mound, 16, 329
- processing, 120, 204
- residential, 120–121, 146
- rural, 215, 277–278
- and second-order changes, 206, 209, 210, 213, 216
- sheet refuse, 147, 155, 264
- social, 225
- storage, 9, 147, 208, 264, 275, 299, 330
- systemic, 123–124, 134
- temple, 9, 147, 282
- and temporal periodicity, 264–265
- temporary camp, 258, 264
- tomb, 294, 305
- trash deposit, 155, 264
- types of deposits, 120–121
- urban, 121, 134, 208, 215, 245, 249, 252, 254, 277–278, 322, 329
- village, 25, 25, 121, 215, 264
- well, 121, 140, 147, 155
- zone, 264
- and zooarchaeological collection, 385–386
- and zooarchaeological research, 8, 18–20, 22, 157, 252, 284, 294, 343, 346
- archaeozoology, 4–5
- Archaic Period, 258
- Arctic, 90
- Argentina, 3, 304
- Arizona (USA), 3, 145
- Armitage, P. L., 190
- artifact, 5, 9, 16, 145, 274
- artiodactyl index, 166, 205
- Asia, 19, 291–292, 293, 294, 296
- assemblage, definition, 9
- attribution, 161, 164–167, 378, *see also* identification
- Australia, 2, 3, 100, 134, 269, 328, 330, 331
- Australopithecine, 249
- Avebury (England), 321
- Ayacucho (Peru), 3, 307
- Bahamas, 35–36
- Baker, F. C., 18
- baleen, 41, 54
- Bardach, J. E., 35
- basal metabolism, 255, 260
- Bassett, E., 137
- bauplan, 38–39
- behavioral archaeology, 22
- behavioral strategies, 22, 23, 155, 227
- Behrensmeyer, A. K., 142, 170
- belief system, 5, 7, 25–26, 28, 252, 281–283, 285–286, 348
- Bering Straits, 294
- Binford, L. R., 22, 23, 207, 224, 225–227, 230
- binomen, 34, 290
- binomial, 33
- binominal, 33
- bioarchaeology, 4
- biochemical analysis, 27, 80, 82–86
- biogeography
- and domestication, 299–300, 310–311, 319, 330–331, 348
  - and environmental reconstruction, 318–320, 322, 324–325
  - exotic animals, 280
  - response to stress, 318
  - and subsistence strategies, 260–261
  - and zooarchaeology, 1, 8, 17, 29, 116, 166
- biological anthropology, 2, 386
- biological ecology, 14
- biomass
- aggregation, 239
  - in food webs, 107
  - sample biomass, 211, 236, 238, 239, 241, 245–246
  - see also* allometry; estimate of dietary contribution
- biome, 106, 107, *see also* ecosystem
- biostratinomy, 122
- biotic processes, 119, 123, 134–139, 143–145
- bioturbation, 5, 124, 134, 139
- Black Sea, 3
- Blitzkrieg, 329
- blood
- protein, 80
  - residue, 5, 274–275, 349
- Boas, F., 13
- Bobrowsky, P. T., 4

- bogs, 140  
 Bökönyi, S., 206, 207  
 Bonaire (Netherlands Antilles), 3, 300  
 bone  
   and abiotic processes, 140–141  
   cellular, 55, 74  
   cancellous, 55–56, 70–71  
   cartilage-replacement, 55  
   cellular, 74  
   center of ossification, 70–71  
   compact, 55–56, 172  
   composition of, 39  
   density, 56, 136, 243, 275  
   dermal, 17, 55, 60–61  
   endochondral, 55, 70  
   Haversian, 55  
   immature, 55, 172  
   increments in, 76  
   inorganic component, 39–41, 41, 84–85  
   and isotopes, 84–85, 87  
   lamellar, 55, 56  
   membrane, 55, 60  
   nonvascular, 55  
   organic component, 39–41, 41, 84–85  
   primary lamellar, 55  
   primary vascular, 55  
   secondary lamellar, 55  
   trabecula, 56, 70–71  
   in vertebrate locomotion, 54–56  
   woven, 55  
   in zooarchaeology, 7, 345  
   *see also* raw material  
 bone count, *see* number of identified specimens  
 Bonnaterre, P. J., 34–35  
 Brain, C. K., 232  
 breakage unit, 161, 216  
 British Isles, 321, *see also* England  
 Bronze Age, Early, 305  
 Broughton, J. M., 328  
 Brusca, G. J., 44  
 Brusca, R. C., 44  
 buffer zone, 98–99  
 Burma, 296  
 butchery  
   methods, 16, 22, 28, 153, 166, 167, 213, 232, 242–243, 293  
   modifications associated with, 125–130, 141, 242–243  
   and NISP, 203  
   primary, 126, 128, 130, 243, 272, 274  
   secondary, 126, 128, 130, 272, 274  
   skill, 242, 274  
   tertiary, 126, 272, 274  
   unit, 216–219, 220–227, 272, 274  
   waste, 136–137  
   *see also* modifications; tools  
 Butler, V. L., 328  
 calcite, 39, 61  
 calcium  
   carbonate, 39, 46, 49, 50, 61, 63, 78  
   as a component of hard tissue, 39, 61–62, 141  
   as a nutrient, 94, 97  
   phosphate, 39, 97  
   and strontium, 86–87  
 California (USA), 3, 18, 131, 300, 328  
 campaign-style archaeology, 19  
 Canada, 3, 37, 155, 269  
 cannibalism, 99  
 captive animals, 73, 296, 299–301  
 Caribbean, 3, 32–33, 91, 134, 155, 328, 331  
 carrying capacity, 24, 99–100, 245, 255, 259–260  
 cartilage, 41, 54–55, 70–71  
 Casas, Bartolomé de las, 299  
 Casas Grandes (Chihuahua, Mexico), 3, 301  
 Casteel, R. W., 239  
 catadromous, 90  
 catalogue number, 159  
 catchment area, 25  
   and environmental reconstruction, 319, 320, 322  
   site-catchment analysis, 24, 213, 257  
   in subsistence strategies, 254, 257–261, 299, 344, 347, 349  
 cave, 140, 143, 321  
 cementum, 41, 46, 47, 76, 176, 193, 196, *see also* increments  
 Central America, 158  
 central-place theory, 24  
 Ceramic Age, 328  
 ceremony, *see* ritual  
 Channel Islands (California, USA), 3, 300

- Chaplin, R. E., 167, 193, 194, 206, 207, 237, 249
- charm, 7
- chemical, organic, 81, 94
- Chihuahuan Desert (Mexico and USA), 3, 259, 301
- China, 291–292, 293, 296, 310
- Chiriqui (Panama), 283
- chitin, 39, 49, 61–62
- chromosome, 81–82, 289
- chronology, 15, 17–18, 29
- cirri, 54
- clade, 82, 289, 291, 294
- Clarke, D. L., 22
- Clason, A. T., 153, 168
- class, 33–34, 35, 37, 39, 42–45, 54, 55, 56
- Cleland, C. E., 245
- climate  
   and environmental reconstruction, 316, 318, 319  
   as an abiotic process, 140  
   as an environmental factor, 72, 76, 110, 266, 277  
   change, 5, 183, 260,
- cognition, 281–283
- collagen, 39, 55, 84–86, 96, 118, 142
- collection, definition, 9, *see also* reference  
   collection; zooarchaeological collection
- colonization, 8, 25, 100, 280, 294, 300, 311, 314, 325, 330, 348
- Colorado (USA), 3, 298
- commensal relationship, 100, 103, 118, 137–138, 151, 213–215, 242, 262, 298, 329–330
- common name, 9–10, 32–33, 37
- community ecology  
   abiotic, 106  
   and applied zooarchaeology, 332  
   biotic, 104  
   connectance, 107, 109  
   ecosystem structure, 88–89, 103–113, 108, 114  
   heterogeneity, 110–113  
   mutualism, 103  
   and zooarchaeology, 18  
   *see also* commensal relationship;  
   competitive relationship; diversity;  
   ecosystem; equitability; food web;  
   population ecology; predator-prey  
   relationship; productivity; richness;  
   similarity measure; symbiotic  
   relationship; trophic level
- competitive relationship, 103, 330
- complex societies, 28
- computers, 160, 176, 207
- conchiolin, 39, 61
- conjunctive approach, 18, 19
- connective tissue, 54–56
- conservation, 6, 29, 331–334
- Cook Islands (Polynesia), 3, 273, 328, 345
- Coppergate (York, England), 3, 136
- coppice, 324
- coprolite, 5, 6, 46, 136–138, 256, 262, 321, 345
- corrected frequency, 224, 225, 226, 229, 229
- corrected number of specimens (CSI), 260
- cost, 280  
   cost-benefit analysis, 24  
   energetic, 22–24, 98, 253–255, 257, 266, 343–344  
   *see also* Jochim's model
- courtship display, 54, 64, 302
- Crabtree, P. J., 242
- crassulacean acid metabolism (CAM), *see* photosynthetic pathways
- Cruz-Uribe, K., 206, 207, 213, 227, 249
- ctenidia, 54
- cuisine, 251, 278, 335  
   traditional Mexican, 349
- cultural filter, 5, 6, 26, 245, 317
- cultural resource management, 20, 26, 30, 377
- cultural transformation processes, 123–125, 134
- culture, 9  
   areas, 13  
   change, 6, 245, 260  
   continuity, 6  
   core, 13  
   definition of edible, 16, 38, 233, 237, 256, 279  
   definition of value, 215, 219, 280, 344  
   and domestication, 347, 348  
   and environment, 12–14, 316–317, 323, 335, 349–350  
   history, 14, 17–18, 29, 252  
   maintenance, 285  
   patrimony, 161, 390, 393  
   secondary features, 13  
   and subsistence strategies, 251–252
- cumulative frequency graph, 195, 196
- curation, 18, 26, 146, 153, 154, 178, 297, 342

- curation (*cont.*)  
 collection-management policies, 393–394  
 environment, 394  
 facility, 389, 393  
 long-term, 393–395  
 of notes and records, 377, 389–390, 393–394  
 protocols, 387, 389  
 of reference specimens, 381, 393  
 of studied archaeological specimens, 377,  
 387–391, 393–394  
 of unstudied archaeological specimens,  
 377, 393–394
- curio, 206
- cytosine, 81
- Dahl, G., 103
- daily cycle, 24, 89, 260
- Dall, W. H., 15
- Dalzell, P., 328
- data  
 access to, 390, 394–395  
 archival, 158, 389–390  
 curation of, 389–390, 393–395  
 modern age, 73, 192–193, 196  
 modern biogeographical, 266  
 modern fisheries, 322–323  
 modern food value, 226  
 modern growth, 77–79  
 modern observations, 182–183  
 modern sex, 200, 201  
 modern size, 186  
 modern weight, 234, 238  
 standard measurements, 64–65  
*see also* primary data; secondary data
- Davis, S. J. M., 168, 207, 287
- death assemblage, 118, 119, 183, 249, 263–264
- decomposition, 109
- dedicatory reviews, 11
- de facto refuse, 124
- deforestation, 325
- de la Vega, Garcilaso, 325–325
- demography, animal, 263, 327
- dendroclimatology, 319
- dendrogram, 82
- Denmark, 3, 125, 128, 129, 130, 131, 201
- density  
 density-dependent factors, 99–100  
 density-independent factors, 99–100  
 of resources, 99–100, 254–255
- dental formula, 47–48
- dentine, 39, 41, 47, 47, 72–73, 76, 176
- deposited assemblage, 118–120, 119, 183, 249
- dermis, 61
- desert, 140, 143
- diagenesis, 83, 86, 122, 144
- diagnostic zone, 163, 164, 165, 172, 217
- Diamond, J. M., 293
- diaphysis, 70–71, 71, 168, 173–174, *see also* age
- diastema, 48, 52, 52
- dichotomous key, 38
- diet  
 breadth, 24  
 defined, 251  
 dietary requirements, 94–98, 97, 251  
 and isotopes, 82, 83, 84–87  
 norms of food consumption, 278, 280–281  
 nutrition and diet, 255–257  
 and subsistence strategies, 252, 298  
 and zooarchaeological research, 16, 20, 153,  
 247, 249  
*see also* nutrients; nutrition
- disasters, 316, 319
- disease, animal  
 and dentition, 195  
 in domestic animals, 297, 307, 312  
 and the environment, 316  
 evidence for, 170  
 related to size and age, 69, 72  
*see also* pathology
- disposal, trash, 8, 132, 136, 145, 203, 208, 213,  
 242, 259, 264
- diversity  
 in community ecology, 103  
 definition, 110, 111  
 and food web, 109  
 local (alpha), 100  
 niche breadth, 245–246, 247  
 and productivity, 110–113  
 quantification of, 156  
 regional (gamma), 110  
 and sample size, 151  
 Shannon-Weaver function, 111, 112, 112, 247  
 Shannon-Weiner function, 111  
 in subsistence strategies, 260, 275, 298  
 turnover of species (beta), 102, 110  
*see also* equitability; evenness; richness

- DNA (deoxyribonucleic acid), 5, 34, 80–82,  
 144, 274–275, 386  
 ancient DNA (aDNA), 81–82, 118, 182,  
 288–289  
 mitochondrial DNA (mtDNA), 81–82,  
 288–289, 294  
 nuclear DNA (nDNA), 80–82, 289  
*see also* archaeogenetics; genetics; genome  
 document, *see* written record  
 domestic animal, 2, 7, 16, 17, 28, 100, 115, 115,  
 290, 293, 344  
 barnyard, 293, 295, 296–297  
 breed, 36, 65, 73, 189, 201–202, 291  
 free-ranging, 193  
 herd, 255, 293, 295–296, 330–331  
 house, 293, 295, 296–297  
 introduction and spread of, 28, 87, 302–303,  
 310–311, 325, 331, 348  
 pet, 7, 216, 281, 300, 301  
*see also* animal husbandry; pathology;  
 Systematic Index  
 domestication, 287–288, 291–292  
 behavioral features, 268, 287–288, 290,  
 301–302, 304  
 capture and control, 298–299  
 castration, 73, 201–202, 268, 304, 306, 307,  
 312  
 centers of, 293, 302–303  
 change in faunal composition, 311  
 change in proportion, 302–305, 312  
 and coat color, 287, 298, 305–306  
 confinement, 243, 302–303, 311–312  
 and conformation, 183, 186, 202, 297, 302,  
 304–305, 331  
 control of breeding, 73, 289, 290, 299, 301,  
 302–306  
 demographic change, 303, 306–310, 311  
 diet, 243, 290  
 and environment, 293, 296, 330–331, 349–350  
 and environmental reconstruction, 313–314,  
 317, 325  
 evidence for, 184, 189–190, 215, 297, 302–314  
 features of age and sex, 72–73, 172, 192  
 and genetics, 81–82, 288–289, 305–306  
 and health, 28, 243, 311–312  
 history of, 1, 28, 29, 291–292, 293, 303, 305,  
 310–311  
 impact on culture, 295–296, 348  
 inbreeding, 312  
 and isotopes, 83  
 major domestic species, 291–292, 301  
 methods of study, 297–310  
 and modifications, 243–244  
 morphology, 288, 289, 290, 297, 302, 311  
 phenotypic features of, 305  
 physiological features of, 73, 301–302  
 and plant cultivation, 293, 298, 310, 311, 314,  
 330–331  
 polling, 268, 305, 312  
 process of, 290, 297–307  
 range extension, 299–300  
 and site-catchment analysis, 24  
 slaughter schedule, 103  
 and subsistence strategies, 260  
 and taming, 299–301  
 taxonomy of, 290, 291–292  
 timing of, 293, 303  
 unintentional, 298–299  
 and zooarchaeological research, 5  
*see also* Systematic Index; taxonomy  
 Driver, J. C., 161  
 Eaton, G. F., 16  
 ecofact, 5  
 ecological analogy, 143, 182–183, 266, 320–322,  
 343  
 ecology, 13–14, 21, 29, 31, 251, 297, 332  
 definition, 88–89  
 methods, 113–115  
*see also* community ecology; population  
 ecology  
 economies  
 and behavior, 253–255  
 and domestic animals, 311  
 and environmental change, 319  
 and isotopes, 82  
 and social organization, 252, 276, 280  
 and social systems, 254–255  
 and zooarchaeological research, 1, 4, 5, 13,  
 24, 27–28, 169, 213, 344, 348  
 ecosystem, 8, 84, 86, 90, 105, 106, 108, 109, 110,  
 115–116, 316, 330, 347, 349  
 aquatic, 104, 106, 109  
 definition, 104  
 estuary, 104, 105, 106  
 island, 303, 310, 324–325

- ecosystem (*cont.*)  
 marine, 84, 85, 106  
 model, 109  
 processes, 327  
 structure, 103, 104–107  
 temperate, 84, 90, 106, 296  
 terrestrial, 84, 85, 104, 106, 107, 107  
 tropical, 84, 104, 105, 106, 296  
*see also* community ecology; ecology;  
 population ecology
- ecotype, 36
- Ecuador, 3, 268, 294
- edentate, 46, 94
- edge effect, 329
- edible meat, 233–237  
 meat weight, 27, 233–235  
 summary, 240–242  
 total live weight, 66, 233–237  
 usable meat, 233–234
- Efremov, J. A., 117, 123
- egg shell, 5, 46, 61, 63
- Egypt, 3, 297, 299, 305
- Ein Mallaha (Israel), 3, 294
- element, archaeological, definition of, 9, 161
- element representation  
 anatomical region, 161, 163, 205, 217, 217,  
 218, 219  
 and butchery, 127  
 and edibility, 234  
 as primary data, 153, 158, 161–164  
 portion, 161–163, 216, 219–220, 220, 223  
 skeletal elements, 216–217  
 summary figure, 163  
 symmetry, 161, 163, 206–208, 219–220, 224  
 and trade, 278  
*see also* identification
- element types, 127, 168, 364–376  
 aperture, 69, 77, 163  
 apex, 163, 208  
 Aristotle's lantern, 40, 44, 45, 46, 50, 162  
 astragalus, 7, 71, 180, 184, 201, 295  
 atlas, 187, 187, 197, 198, 222  
 baculum, 80, 178  
 beak (bill), 40, 46, 94  
 carapace, 40, 41–42, 46, 60–61, 208, 365  
 carpal, 58, 58, 59, 215  
 carpometacarpus, 59, 59  
 cheliped, 40, 45, 49, 50, 50, 51, 62, 163  
 clavicle, 60  
 claw, 50, 58  
 cleithrum, 74  
 columella, 163, 208  
 coracoid, 60  
 cranium, 40, 46, 60, 215  
 dactyl, 49, 50  
 dentary, 44, 48, 49, 52, 53, 54, 55, 350  
 dermal bone, 60–61  
 dermal denticle, 61  
 dermal scute, 60–61  
 endocranium, 74  
 epiplastron, 80, 81, 178  
 femur, 57, 60, 186  
 fibula, 58  
 frontal, 60, 62  
 humerus, 57, 58, 59, 128, 184, 185, 192  
 hypoplastron, 209  
 ilium, 40  
 interhaemal, 75  
 mandible, invertebrate, 46, 49–50, 51, 62,  
 163  
 mandible, vertebrate, 52, 72–73, 127, 139, 174  
 maxilla, 44, 72–73, 174, 350  
 metacarpus, 58, 58, 65, 66, 180, 201  
 metapodia, 58–59, 127, 133, 215, 228, 295  
 metatarsus, 58  
 operculum, 44, 75, 77  
 otic capsule, 41, 56  
 palatine, 44  
 parietal, 60  
 pedicel, 62, 80, 178  
 pelvic girdle, 57, 60, 139  
 phalanx, 58–59, 58, 59, 127, 215, 222  
 pharyngeal grinding mill, 44, 52, 53  
 plastron, 41, 46, 60–61, 80, 178, 365  
 premaxilla, 44, 52, 53, 54  
 propodus, 49, 50  
 pterygiophore, 74, 167  
 pterygoid, 44  
 pyramid, 45  
 quill, 268  
 radius, 58–59, 58, 59  
 rib, 56, 60–61, 74  
 scale, 4, 5, 61, 75, 77  
 scapula, 60, 125, 125, 130, 139, 242, 295  
 shell plate, 40, 44, 46, 163  
 spine, 61, 75, 75, 77, 162, 167, 268

- spur, 80, 178  
 sternum, 60, 129  
 synsacrum, 60  
 tarsal, 58, 215  
 tarsometatarsus, 60, 80  
 test, 45, 61, 162  
 tibia, 71, 129, 192, 312  
 tibiotarsus, 60  
 ulna, 58–59, 58, 59, 133  
 vomer, 44  
*see also* antler; horn; mollusc valve; tooth;  
 vertebra  
 El Nino/Southern Oscillation (ENSO), 333  
 El Paraiso (Peru), 3, 347  
 elver, 90–91  
 Emeryville (California, USA), 3, 18, 328  
 enamel, 39, 41, 46, 47, 52, 52, 87, 141, 170, 176,  
 195, 203  
 enamel hypoplasia, 170–171, 170, 256  
 endemic, 378  
 endolymphatic fluid, 63  
 energy, 109  
   conservation, 253  
   flow, 28, 104–105, 109  
   management, 252, 266, 285, 343–344  
 England, 3, 154, 312, 321  
 environmental archaeology, 4  
 environmental change  
   anthropogenic, 316, 318, 323, 324–331, 334,  
   349–350  
   archaeological evidence for, 316–317, 323  
   causes of, 317–319, 333–334  
   and domestication, 290, 303, 313–314, 325,  
   329–331  
   extinction, 1, 17, 29, 116, 317, 322, 325,  
   328–329  
   extirpation, 116  
   and harvesting effort, 325–326  
   and humans, 14, 259–260, 324–334, 335, 346  
   and island ecosystems, 324–325  
   mining and smelting, 316  
   and niche breadth, 245  
   nonanthropogenic, 316, 318, 323, 333, 334  
   overexploitation, 29, 78, 92, 183, 259–260,  
   326–328, 334  
   and seasonal growth, 77  
   and zooarchaeological research, 1, 29, 279,  
   316–317, 344  
 environmental reconstruction, 320–323  
   caveats, 319–320, 333  
   goals of, 317–318  
   and habitat requirement, 320–321  
   and modern analogues, 266  
   and zooarchaeological data, 316–317,  
   323–324, 332–334  
   *see also* landscape  
 environmental stasis, 316, 317  
 environmental stress, 69, 76–77, 318  
 enzymes, 94, 96, 97, 310  
 epidermis, 41, 55  
 epiphyseal plate, 70–71  
 epiphysis, 70–71, 71, 168, 173–174, 180, 193,  
 309, *see also* age  
 equitability, 110–113, 112, 245  
   definition, 112  
   Sheldon formula, 247  
   *see also* diversity; evenness; richness  
 Ertbølle culture, 125  
 escargot, 138  
 estimate of body dimension, 154  
   allometric, 69, 186–187, 187  
   comparison with reference specimen,  
   185–186  
   ratio diagram, 187–189, 189, 190  
   ratios, 65, 185–186, 190–191, 191, 200–202, 201  
   as secondary data, 182, 183–191  
   *see also* age; allometry; sex; shoulder height;  
   variation  
 estimate of dietary contribution, 27  
   allometric, 69, 234–235, 235, 238–239, 236,  
   240, 241, 241  
   comparison with reference specimen, 234,  
   235, 239, 240–241  
   for individuals, 210, 235, 235, 240, 241  
   for whole animals, 234–237, 235, 240  
   from the literature, 235, 238, 240  
   from measurements, 234–235, 235, 240  
   as secondary data, 183, 233–242, 249, 278  
   using specimen weight, 211–212, 235–239,  
   235, 236, 240–241  
   summary, 240–242  
   weight method, 236, 237  
   *see also* age; allometry; biomass; minimum  
   number of individuals; number of  
   identified specimens; sex; specimen  
   weight; variation

- ethical standards, 377, 390  
 ethnicity, 28, 126, 213, 215, 242, 245, 280–281, 348, *see also* social institutions  
 ethnoarchaeology, 9, 22, 144–145, 343–344  
 ethnographic analogy, 8, 145, 232, 267–268, 343–344  
 ethnographic observation, 6, 144–145, 183, 232, 252, 267–268, 274, 343–344  
 ethnozoology, 4  
 Eurasia, 2, 4, 100, 291–292, 293, 295, 314, 328, 330, 331  
   slaughter traditions, 126  
 Europe, 17, 134, 158, 291–292, 294, 295, 305, 310, 329  
 Evans, J. G., 25–26  
 evaporation, 106  
 evenness, 245, *see also* diversity; equitability; richness  
 evolution, 15, 32, 39, 54, 55, 82, 332  
 evolutionary ecology, 14  
 excavation procedures  
   arbitrary or metric stratigraphy, 208, 385  
   definition of contexts, 385  
   location of units, 146–147, 242, 284  
   and MNI, 208–209, 209, 212  
   natural stratigraphy, 208, 316, 385  
   provenience, 158  
   records, 160, 385–386  
   screen size, 136, 147–150, 149, 155, 156, 156, 184, 197, 204, 284, 342, 347, 385  
   and secondary data, 203, 204, 206, 208  
   as second-order change, 118, 141, 146–151, 385  
   standardization, 156, 346–347  
   and zooarchaeological collection, 250, 344–348, 377, 384–385  
   and zooarchaeological research, 8, 18, 22, 27, 343  
   *see also* first-order changes; modifications; sampling protocol; second-order changes; site-formation processes  
 exchange systems, 276–278  
   and domestic animals, 290, 293, 310, 311  
   and elements represented, 161, 213  
   and environmental reconstruction, 318, 320, 322  
   and identification, 164  
   and isotopes, 83  
   market, 208, 215, 277–278  
   and modifications, 168  
   and NISP, 167, 203, 204  
   reciprocity, 277–278, 284  
   redistribution, 126, 200, 232, 277–278, 307, 326  
   response to overexploitation, 326  
   and social role of animals, 279  
   and technology, 267  
   and temporal periodicity, 261, 265, 266  
   trade, 6, 18, 82, 87, 134, 158, 215, 242, 255, 258, 260, 278, 295, 300–301, 331, 344  
   and zooarchaeological research, 24, 28  
 exoskeleton, 39, 40, 41, 49–50, 51, 61–62, 70, 163  
 expected number of individuals, 223–224  
 experimental archaeology, 8–9, 132, 134–135, 143–144, 343–344  
 family, 34, 35, 38, 52, 110  
 famine food, 345  
 faunal succession, 5  
 fecal steroids, 256, 349  
 feces, *see* coprolite  
 feeding behavior, 297  
   browser, 51, 87, 92–93, 313–314  
   carnivore, 48, 50–53, 84, 85, 86, 87, 92, 98, 107, 301  
   decomposer, 109  
   detritivore, 92, 107  
   frugivore, 51  
   generalized, 37, 58, 92  
   granivore, 93  
   grazer, 50–51, 84, 87, 92–93, 313–314, 330  
   herbivore, 46, 48, 50–52, 73, 84, 85, 86, 87, 92–93, 99, 104, 107, 272, 298, 329  
   insectivore, 51  
   nectarivore, 51, 93  
   omnivore, 48, 50–54, 87, 92, 301, 347  
   piscivore, 51  
   scavenger, 51, 118, 134, 136, 137–138, 216, 294, 296, 298  
   specialized, 37, 53, 54, 92  
   suspension feeder, 51, 53–54  
   *see also* functional morphology of feeding; tooth; trophic level  
 feral animals, 73, 100, 193, 310, 314–315  
 Fertile Crescent (southwest Asia), 3, 17, 291–292, 293, 303–304



- fields, agricultural, 255  
 Field Sample number (FS#), 160, 220, 220  
 fire, 106, 267, 316, 324, 329, 350  
 first-order changes, 117, 118–120, 122–143  
   abiotic, 119, 119, 139–143  
   biotic, 119, 119, 134–139  
   conditions promoting preservation, 143, 345  
   and environmental reconstruction, 317, 319, 323  
   and primary data, 161, 169  
   and secondary data, 208, 237  
   and zooarchaeological research, 26, 27, 143–145, 153, 161, 274, 346  
   *see also* excavation procedures; modifications; second-order changes; site-formation processes; soil  
 fish sauce, 131–132  
 flipper, 57, 57, 58  
 Florida (USA), 3, 348  
   southern, 126, 134  
   southwestern Florida, 3, 323  
 Florida Museum of Natural History, 186  
 folk knowledge, 31  
 food  
   consumption norms, 280–281  
   exchange, 5, 9, 24, 145, 208, 237, 257  
   meanings, 281–283, 349  
   preference, 91–92, 138, 199, 215, 272, 280–281  
   pyramid, 97  
   sharing, 126, 145, 276, 278  
   and social organization, 278–284  
   *see also* exchange systems; food preparation; nutrition  
 food preparation  
   bake, 131  
   boil, 131, 274  
   cook, 131–132  
   cure, 126  
   dry, 274, 307, 326  
   ethnographic observation of, 145  
   fermentation, 274  
   and fragmentation, 141  
   fry, 274  
   and modifications, 168–172, 242–244  
   and NISP, 203  
   pickle, 274  
   preserve, 131–132, 208, 262, 265, 266, 272, 274–275  
   process, 272, 274–275, 344  
   render, 274  
   roast, 131, 274  
   salt, 131, 274  
   and skeletal frequency, 213–215  
   smoke, 126, 131, 274  
   and subsistence strategies, 251  
   and zooarchaeological research, 16  
   *see also* butchery; modifications  
 foodways, 251, 280–281, 348  
 food web, 97, 103, 107–109  
   biomass, 107, 108  
   food chain, 106, 109  
   *see also* community ecology; productivity; trophic level  
 foraging theory, 22, 28, 326  
   bottom-up processes, 326–327  
   top-down processes, 326–327  
 foraging time, 24  
 Fore, 33  
 form, 36  
 forma domestica, 290  
 Fort Michilimackinac (Michigan, USA), 3, 348  
 Fort Mose (Florida, USA), 213, 214  
 fossil, 1, 183, 206  
 founder effect, 302  
 Fountain of Youth site (Florida, USA), 200  
 fowl  
   diseases shared with humans, 331  
   environmental impact of, 330  
 fractionation, 78, 84, *see also* isotopes  
 fragment  
   crossmend, 167–168  
   definition, 9  
   *see also* number of identified specimens  
 function, in archaeology, 18–20, 24, 26, 213  
 functional morphology of feeding, 46–54  
   capturing, 50–54  
   crushing, 47, 50, 51, 52–53  
   cutting, 47, 52–53  
   filter feeding, 53–54  
   grinding, 47, 50, 52–53  
   holding, 47, 52–53  
   other uses, 54  
   piercing, 47, 50

- functional (*cont.*)  
 shearing, 47, 48, 50, 53  
 suspension feeding, 46, 50, 53–54  
*see also* feeding behavior; tooth
- functional morphology of locomotion, 56–60, 58
- functional morphology of protection, 60–62
- fusion score, 195
- game theory, 22–25
- ganoid scale, 61, 207
- Garbage Project (Tucson, Arizona, USA), 145
- garden hunting, 92, 298
- garum, 132
- gastrolith  
 crustacean, 41, 46, 62, 63  
 lithic, 46
- genealogy, 289
- genetic drift, 203
- genetics, 32, 80–82, 288, 305–306, 310, 386
- genome, 81
- Gentry, A., 290, 292
- genus, 33–36, 35, 38, 110, 290
- geochemistry, 28, 80, 87, 320
- geographic barrier, 36
- Georgia (USA), 3, 148, 149
- Germany, 322
- Gilmore, R. M., 19
- glucose, 95
- glycogen, 95
- grade, 35
- Grant, A., 174, 196
- graphic art, 267, 283, 299, 305, 307, 309, 312, 313, 343  
 figurine, 9, 145  
 mural, 9, 299  
 petroglyph, 9
- gravity model, 24
- Grayson, D. K., 212
- Greenland, 316
- Grouard, S., 328
- growth, 182, 302  
 and age, 70–74, 171, 196  
 allometric, 66–69  
 in birds, 63, 70–71, 173  
 annulus, 75–77, 200  
 arrested, 170–171  
 curves, 65–69, 193  
 determinate, 70–73, 79–80, 172–174, 193–197, 238, 263  
 and environmental reconstruction, 320  
 false annulus, 76–77  
 indeterminate, 49, 73–74, 79, 173, 176, 186, 187, 197–199, 239, 263  
 linear, 65–66  
 in mammals, 173  
 response to stress, 318  
 seasonal, 28, 74–79, 192, 263  
*see also* age; cementum; increments; size; tooth
- Guadeloupe (Lesser Antilles, West Indies), 328
- guanine, 81
- Guayaki, 145, 329
- Gulf of Cortez, 1, 134
- Gulf of Mexico, 91, 134, 155
- Gulf Stream, 90
- habit, 260–266, 275  
 crepuscular, 261  
 cyptic, 271  
 diurnal, 261  
 nocturnal, 261, 271
- habitat, 261, 275  
 complexity, 110  
 distal, 214, 260, 322  
 heterogeneity, 110, 112  
 preferences, 89–91, 266  
 proximal, 214, 260, 322
- haplotype, 288–289
- Hargrave, L. L., 17, 18
- Harris lines, 256
- harvest profile, 196
- harvesting pressure, 326
- Hayden, B., 284
- Haynes, G., 144
- health, animal, 73, 195, *see also* pathology
- heirloom, 124, 125
- heritage management, 26, 377, 393
- Hesse, B., 224, 226
- hibernation, 90, 262–263
- hierarchy, 33–34, 36, 98–99
- Himalayas, 3, 296
- Hispaniola (Greater Antilles, West Indies), 3, 155, 301, 331
- Hjort, A., 103
- Hohokam Period, 258

- Hoko River (Washington, USA), 3, 143  
 Holocene, 317, 320, 323, 324, 332, 334  
 homology, 39  
 hoof, 41, 61  
 hormone, 62, 95  
 horn, 5, 295, 305  
   core, 62, 133, 164, 178–179, 179, 275  
   maturation, 73, 172, 196  
   morphology, 62, 179, 312  
   sexual dimorphism, 200, 202, 305  
   sheath, 62, 133–134, 295  
   *see also* animal products; element types  
 Howard, H., 18  
 human  
   biology, 252, 310  
   burial, 17, 121, 149, 160, 262, 282, 294, 296  
   demography, 13, 27, 252, 254–256, 260, 276, 285, 327  
   disease, 27, 256–257, 259, 321  
   and domestic animals, 296, 298, 331  
   fetus and infant, 160  
   genetics, 82  
   health, 252, 255–257, 259, 281–283, 298, 321  
   identification of, 160–161, 166  
   migration, 87, 319  
   morphology, 52, 58, 60, 93  
   mortality, 262  
   as omnivores, 52  
   remains, 27, 30, 82, 161, 171, 256–257, 321, 345, 390  
   sex roles, 251, 280, 281  
   *see also* diet; Native American Graves Protection and Repatriation Act; nutrition  
 humidity, 255, 320  
 hydrology, 106  
 hydroxyapatite, 39, 55, 84–85, 141  
 hygiene, 321  
 hyperostosis, 74, 75  
 Hypothetical Collection, 154–155  
   and age, 195, 197, 405  
   applications of allometry, 187  
   and archaeological context, 209, 210  
   comparison of data, 211  
   dietary contribution, 235, 236, 241  
   diversity, 247  
   elements represented, 159, 205, 217, 218, 219, 220, 221, 222, 223  
   interpretation of, 246–249  
   measurements, 179, 184, 185, 188, 191, 198, 406–407  
   modifications, 159, 162, 171, 172, 244, 245, 401  
   and primary data, 156–180  
   and screen size, 156  
   and secondary data, 184–246  
   similarity index, 214  
   and size, 189, 190  
   species list, 396–400  
   specimen distribution worksheet, 402–404  
   utility indices, 225, 228, 229, 230, 231  
   volume density, 233  
 Iceland, 350  
 iconography, 283, 309  
 identification  
   of archaeological specimens, 133, 164–167, 203–204, 206, 333, 378  
   and basic biology, 31, 38  
   of closely related taxa, 82–83, 189–191, 191  
   and elements represented, 161  
   and Hypothetical Collection, 205  
   procedures, 27, 153, 342  
   and second-order changes, 118, 146, 157, 250  
   *see also* age; element representation; sex; size; variation  
 Iglulik, 269  
 Inca, 306, 313, 314, 325–326  
 increments, 176, 178, 319  
   and age, 73, 74, 176, 193, 197–198  
   and basic biology, 75–79  
   in cementum, 76–77, 193, 196  
   growth, 73, 74, 166, 172, 193  
   in marine organisms, 77–79  
   mineral density, 77  
   in mollusc valves, 73, 74, 75–78, 176, 199, 263  
   in otoliths, 63, 75, 77–78, 176, 197, 200  
   in pectoral spines, 77  
   seasonal, 77–78, 196, 262, 263, 263  
   *see also* age; cementum; growth; isotopes; mollusc valve; otolith; tooth  
 index of fragmentation, 204–205  
 India, 291–292, 296, 299  
 Indian Ocean, 3, 325  
 Indus Valley (Pakistan), 3, 293

- information theory, 111, *see also* diversity  
 infraorder, 62  
 Ingalik, 273  
 Ingura, 269  
 International Code of Zoological  
 Nomenclature, 34, 290  
 International Council of Archaeozoology  
 (ICAZ), 4, 392  
 intestinal contents, 136–137  
 introduction of animals and plants, 116,  
 299–301, 324–325, 330  
*see also* biogeography; domestic animal;  
 domestication  
 introgression, 289  
 Iran, 3, 303–304, 305  
 Ireland, 283, 293  
 irrigation, 296, 330  
 Isaac, G. L., 145  
 island effect, 303  
 isometric relationship, 69, *see also* allometry  
 isotopes  
 carbon, 83–85, 85  
 and environmental reconstruction, 319  
 and first-order changes, 118, 130, 144  
 nitrogen, 83, 85–86, 85  
 oxygen, 78–79, 83, 263, 320, 323  
 stable, 78–79, 82–87, 85, 182, 256–257, 288,  
 290, 344, 345, 350  
 unstable, 83  
 and zooarchaeological research, 5, 27, 262,  
 274, 349  
*see also* environmental reconstruction;  
 fractionation; minerals; photosynthetic  
 pathways; seasonality  
 Israel, 3, 294  
 Japan, 293, 324  
 Jericho, 3, 305  
 Jochim, M. A., 253, 254  
 Jochim's model, 253–255  
 Jones, D. S., 327  
 Jones, K. G., 136  
 Jones, K. T., 230  
 Jordan, 270  
 Junin (Peru), 309  
 Kazakhstan, 291–292  
 keratin, 39–41, 54, 61, 133, *see also* horn  
 keratinized tissues, 54, 60  
 kilocalorie (kcal), 95  
 kilojoule (kJ), 95  
 kingdom, 34  
 Kings Bay (Georgia, USA), 3, 148, 149, 199  
 kinship, 9, 28, 145, 252, 276, 277  
 Kirch, P. V., 114  
*kjøkkenmøddinger*, 2  
 Klamath, 269, 271  
 Klasies River Mouth (South Africa), 3  
 Klein, R. G., 206, 207, 213, 227, 249  
 Koike, H., 152  
 krill, 54  
 Kroeber, A. L., 12–13  
 K strategy, 100, 101  
 Kubasiewicz, M., 237  
 Kuri, 305  
 lactation, 255  
 labor  
 division of, 145, 254, 261  
 reducing, 22  
 laboratory procedures  
 archaeological, 385–386  
 and MNI, 206, 208  
 and NISP, 203, 204  
 as second-order changes, 156  
 zooarchaeological, 8, 161, 386–390  
 Laguna Blanca Reserve (Argentina), 115, 115  
 Lake Chad (north Africa), 3, 305  
 land clearance, 124  
 landscape  
 change, 277, 313–314, 316, 321  
 land clearance, 329–330, 350  
 and zooarchaeological research, 10, 24  
*see also* environmental reconstruction  
 Lapland, 3, 330  
 Lapp, 296  
 Lartet, E., 15, 16  
 latitude, 84, 90, 106, 110, 111, 293, 318  
 latitudinal diversity gradient (LDG), 110–111  
 laundry list, 13, 164, 183  
 Lawrence, B., 19, 20  
 legal standards, 377, 390  
 Leone, M. P., 29  
 life assemblage, 118, 119, 124, 152, 183, 240  
 life cycle, 89–90  
 life history, 77, 89, 90–91, 99–103, 327–328

- life table, 100–103, 102  
 life zone, *see* biome  
 light, 106, 109  
 Linares, O. F., 92, 298  
 lineage, genetic, 289, 291, 293, 294, 310  
 linear fit, 65–66, 67  
 linear program, 22  
 linguistics, 32  
 Linnaeus, C., 32, 33, 38, *see also* taxonomy  
 literature review, 36–38, 157–158, 231, 266  
 locomotion, types of  
   digging, 56, 58  
   digitigrade, 58, 58  
   flying, 56, 57, 59–60  
   hopping, 56, 58–59  
   plantigrade, 58–59  
   running, 56, 58–59  
   swimming, 56–58  
   unguligrade, 58–59, 58  
   walking, 56, 58–59  
 London, England, 121  
 Loomis, F. B., 16  
 Lotka-Volterra equation, 100  
 Lower Pecos Region (Chihuahuan Desert, Mexico, USA), 259  
 Lubbock, Lord Avebury, 2  
 Lyman, R. L., 3, 153, 216, 226–229, 231  
  
 Madagascar, 3, 269, 271, 273  
 magic, 279, *see also* ritual  
 Maltby, J. M., 243  
 Mangaia (Cook Islands), 3, 345  
 mantle, 61  
 Marean, C. W., 227  
 material culture, 114  
   associated with domestication, 313–314  
   association with food preparation, 274, 266  
   and environmental reconstruction, 345  
   and ritual context, 284  
   and subsistence strategies, 252, 262, 266–276  
   and zooarchaeological research, 16, 252, 348  
   *see also* raw materials; tools  
 %MAU, 227, 228, 229, 229, 230, 231  
 Mauritius (Indian Ocean), 3, 325  
 Mayer, D., 231  
 meal, 132, 284  
 measurements  
   and age, 197–198, 199  
   and domestication, 184, 189, 303–305  
   estimate of body dimension, 183–191, 184, 185, 186, 187, 188, 190, 191  
   estimate of dietary contribution, 234, 235, 236, 241  
   and MNI, 206  
   as primary data, 158, 164, 179–180  
   and sex, 178, 200–202, 201  
   and size, 65  
   standard length, 187, 187  
   standardized biological dimensions, 65, 186, 186  
   standardized zooarchaeological dimensions, 179  
   and taxonomic attribution, 166, 191  
   and zooarchaeological research, 344, 350  
 meat, 348  
   and diet, 86, 225, 226, 230, 232, 257, 306–307  
   and herd animals, 295–296  
   modern cuts, 219  
   and zooarchaeological research, 6, 348  
   *see also* animal products  
 medicine, 7, 132, 344  
 medieval, 350  
 Mediterranean, 131, 134, 290, 303, 310  
 medullary bone, 56, 63, 80, 178, 263  
 megafauna, 317, 328  
 Meighan, C. W., 20  
 Melanesia, 3, 300  
 menu, 251, 278  
 Mesoamerica, 96  
 Mesolithic site (Denmark), 125, 125, 128, 129, 130, 131  
 metabolic pathways, 82–85  
 metaphysics, 70  
 Metcalfe, D., 230  
 Mexico, 19, 134, 158, 259, 291–292, 294, 301, 320  
 Michigan (USA), 3, 348  
 microorganisms, 140, 142  
 microsatellites, 289  
 Middle Ages, 134  
 middle-range theory, 21–22, 23  
 Middle Stone Age sites, 347  
 migration  
   and ecology, 90–91  
   and extinctions, 328–329  
   and genetics, 82

- migration (*cont.*)  
 and isotopes, 87  
 long-range pastoral nomad, 258  
 and seasonal growth, 76  
 and subsistence strategies, 260–261, 280  
 transhumance, 258, 260, 295  
*see also* catchment area; seasonality;  
 settlement patterns; subsistence  
 strategies
- migratory animal, 89–91, 262, 265
- Mills, W. C., 16
- MIND, 206
- minerals  
 alterations to, 130, 144, 386  
 barium, 86  
 copper, 97, 316  
 lead, 316  
 major minerals, 97  
 as nutrients, 94, 96, 97  
 as raw material, 275  
 strontium, 83, 86–87  
 and subsistence strategies, 256–257, 262, 290  
 trace elements, 5, 27, 86, 97, 344, 345, 349, 350  
*see also* calcium; isotopes; nutrients
- minimum number of animal units (MAU),  
 226–231, 228, 229, 231
- minimum number of elements (MNE),  
 226–229, 228, 229, 231–232
- minimum number of individuals (MNI)  
 and age, 206–207, 210  
 aggregation, 208  
 and archaeological context, 206, 208–209,  
 209  
 and cultural behavior, 208, 214  
 and estimates of dietary contribution,  
 235–237, 235, 239, 240  
 and identifiability, 207–208, 210  
 matched pairs, 152, 206–207  
 maximum distinction method, 208  
 and measurements, 206  
 minimum distinction method, 208  
 and niche breadth, 245, 247, 249  
 and NISP, 208, 212–213  
 and sample size, 113  
 as secondary data, 202, 205–210, 210, 211,  
 224, 231–232, 233, 278  
 and sex, 206  
*sensu* Binford, 23, 207, 226–227  
*sensu* White, 20, 207, 210, 224, 227–228, 234  
 and specimen weight, 211  
 and site-formation processes, 206, 208, 212  
 symmetry, 206–208  
*see also* excavation procedures; number of  
 identified specimens; quantification
- Missouri (USA), 79
- mitochondria, 81
- mobility, 24, 172, 257–260, 262, 265, 276  
*see also* catchment area; seasonality;  
 settlement patterns
- Mochica vessel, 307, 309, 312, 313
- modifications  
 abrasion, 122, 128  
 blow, 127, 128, 130, 170, 243  
 burned, 124, 132, 170, 180, 242, 245  
 butchering, 122, 124, 126–130, 171, 244, 278  
 calcined, 132  
 chemical, 124  
 chop, 127–128, 129, 170, 172  
 clean-cut, 130  
 columnar, 169  
 cooking, 130–132  
 cut, 128–129, 129, 170, 172, 243  
 digestion, 136–137, 170, 243  
 fracture, 169  
 as primary data, 158, 168–172  
 as secondary data, 182, 216, 234, 242–244,  
 275
- fragmentation, 125, 127, 138–139, 141–142, 154,  
 161, 163, 168, 169, 203, 205, 210, 242–243,  
 275
- gnawed, 122, 124, 130, 135–136, 170, 243  
 gnawed by carnivore, 128, 137  
 gnawed by human, 135  
 gnawed by rodent, 137, 172
- groove and snap, 130, 169
- hack, 127–128, 129, 170, 172, 243
- illustrations of, 169
- impact, 127
- irregular break, 169, 169
- killing, 125–126
- mastication, 136–137
- oblique, irregular, 169, 169
- oblique, regular, 169
- predation, 122–123, 123, 126, 127
- preservation, 130–132
- puncture, 169, 169

- recent, 170  
 root-etching, 139, 142  
 saw, 130, 170, 172, 243  
 saw, metal, 130, 243  
 saw, non-metal, 130  
 sawtoothed, 169  
 scrape, 128, 130, 170, 243  
 skinning, 126–127, 242–243  
 slaughter, 125–126  
 slice, 128  
 spiral fracture, 127, 136, 142, 169–170, 383, 384  
 spiral, irregular, 169  
 spiral, regular, 169  
 splintered, 169, 169  
 stepped, 169, 169  
 trample, 124, 138–139, 141, 143, 170, 243  
 transverse, 169  
 transverse, irregular, 169  
 transverse, regular, 169  
 weathering, 142, 170, 384  
 worked, 28, 133–134, 169, 285, 300, 386  
*see also* food preparation; pathology; tools  
 moisture, 109, 140, 260  
 mollusc valve  
   color, 32  
   and environmental reconstruction, 320  
   increments in, 176  
   length, 186, 198  
   and MNI, 207  
   morphology, 40, 41, 45  
   as raw material, 133  
   seasonal growth, 74, 75–79  
   shape, 164  
   and site-formation processes, 141  
   weight, 65, 239  
   *see also* increments  
 molt (ecdysis), 62  
 Mongolia, 291–292  
 Morlot, A. von, 2  
 morphology, 17, 31, 32, 297, *see also* anatomy  
 mortality rate, 101–102  
 mutualism, 103, 306, 315  
  
 Nagaoka, L., 328  
 nail, 41, 61  
 Native American Graves Protection and Repatriation Act (NAGPRA), 390  
  
 Native Americans, 311  
 natural area, 13  
 Near East, 291–292  
 neoteny, 304  
 Netherlands Antilles (West Indies), 3, 300  
 Netherlands, The, 17  
 Neusius, S. W., 298  
 New Britain (Melanesia), 3, 300  
 New England (USA), 78, 313  
 New Guinea, 3, 33, 277, 296, 329  
 New Ireland (Melanesia), 3, 300  
 Newsom, L. A., 328  
 New Zealand, 49, 100, 328  
 niche, 39, 318  
   breadth, 14, 24, 28, 182, 245–246  
   definition, 89  
 NMI, 206  
 Noddle, B. A., 73  
 Noe-Nygaard, N., 125, 127  
 normal distribution, 113  
 North America, 32, 90, 144, 145, 275, 320, 328–330, 331  
 northwest Pacific Coast (North America), 3, 262, 267, 269, 271, 277  
 notochord, 42  
 nucleus, 81  
 number of identified specimens (NISP)  
   and age, 195, 197  
   and estimates of dietary contribution, 233  
   and MNI, 206, 208  
   observed to expected ratios, 222, 223  
   and niche breadth, 245  
   and recovery methods, 149  
   and relative frequency of taxa, 212–213  
   and skeletal portions, 216–217, 230–232  
   and specimen weight, 211  
   and utility indices, 226, 227  
   as primary data, 158, 167–168  
   as secondary data, 202–205  
   *see also* minimum number of individuals; modifications; quantification; specimen weight  
 number of remains (NR), 167  
 Nunamiut, 225  
 nursery ground, 64, 323  
 nutrients, 22, 106, 109  
   amino acid, 96, 349  
   calories, 24, 95

- nutrients (*cont.*)  
 carbohydrate, 85, 94, 95  
 cellulose, 95  
 cholesterol, 85  
 energy, 94–95, 280  
 essential nutrients, 94, 96  
 fat, 63, 85, 94, 95, 254, 280  
 fatty acid, 85, 349  
 fiber, 95  
 lipid, 80, 85, 95, 274  
 mineral, 94, 97, 254  
 oil, 95  
 phospholipid, 95  
 protein, 39, 85, 86, 94–96, 254, 257, 274  
 starch, 95  
 sterol, 95  
 sugar, 81, 95, 274  
 triglycerides, 95  
 vitamin, 94, 95, 96–97, 254, 274  
 water, 94, 95, 254  
*see also* calcium; kilocalorie; kilojoule;  
 minerals
- nutrition  
 adequacy of, 253, 255, 299, 318  
 and estimates of dietary contribution, 233,  
 238  
 and growth, 72, 183, 195  
 and isotopes, 82  
 and pathologies, 170  
 requirements, 27, 97–98, 97, 256  
 and seasonal growth, 76–78  
 and skeletal frequencies, 213  
 and subsistence strategies, 251, 252,  
 254–257, 278, 349, 344  
 and zooarchaeological research, 1, 5, 6, 24  
*see also* animal products; diet
- obituaries, 11
- observed to expected ratio, 219–224, 229  
 anatomical relationship, 222, 223–224, 223,  
 229  
 derived from NISP, 221, 222  
*see also* modifications; number of identified  
 specimens; skeletal frequency
- Oceania, 2, 296, 330
- O'Connor, T. P., 164
- Old Sacramento (California, USA), 3, 131
- Olsen, S. L., 242
- ontogenetic change, 63–64
- optimal foraging theory, 22–25, 253, 332  
 and niche breadth, 245  
 and recovery technique, 150
- oral tradition, 293
- order, 33–34, 35, 36, 52
- ornament, 6, 7, 17, 130, 133–134, 169, 200, 204,  
 206, 215, 242, 275–276, 295, 296
- ossicle, 61, 77
- osteoarthritis, 4
- osteocytes, 70
- osteometry, 190
- Oswalt, W. H., 268
- otolin, 63
- otolith  
 constituents of, 41, 63  
 and growth, 75–78, 176, 200  
 and isotopes, 320  
 and measurements, 166, 186, 197, 198, 200  
 and MNI, 210  
*see also* increments; isotopes
- out of the tropics model (OTT), 110–111
- oxygen, dissolved, 77–78, 261, 322
- Ozette Village (Washington, USA), 3, 143
- Pacific Ocean, 109, 134, 310–311, 325, 328, 347
- Paine, R. T., 109
- Paiute, 267, 269
- Pakistan, 303–304
- paleoecology, 148
- paleoeconomic, 345
- paleoenvironment, 1, 4, 29, 116, 345
- paleoethnobotany, 4
- paleoethnozoology, 4
- paleofeces, *see* coprolite
- Paleolithic, 15, 196
- paleontology, 4, 20, 39, 265, 300
- paleonutrition, 345
- Panama, 3, 283
- paradigm lag, 29
- Paraguay, 3, 145, 329
- parasite, 149, 262, 320, 321, 345, 349
- Paris (France), 121
- Parmalee, P. W., 19
- patch choice, 24
- pathogen, 321, 322, 330
- pathology  
 activity patterns, 170, 312



- and age classes, 195, 196
- arthritis, 307, 312
- and bone growth, 55, 73
- congenital, 170, 312
- dental alteration, 312
- and domestication, 307, 311–312
- enterotoxemia, 309
- fracture, 170, 311
- injury, 312
- intentional, 170, 312
  - as modification, 124–125
  - predation, 31, 170, 309, 331
  - as primary data, 158, 170–172
  - as secondary data, 242–244
  - stress-related, 69, 76, 170–171, 253
  - and zooarchaeological research, 17
  - see also* disease; modifications
- Payne, S., 173, 174, 196, 212
- Pee Dee belemnite (PDB), 83
- pellets, regurgitated, 136–139
- percentage similarity, 115, 115, 214
- percentage survival, 222, 224
- periodicity
  - and animal behavior, 76
  - in isotopes, 83
  - in subsistence strategies, 24, 349
  - see also* seasonality
- periosteum, 56, 70–71
- periostricum, 61
- Perkins, D., Jr., 224, 226
- Peru, 3, 19, 263, 268, 310, 313, 320, 329, 333, 347
- Peters, J. L., 37
- photoperiod, 260
- photosynthesis, 109
- photosynthetic pathways, 83–86, 85
- phylogenetic relationship, 34–38, 82, 93, 288–289, 387
- phylogeography, 37–38, 288
- phylum, 34, 35, 37, 39, 41
- phytolith, 93, 318
- Pike-Tay, A., 196
- plants
  - and animals, 93, 310, 314, 330–331, 344, 345
  - bark, 92
  - building material, 344
  - charcoal, 318
  - condiments, 344
  - cultivation, 287, 329–331
  - domestication, 272, 293, 330–331
  - DNA, 82
  - and environmental change, 329–331
  - fruit, 84, 92, 93, 95, 262
  - fuel, 254
  - genetics, 289
  - grain, 84, 95, 97, 330
  - grass, 87, 92, 93, 257, 321, 329
  - gum, 92
  - hay, 321–322
  - herb, 92, 321
  - legume, 83, 84, 86, 95, 97
  - macrobotanical remains, 318
  - nectar, 92, 93
  - nonlegumes, 83, 86
  - nut, 84, 257, 262, 345
  - and nutrition, 95–97
  - root crop, 84
  - seed, 29, 93, 257, 262
  - shrub, 87, 92
  - and site-formation processes, 117–119, 139
  - and subsistence strategies, 255, 261, 347, 349
  - and trophic levels, 92–93, 99
  - tuber, 95, 322, 329
  - vegetable, 84, 95
  - wood, 345
  - and zooarchaeological research, 4, 10, 18, 345–346
- Pleistocene, 2, 81, 82, 226, 294, 303, 310, 317, 332, 347
- Pliocene, 82
- political institutions
  - and animal use, 252, 258, 267, 276, 280
  - and environmental reconstruction, 319
  - and zooarchaeological research, 27–28, 158
- pollen, 318
- population ecology, 89–103
  - age structure and survivorship curves, 100–103, 263
  - aggregations of animals, 98
  - energy and nutrients, 94–98, 318
  - and environmental reconstruction, 318, 332
  - food preferences, 91–92
  - habitat preferences, 89–91
  - life history strategies, 89, 99–103
  - social environment, 98–99
  - territories and social hierarchies, 98–99, 297

- population (*cont.*)  
 and zooarchaeological research, 1, 8, 14,  
 88–89  
*see also* community ecology; ecology; life  
 history; nutrition
- population growth and regulation, 99–100,  
 331, 332, 349  
 logistic curve, 99  
 pressure, 100
- population structure, 263
- postdepositional processes, 119, 119, 151–152  
*see also* first-order changes; modifications;  
 second-order changes; site formation  
 processes
- postmedieval, 219
- Post-Pleistocene, 2, 333
- precipitation, 106
- predator-prey relationship, 5, 8, 99–100, 103,  
 199, 326–327
- presence/absence of indicator species, 318, 319,  
 323, 326, 328
- prestige, 22, 215, 254–255, 280–281, 348
- prey-choice model, 150, 245
- prey index, 213
- primary data, 336–341  
 anatomical feature of age and sex, 172–179  
 and collection management, 377, 389–390,  
 393–395  
 element representation, 161–164  
 measurements, 164, 179–180  
 modifications, 168–170, 172  
 number of identified specimens, 167–168  
 pathologies, 170–171  
 quantifying relative abundance, 157  
 recording, 158–160  
 and secondary data, 182–183, 193, 200, 203,  
 232, 335  
 specimen weight, 180  
 and subsistence strategies, 251, 252, 274–275  
 taxonomic identification, 164–167  
 and zooarchaeological research, 153–154,  
 249, 341–342, 344  
*see also* secondary data
- primary refuse, 124
- primitive, 37, 43
- procurement strategies, 28, 144, 153, 268
- productivity  
 and community ecology, 103, 109, 110  
 net annual primary productivity, 108  
 and overexploitation, 327
- profane, *see* secular
- publication, 146, 153, 154, 163, 183, 207, 227,  
 231, 377, 390–393, 389
- Puerto Real (Hispaniola, West Indies), 3, 155,  
 331
- Puerto Rico, 3, 155, 301
- Pukapukan, 273
- Purdue, J. R., 230
- pursuit time, 24, 255
- quantification  
 and recovery methods, 148–150  
 and relative abundance of taxa, 156–157  
 and sample independence, 151, 156–157, 183,  
 203  
 and sample size, 151  
 and secondary data, 182  
 and zooarchaeological research, 16, 27, 250  
*see also* minimum number of individuals;  
 number of identified specimens
- Quitmyer, I. R., 198, 327
- race, 36
- raptor, 60
- rarefaction curve, 113–114, 114
- ratio diagram  
 to estimate body size, 187–189, 189, 190  
 for skeletal portion, 223, 223  
*see also* observed to expected ratio
- raw materials, 133–134  
 and domestic animals, 295–297, 300  
 and primary data, 170  
 and skeletal frequency, 215  
 and subsistence strategies, 254–255, 259,  
 267, 275–276  
 and zooarchaeological research, 7, 22–23  
*see also* animal products; bone; horn; tooth
- reburial, 154, 390
- recombination, 81, 82, 289
- records  
 age classes, 194, 195  
 archaeofaunal, 385, 389–390, 393, 394  
 curation of, 342, 394  
 data cards, 158–160, 159, 173, 388

- diagnostic zone, 163, 165, 217  
 element portion represented, 161, 216–217,  
 219–220, 220  
 fusion worksheet, 173  
 labels, 384–385, 387, 388  
 media, 389–390  
 schematic drawing, 162, 163, 173  
 specimen distribution worksheet, 173, 217,  
 402–404  
 recovered assemblage, 183  
 recovery constant, 204  
 recovery methods, *see* excavation procedures  
 Reed, C. A., 4, 6, 19, 237–238, 237, 249, 251, 299  
 reference collection, 378–383  
 and biological data, 65–67, 185–186, 234,  
 378–379  
 cataloguing, 381–382  
 collection-management policies, 378,  
 393–394  
 curation, 377, 381–382, 393–395  
 preparation, 379–382  
 standard measurements, 186, 379, 380, 381,  
 382, 383  
 and zooarchaeological research, 19, 37,  
 157–158, 160, 335, 377  
 reference literature, 161, 166, 179, 182, 378  
 reference specimen  
 and identification, 164  
 as voucher, 378  
 regional analysis, 24, 254  
 central-place model, 24  
 gravity model, 24  
 locational analysis, 24  
*see also* catchment area  
 relative frequency  
 interpretation of, 212–213  
 RF (relative frequency), 224, 225  
 of taxa, 153, 182, 202–213  
*see also* element representation;  
 identification; number of identified  
 specimens; observed to expected ratio;  
 utility index  
 Renfrew, C., 80  
 replication, 144, 343–344  
 reproduction, 76–77, 192, 260, 318, 319  
 rescue archaeology, 20, 347  
 residential pattern, *see* settlement pattern  
 resource depression, 326  
 resource management  
 current, 29, 318, 320, 331–334, 349, 377  
 in the past, 329–330, 332, 334, 344  
 richness  
 and community heterogeneity, 110–113, 112  
 definition, 110, 245  
 and latitude, 111  
 and overexploitation, 260  
 and sample size, 151  
 and status, 280  
 and zooarchaeological research, 16  
*see also* diversity; equitability; evenness  
 risk, 255  
 of failure, 254  
 management of, 22–24, 257  
 personal, 254, 266  
 ritual, 279–285, 285  
 calendar, 258, 281, 307  
 and cultural transformation processes, 125  
 divination, 297  
 and ethnoarchaeology, 145  
 and excavation procedures, 147, 149, 264,  
 fasting, 283–284  
 feasting, 242, 254, 277, 283–285  
 and food, 277  
 and isotopes, 83  
 mortuary, 121, 262  
 object, 124, 160  
 offering, 121, 132, 147, 242, 294  
 potlatch, 277, 284  
 public and private, 279, 281  
 rite of passage, 160, 264, 282, 284  
 sacred or divine, 279, 282–284  
 sacrifice, 6, 7, 216, 282, 297, 306  
 secular or profane, 279, 282–284  
 and skeletal frequency, 213, 215  
 structure and function, 279  
 and technology, 267  
 use of animals, 290, 294, 296–297  
 and zooarchaeological research, 5, 9,  
 25–26, 27–28, 332  
 Roman deposits, 126, 131, 133–134, 321  
 Roman Empire, 316  
 r strategy, 99, 101  
 Russia, 3, 325  
 Rüttimeyer, L., 2, 16

- sacred, *see* ritual
- sagitta, 63
- St. Augustine (Florida, USA), 3, 154, 155, 185, 186, 192, 198, 200, 213, 214, 220, 237, 350
- salinity, 77, 84, 106, 322, 323
- Salisbury Plain (England), 3, 321
- Salmon Ruin (New Mexico, USA), 321
- salt, 275
- salt fish, 6
- sample, archaeological
  - assemblage, 119, 124, 183, 240
  - definition, 9
  - number, 385
  - and second-order changes, 146–151
  - see also* curation
- sample size, 113–114
  - and age class, 195, 197
  - and diversity, 151, 245–246
  - and domestication, 297, 311
  - and environmental reconstruction, 317, 322
  - and primary data, 157, 180
  - and richness, 114, 114, 151
  - and secondary data, 184, 188, 200, 208, 243
  - as second-order change, 146, 151
  - and subsistence strategies, 264, 265
  - and zooarchaeological research, 22, 250, 343, 346
- sampling protocol
  - protocol, 113, 347
  - as second-order change, 146, 150–151, 316, 346
  - skimming, 150–151, 156
  - see also* excavation procedures; first-order changes; modifications; second-order changes; site-formation processes
- sanitation, 259, 345
- Sargasso Sea, 90–91
- Saudi Arabia, 270
- Scandinavia, 296
- scan site, 232
- schedules
  - and environmental reconstruction, 320
  - and subsistence strategies, 254–255, 261–263, 265, 271
  - and zooarchaeological research, 24
- Schiffer, M. B., 123–124
- schlepp effect, 215
- Schmid, E., 133
- scientific
  - literature, 36–38, 87, 182, 266, 326
  - method, 27, 154, 333
- sclerochronology, 77
- screen size, *see* excavation procedures
- seabird, 267
- seafood, 252
- sea level, 319, 323–324
- search time, 24, 254, 257
- seasonality
  - and animal aggregations, 98
  - and capture strategies, 261, 263
  - of death, 75, 77, 78–79, 196, 263–264, 278
  - and environmental reconstruction, 320
  - and first-order changes, 137
  - indicators, 62–63, 166, 266
  - physiological event, 76–77, 172, 192, 263, 266, 297–298
  - and second-order changes, 147
  - and social markers, 279
  - and subsistence strategies, 259, 260–266
  - and zooarchaeological research, 24, 26, 349
  - see also* growth; increments; periodicity; schedules; subsistence strategies
- secondary data, 336–341
  - and collection management, 377, 389–390, 393–395
  - construction of age class, 192–199
  - estimate of body dimension, 183–191
  - estimate of dietary contribution, 233–242
  - modifications, 242–244
  - niche breadth, 245–246
  - pathologies, 243–244
  - and primary data, 153–154, 157, 168, 181, 249, 251
  - relative frequency of taxa, 202–213
  - sex, 199–202
  - skeletal frequency, 213–233
  - and subsistence strategies, 251, 252
  - and zooarchaeological research, 335, 341–342
- secondary refuse, 124
- second-order changes, 146–151
  - and collection management, 377, 384–386
  - and environmental reconstruction, 317, 319, 323
  - excavation location, 146–147
  - and food preparation, 274
  - and primary data, 153, 161, 169

- and secondary data, 208
- skimming, 150–151
- and zooarchaeological research, 26, 27, 117, 118, 343, 346, 347, 377
- see also* excavation procedures; first-order changes; modifications; sample size; site-formation processes
- secular, 147, 279
- security, 254
- sedentism, 24, 172, 255, 257–260, *see also* catchment area; seasonality; settlement patterns
- Semliki Valley (Zaire), 3, 347
- serial number, 158
- Serjeantson, D., 267
- settlement patterns, 258, 259
  - environmental impact of, 318
  - and exchange systems, 276–277
  - and isotopes, 83
  - and overexploitation, 326
  - and ritual animal use, 285
  - spatial dimensions of, 257–260
  - and subsistence strategies, 252–255
  - and technology, 267
  - temporal dimensions of, 260–266
  - and zooarchaeological research, 5, 22, 24
  - see also* catchment area; mobility; sedentism
- sex, 199–202
  - and age, 65, 69–71, 172, 178, 194, 202, 263
  - display, 54
  - and domestication, 302, 303–304, 306–310, 312
  - and environmental reconstruction, 322, 323, 324
  - and exchange systems, 278
  - and MNI, 206
  - morphological features of, 54, 62–63, 79–80, 81, 158, 164, 172–179, 199–200
  - and nutrition, 255
  - ratio, 153, 172, 182
  - secondary characteristic, 172, 200
  - and size, 65, 69–70, 79–80, 172, 180, 183, 201, 202, 234, 238
  - and subsistence strategies, 267
  - variation in behavior, 297
  - see also* age; estimate of body dimension
- sexual dimorphism, 35, 63–65, 79–80, 179, 190, 200–201, 303–304, 305
- Seychelles (Indian Ocean), 3, 299
- Shanks, O. C., 275
- Sharpey's fiber, 44
- shellfish, 95, 138, 253, 257
- shelter, 254
- Shipman, P., 128
- Shotwell, J. A., 205, 322
- shoulder height, 65–66, 186
- Silver, I. A., 193
- similarity measure, 114–115, 115, 213
- Sinai Desert, 270
- site-formation processes
  - and diet, 256
  - and genetic studies, 81–82
  - and modifications, 168
  - and screen size, 148
  - and seasonality, 75
  - and secondary data, 184, 193, 195, 203, 206, 240, 242
  - and subsistence strategies, 265
  - and zooarchaeological research, 4, 8, 20, 22, 335, 346
  - see also* butchery; first-order changes; modifications; pathologies; postdepositional changes; second-order changes; soil
- site function, *see* archaeological context
- site visit, 158, 386
- Sitzkrieg, 329
- size
  - and age, 65, 69–74, 172, 183–184, 186, 197, 199–202, 199, 264
  - anatomical variation and, 63–64, 172
  - in animals with indeterminate growth, 197
  - biology of, 64–69
  - and domestication, 184, 199–202, 297, 302–305
  - and environmental reconstruction, 260, 319, 323, 324, 325, 327–328, 331, 345, 350
  - and estimate of body dimension, 183–190
  - and nutrition, 255
  - linear fit, 63–64
  - response to stress, 318
  - and sex, 65, 79–80, 172, 183–184, 199–202
  - and storage potential, 275
  - and taxonomy, 32
  - trends in, 189, 198, 303, 319, 334

- size (*cont.*)  
*see also* age; allometry; growth; sex;  
 variation
- skeletal frequency, 213–232  
 anatomical regions, 216–217, 217–219,  
 223–224  
 estimates of dietary contribution, 233  
 and modifications, 242–244  
 and NISP, 204  
 ratio, 219–224, 221, 222, 223  
 and skeletal completeness, 138, 214–216  
 summary, 230–232  
 and utility indices, 225–230  
 and zooarchaeological research, 182  
*see also* behavioral strategies; modifications;  
 observed to expected ratio; utility index
- slaughter pattern, 103
- Smith, B. D., 29
- social institutions  
 and animals as social markers, 279, 280,  
 348, 349  
 and desires, 254  
 and domestic animals, 294  
 and environmental reconstruction, 317, 318  
 and exchange systems, 285  
 and identity, 5, 7, 10, 25–26, 29  
 and isotopes, 82–83  
 and MNI, 208  
 and needs, 253  
 and obligations, 348  
 and relative frequency of taxa, 213  
 and subsistence strategies, 252, 258, 261, 276  
 and technology, 169, 267, 276  
 and zooarchaeological research, 5, 28, 252,  
 347, 348  
*see also* ethnicity; ritual; status
- soil  
 chemistry, 137, 262  
 as an environmental parameter, 106  
 and environmental reconstruction, 318, 319  
 and isotopes, 86–87  
 pH, 86, 140–141  
 and recovery methods, 149, 321  
 and site-formation processes, 117, 140–141  
 and trampling, 139  
 and zooarchaeological research, 12, 30, 345,  
 386  
*see also* first-order changes
- Somerset Levels (England), 3, 143
- South Africa, 3, 49
- South America, 3, 38, 158, 291–292, 300–301,  
 310–311
- South Carolina (USA), 83
- Spanish Florida, 155, 155, 158, 166
- specialized knowledge, 22
- species, 33–36, 35  
 composition, 323, 328  
 definition, 34  
 of domestic animals, 290  
 list, 13, 347  
*see also* taxonomy
- specimen, archaeological, 9, 161
- specimen weight, 158, 180, 202, 210–212, 211,  
 213, 234, 245  
*see also* identification; number of identified  
 specimens; primary data; secondary data
- Spencer, L. M., 227
- standard mean ocean water (SMOW), 78
- Star Carr (England), 394
- status, 28, 126, 213, 215, 242, 245, 254, 267,  
 276, 277, 279, 280–281, 283, 347, 348  
*see also* social institutions
- Steadman, D. W., 202, 325
- Steenstrup, J., 2
- Steward, J. H., 13, 18
- Stiner, M. C., 228–229
- stomach contents, 136–137, 256, 321, 344
- storage  
 and domestication, 299  
 and exchange systems, 276  
 losses during, 275, 298  
 and MNI, 208  
 and primary data, 172  
 and site-formation processes, 145  
 and subsistence strategies, 261, 265  
 and technology, 266  
 and zooarchaeological research, 9  
*see also* food preparation
- stratigraphy, 15, 265, *see also* excavation  
 procedures
- structure used in feeding and locomotion,  
 46–50, 54–56
- studied assemblage, 152, 319
- subclass, 35
- subfamily, 35
- suborder, 35

- subphylum, 35, 39, 42, 45  
 subsistence strategies  
   agriculture, 2, 28, 82, 252, 254, 270, 277,  
     298, 314, 325, 329–331  
   collector, 22, 252–253  
   cost of, 254, 344  
   definition, 252  
   diffuse, 245  
   and domestic animals, 297  
   environmental impact of, 317, 325–329,  
     349–350  
   and environmental reconstruction, 320,  
     323, 326, 332–333  
   and excavation procedures, 146–149  
   farming, 252, 257–258, 298, 330–331, 348  
   fishing, 98, 137, 252, 253, 264  
   focal, 245  
   foraging, 22, 232, 249, 252–253, 257–258, 330  
   generalist, 245  
   herding, 83, 102, 102, 103, 252, 263, 290,  
     295–296, 303, 312, 314, 330  
   horticulture, 252, 298  
   hunter-gatherer, 252–253, 254  
   hunting, 2, 98, 125–126, 125, 253, 254, 263,  
     265, 298, 325  
   industrial (urban), 254  
   logistic, 252–253, 257–258  
   and nutrients, 96  
   pastoralist, 102, 102, 103, 252, 254, 257–258,  
     303  
   selectivity of, 333, 349  
   spatial dimension, 257–260, 267, 298, 320,  
     323  
   specialist, 245  
   temporal dimension, 260–266, 267, 298,  
     320, 323  
   trapping, 252, 298  
   and zooarchaeological research, 1, 6, 13, 19,  
     20, 22, 26, 27–28, 251–252, 344–349  
   *see also* animal husbandry; migration;  
     seasonality; settlement patterns;  
     technology; tools  
 subspecies, 36, 37, 165, 289, 291  
 sumptuary law, 278  
 superclass, 35  
 survival potential, 203  
 survivorship curve, 100–101, 101, 103, 113, 195,  
   196, 309  
 sustainability, 328, 332  
 Swedish lake sediment, 316  
 Swiss lake site (Switzerland), 3, 16, 143  
 symbiotic relationship, 93–94, 103, 137–138, 325  
 symbol, 7, 28, 279–285, 305–306, 344, 347, *see*  
   *also* ritual  
 Symmons, R., 232  
 synonymy, 35, 37–38, 290  
 Syria, 270  
*Systema Naturae*, 33, 290  
 systematic nomenclature, 32–36, 35, 290, *see*  
   *also* taxonomy  
 systems  
   model, 109  
   theory, 14  
 tabby, 275  
 taboo, 145, 255, 265, 281, 296, 319, 348  
 tame animals, 73, 299–301  
 Tanaina, 273  
 Tanala, 269, 271, 273  
 taphonomy  
   defined, 117  
   and dietary contribution, 242  
   and element representation, 166, 168–169,  
     213  
   as a first-order change, 122–123  
   magnitude of disturbance, 134–135, 151–152  
   model, 118–120, 119  
   post-depositional disturbance, 134–143  
   research, 143–145  
   and zooarchaeological research, 8, 18, 22  
   *see also* first-order changes; modifications;  
     site-formation processes  
 taxon (taxa), definition, 31  
 taxonomy, 32–38, 35  
   abbreviation, 36  
   and animals as social markers, 281  
   conventions, 34, 36  
   definition, 32  
   of domestic animal, 9–10, 36, 290, 291–292  
   folk taxonomy, 32–33, 38, 281  
   systematics, 33–36, 35  
   of taxa in text, 353–362  
   and zooarchaeological research, 7, 9, 31–32  
 Taylor, W. W., 18, 19, 20  
 technology, 266–276  
   and environmental reconstruction, 318, 319

- and excavation procedures, 147, 148
- as indirect evidence of animal use, 137, 213
- and subsistence strategies, 254, 257, 265, 266, 285
- and zooarchaeological research, 13, 14, 16, 22, 28, 251–253
- see also* animal products; domestic animal; raw materials; tools
- Telarmachay (Peru), 310
- temperature, 77–79, 83, 84, 106, 109, 140, 255, 260, 320, 322, 324
- Teotihuacan (Mexico), 3, 320
- tephra, 120
- ternary (3-pole) graph, 195, 196
- terpen*, 17
- territory, 98–99, 349
- Texas (USA), 3, 259
- textile, 348
- thanatic, 123
- Thomas, D. H., 231
- thymine, 81
- time
  - as a cost, 254, 266, 280, 343–344
  - averaging, 265
- Tlingit, 271
- tools, 169, 266–276, 269, 271, 273
  - arrow, 268
  - awl, 133
  - bait, 92, 272, 344
  - basket, 329
  - bird dart, 269
  - blind, 270
  - blowgun, 268
  - bola, 268
  - boomerang, 268
  - bow, 268
  - canal, 330
  - carrying device, 7, 267, 272, 313, 314
  - clothing, 7, 344
  - complex, 267, 269
  - container, 295, 344
  - cordage, 7, 272, 349
  - corral, 268, 299, 309–310, 312, 313, 330
  - crabbing stick, 268
  - and cultural transformation processes, 124
  - deadfall, 270, 271
  - digging stick, 269
  - dip net, 270, 271
  - disguise, 270
  - and domestic animals, 295
  - drag anchor, 268
  - drive, 270, 325
  - enclosure, 330
  - facility, 268, 270–272, 271
  - fence, 270
  - fire, 268
  - fish scoop, 271
  - gaff, 268
  - game piece, 7, 215
  - gorge, 270, 271, 272
  - gourd, 272
  - grinding implement, 344
  - harpoon, 268
  - harpoon dart, 269
  - herring rake, 268, 269
  - hook, 16, 270, 271, 272, 344
  - instrument, 268, 269
  - and isotopes, 82
  - kite, 270
  - knife, 268
  - lance, 268
  - lasso, 270
  - leister, 269
  - line, 268, 272
  - lure, 270
  - manufacture of, 16, 130, 169, 266–267
  - metal, 130
  - and modifications, 242
  - needle, 133
  - nesting box, 301
  - net, 137, 150, 268, 270, 272, 273, 347
  - net gauge, 267, 272, 344
  - net sinker, 134, 267, 344
  - ownership of, 267
  - pen, 301
  - pit trap, 270
  - poison, 268, 270–272
  - punch, 133
  - and raw materials, 133–134
  - residue on, 82, 274–275, 344
  - restraint, 312, 313
  - road, 313
  - rope, 313, 314
  - roundup, 325–326
  - scoop, 272
  - and secondary data, 185, 200, 204, 215



- seed beater, 269  
 seine, 270  
 shelter, 7, 330  
 simple, 267, 269  
 sling, 268, 314  
 snare, 271, 273  
 and social distinctions, 281  
 spear, 268  
 spinning, 313, 344  
 stick, 268  
 stone, 130, 268, 274  
 and subsistence strategies, 278  
 tended facility, 270–271, 271  
 terrace, 313, 330  
 throwing board, 269  
 throwing stick, 268  
 toggle, 268  
 torch, 270  
 trap, 7, 252, 268, 270–272, 273  
 untended facility, 271–272, 273  
 utensil, 15, 133–134  
 wall, 313  
 water, 268  
 watercraft, 7  
 weapon, 15, 268, 269, 270, 271  
 weaving, 295, 313, 344  
 weir, 270, 271, 271  
 wheeled vehicle, 311  
 and zooarchaeological research, 6, 7, 344  
*see also* animal husbandry; animal products; modifications; raw materials; technology
- tooth, 48  
 acrodont, 43, 44  
 and anatomy, 40, 43, 44  
 bunodont, 52–53, 93  
 canine, 43, 47, 48, 48, 49, 52, 54, 80, 93–94, 135, 176, 178, 305  
 caniniform, 48  
 carnassial, 53, 135, 305  
 cheek tooth, 48, 49, 52, 52, 176  
 closed root, 48, 73  
 composition of, 39, 47  
 crown, 47, 174  
 crown height, 69, 72–74, 176  
 deciduous, 44, 174, 176, 180  
 diphyodont, 44  
 and domestication, 303, 305  
 fang, 53  
 function, 50–54  
 heterodont, 47  
 hypsodont, 52, 93  
 incisiform, 48, 49, 52  
 incisor, 44, 47, 47, 48, 49, 52, 52, 135, 176  
 and increments, 75–77  
 and isotopes, 84–85, 87  
 lophodont, 52  
 molar, 44, 47, 47, 48, 49, 93, 170, 176  
 molariform, 47, 49, 52  
 monophyodont, 44  
 open root, 48–49  
 and pathologies, 170  
 permanent, 44, 174, 176  
 pleurodont, 40, 44, 44  
 polyphyodont, 44  
 premolar, 44, 47, 48, 93, 176, 305  
 pulp, 47, 174  
 radular, 45  
 as raw material, 133, 268, 276  
 root, 47, 174  
 selenodont, 52  
 as structures used in feeding, 46–50, 47, 49, 52, 53, 61  
 thecodont, 40, 43, 44  
 tusk, 47–48, 64  
 worked, 133, 296  
 and zooarchaeological research, 7  
*see also* element types; feeding behavior
- tooth wear, 41, 49–51, 72–74, 172, 174–176, 193, 196, 309, *see also* age
- tooth wear stages (TWS)  
 Grant method, 174, 175, 196  
 Payne method, 174, 176, 177, 196
- topography, 106, 318
- total number of fragments (TNF), 167
- totem, 282, *see also* ritual
- toy, 133, 275–276
- trait list, 13, 17–18
- transportation, 22, 126, 200, 203, 208, 214, 225, 257, 265
- trinomial, 36
- trivial name, 34–35, *see also* species; taxonomy
- Troldebjerg (Denmark), 3, 201
- trophic level, 92–94  
 consumer, 92, 107, 109  
 decomposer, 109

- trophic level (*cont.*)  
 and domestication, 301–302  
 mean trophic level, 328  
 and overexploitation, 326–327, 328  
 and populations, 99  
 predator, 99, 107, 260, 318, 325, 326–327  
 prey, 325, 326–327  
 primary consumer, 92, 93  
 primary producer, 92, 106, 107, 109  
 producer, 92, 93, 107–108, 109  
 and productivity, 109  
 pyramid, 107  
 secondary consumer, 92, 93  
 and stable isotopes, 83–87, 85  
 tertiary consumer, 92, 93–94  
*see also* community ecology; ecosystem;  
 feeding behavior; productivity
- trophy, 242, 344
- turbidity, 322
- Turkey, 293
- turtle shell, *see* element type
- Twana, 267, 269, 271
- twitching, 29
- type locality, 35, 37
- type specimen, 35
- Uaxactun (Guatemala), 3, 17
- Uerpmann, H.-P., 4, 212
- Uerpmann, M., 213
- uniformitarianism, 143
- United States, 37, 259, 390  
 southeastern, 3, 33, 78, 133, 148, 149, 154,  
 329, 331  
 southwestern, 3, 134, 138, 258, 267, 269, 301,  
 321  
 western, 166, 311
- urbanization, 5, 25, 28, 277, 321–322
- usable meat, 233–234
- utility index, 225–230, 232, 274  
 food utility index (FUI), 228, 230, 230, 231  
 general utility index (GUI), 226  
 meat utility index (MUI), 230  
 modified general utility index (MGUI), 23,  
 226–227, 230  
*see also* behavioral strategies
- utility (value), of meat, 215, 219, 226
- van Giffen, A. E., 17
- variation  
 environmental, 63–64  
 genetic, 63–64, 255, 297, 302  
 geographical, 36, 164, 172, 183, 201–202,  
 238, 318  
 individual, 35, 63–64, 164, 172, 183, 196,  
 201–202, 237, 238, 255, 318  
 in life cycles, 100  
 population, 26, 63–64, 99–100, 318  
 and reference collection, 378  
 seasonal, 237, 238, 318  
 in size and age, 69–70, 72, 183  
*see also* age; anatomy; estimate of body  
 dimension; sex; size
- variety, 33, 36, 254, 280–281, *see also* taxonomy
- vaterite, 61
- Venezuela, 3, 300, 329
- vernacular name, –10 9
- vertebra, 56–57, 60  
 amphicoelous, 40, 42, 42  
 amphiplatyan, 40, 42, 42  
 and anatomy, 40, 42–44, 42, 43  
 centrum, 40, 42–43, 55, 77, 186  
 cervical, 57, 365  
 haemal arch, 43  
 heterocoelous, 40, 42  
 and hyperostoses, 74  
 and increments, 75  
 lateral spine, 43, 56  
 and locomotion, 56–57, 60  
 and MNI, 207, 209  
 neural arch, 43  
 and NISP, 204, 205  
 opisthocoelous, 40, 42, 42–43  
 procoelous, 40, 42, 42  
 and screen size, 148, 149  
 urostyle, 40  
*see also* element types
- Virgin Islands (West Indies), 3, 300, 328
- volume density (VD), 41, 228, 231–232, 233
- von Bertalanffy growth curve, 327
- Walters, I., 134–135
- warfare, 9, 255
- Warrau, 329
- waterfowl, 90
- Watson, J. P. N., 166
- wealth, 9, 348

- Weigelt, J., 18  
 Western Hemisphere, 294, 330  
 West Indies, 114, 300, 312  
 West Stow (England), 242  
 Wheeler, A., 136  
 White, T. E., 20, 21, 206, 207, 224, 227, 235–238, 235  
 WIF, 211  
 Wing, E. S., 328  
 Wing, S. R., 328  
 Winn, H. E., 35  
 withers height, *see also* shoulder height  
 Wrangel Island (Russia), 3, 325  
 written record, 9, 145, 252, 279, 343  
 Wyman, J., 2, 17
- yield, 255, 266  
 York (England), 3, 321–322  
 Young, D. B., 16
- Zagros Mountains, 293  
 Zeder, M. A., 176  
 Ziegler, A. C., 236, 237–238  
 zooarchaeología, 3  
 zooarchaeological collection, 153, 160, 377  
   collection-management policies, 393–394  
   conservation of, 388–389  
   defined, 9  
   in the field and archaeological laboratory, 384–386  
   long-term curation, 393–395  
   as voucher, 393–394  
 zooarchaeology, 3–5  
   in the zooarchaeology laboratory, 377, 386–390  
   advances, 335, 346–350  
   analysis, 8–9, 146, 153, 157, 251, 332, 333, 343–345  
   and anthropology, 2, 12–14, 27–28, 341  
   anthropological research, 27–28, 332  
   applied zooarchaeology, 26, 331–334, 393  
   and archaeology, 2, 5, 14–20, 29–30  
   and biology, 1, 5, 28–29, 31, 38, 54, 74–79, 87, 115–116, 266, 341  
   biological research, 28–29, 332  
   challenges, 341–342  
   and classics, 2  
   concepts, 336–341  
   definition, 1  
   disseminating results, 146, 209, 377, 378, 390–394, 391, 395  
   and ecology, 2, 20–21, 29, 332  
   future directions, 349, 350–351  
   goals, 1, 6, 11, 182, 341–342, 346  
   and history, 2, 14–20  
   interdisciplinary, 1, 20, 252, 341, 345–346, 350  
   methodological research, 18, 22, 26, 27, 346–347  
   organizations, 4  
   parts of a study, 153, 387, 389  
   practitioners, 2  
   procedures, 342–346  
   protocol, 168, 389  
   and the public, 392, 393  
   research objective, 11, 30, 147, 154, 157, 166, 182, 212, 220, 232, 249, 335, 336, 342–343, 386, 391  
   research themes, 2, 20–26, 332, 393  
   sources of theories and methods, 11, 87  
   verification, 244  
 zooarchéologie, 3  
 zoogeography, *see* biogeography  
 zoologico-archaeologist, 2